

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|---|---|---|
| 111 | | 12052 | 2 | Acer palmatum 'Autumn Fire' | x | 1 | 13 | esv | | | Dissectum - green, 1507: lots of dead wood, to status 2 |
| 111 | | 17003 | 4 | Acer palmatum 'Dentelle de Binche' | x | 1 | 17 | cec | | | Dissectum, gift Benoit Choteau (CECE) #13829, |
| 111 | | 98215 | 4 | Acer palmatum 'Dissectum' | x | 2 | 00 | esv | | | 99:1/3 is dead damp winter and spring frost, |
| 111 | | 13047 | 4 | Acer palmatum 'Dissectum Rubrifolium' | x | 1 | 13 | div | | | dissectum - red, prop #11188, Dick van der Maat |
| 111 | | 12089 | 4 | Acer palmatum 'Firecracker' | x | 1 | 13 | esv | | | |
| 111 | | 98217 | 4 | Acer palmatum 'Garnet' | x | 1 | 00 | esv | | | Dissectum - red, 040503: outstanding colour |
| 111 | | 05250 | 4 | Acer palmatum 'Green Mist' | x | 1 | 08 | bul | | | Dissectum - green, |
| 111 | | 12070 | 4 | Acer palmatum 'Julian' | x | 1 | 13 | esv | | | is this 'Pendulum Julian' (dissectum)?, |
| 111 | | 12073 | 4 | Acer palmatum 'Lemon Lime Lace' | x | 1 | 16 | esv | | | Dissectum - green, 1407: to 111 or there around, with t |
| 111 | | 13046 | 4 | Acer palmatum 'Lionheart' | x | 1 | 13 | div | | | dissectum - red, prop #11189, Dick van der Maat, 1502 |
| 111 | * | 05256 | 4 | Acer palmatum 'Red Filigree Lace' | x | 1 | 14 | bul | | | Dissectum - red, |
| 111 | | 11304 | 4 | Acer palmatum 'Vasterival' | x | 1 | 12 | dcl | | | gift Antoon De Clercq opening Arboretum |
| 111 | | 17045 | 3 | Enkianthus perulatus 'J.L. Pennock' | x | 1 | 17 | pds | | | cttg #12819 of HKRD #02448 |
| 112 | | 16027 | 4 | Abies homolepis | x | 1 | 16 | wld | | | |
| 112 | o | 94057 | 3 | Abies recurvata var. ernestii | x | 1 | 96 | wld | C | V | |
| 112 | * | 94311 | 4 | Acer crataegifolium | x | 2 | 95 | wld | | V | |
| 112 | | 06231 | 4 | Acer elegantulum | x | 1 | 09 | div | A | V | */gift Anne Leitner and BDB (from Zundert), check ID |
| 112 | * | 84458 | 4 | Acer palmatum 'Burgundy Lace' | x | 1 | 03 | esv | A | | Matsumurae - red, 021219: not pruned after moving thi |
| 112 | ** | 98224 | 4 | Acer palmatum 'Orangeola' | x | 3 | 00 | esv | | | Dissectum - red, 131113: amazing autumn colour, late, |
| 112 | | 98227 | 4 | Acer palmatum 'Sherwood Flame' | x | 1 | 11 | esv | | | Matsumurae - red, 0109:some dead wood and leader lo |
| 112 | | 05258 | 4 | Acer palmatum 'Shojo-shidare' | x | 1 | 10 | bul | | | Dissectum - red, |
| 112 | * | 83512 | 2 | Acer palmatum 'Waterfall' | x | 1 | 07 | esv | A | | Dissectum - green, 0611: big move from 54, 1706: badl |
| 112 | ** | 95065 | 4 | Acer pseudosieboldianum | x | 1 | 95 | wld | | V | |
| 112 | * | 84151 | 4 | Acer rubrum 'October Glory' | x | 1 | 86 | esv | A | | 88:best colouring of all Acer rubrum, 021009: long fiss |
| 112 | * | 91112 | 3 | Cornus florida (Longwood seed) | x | 3 | 91 | pds | | | */Sd#1641, PdS collectd. Longwood Gard.on good spe |
| 112 | * | 90136 | 4 | Cornus kousa 'Milky Way' | x | 1 | 91 | pds | | | HKR/1457:cttg.of 84712, "dip" in lvs!, 98:very florifer |
| 112 | | 17183 | 4 | Ilex bioriensis | x | 1 | 17 | wld | | V | |
| 112 | | 92811 | 4 | Ilex glabra 'Nana' | x | 1 | 98 | vml | | V | gift fr.Bokrijk, 1703: verified to species level |
| 112 | | 92796 | 4 | Ilex 'Hollowell' (aquifolium x cornuta) | x | 1 | 94 | vml | | | Male, gift fr.Bokrijk, 11: probably the only male in that |
| 112 | | 02370 | 4 | Osmanthus decorus | x | 1 | 03 | dev | ? | V | |
| 112 | | 91566 | 2 | Picea asperata | x | 1 | 96 | waa | | V | */BDB #30697, KR: is not P.likiangensis !!! Yes likian |
| 112 | | 94061 | 4 | Picea engelmannii subsp. mexicana | x | 1 | 96 | wld | A | V | |
| 112 | | 95356 | 3 | Picea engelmannii subsp. mexicana | x | 1 | 96 | wld | | V | |
| 112 | | 95357 | 3 | Picea engelmannii subsp. mexicana | x | 1 | 96 | wld | | V | |
| 112 | | 91572 | 4 | Picea wilsonii | x | 1 | 94 | waa | | V | BDB #30699, see plantcol sub #2918, (his 2919 was in |
| 112 | | 89430 | 4 | Stewartia pseudocamellia | x | 1 | 91 | esv | | | |
| 112 | | 95210 | 4 | Styrax obassia | x | 1 | 95 | pds | | | sd from Chollipo Arb. 1989/251 |
| 112 | | 06165 | 3 | Viburnum acerifolium | x | 1 | 09 | bul | ? | | 1005: status 2, dry, 1207: needs verification, possibly |
| 112 | | 05316 | 1 | Viburnum x burkwoodii 'Park Farm Hybrid' | x | 1 | 14 | div | | | 1507: cut, was status 1 |
| 112 | * | 98035 | 4 | Viburnum x carlcephalum (carlesii x macrocephalum) | x | 1 | 98 | vpl | | | 030501: excellent spring flowering plant very scented, |
| 112 | | 12365 | 4 | Viburnum corymbiflorum | x | 1 | 12 | wld | | | |
| 112 | | 17303 | 4 | Viburnum mullaha aff. | x | 1 | 17 | wld | ? | ? | |
| 112 | | 14202 | 4 | Viburnum orientale | x | 1 | 14 | wld | | | |
| 112 | | 18073 | 4 | Viburnum orientale | x | 1 | 18 | wld | | | |
| 112 | * | 11036 | 3 | Viburnum setigerum | x | 1 | 11 | hil | | | sdlg. #8876, Hillier#2004,0169, garden origin, 1703: st |
| 112 | * | 98361 | 4 | Viburnum setigerum | x | 1 | 00 | esv | | | 061125:always covered with fruits, |
| 113 | | 99039 | 4 | Abies balsamea | x | 1 | 03 | wld | | V | |
| 113 | | 03125 | 4 | Abies chensiensis | x | 1 | 08 | wld | | V | |
| 113 | | 16103 | 4 | Abies densa | x | 1 | 16 | wld | | V | |
| 113 | | 16028 | 4 | Abies homolepis | x | 1 | 16 | wld | | | |
| 113 | | 07196 | 4 | Acer x conspicuum 'Candy Stripe' | x | 1 | 09 | bul | | | (davidii x pensylvanicum) |
| 113 | | 13015 | 4 | Acer crataegifolium | x | 1 | 13 | wld | | V | |
| 113 | | 13150 | 4 | Acer forrestii | x | 1 | 13 | wld | | V | |
| 113 | | 10207 | 4 | Acer laxiflorum | x | 1 | 10 | wld | | V | |
| 113 | * | 94305 | 4 | Acer palmatum subsp. amoenum | x | 1 | 95 | wld | | | |
| 113 | * | 94306 | 4 | Acer palmatum subsp. amoenum | x | 1 | 95 | wld | | V | |
| 113 | * | 05248 | 4 | Acer palmatum 'Emerald Lace' | x | 1 | 17 | bul | | | Dissectum - green, 061124: elegant plant, deeply cut lv |
| 113 | | 97150 | 4 | Acer palmatum 'Hogyoku' | x | 1 | 00 | esv | | | Amoenum - green, 0808: some dead wood, but ok, 171 |
| 113 | * | 97005 | 4 | Acer palmatum 'Katsura' | x | 3 | 00 | har | | V | Palmatum - green, 99/3 moved the three plants from 1 |
| 113 | | 96037 | 4 | Acer palmatum 'Koto-no-ito' | x | 1 | 06 | div | | | Linearilobum - green, gift Mr.Van Esdael |
| 113 | | 97153 | 4 | Acer palmatum 'Mirte' | x | 1 | 98 | esv | | | Palmatum - green, 17: very dissapointing aut. Colour (|
| 113 | * | 98226 | 4 | Acer palmatum 'Samidare' | x | 1 | 00 | esv | | | Amoenum - green, 061115:outstanding aut.col, deep ye |
| 113 | * | 97007 | 4 | Acer palmatum 'Seiryu' | x | 3 | 00 | har | | | Dissectum - green, 97/7: superb after bad spring frost a |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|------|---|---|
| 113 | | 05259 | 4 | Acer palmatum 'Waterfall' | x | 1 | 08 | bul | | | Dissectum - green, |
| 113 | | 12086 | 4 | Acer palmatum 'Winter Flame' | x | 1 | 16 | esv | | | Palmatum - green, 1407: somewhat upright |
| 113 | | 08063 | 4 | Acer pensylvanicum (sldg) | x | 1 | 08 | spo | ? | | spo sdlg #9099, check ID |
| 113 | | 15280 | 4 | Acer rufinerve | x | 1 | 15 | wld | | | |
| 113 | | 96022 | 4 | Acer rufinerve | x | 3 | 96 | wld | | V | |
| 113 | | 92168 | 4 | Acer 'Spinners' (davidii hybrid) | x | 1 | 93 | spi | | | 0411:this might be a capillipes hybr, 061115:outstandi |
| 113 | | 01269 | 4 | Acer tschonoskii subsp. koreanum | x | 1 | 02 | bul | | V | 061014:early, soft pink autumn colour, _ |
| 113 | | 99166 | 3 | Carpinus coreana | x | 1 | 10 | wld | | | |
| 113 | | 13006 | 4 | Hydrangea serrata 'Kurohime' | x | 1 | 15 | bul | | | gift Bulk, |
| 113 | | 12479 | 4 | Hydrangea serrata 'Seikai' | x | 2 | 15 | bul | | | 1306: one plant status 2, 1406: 2/3 |
| 113 | | 95171 | 4 | Ilex x altaclerensis 'Camelliifolia' | x | 1 | 95 | vml | | | Female, gift Bokrijk, |
| 113 | | 92801 | 4 | Ilex aquifolium 'Watereriana' | x | 1 | 94 | vml | | | Male, 0704: a lot of sooty mould on lvs (aphids) |
| 113 | | 08276 | 4 | Illicium anisatum | x | 1 | 10 | bur | A | | 1004: perfectly hardy after two bad winters, in pON, 10 |
| 113 | | 92581 | 4 | Malus hupehensis | x | 1 | 92 | waa | | | 0808: very irregular crown, pruned high |
| 113 | | 98315 | 4 | Ostrya japonica | x | 1 | 99 | esv | | V | BDB #25862, |
| 113 | * | 95058 | 4 | Ostrya virginiana | x | 3 | 95 | wld | A | V | |
| 113 | | 13103 | 4 | Rhododendron vaseyi aff. | x | 1 | 13 | div | | ? | not albrechtii BCJMMT-122, an error occurred, see me |
| 113 | | 10252 | 4 | x Sorbaronia Mitschurinii Group | x | 1 | 15 | dev | | | gift Damien Devos, "Hof ter Saksen 144-01" on label, |
| 113 | | 12263 | 4 | Sorbus meliosmifolia | x | 1 | 12 | wld | | | |
| 113 | | 08227 | 4 | Viburnum x burkwoodii 'Anne Russell' | x | 1 | 10 | dev | | | gift Damien Devos garden party 080531 |
| 113 | | 06166 | 4 | Viburnum corylifolium | x | 1 | 09 | bul | | | 1507:back to status 4 |
| 113 | | 10134 | 4 | Viburnum dilatatum | x | 1 | 10 | wld | | | |
| 113 | | 14075 | 4 | Viburnum orientale | x | 1 | 14 | wld | | | |
| 113 | | 06154 | 4 | Viburnum phlebotrichum | x | 1 | 09 | bul | | | |
| 113 | | 92661 | 4 | Viburnum plicatum f. tomentosum 'Nanum Semperflo | | | 96 | waa | | T | 95:1/3 surviving, 1702: not very nanum, 1707: Nanum |
| 113 | | 15255 | 4 | Viburnum recognitum | x | 1 | 15 | wld | | | |
| 113 | | 08124 | 4 | Viburnum sargentii 'Onondaga' | x | 1 | 08 | pds | | | layer #9156 of HKRD #89264, 1507: back to status 4 |
| 113 | | 98360 | 4 | Viburnum sargentii 'Susquehanna' | x | 1 | 00 | esv | | V | *030330: very early in leaf, as a typical chinese contine |
| 113 | | 13102 | 4 | Viburnum veitchii | x | 1 | 13 | wld | | | |
| 114 | * | 91535 | 4 | Abies concolor | x | 1 | 95 | waa | | T | BDB #30720, as var. lowiana, but this var. within natur |
| 114 | | 05010 | 4 | Abies delavayi | x | 1 | 05 | wld | | | |
| 114 | | 91538 | 3 | Abies fabri | x | 1 | 95 | waa | C | V | 97:C new growth from spring frost, 0409: best of the lo |
| 114 | | 91539 | 3 | Abies fabri | x | 1 | 95 | waa | C | V | Not A.fargesii faxoniana K.R. Checked by Keith Rushf |
| 114 | | 91541 | 4 | Abies fabri subsp. minensis | x | 1 | 95 | waa | C | V | Not A.fargesii faxoniana K.R. fromChinese Ac.of Fore |
| 114 | | 09086 | 4 | Abies sachalinensis | x | 1 | 09 | pds | | | sd. #3199, ex SCHUMACHER Mass., |
| 114 | | 17304 | 4 | Acer forrestii | x | 1 | 17 | wld | | | |
| 114 | | 13151 | 4 | Acer henryi | x | 1 | 13 | wld | | | |
| 114 | | 17208 | 4 | Acer oliverianum subsp. formosanum | x | 1 | 17 | wld | ? | V | |
| 114 | | 11428 | 4 | Acer tsinglingense | x | 1 | 14 | div | ? | | gift Maple Society / Piet de Jong during Symposium at |
| 114 | | 13075 | 4 | Cunninghamia konishii | x | 1 | 13 | div | | | sd. #9790, IS2006-2007, Taiwan Forestry Research Ins |
| 114 | | 91629 | 4 | Emmenopterys henryi | x | 1 | 10 | waa | C | | 944-86, 91/4:D, 92:recover, 95:C-, 97:spring frosted |
| 114 | | 89138 | 4 | Fortunearia sinensis | x | 1 | 03 | waa | | V | 0808: this has been a successful big move! |
| 114 | | 15159 | 4 | Hamamelis ovalis | x | 1 | 15 | wld | | | |
| 114 | | 12475 | 4 | Hydrangea serrata 'Miyama-kuro-hime' | x | 3 | 15 | bul | | | 1306: high plants compared to other serrata's in pON |
| 114 | | 13009 | 1 | Hydrangea serrata 'Shinonome' | x | 1 | 15 | bul | | | gift Bulk, 1507: status 3, 1702: st.1 |
| 114 | | 00543 | 4 | Maackia hupehensis | x | 1 | 03 | bul | | | (syn. chinensis), 0808: beautiful bark, grows extremely |
| 114 | | 07241 | 4 | Parrotia subaequalis | x | 1 | 10 | wld | A | | |
| 114 | | 02372 | 3 | Parrotiopsis jacquemontiana | x | 1 | 03 | dev | C- | | 1702: remains status 3, not much growth |
| 114 | * | 09034 | 4 | Prunus incisa 'The Bride' | x | 1 | 09 | pav | | V | 160406: deserves a star, |
| 114 | | 09553 | 3 | Rhododendron albrechtii | x | 3 | 13 | ggd | | | 1507: status 3 |
| 114 | | 15094 | 4 | Rhododendron albrechtii | x | 1 | 15 | wld | | | |
| 114 | | 07248 | 4 | Rhododendron arborescens | x | 1 | 11 | wld | A | | |
| 114 | | 10416 | 4 | Rhododendron cumberlandense 'Hillier's Red' | x | 1 | 13 | ggd | | | |
| 114 | | 10417 | 4 | Rhododendron cumberlandense 'Hillier's Red' | x | 1 | 13 | ggd | | | |
| 114 | | 10418 | 4 | Rhododendron cumberlandense 'Hillier's Red' | x | 1 | 13 | ggd | | | |
| 114 | * | 08542 | 4 | Rhododendron pachysanthum | x | 1 | 11 | ggd | A | | (HP), (ex RV 72001) |
| 114 | | 00346 | 4 | Rhododendron vaseyi | x | 2 | 09 | wld | A+ T | | |
| 114 | | 14204 | 4 | Rhododendron vaseyi | x | 3 | 14 | wld | | | |
| 114 | | 99095 | 4 | Rhododendron vaseyi | x | 1 | 09 | wld | A+ T | | |
| 114 | * | 09569 | 4 | Rhododendron vaseyi 'White Find' | x | 3 | 13 | ggd | | | |
| 114 | | 14275 | 4 | Sinowilsonia henryi | x | 1 | 14 | div | | | prop #12630, gift A. Leitner, seedling raised by Anne, f |
| 114 | | 94151 | 4 | Sorbus commixta 'Embley' | x | 1 | 94 | mal | | V | 011118:good aut. colour, |
| 114 | | 94152 | 4 | Sorbus forrestii | x | 1 | 94 | mal | | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|---|---|--|
| 114 | | 89432 | 4 | Stewartia pseudocamellia | x | 1 | 93 | esv | | | 99/3/18:base of stem has peeled** in one go,on lower |
| 114 | * | 98342 | 4 | Viburnum buddlejifolium | x | 1 * | 00 | esv | | | 0107018:good fruits red becoming black, 0808: attracti |
| 114 | | 99243 | 4 | Viburnum x hillieri 'Winton' | x | 1 | 01 | wis | | | Winton might be straight erubescens from another elev |
| 114 | | 01048 | 4 | Viburnum lantanoides | x | 1 | 01 | wld | | | |
| 114 | | 86338 | 4 | Viburnum 'Pragense' (rhytidophyllum x utile) | x | 1 | 13 | esv | A | V | *_97:A+, good plant for many years against western wa |
| 114 | | 98358 | 4 | Viburnum x rhytidophylloides 'Alleghany' | x | 1 | 00 | esv | | V | |
| 114 | | 98359 | 4 | Viburnum x rhytidophylloides 'Dart's Duke' | x | 1 | 00 | esv | T | | ™ name = 'Interduke', 0102:starting to flower, |
| 115 | * | 91562 | 4 | Abies veitchii | x | 1 * | 96 | waa | V | | BDB #30723, syn. nikkoensis, 97/7:good growth, confi |
| 115 | | 83470 | 4 | Acer pictum subsp. mono | x | 1 | 97 | esv | A | | slow ! 97:moved out of view in 202, recoverd well, big |
| 115 | | 95093 | 4 | Disanthus cercidifolius | x | 1 | 95 | pds | C | | cttg 4220 ex 92210, 95:3/6 surv. 3/6 plants lost on mov |
| 115 | | 15191 | 4 | Euonymus alatus | x | 1 | 15 | wld | | | |
| 115 | | 93124 | 4 | Euonymus alatus | x | 2 | 98 | waa | | | 95:too dry under Larix, 97:1/3 dead, one miserable, |
| 115 | | 04431 | 4 | Euonymus alatus var. apterus | x | 1 | 06 | bul | | | |
| 115 | | 04432 | 4 | Euonymus alatus var. ciliatodentatus | x | 1 | 06 | bul | | | |
| 115 | * | 02303 | 4 | Euonymus alatus 'Rudy Haag' | x | 1 * | 03 | waa | | | 171007: excellent compact and colouring plant, deserv |
| 115 | | 02304 | 4 | Euonymus alatus 'Select' | x | 1 | 03 | waa | | | 0605: nice plant, somewhat round shape |
| 115 | | 02305 | 4 | Euonymus alatus 'Timber Creek' | x | 1 | 03 | waa | | | |
| 115 | | 93298 | 2 | Euonymus bungeanus | x | 1 | 04 | waa | C | | was group of 3, see #93125, 1507: status 3, insects, 15 |
| 115 | | 08108 | 3 | Euonymus cornutus var. quinquecornutus | x | 1 | 08 | pds | | | Cttg #4911 of HKRD #87259, 97:seem blocked in their |
| 115 | | 11087 | 4 | Euonymus cornutus var. quinquecornutus | x | 1 | 11 | pds | | | Cttg #4911 of HKRD #87259, 1507: back to status 4 (f |
| 115 | | 08055 | 4 | Euonymus hamiltonianus | x | 1 | 08 | wld | | | |
| 115 | | 10266 | 4 | Euonymus oresbius aff. | x | 1 | 13 | wld | | ? | |
| 115 | | 92511 | 4 | Euonymus planipes | x | 2 | 95 | waa | | | grafted on E.alatus, 97/8/16:good early fruits, 02: 1/3 is |
| 115 | * | 02310 | 4 | Euonymus planipes 'Sancho' | x | 1 * | 03 | waa | | | 080829: nice plant, big fruits and early colouring |
| 115 | | 01330 | 1 | Hydrangea serrata 'Maiko' | x | 1 | 16 | bul | | | |
| 115 | | 01216 | 4 | Magnolia 'Flamingo' (acuminata x sprengeri) | x | 1 | 03 | rut | | | 180424: vigorous tree, first two flowers (PdS) |
| 115 | | 03102 | 4 | Viburnum lantanoides | x | 1 | 03 | wld | | | |
| 116 | | 91745 | 4 | Abies forrestii agg. | x | 1 | 93 | waa | V | | */980-85 KR , 97/11:misery status 1, 0109;back to stat |
| 116 | | 94014 | 4 | Abies holophylla | x | 1 | 96 | pds | V | | Sd HKR#Chollipo 1989/183 |
| 116 | | 09098 | 4 | Abies koreana | x | 1 | 09 | wld | | | |
| 116 | | 90018 | 4 | Acer capillipes | x | 1 | 91 | div | V | | sdl. by J.G. Halflants, gift 12/89, 171107: good pale au |
| 116 | | 92993 | 4 | Acer palmatum 'Butterfly' | x | 1 | 07 | div | | | Matsumurae - variegated, was group of 2 sub #92687, |
| 116 | * | 96036 | 4 | Acer palmatum 'Koto-no-ito' | x | 1 * | 97 | div | | | Linearilobum - green, gift Mr.Van Esdael,98:several br |
| 116 | ** | 89400 | 4 | Acer palmatum 'Volubile' | x | 1 ** | 91 | esv | | | Palmatum - green, 98:late colouring like 'Seiryu' , 9911 |
| 116 | | 16154 | 4 | Acer rubescens | x | 1 | 16 | wld | | | |
| 116 | | 16155 | 4 | Acer rubescens | x | 1 | 16 | wld | V | | |
| 116 | | 92760 | 4 | Ilex 'Accent' (integra x pernyi) | x | 1 | 94 | vml | | | Male, gift Bokrijk, |
| 116 | | 92821 | 4 | Ilex x altaclerensis 'Wieman's Hedge-row' | x | 1 | 94 | vml | | | Male, |
| 116 | o | 92752 | 4 | Ilex 'China Girl' (rugosa x cornuta) | x | 1 o | 94 | vml | | | gift fr.Bokrijk, 0802: ugly thing and very sensitive to bl |
| 116 | | 92799 | 4 | Ilex x koehneana 'Chieftain' | x | 1 | 94 | vml | | | Male, gift fr.Bokrijk, 0502: big wound in stem at 1m, l |
| 116 | | 13152 | 4 | Ligustrum sinense | x | 1 | 13 | wld | | | |
| 116 | | 14246 | 2 | Viburnum betulifolium | x | 1 | 14 | wld | | | |
| 116 | | 98033 | 4 | Viburnum carlesii 'Aurora' | x | 1 | 98 | vpl | | | 020313: first corymb is open |
| 116 | | 12238 | 4 | Viburnum corymbiflorum | x | 1 | 12 | wld | | | |
| 116 | | 14306 | 3 | Viburnum erosum aff. | x | 1 | 14 | wld | | ? | |
| 116 | | 16156 | 4 | Viburnum erosum aff. | x | 1 | 16 | wld | | ? | |
| 116 | | 11181 | 4 | Viburnum formosanum | x | 1 | 11 | wld | A | | |
| 116 | | 09173 | 1 | Viburnum lentago | x | 1 | 09 | div | V | | */gift #9817 Anne Leitner as prunifolium, "proviennent |
| 116 | | 92658 | 4 | Viburnum plicatum 'Rotundifolium' | x | 2 | 92 | waa | T | | 94:1/3 pl is status 1and 99:dead, 2/3 survive, 0802: fro |
| 116 | * | 92654 | 4 | Viburnum plicatum f. tomentosum | x | 3 * | 92 | waa | | | 070424: wonderfully in flower, 0802: not pruned excep |
| 116 | | 10074 | 4 | Viburnum plicatum f. tomentosum 'Cascade' | x | 1 | 10 | pds | | | found in pON, layer of #86334 I suppose |
| 116 | | 11182 | 3 | Viburnum recognitum | x | 1 | 11 | wld | | | |
| 117 | | 03074 | 4 | Abies amabilis | x | 3 | 03 | pds | V | | Hkrd sd 3200 from Schuhmacher, Mass USA, |
| 117 | | 09205 | 4 | Abies balsamea var. phanerolepis | x | 1 | 12 | wld | V | | |
| 117 | | 88094 | 4 | Abies cilicica | x | 1 | 91 | ter | V | | Sd. hybr.? lvs=35-45mm long !! Gift from Van Dievoet |
| 117 | | 91544 | 4 | Abies firma | x | 1 | 97 | waa | V | | */BDB #30725, WC. Kyoto, WAA 228-87, 01:one go |
| 117 | | 88089 | 4 | Abies numidica aff. | x | 1 | 91 | ter | C | | C */frm.sd.cllct.USA,Schumacher Mass, Gift from Van D |
| 117 | | 04511 | 4 | Abies pindrow | x | 1 | 11 | wld | A | V | |
| 117 | | 17332 | 4 | Acer davidii | x | 1 | 17 | wld | | | |
| 117 | | 12077 | 4 | Acer palmatum 'Red Cloud' | x | 1 | 16 | esv | | | Linearilobum - red, 1407: plant near koto-no-ito? |
| 117 | | 17333 | 4 | Carpinus sp. | x | 1 | 17 | wld | | ? | |
| 117 | | 91119 | 4 | Cornus florida (Longwood seed) | x | 2 | 91 | pds | | | */Sd#1641, PdS collectd. Longwood Gard.on good spe |
| 117 | | 15192 | 3 | Cunninghamia konishii | x | 1 | 15 | div | | | sd. #9790, IS2006-2007, Taiwan Forestry Research Ins |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|-----|---|---|
| 117 | | 93129 | 3 | Euonymus kiautschovicus 'Manhattan' | | x 3 | 96 | waa | | | 97:B partial defoliation, 97:C+, |
| 117 | | 08593 | 4 | Hydrangea paniculata 'Wim's Red' | | x 1 | 11 | opr | | | gift Oprins, their introduction, named after Wim Rutten |
| 117 | | 11315 | 4 | Hydrangea serrata 'Bluebird' | | x 3 | 14 | div | | | |
| 117 | | 12469 | 2 | Hydrangea serrata 'Hakusen' | | x 2 | 16 | bul | | | 1206: status 2, 1306: 2/3 left, 1609: only 1 left |
| 117 | | 11312 | 4 | Hydrangea serrata 'Intermedia' | | x 3 | 16 | div | | | |
| 117 | | 12484 | 2 | Hydrangea serrata 'Mont Aso' | | x 3 | 16 | bul | | | 1206: status 2 |
| 117 | | 92781 | 4 | Ilex aquifolium 'Aurifodina' | | x 1 | 94 | vml | | | Female, gift fr.Bokrijk |
| 117 | | 09557 | 4 | Rhododendron molle | | x 1 | 13 | ggd | | | subsp. molle, possibly C&H 7181, |
| 117 | | 09558 | 4 | Rhododendron molle | | x 1 | 13 | ggd | | | subsp. molle, possibly C&H 7181, |
| 117 | | 09559 | 4 | Rhododendron molle | | x 1 | 13 | ggd | | | subsp. molle, possibly C&H 7181, 100527: good orang |
| 117 | | 17210 | 4 | Rhododendron molle subsp. japonicum | | x 3 | 17 | wld | | | |
| 117 | | 11208 | 4 | Stewartia (pseudocamellia sdlg) | | x 1 | 13 | spo | | ? | great autumn colour when in pON, 1111:confirmed out |
| 117 | | 16056 | 4 | Thujopsis dolabrata | | x 1 | 16 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d' |
| 117 | | 13076 | 4 | Tsuga forrestii | | x 1 | 13 | wld | | | |
| 117 | ** | 95122 | 4 | Viburnum cassinoides | | x 1 | ** | 95 | pds | A | sd. 3250 ex Morris Arb. , 97:A+, 98:outstanding and fl |
| 117 | | 16157 | 4 | Viburnum formosanum | | x 1 | 16 | wld | | | |
| 117 | | 00282 | 4 | Viburnum melanocarpum | | x 1 | 00 | wld | | | |
| 117 | | 18139 | 4 | Viburnum plicatum 'Rosace' | | x 1 | 18 | ver | | | gift #12873 |
| 117 | | 04458 | 2 | Viburnum plicatum 'Thunberg's Original' | | x 1 | 06 | bul | | | |
| 118 | | 98173 | 4 | Abies cephalonica (hybrid) | | x 2 | 98 | div | H | | */BDB 30726, Cl.Anthoine thinks not cephalonica, Sd. |
| 118 | | 91553 | 4 | Abies chensiensis subsp. salouenensis | | x 3 | 95 | waa | C | V | */K.R."could be var. ernestii" but Keith only saw very |
| 118 | o | 91738 | 4 | Abies densa | | x 1 | o | 95 | waa | | V 804-80 KHOLI (seed co), Kashmir 99/1 has been dama |
| 118 | * | 91550 | 4 | Abies holophylla | | x 3 | * | 95 | waa | | V KR thinks possibly A. holophylla , wld from Chinese |
| 118 | | 17209 | 4 | Abies kawakamii | | x 1 | 17 | wld | | | |
| 118 | | 91777 | 4 | Abies procera | | x 1 | 96 | div | | V | 95:no label, possib.from WAA 1991, is procera thinks |
| 118 | | 04328 | 4 | Abies sachalinensis | | x 3 | 04 | pds | C | V | */sd. #3199, ex SCHUMACHER Mass., 0409: not sacc |
| 118 | | 94314 | 3 | Abies sachalinensis | | x 1 | 94 | wld | C | V | |
| 118 | | 17211 | 4 | Abies sp. | | x 1 | 17 | wld | | ? | |
| 118 | | 09207 | 4 | Abies spectabilis | | x 1 | 15 | wld | | V | |
| 118 | | 16158 | 4 | Acer caudatifolium | | x 1 | 16 | wld | | | |
| 118 | | 16159 | 4 | Acer caudatifolium | | x 1 | 16 | wld | | | |
| 118 | | 16160 | 4 | Acer caudatifolium | | x 1 | 16 | wld | | | |
| 118 | | 12047 | 4 | Acer morifolium | | x 1 | 13 | esv | | | |
| 118 | | 12088 | 4 | Acer pectinatum 'Mozart' | | x 1 | 13 | esv | | | |
| 118 | | 13016 | 4 | Acer rufinerve | | x 1 | 13 | wld | | | |
| 118 | | 89526 | 4 | Betula ermanii | | x 1 | 92 | wld | | V | |
| 118 | | 00529 | 4 | Hydrangea paniculata | | x 1 | 02 | bul | | | (Nat. Arboretum) |
| 118 | | 00530 | 4 | Hydrangea paniculata 'Dharuma' | | x 1 | 02 | bul | | V | |
| 118 | | 11313 | 4 | Hydrangea serrata 'Blue Deckle' | | x 3 | 14 | div | | | |
| 118 | | 17002 | 4 | Hydrangea serrata 'Bluebird' | | x 50 | 17 | dbr | | | planted between 118 and 120, only 5 labels, replaceme |
| 118 | o | 12466 | 2 | Hydrangea serrata 'Dolmyf' | | x 2 | o | 16 | bul | C | PBR, = Avelroz, 1306: status 2, no success, 1406: 2/3, |
| 118 | | 16029 | 4 | Hydrangea serrata 'Preziosa' | | x 1 | 16 | pds | | | prob with number (#11500 not found), cttg of HKRD p |
| 118 | | 12486 | 4 | Hydrangea serrata 'Tiara' | | x 2 | 15 | bul | | | 1205:2/3, 1206: status 1, 1507: back to status 4 |
| 118 | | 13010 | 4 | Hydrangea serrata 'Tiara' | | x 1 | 15 | bul | | | gift Bulk, |
| 118 | | 88419 | 4 | Ilex x altaclerensis 'Belgica' | | x 1 | 88 | vml | ? | | Female, 97:big wound at base, cleaned and covered, |
| 118 | * | 88422 | 4 | Ilex x altaclerensis 'Hendersonii' | | x 1 | * | 94 | vml | ? | Female, |
| 118 | | 88425 | 4 | Ilex x altaclerensis 'Hodginsii' | | x 1 | 91 | vml | ? | | Male, |
| 118 | | 88421 | 4 | Ilex x altaclerensis 'Wilsonii' | | x 1 | 91 | vml | ? | | Female, Galle says aquifolium 'Wilsonii', but Plant Fin |
| 118 | | 88373 | 4 | Ilex aquifolium 'Golden van Tol' | | x 1 | 91 | vml | ? | | Female, |
| 118 | * | 84271 | 4 | Ilex aquifolium 'Handsworth New Silver' | | x 1 | * | 93 | esv | C | V Female, |
| 118 | | 88356 | 4 | Ilex aquifolium 'Hastata' | | x 1 | 91 | vml | ? | | Male, |
| 118 | | 88375 | 4 | Ilex aquifolium 'Madame Briot' | | x 1 | 91 | vml | ? | | Female, |
| 118 | * | 88359 | 4 | Ilex aquifolium 'Oregon' | | x 1 | * | 91 | vml | ? | Female, |
| 118 | | 88377 | 4 | Ilex aquifolium 'Scotica' | | x 1 | 91 | vml | ? | V | Male, not 'Crispa'; 02:is 'Scotica', female, says Andrews |
| 118 | | 88382 | 4 | Ilex aquifolium 'Yellow Beam' | | x 1 | 91 | vml | ? | | Female, yellow fruit ? 98: Long horizontal branches,pr |
| 118 | | 92829 | 4 | Ilex x aquipernyi 'Wieman's Pacific Queen' | | x 1 | 94 | vml | | | Female, gift fr.Bokrijk |
| 118 | | 88411 | 4 | Ilex x attenuata 'Foster N° 2' | | x 1 | 91 | vml | ? | | Female, 97:pruned to help resist wind in that loc. |
| 118 | | 95170 | 4 | Ilex 'Brownell's Special' | | x 1 | 95 | vml | | | */gift Bokrijk, |
| 118 | | 95172 | 4 | Ilex 'Edward Nosal' (pernyi x aquifolium) | | x 1 | 95 | vml | | | gift Bokrijk, male parent was I.a. 'Little Bull' |
| 118 | ** | 88405 | 4 | Ilex x koehneana (aquifolium x latifolia) | | x 1 | ** | 91 | vml | ? | 97:pruned heavily to promote resistance to wind in that |
| 118 | | 88396 | 4 | Ilex x koehneana 'Hohman' | | x 1 | 91 | vml | ? | | */Female, |
| 118 | | 88409 | 4 | Ilex 'William Cowgill' (cornuta x ciliospinosa) | | x 1 | 91 | vml | ? | | Female, |
| 118 | | 96190 | 4 | Kalmia latifolia 'Pink Charm' | | x 5 | 01 | div | | | gift from Bioplant, 16: this group of 'Pink Charm' very |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 118 | | 96288 | 4 | Kalmia latifolia 'Pink Charm' | x | 1 | 05 | div | | | gift from Bioplant , _was in group of 96200 Olympic F |
| 118 | | 14247 | 4 | Picea likiangensis | x | 1 | 14 | wld | | V | |
| 118 | | 92037 | 4 | Quercus libanerris (libani x cerris) | x | 1 | 92 | pds | | | sd.#1723 ex-Trompenburg Should be true from Sd.says |
| 118 | | AA275 | 4 | Quercus robur | x | 1 | ?? | div | | | BDB #16478, thickest one in that location, 0606: stem |
| 118 | | 92118 | 3 | Rhododendron auriculatum (hybrid) | x | 6 | 92 | pds | A+ | H | */Sd from HKRD 76009, Great lot, 97/7/1: -A floweri |
| 118 | | 01033 | 4 | Rhododendron Oxlip Group (williamsianum x wardii | | | 01 | pds | A+ | | cttg Hkrd #4541 from 77255; 0308: suffering from dro |
| 118 | | 17212 | 4 | Rhododendron sp. | x | 1 | 17 | wld | | ? | |
| 118 | | 89158 | 4 | Sequoia sempervirens | x | 1 | 89 | pds | | T | One of 50 sdlg, raised from 71009, 00:unfortunately m |
| 118 | | 93299 | 4 | Trochodendron aralioides | x | 1 | 07 | pds | | | was #93173-b, 0611: big move from 143, 08:although |
| 119 | | 12206 | 4 | Abies holophylla | x | 1 | 12 | wld | | | |
| 119 | | 17429 | 4 | Acer forrestii | x | 1 | 17 | wld | | | |
| 119 | | 04509 | 3 | Azalea 'Hinomayo' (Kurume) | x | 2 | 09 | vpl | | | 1109: only one plant status 4, 13: 3/5 left, 1405; 2 left, |
| 119 | | 17248 | 4 | Azalea 'Shin Seikai' (Kurume) | x | 3 | 17 | pds | | | = 'Old Ivory', cttg. #12515 of HKRD #87235 |
| 119 | | 10208 | 4 | Betula lenta | x | 1 | 10 | wld | | | |
| 119 | | 01409 | 4 | Euonymus carnosus | x | 1 | 03 | pds | | | */gift from Arnold Arboretum (363-81-C) at my reque |
| 119 | ** | 02309 | 4 | Euonymus carnosus 'Red Wine' | x | 1 | 03 | waa | | | 081029: beautiful plant in fruit now, and aut. col. Fruit |
| 119 | | 15216 | 4 | Euonymus fimbriatus | x | 1 | 15 | div | | | #13723, gift Piet de Jong at NDV-KVBC meeting 201 |
| 119 | | 04441 | 4 | Euonymus hamiltonianus | x | 1 | 06 | bul | | ? | 1109: not trapococcus as per invoice, Bernd Schulz thi |
| 119 | | 11135 | 4 | Euonymus hamiltonianus var. lanceifolius | x | 1 | 11 | pds | | | sdlg #7896 from Charles Snyers, from plant in Botanic |
| 119 | | 98290 | 4 | Euonymus hamiltonianus 'Winter Glory' | x | 1 | 00 | esv | | | 0704: aphids!, status 2, 1507: back to status 4 |
| 119 | | 93049 | 4 | Euonymus japonicus ('Macrophyllus' sdlg) | x | 4 | 03 | pds | B | ? | */#1780 Sd.Xch.Chollipo.Arb:88/027?, 94:3/4, 96:1/4 |
| 119 | ** | 92509 | 4 | Euonymus latifolius | x | 1 | 93 | waa | | ? | 95/9:super seed and colour, 98:"not latifolius thinks Pi |
| 119 | | 17430 | 4 | Euonymus maackii | x | 1 | 17 | sny | | | #12241, gift Charles Snyers, The Morton Arboretum (I |
| 119 | | 11298 | 3 | Euonymus macropterus | x | 1 | 16 | wld | | | |
| 119 | | 15281 | 4 | Euonymus macropterus | x | 1 | 15 | wld | | | |
| 119 | | 02496 | 4 | Euonymus maximowiczianus | x | 1 | 04 | div | | | 02: source Philippe Deprez, 1210: early pale aut.colour |
| 119 | * | 98292 | 4 | Euonymus myrianthus | x | 1 | 08 | esv | | | 981106:wonderful autumn colour on top of shrub ! 99/ |
| 119 | | 98082 | 4 | Euonymus oxyphyllus | x | 4 | 98 | ddh | | | Sd DDH, First 4 best, ex Arb. Lenoir sd 1991, (see also |
| 119 | | 04456 | 4 | Euonymus pauciflorus | x | 1 | 06 | bul | | | can be treated a subsp. of E. verrucosus, 141107: good |
| 119 | | 15193 | 4 | Euonymus phellomanus | x | 1 | 15 | wld | | | |
| 119 | ** | 92510 | 4 | Euonymus phellomanus | x | 1 | 93 | waa | T | T | T : 97/9:super shrubs, covered with fruits, unfortunat |
| 119 | | 04439 | 3 | Euonymus quelpaertensis | x | 1 | 06 | bul | | | rare species from Korea, resembling bungeanus |
| 119 | | 98294 | 4 | Euonymus sanguineus | x | 1 | 00 | esv | | | 1607: a lot of stock |
| 119 | | 13077 | 3 | Euonymus semenovii | x | 1 | 13 | wld | | | |
| 119 | | 16057 | 4 | Euonymus sp. | x | 1 | 16 | div | | ? | cttg. #7768 by Charles Snyers from garden Maurice Fo |
| 119 | | 07065 | 4 | Euonymus spraguei | x | 1 | 07 | pds | C- | | cttg. #7776, from garden Richard T. Whiteley, via Char |
| 119 | | 02502 | 4 | Euonymus velutinus | x | 1 | 04 | div | | | 02: source Philippe Deprez, 1607: a lot of stock |
| 119 | | 92512 | 4 | Euonymus verrucosus | x | 1 | 97 | waa | | | 96:2/3 dead, |
| 119 | | 79042 | 4 | Hydrangea aspera 'Macrophylla' | x | 1 | 02 | hil | E | | 02: moved from p6 to 119; not 'villosa group' acc. to H |
| 119 | | 05265 | 4 | Hydrangea aspera subsp. sargentiana | x | 1 | 15 | bul | | V | |
| 119 | | 09042 | 4 | Hydrangea aspera subsp. sargentiana | x | 1 | 09 | pds | | | prop #9165, layer of HKRD #98165 |
| 119 | | 88453 | 4 | Hydrangea aspera subsp. sargentiana | x | 7 | 16 | dbl | | | gift KLMTH, 16: moved from 22 (there since 1988) to |
| 119 | | 17249 | 4 | Hydrangea heteromalla | x | 1 | 17 | wld | | V | |
| 119 | | 97059 | 4 | Hydrangea paniculata | x | 1 | 97 | wld | | V | |
| 119 | | 93098 | 4 | Hydrangea paniculata 'Brussels' Lace' | x | 4 | 93 | waa | T | | Une selection J.de Belder , all 3 identical and Typical, j |
| 119 | * | 00269 | 4 | Hydrangea paniculata cv. ('Barbara' sdlg green) | x | 1 | 03 | pds | | ? | */Cttg #5962 from Hmlrk 'Barbara' seedlings by Jelena |
| 119 | | 92544 | 4 | Hydrangea paniculata cv. 'Floribunda'/'Brussel's L.' | x | 1 | 92 | waa | | ? | pl -b is different, has larger sterile flwrs.could be the go |
| 119 | | 93138 | 4 | Hydrangea paniculata cv. | x | 1 | 93 | waa | | ? | not 'Grandiflora', ex 93138-c, dark lvs. compact truss u |
| 119 | | 93998 | 4 | Hydrangea paniculata cv. | x | 1 | 97 | waa | ? | ? | not 'Grandiflora' Ex 93138-b; 02: resembles 'Kyushu' |
| 119 | | 92549 | 4 | Hydrangea paniculata 'Unique' | x | 2 | 92 | waa | | | A=C are different from B, 0811: pruned to free Viburn |
| 119 | | 93999 | 4 | Hydrangea paniculata 'White Moth' | x | 1 | 97 | waa | | ? | not 'Grandiflora' Ex 93138-a |
| 119 | | 06137 | 4 | Hydrangea quercifolia 'Alison' | x | 1 | 08 | bul | | | |
| 119 | | 08344 | 3 | Hydrangea quercifolia 'White Prince' | x | 1 | 15 | opr | | | 0908: one of the very few remaining quercifolia's in nu |
| 119 | | 18177 | 4 | Hydrangea serrata 'Beni Gaku' | x | 1 | 18 | div | | | #14532, Botanic Treasures Raf Lenaerts, |
| 119 | | 12465 | 2 | Hydrangea serrata 'Blue Billow' | x | 1 | 15 | bul | | | 1803: 1/3 left st.2 |
| 119 | | 18176 | 4 | Hydrangea serrata 'Fugeshi Hama' | x | 1 | 18 | div | | | #14527, Botanic treasures, Raf Lenaerts, name not fou |
| 119 | | 12472 | 4 | Hydrangea serrata 'Isusai-jaku' | x | 3 | 15 | bul | | | |
| 119 | | 13005 | 4 | Hydrangea serrata 'Isusai-jaku' | x | 1 | 15 | bul | | | gift Bulk, |
| 119 | | 12485 | 3 | Hydrangea serrata var. thunbergii | x | 3 | 15 | bul | | | |
| 119 | | 08135 | 4 | Ilex crenata 'Jeran' | x | 1 | 14 | vml | | | selection by Jef Van Meulder, Female, small dark gree |
| 119 | | 92769 | 4 | Ilex crenata 'Mariesii' | x | 1 | 14 | vml | | | Female, gift fr.Bokrijk |
| 119 | | 88346 | 4 | Ilex crenata 'Stokes' | x | 1 | 14 | vml | | | Male, |
| 119 | * | 92574 | 4 | Magnolia 'Nimbus' (obovata x virginiana) | x | 1 | 93 | waa | B- | | */981110:has reached 4 m high, very vigorous here, stil |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|-----|-----|---|---|------|
| 119 | * | 92104 | 4 | Magnolia ((officinalis x obovata) x tripetala) x 4 | * | 92 | pds | H | * | / BDB #30756,Sd.#1739,ex-TMS.Sd.Ex.88#33, "F1 g | |
| 119 | | 92119 | 4 | Magnolia sieboldii x 1 | | 92 | pds | | | Sd.#1279: TMS SdXch .1987/23, 25sd, see also 92095 | |
| 119 | * | 89195 | 4 | Magnolia sieboldii 'Lolita' x 1 | * | 93 | pds | | | */ cttg #0037 fr. 83691/R-REU , 95:small flwr,no inter | |
| 119 | | 92110 | 4 | Magnolia sieboldii (Tetraploid) x 5 | | 92 | pds | K | * | Sd.#1746 Colchicine ind.by KEHR a total of 25 seedli | |
| 119 | * | 90196 | 4 | Magnolia 'White Mystery' x 1 | * | 91 | pds | A | * | / BDB #30754, cttg #1413 ex Bjuv, 95/6:pruned looks | |
| 119 | * | 89086 | 4 | Magnolia wilsonii x 1 | * | 93 | waa | | | Not sinensis as per invoice ! 01:still scale insectes after | |
| 119 | | 92737 | 4 | Prunus 'Okame' (campanulata x incisa) x 1 | | 93 | waa | | | C.Ingram selection; 02/02/12: flowers, 5 incised petals | |
| 119 | | 92729 | 4 | Pyrus betulifolia x 1 | | 93 | waa | | | 01:, bark split at one m high, good autumn colour, poss | |
| 119 | | 07247 | 4 | Rhododendron arborescens x 1 | | 16 | wld | C+ | | | |
| 119 | | 02274 | 4 | Sorbus caloneura x 1 | | 02 | ddh | | | sdlg 5543b from group of 25 sdlg by Dominique Duha | |
| 119 | | 98086 | 4 | Sorbus caloneura x 1 | | 98 | ddh | | | */Sdlgs 5543b from ddh, 990720:all three plants witho | |
| 119 | | 12210 | 4 | Sorbus megalocarpa x 1 | | 12 | wld | ? | | | |
| 119 | | 18074 | 4 | Sorbus megalocarpa aff. x 1 | | 18 | wld | ? | | | |
| 120 | | 91560 | 4 | Abies recurvata x 1 | | 95 | waa | V | see Note u/91558, Chinese, Cl.Anthoine thinks this is | | |
| 120 | | 92847 | 4 | Abies recurvata var. ernestii x 1 | | 97 | nie | V | */Cl. Anthoine thinks that this is chensiensis not recurv | | |
| 120 | | 97050 | 4 | Abies vejarii subsp. mexicana x 2 | | 97 | wld | V | | | |
| 120 | | 13020 | 4 | Acer argutum x 1 | | 13 | wld | | | | |
| 120 | | 18207 | 4 | Acer caudatifolium x 1 | | 18 | wld | | | | |
| 120 | * | 93061 | 4 | Acer davidii 'Serpentine' x 2 | * | 94 | waa | | | hybrid with pectinatum (Maple Soc Newsletter 18(2):1 | |
| 120 | | 13154 | 4 | Acer forrestii x 1 | | 13 | wld | | | | |
| 120 | | 12366 | 4 | Acer laxiflorum x 1 | | 12 | wld | | | | |
| 120 | | 12367 | 4 | Acer laxiflorum x 1 | | 12 | wld | | | | |
| 120 | | 17431 | 4 | Acer morifolium x 1 | | 17 | div | | | #13676, gift Sylvain Meyer, from UBC BG Vancouver, | |
| 120 | | 01050 | 4 | Acer pensylvanicum x 1 | | 01 | wld | V | | | |
| 120 | | 03103 | 4 | Acer pensylvanicum x 3 | | 03 | wld | | | | |
| 120 | | 99038 | 4 | Acer pensylvanicum x 1 | | 01 | wld | V | | | |
| 120 | | 14129 | 4 | Acer pentaphyllum x 1 | | 14 | wld | ? | | | |
| 120 | | 12230 | 4 | Acer rufinerve x 1 | | 12 | wld | | | | |
| 120 | | 15064 | 4 | Acer spicatum x 1 | | 15 | wld | | | | |
| 120 | | 02122 | 4 | Acer tegmentosum x 1 | | 04 | wld | V | | | |
| 120 | | 15324 | 4 | Acer 'White Tigress'(tegmentosum hybrid) x 1 | | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), tegmentosu | |
| 120 | | 01031 | 4 | Azalea 'Hatsugiri' (Kurume) x 6 | | 01 | pds | | | cttg Hkrd #4528 from 77239 | |
| 120 | | 07069 | 4 | Azalea 'Purple Triumph' (Vuyk) x 6 | | 07 | pds | | | cttg @7377of Hkrd #77249 | |
| 120 | | 99180 | 4 | Distylium racemosum x 3 | | 00 | ddh | | | sdlg 5714 by D.Duhaut, | |
| 120 | | 09433 | 4 | Hydrangea aspera 'Mauvette' x 1 | | 12 | div | | | bought by Christophe at Penwood nurseries, AR/05/09 | |
| 120 | | 15256 | 3 | Hydrangea involucrata x 1 | | 15 | div | | | 1108: found in pON without any info, prop #12550 | |
| 120 | | 14205 | 4 | Hydrangea macrophylla 'Izu-no-hana' x 2 | | 14 | pds | | | cttg. #11021 of HKRD #03261 | |
| 120 | | 08589 | 4 | Hydrangea paniculata 'Early Sensation' x 1 | | 10 | bul | | | = 'Bulk' | |
| 120 | | 92545 | 4 | Hydrangea paniculata 'Greenspire' x 3 | | 92 | waa | | | 0401: lower branches were rooting, pruned back severe | |
| 120 | | 08120 | 4 | Hydrangea paniculata 'Papillon' x 1 | | 08 | rut | | | gift #8990, Wim Rutten, 'Unique' sdlg. | |
| 120 | | 92550 | 3 | Hydrangea paniculata 'White Lace' x 2 | | 92 | waa | ? | | pl -c is close to 'Kyushu', 0405: pl-c dead, 1109: 1 statu | |
| 120 | | 05114 | 4 | Hydrangea quercifolia 'Sike's Dwarf' x 1 | | 08 | div | | | Van Bauwel | |
| 120 | | 05268 | 4 | Hydrangea quercifolia 'Snow Queen' x 1 | | 08 | bul | | | ™ name = 'Flemygea' | |
| 120 | | 02319 | 4 | Hydrangea quercifolia 'Snowdrift' x 1 | | 03 | waa | ? | | check cv name, 0406: inflorescences too heavy, many s | |
| 120 | | 12464 | 4 | Hydrangea serrata 'Beni-yama' x 3 | | 15 | bul | | | | |
| 120 | | 17432 | 4 | Hydrangea serrata 'Diadem' x 1 | | 17 | pds | | | #12864, found in pON, cttg or layer of HKRD #89239 | |
| 120 | | 18075 | 4 | Hydrangea serrata 'Diadem' x 2 | | 18 | pds | | | cttgs #11227of HKRD #89239 | |
| 120 | | 18178 | 4 | Hydrangea serrata 'Grayswood' x 1 | | 18 | div | | | #14537, Botanic Treasures Raf Lenaerts, | |
| 120 | | 18179 | 4 | Hydrangea serrata 'Hatsu-shimo' x 1 | | 18 | div | | | #14540, Botanic Treasures Raf Lenaerts, | |
| 120 | | 12470 | 4 | Hydrangea serrata 'Hyuga-konjyo' x 3 | | 15 | bul | | | 1606: wonderful, intense flower colour | |
| 120 | | 18180 | 4 | Hydrangea serrata 'Maiko' x 1 | | 18 | div | | | #14526, Botanic Treasures Raf Lenaerts, | |
| 120 | | 18181 | 4 | Hydrangea serrata 'Otsu hime' x 1 | | 18 | div | | | #14536, Botanic Treasures Raf Lenaerts, | |
| 120 | | 18182 | 4 | Hydrangea serrata 'Pulchra' x 1 | | 18 | div | ? | | #14530, Botanic Treasures Raf Lenaerts, VERIFY IN | |
| 120 | | 88418 | 4 | Ilex x altaclerensis 'Moorei' x 1 | | 91 | vml | ? | V | Male, | |
| 120 | | 88368 | 4 | Ilex x altaclerensis 'Purple Shaft' x 1 | | 91 | vml | ? | V | Female, 99:beautiful foliage; | |
| 120 | | 88366 | 4 | Ilex aquifolium cv. x 1 | | 91 | vml | ? | V | Male, 021028: error, Donningtonensis has much smalle | |
| 120 | | 95185 | 4 | Ilex aquifolium 'Harpune' x 1 | | 95 | vml | | | gift Bokrijk, | |
| 120 | | 88381 | 4 | Ilex aquifolium 'J. C. van Tol' x 1 | | 88 | vml | ? | | Female, | |
| 120 | | 88374 | 4 | Ilex aquifolium 'Pyramidalis Aureomarginata' x 1 | | 91 | vml | ? | | Female, | |
| 120 | | 88334 | 4 | Ilex bioritsensis x 1 | | 91 | vml | | V | | |
| 120 | | 92753 | 3 | Ilex 'Brilliant' (ciliospinosa x) x 1 | | 95 | vml | | | Female, gift fr.Bokrijk | |
| 120 | | 95191 | 4 | Ilex ciliospinosa x 1 | | 95 | vml | V | | gift Bokrijk, 021028: typical says S. Andrews, but did s | |
| 120 | | 92783 | 4 | Ilex colchica x 1 | | 98 | vml | V | | gift fr.Bokrijk; 02:fungus on the lvs, 1508: spreading | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|------|------|--|
| 120 | | 98453 | 4 | Ilex colchica | x | 1 | 98 | vml | | V | Bokrijk 98256, 1508: is spreading |
| 120 | | 88398 | 4 | Ilex 'Indian Chief' (cornuta x pernyi) | x | 1 | 91 | vml | ? | | Female, female parent is I.c.'Burfordii' |
| 120 | | 95174 | 4 | Ilex 'Mary Nell' [(cornuta x pernyi) x latifolia] | x | 1 | 95 | vml | | | gift Bokrijk, |
| 120 | | 92757 | 4 | Ilex opaca 'Danny Allen' | x | 1 | 94 | vml | | | gift fr.Bokrijk, male?, 1311: NOT male, but only few fr |
| 120 | | 95178 | 4 | Ilex 'Princess Pat' | x | 1 | 95 | vml | | | gift Bokrijk, Jef Van Meulder:"Da's weer zo'n hybrid b |
| 120 | | 96210 | 4 | Kalmia latifolia 'Silver Dollar' | x | 4 | 01 | div | | | gift from Bioplant, 02: one dead, 11: another one dead |
| 120 | | 04323 | 4 | Magnolia acuminata var. subcordata 'Brenda' | x | 1 | 04 | pds | | | cttg. #7208 from HKRD #02423, 1109: has a big woun |
| 120 | | 15095 | 4 | Magnolia salicifolia | x | 1 | 15 | wld | | | |
| 120 | o | 93025 | 4 | Magnolia stellata (mini flowers) | x | 1 | o | 94 | wld | | |
| 120 | | 10209 | 3 | Rhododendron ambiguum | x | 1 | 10 | pds | A | | prop #11065, found in pON, Philippe thinks this is a la |
| 120 | | 85416 | 4 | Rhododendron 'Biskra' (cinnabarinum Roylei Gr x am | | | 12 | pds | B+ | | |
| 120 | | 17250 | 4 | Rhododendron cinnabarinum 'Mount Everest' | x | 1 | 17 | pds | | ? | cttg. #12501 of HKRD #76014 |
| 120 | | 17251 | 4 | Rhododendron cinnabarinum Roylei Group | x | 1 | 17 | pds | | | cttg #12183 of HKRD #98053 |
| 120 | | 15010 | 4 | Rhododendron 'Nizette' (oreotrephes x 'Youthful Sin') | | | 15 | pds | | | Cttg #8483 of HKRD #88058 |
| 120 | | 95420 | 3 | Rhododendron 'Oreocinn' (oreotrephes x cinnabarinu | | | 95 | pds | B+ V | | 0704: found in group of Oreoroyle #95124, must be pr |
| 120 | | 95124 | 4 | Rhododendron Oreoroyle Group (oreotrephes x cinna | | | 95 | pds | A+ | | cttg. ex HKRD, 0401: 2 plants with some dead wood, t |
| 120 | | 18140 | 4 | Rhododendron oreotrephes aff. | x | 1 | 18 | wld | | ? | |
| 120 | | 09132 | 4 | Taxus baccata 'Repandens' | x | 1 | 09 | pds | | | Cttg #5953 Hof ter Saksen |
| 120 | | 17433 | 4 | Viburnum kansuense | x | 1 | 17 | wld | | | |
| 121 | | 03124 | 4 | Abies nordmanniana | x | 1 | 05 | wld | | V | |
| 121 | | 13018 | 4 | Acer distylum | x | 1 | 13 | wld | | | |
| 121 | | 08391 | 4 | Acer micranthum | x | 1 | 12 | esv | | V | |
| 121 | | 98233 | 4 | Acer pectinatum subsp. maximowiczii | x | 1 | 00 | esv | | V | 01: looks very much like an Acer crataegifolium |
| 121 | | 15132 | 4 | Hydrangea macrophylla var. amagiana | x | 4 | 15 | div | | ? | prop #12591, Christophe: Tuindagen Beervelde, Van P |
| 121 | | 87198 | 4 | Hydrangea macrophylla 'Mariesii Perfecta' | x | 5 | 05 | vpl | ? | | syn 'Blue Wave', 11: two moved within location |
| 121 | | 14207 | 4 | Hydrangea paniculata 'Athena' | x | 3 | 14 | pds | | | cttg. #11050 of HKRD #00270 |
| 121 | | 98307 | 4 | Hydrangea paniculata 'Pink Diamond' | x | 1 | 00 | esv | | | AGM, = 'Interhydia', 1003: heavily pruned, |
| 121 | | 98308 | 3 | Hydrangea paniculata 'Tardiva' | x | 1 | 00 | esv | | ? | not late at all! similar to neighbour Pink Diamond, 100 |
| 121 | | 14206 | 4 | Hydrangea paniculata subsp. velutina | x | 1 | 14 | div | | ? | prop #11219, Hulsdonk, hardy?, found in greenhouse, |
| 121 | | 92551 | 4 | Hydrangea paniculata 'White Moth' | x | 4 | 92 | waa | | | 1003: heavily pruned, 1302: pruned again, the 3 plants |
| 121 | | 95226 | 4 | Hydrangea paniculata 'White Moth' | x | 1 | 95 | pds | | | cttg.PDS, 1003: heavily pruned, 1302: pruned again, 2 |
| 121 | | 18183 | 4 | Hydrangea serrata 'Miranda' | x | 1 | 18 | div | | | #14538, Botanic Treasures Raf Lenaerts, |
| 121 | | 12477 | 4 | Hydrangea serrata 'Murasaki-kobai' | x | 5 | 15 | bul | | | 1306: not as dense as other serrata's in pON, 1706: 5/6 |
| 121 | | 02191 | 4 | Magnolia ('White Giant' x 'Leda') | x | 1 | 02 | pds | | K | sd #5559 from cross 96/060 by Pds |
| 121 | ** | 96021 | 4 | Picea martinezii | x | 2 | ** | 97 | wld | A+ V | |
| 121 | * | 92995 | 4 | Prunus 'Pandora' | x | 1 | * | 92 | waa | | not P. Pandora, possibly rootstock, from 92611, 01033 |
| 121 | | 93168 | 4 | Pterostyrax (hispidus x corymbosus) | x | 1 | 93 | pds | | H | */BDB #30727, Sd.#2561 from Arnold Arb.: 021028: f |
| 121 | | 12368 | 4 | Styrax americanus | x | 1 | 12 | wld | | | |
| 122 | | 96068 | 4 | Acer capillipes | x | 3 | 96 | vpl | | V | 061117:good pale yellow on this good year |
| 122 | * | 92081 | 4 | Magnolia salicifolia 'Concolor' | x | 1 | * | 92 | pds | | cttg #1438, ex Bjuv #5018,from Karl Flink, very little I |
| 122 | ** | 01032 | 3 | Rhododendron 'Gristede' (russatum x) | x | 7 | ** | 01 | pds | B | cttg Hkrd #3329 FROM 85268; russatum hybrid, not I |
| 122 | ** | 95110 | 4 | Rhododendron 'Gristede' (russatum x) | x | 3 | ** | 95 | pds | B | cttg ex HKRD ,russatum hybrid, not Intrafast x augusti |
| 122 | * | 95118 | 4 | Stewartia monadelphica | x | 1 | * | 95 | pds | | */sd.3215 ex HKRD 79031 95/8:dry ! 96:-B dead,9810 |
| 122 | * | 99206 | 4 | Stewartia monadelphica AA-441 | x | 1 | * | 00 | pds | | Cttg 5288 from Arnold Arboretum plant AA-441-77,_0 |
| 122 | | 18141 | 4 | Stewartia monadelphica 'Black Dog' | x | 1 | | 18 | div | | #13926, gift Brian Humphrey, |
| 122 | * | 96105 | 4 | Stewartia pseudocamellia 'Ballet' | x | 1 | * | 96 | pds | | */Cttg #4465 fr.Polly HILL, sent by her, fr. Barnard's I |
| 122 | | 14009 | 4 | Stewartia sinensis | x | 1 | | 14 | pds | | sdlg #12106, Arnold Arboretum sdlg of 114-99-D, NA |
| 123 | * | 92502 | 4 | Euonymus alatus 'Compactus' | x | 1 | * | 97 | waa | | ? 2/3 survive, good aut.colour; 02: 1/3 survive, 0910: 09: |
| 123 | * | 93251 | 4 | Magnolia fraseri | x | 1 | * | 95 | wld | | V |
| 123 | * | 90187 | 4 | Magnolia 'Petit Chicon' (acuminata x denudata) (Bjuv | | | 92 | pds | A | | BDB #31718, cttg #1400 ex Bjuv#1636, has three lon |
| 123 | | 09857 | 3 | Stewartia x henryae (monadelphica x pseudocamellia) x | | | 14 | spo | | H | was 09131-A, see there for more info, is x henryae I thi |
| 123 | | 98051 | 4 | Stewartia x henryae (monadelphica x pseudocamellia) x | | | 98 | spo | | V | */spontaneous sdlg found under 79031/Q but next to 9 |
| 123 | | 14343 | 4 | Stewartia malacodendron | x | 1 | | 14 | wld | | |
| 123 | | 94269 | 4 | Stewartia monadelphica (lobed lvs) | x | 1 | | 94 | pds | | */ sd#2212, Sd.Morris A.58-186-b from pl. at Morris A |
| 123 | | 15065 | 4 | Stewartia pseudocamellia | x | 1 | | 15 | div | | gift #12603 Antoon De Clercq, graft of our #03265, 15 |
| 123 | | 92689 | 4 | Stewartia pseudocamellia (bullate) | x | 1 | | 92 | pds | | */ BDB #31719, cttg.#2408,frm 89261,not ovata, 9910 |
| 123 | | 99202 | 4 | Stewartia rostrata (AA-769) | x | 1 | | 00 | pds | V | */Cttg 5275 rom Arnold Arboretum 769-36, from Lush |
| 123 | | 99209 | 4 | Stewartia (rostrata x sinensis) AA-761 | x | 1 | | 00 | pds | H | Cttg 5243 from Arnold Arboretum with ref 761-69-A, I |
| 123 | | 00568 | 4 | Stewartia sinensis var. acutisepala | x | 1 | | 02 | bul | V | */01:must have been moved to pON or is dead!! 02: ba |
| 123 | | 94268 | 3 | Stewartia sinensis 'Panache' | x | 1 | | 03 | pds | | sd.#2215, Sd.Arnold 531-34-B from pl.on Busey Hill, |
| 124 | | 06038 | 4 | Euonymus carnosus | x | 1 | | 06 | pds | | #6448, gift from Arnold Arboretum (363-81-C) at my r |
| 124 | | 01213 | 2 | Magnolia sprengeri 'Burncoose' | x | 1 | | 03 | rut | | */140320: strange sight, first flowers were somewhat s |
| 124 | | 14212 | 3 | Rhododendron canescens | x | 2 | | 14 | wld | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|---|
| 124 | | 15096 | 3 | Rhododendron canescens | x | 2 | 15 | wld | | | |
| 124 | | 15039 | 4 | Rhododendron 'Midsummer Mermaid' | x | 3 | 17 | ggd | | | "A natural hybrid , larger pinker flowers than typical R. |
| 124 | | 09568 | 3 | Rhododendron prunifolium | x | 3 | 13 | ggd | A | | |
| 124 | | 09570 | 3 | Rhododendron 'Watergirl' (viscosum x) | x | 3 | 15 | ggd | A | | "Probably a natural hybrid with pinker flowers than is n |
| 124 | | 13078 | 4 | Sorbus gracilis | x | 1 | 13 | wld | | | |
| 124 | | 13156 | 4 | Stewartia pseudocamellia | x | 1 | 13 | wld | | | |
| 124 | | 13155 | 4 | Stewartia sinensis | x | 1 | 15 | pds | | | sdlg #12106, Arnold Arboretum sdlg of 114-99-D, NA |
| 126 | * | 91108 | 4 | Acer palmatum subsp. palmatum | x | 1 | 91 | pds | A | T | */possibly sd from HKR#017,ex-Wakehurst a big vigo |
| 126 | | 10173 | 4 | Euptelea pleiosperma | x | 1 | 12 | wld | | | |
| 126 | * | 92563 | 4 | Magnolia x soulangeana 'Dorsopurpurea' | x | 1 | 93 | waa | | V | 98/4/25 to 5/12 late flwrg, a lot of liliiflora in this plant |
| 126 | | 00399 | 4 | Oxydendrum arboreum 'Chameleon' | x | 1 | 06 | spi | | | 0406: no leader, 0808: healthy plant, should be propag |
| 126 | | 95062 | 4 | Pterostyrax corymbosus | x | 1 | 95 | pds | | V | cttg. 88153, 98:dry in its early lvs, not larger terminal o |
| 126 | | 07249 | 3 | Rhododendron atlanticum | x | 3 | 11 | div | A+ | | via Theo Leijdens, sd. ARS #98-18, from RSF, HP |
| 126 | * | 86112 | 4 | Rhododendron atlanticum | x | 1 | 07 | ggd | A | T | 87:A+, 91:A+, 100929: to status 3, heavily pruned |
| 126 | | 12037 | 4 | Rhododendron austrinum | x | 1 | 12 | wld | A+ | | |
| 126 | | 12308 | 4 | Rhododendron austrinum | x | 1 | 12 | wld | | | |
| 126 | | 13048 | 4 | Rhododendron austrinum | x | 2 | 13 | wld | | | |
| 126 | | 15161 | 3 | Rhododendron austrinum | x | 1 | 15 | wld | | | |
| 126 | | 17184 | 4 | Rhododendron calendulaceum | x | 3 | 17 | wld | | | |
| 126 | | 99092 | 3 | Rhododendron dilatatum | x | 1 | 00 | wld | C+ | | |
| 126 | | 09554 | 4 | Rhododendron eastmanii | x | 1 | 13 | ggd | A | | |
| 126 | | 09555 | 4 | Rhododendron eastmanii | x | 1 | 13 | ggd | A | | |
| 126 | | 09556 | 4 | Rhododendron eastmanii | x | 1 | 13 | ggd | A | | |
| 126 | | 12025 | 4 | Rhododendron molle | x | 1 | 12 | wld | A | | |
| 126 | | 09563 | 3 | Rhododendron occidentale | x | 1 | 13 | ggd | A | | |
| 126 | | 09564 | 3 | Rhododendron occidentale | x | 1 | 13 | ggd | A | | |
| 126 | | 13049 | 3 | Rhododendron occidentale | x | 2 | 13 | wld | | | |
| 126 | | 13285 | 4 | Rhododendron occidentale | x | 1 | 14 | wld | | | |
| 126 | | 09566 | 4 | Rhododendron periclymenoides | x | 3 | 13 | ggd | A+ | | 1508: not all st.4 |
| 126 | | 97045 | 4 | Rhododendron periclymenoides | x | 1 | 10 | wld | A+ | | |
| 126 | | 98059 | 4 | Rhododendron periclymenoides | x | 6 | 98 | pds | A+ | T | */sd 4007 from ARS SdEx 1992#39, _00:Dr. K. Kron : |
| 126 | | 09567 | 4 | Rhododendron prinophyllum | x | 3 | 13 | ggd | A+ | | |
| 126 | | 99094 | 4 | Rhododendron prinophyllum | x | 3 | 00 | wld | A+ | T | |
| 126 | | 95094 | 4 | Rhododendron prunifolium (hybrid) | x | 3 | 04 | pds | A+ | H | cttg 3320 ex HKRD 86417; 030710: very late flowerin |
| 126 | | 16161 | 4 | Stewartia x henryae 'Skyrocket' | x | 1 | 16 | dcl | | | #12871, graft and gift from Antoon De Clercq, |
| 126 | ** | 01353 | 4 | Stewartia rostrata | x | 1 | 02 | bul | | V | sdlgs from Waasland plant, 011103:good aut. colour, 0 |
| 126 | | 16058 | 4 | Stewartia serrata | x | 1 | 16 | pds | | | sdlg #14402 of HKRD #92286 |
| 127 | | 11184 | 4 | Acer stachyophyllum subsp. betulifolium | x | 1 | 11 | wld | | V | |
| 127 | | 93996 | 4 | Cornus kousa 'Lustgarten Weeping' | x | 1 | 94 | waa | | | 02: 1 pl from C. kousa 'Satomi' group (#93086) proved |
| 127 | | 93086 | 4 | Cornus kousa 'Miss Satomi' | x | 1 | 94 | waa | | | 95:2/3 survi., 02: 1/2 is stock C. kousa (see new #9399 |
| 127 | | 11159 | 4 | Corylus fargesii | x | 1 | 11 | mor | | | gift #10709 Carlos Verhelst, graft of material from Mor |
| 127 | | 91386 | 4 | Davidia involucreta var. vilmoriniana | x | 1 | 94 | waa | | | 97/4/20:severely damaged by spring frost, long without |
| 127 | * | 98281 | 4 | Euonymus americanus | x | 1 | 00 | esv | | | 99:beautiful fruits |
| 127 | | 17434 | 4 | Euonymus atropurpureus | x | 1 | 17 | sny | | | #12239, gift Charles Snyers, Starhill Forest Arboretum, |
| 127 | | 00514 | 3 | Euonymus 'Den Haag' | x | 1 | 03 | bul | | | = E. hamiltonianus 'Den Haag'? = E. hamiltonianus var. |
| 127 | | 98284 | 3 | Euonymus europaeus 'Atrorubens' | x | 1 | 00 | esv | | V | */9911:good aut col., _0005:completely eaten by caterp |
| 127 | | 02499 | 3 | Euonymus fimbriatus | x | 1 | 04 | div | | | 02: source Philippe Deprez |
| 127 | | 18184 | 4 | Euonymus latifolius | x | 1 | 18 | wld | | | |
| 127 | | 14162 | 3 | Euonymus macropterus | x | 1 | 14 | sny | | | gift #8972 from Charles Snyers #2002-00226, Von Gi |
| 127 | | 17435 | 4 | Euonymus macropterus 'Mount Fuji' | x | 1 | 17 | div | | | gift #13725, Piet de Jong at NDV-KVBC meeting, see |
| 127 | | 12207 | 3 | Euonymus maximowiczianus | x | 1 | 12 | wld | | V | |
| 127 | | 02491 | 4 | Euonymus oxyphyllus 'Waasland' | x | 1 | 04 | div | | | 02: source Philippe Deprez; name not registered |
| 127 | | 14213 | 3 | Euonymus phellomanus | x | 1 | 14 | wld | | | |
| 127 | | 00378 | 3 | Euonymus planipes | x | 1 | 03 | spi | | | 0605: flowers green thus sachalinensis HORT. (see BD |
| 127 | | 17436 | 4 | Euonymus verrucosoides | x | 1 | 17 | div | | | gift #13724, Piet de Jong at NDV-KVBC meeting, |
| 127 | | 04264 | 2 | Lindera benzoin (female) | x | 1 | 04 | wld | | | |
| 127 | | 92228 | 4 | Lindera benzoin | x | 2 | 02 | spi | | | 95:1/3 died, 02: moved from 2 to the group in 127 to h |
| 127 | * | 95084 | 4 | Lindera benzoin | x | 2 | 95 | wld | A | | |
| 127 | | 99044 | 4 | Magnolia 'Butterflies' (acuminata x denudata 'Sawada' | x | 1 | 02 | rut | | | 040422: first flower, gappy, I don't like it, 060426: goo |
| 127 | | 18208 | 4 | Magnolia x wieseneri (obovata x sieboldii) | x | 1 | 18 | pds | | | sd. #12558 of Magnolia x wieseneri (Tetraploid) (Kehr |
| 127 | | 95080 | 4 | Magnolia wilsonii | x | 1 | 95 | pds | D | | */ sd.#3238: Mag.Soc 91/15, as M. globosa_ 97:good h |
| 127 | * | 88154 | 4 | Quercus acutissima | x | 1 | 92 | esv | | | BDB #33329, 0909: good plant |
| 127 | | 17252 | 4 | Stewartia x henryae 'Skyrocket' | x | 1 | 17 | dcl | | | #11634, graft and gift from Antoon De Clercq, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|---|
| 127 | | 16104 | 4 | Stewartia serrata | x | 1 | 16 | pds | | | sdlg #12059 of HKRD #92286, |
| 127 | | 17185 | 4 | Stewartia serrata | x | 1 | 17 | pds | | | sdlg #12059 of HKRD #92286, |
| 127 | * | 00439 | 3 | Viburnum furcatum | x | 1 | 17 | div | | V | */Gift from Anne Leitner, 01:happy, came back perfect! |
| 130 | | 02344 | 4 | Acer davidii subsp. grosseri 'Leiden' | x | 1 | 04 | pav | | | |
| 130 | | 12369 | 4 | Acer distylum | x | 1 | 12 | pds | | | OP sd #9914 from HKRD #99220 |
| 130 | | 14130 | 4 | Dipteronia sinensis | x | 1 | 14 | pds | ? | | = Acer dielsii, fruit #11088, Westonbirt (#210099), Cot gift #14202 |
| 130 | | 18006 | 4 | Halesia tetraptera var. monticola 'Arnold Pink' | x | 1 | 18 | ver | | | |
| 130 | | 12482 | 4 | Hydrangea serrata 'Diadem' | x | 3 | 15 | bul | | | (when planting: is less serrata; more a white mobhead |
| 130 | | 12487 | 4 | Hydrangea serrata 'Warabe' | x | 2 | 15 | bul | | | |
| 130 | | 92782 | 4 | Ilex aquifolium 'Aurifodina' | x | 1 | 95 | vml | | V | Female, gift fr.Bokrijk |
| 130 | * | 98418 | 4 | Ilex aquifolium 'Crassifolia' | x | 1 | 98 | vml | | V | Bokrijk 92188; 0705: interesting, 1311: no fruits, male |
| 130 | | 88369 | 4 | Ilex aquifolium 'Pendula' | x | 1 | 95 | vml | ? | V | Female, 1311: no fruits in this good year! |
| 130 | | 95181 | 4 | Ilex x attenuata 'Sunny Foster' | x | 1 | 95 | vml | C | | Female, gift Bokrijk, 95/8 defol.,dry, 96:C-, not hardy, |
| 130 | | 98439 | 4 | Ilex x attenuata 'Sunny Foster' | x | 1 | 98 | vml | | V | Female, Bokrijk 98079; 030828: lvs falling, new lvs ve |
| 130 | | 88358 | 4 | Ilex cornuta (hybrid) | x | 1 | 95 | vml | | H | 021028: rcvd. as Ilex aquifolium 'Brownell's Special', |
| 130 | | 98447 | 4 | Ilex 'Cousin' (ciliospinosa x rugosa) | x | 1 | 98 | vml | | | Bokrijk 98192 |
| 130 | | 08333 | 4 | Ilex crenata 'Blondie' | x | 1 | 11 | opr | | | gift Oprins, their introduction, 13: cut off head, to keep |
| 130 | | 08334 | 4 | Ilex crenata 'Dark Green' | x | 1 | 11 | opr | | | gift Oprins, their introduction, 1311: fruiting |
| 130 | | 92817 | 4 | Ilex crenata 'Hetzii' | x | 1 | 10 | vml | | | Female, gift fr.Bokrijk, 1311: no fruits in this good yea |
| 130 | | 88340 | 4 | Ilex crenata 'Ivory Hall' | x | 1 | 95 | vml | ? | T | Female, ivory fruit, 95:dry, _01:back to status 4 |
| 130 | | 92813 | 4 | Ilex crenata 'Piedmont Pyramidal' | x | 1 | 18 | vml | | | Female, gift fr.Bokrijk, 1711: moved within location (|
| 130 | | 88345 | 4 | Ilex crenata 'Rotundifolia' | x | 1 | 95 | vml | ? | | |
| 130 | | 92819 | 4 | Ilex crenata 'Rotundifolia' | x | 1 | 10 | vml | | | gift fr.Bokrijk |
| 130 | | 92763 | 4 | Ilex crenata 'Sentinel' | x | 1 | 95 | vml | | | Female, gift fr.Bokrijk |
| 130 | | 92767 | 4 | Ilex crenata 'Tee Dee' | x | 1 | 16 | vml | | | Female, gift fr.Bokrijk, 1311: no fruits in this good yea |
| 130 | | 88350 | 4 | Ilex crenata 'William Jackson' | x | 1 | 95 | vml | ? | | 95:dry, 96:0 , 98:recovered from base |
| 130 | | 92815 | 4 | Ilex crenata 'William Jackson' | x | 1 | 95 | vml | | | Male, gift fr.Bokrijk |
| 130 | | 88247 | 4 | Ilex glabra | x | 1 | 05 | pds | ? | V | HKRD #? |
| 130 | | 88402 | 4 | Ilex 'Good Taste' (cornuta x pernyi) | x | 1 | 95 | vml | ? | | 95/8:defol.by drought, _01:back to status 4 after wet se |
| 130 | | 88404 | 4 | Ilex 'Jermyns Dwarf' (pernyi x ?) | x | 1 | 95 | vml | ? | | Female, hbrd or sdlg of I.pernyi ? 95/8:lost most of its l |
| 130 | ** | 88415 | 4 | Ilex x meserveae 'Blue Angel' (rugosa x aquifolium) | x | 1 | 93 | vml | ? | | Female, good compact plant, 9909:pruned and shaped, |
| 130 | | 88414 | 4 | Ilex x meserveae 'Blue Prince' (rugosa x aquifolium) | x | 1 | 91 | vml | ? | ? | |
| 130 | | 88417 | 4 | Ilex x meserveae 'Blue Prince' (rugosa x aquifolium) | x | 1 | 91 | vml | ? | | uggly plant, leggy,could it be wrong or unhappy ? 99:p |
| 130 | | 88416 | 4 | Ilex x meserveae 'Blue Princess' (rugosa x aquifolium) | x | 1 | 91 | vml | ? | ? | 021028: could be Blue Girl ! because leaves are very s |
| 130 | | 88501 | 4 | Ilex x meserveae 'Blue Princess' (rugosa x aquifolium) | x | 1 | 91 | vml | | | 021028: is of course the same as 88416 ie Blue Girl say |
| 130 | | 98434 | 4 | Ilex pernyi | x | 1 | 98 | vml | | V | Bokrijk 98050, _0110:leaning over, cut back to promot |
| 130 | | 02512 | 4 | Juniper chinensis | x | 1 | 09 | div | | | 020925: gift visit Bonn Bot. Gard. gardeners, ctg. fro |
| 130 | | 96087 | 4 | Magnolia (acuminata x 'Norman Gould') | x | 2 | 96 | pds | | K | */BDB #30757, Sd.#4084, A.Kehr crossed for late hard |
| 130 | | 91239 | 4 | Magnolia x loebneri 'Powder Puff' | x | 1 | 95 | eis | | ? | 0104:frosted, new shoots from close to base but probab |
| 130 | | 02415 | 3 | Magnolia stellata | x | 1 | 05 | wld | | | |
| 130 | * | 05043 | 4 | Magnolia stellata | x | 1 | 05 | wld | | | |
| 130 | | 17305 | 4 | Prunus 'Collingwood Ingram' | x | 1 | 17 | ver | | | gift #14227 |
| 130 | | 09074 | 4 | Rhododendron hippophaeoides 'Inshriach' | x | 6 | 09 | pds | A | | layers #9819 of HKRD #85589, 1611: 6/7 remaining |
| 130 | | 01203 | 2 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forr | | | 04 | esv | A- | | 1508: all pl. very damaged by heat, |
| 130 | | 92294 | 4 | Styrax japonicus Benibana Group | x | 1 | 08 | spi | | | 1511: recovering well after big move of 2008, but main |
| 130 | | 83014 | 4 | Thuja plicata 'Excelsa' | x | 3 | 88 | vpl | A | | BDB #30728, planted as windscreen on corner of arbor |
| 131 | ** | 92418 | 4 | Acer shirasawanum (hybrid) | x | 1 | 93 | waa | | H | */991111:yellow pale colour, not bad for a shirasawanu |
| 131 | * | 91102 | 4 | Betula grossa | x | 1 | 90 | ter | | V | BDB#25033, same as 88077, good aut. colour, 1509: r |
| 131 | | 14163 | 4 | Betula utilis | x | 1 | 14 | wld | | | |
| 131 | | 03242 | 4 | Cercis chinensis | x | 1 | 05 | nie | | | wld collected in Korea, Pyongtach?, but only known fr |
| 131 | | 13283 | 4 | Hydrangea paniculata 'Candlelight' | x | 3 | 18 | opr | | | |
| 131 | | 05267 | 4 | Hydrangea quercifolia 'Alice' | x | 1 | 07 | bul | | | |
| 131 | | 04444 | 4 | Hydrangea quercifolia 'Applause' | x | 1 | 06 | bul | | | |
| 131 | | 04446 | 4 | Hydrangea quercifolia 'Snow Flake' | x | 1 | 15 | bul | | | 0605: lvs yellow and curling, touched by herbicide?, 07 |
| 131 | | 12481 | 4 | Hydrangea serrata 'Woodlander' | x | 3 | 15 | bul | | | |
| 131 | | 10210 | 4 | Idesia polycarpa | x | 1 | 10 | wld | | | |
| 131 | | 98090 | 4 | Ilex crenata cv. x | 1 | | 11 | vml | ? | | lost label, similar to I.c.'Aurea'? 9910:many fruits, the o |
| 131 | | 92818 | 4 | Ilex crenata 'Green Island' | x | 1 | 11 | vml | | | Male,gift fr.Bokrijk |
| 131 | | 92764 | 4 | Ilex crenata 'Green Lustre' | x | 1 | 11 | vml | | | gift fr.Bokrijk |
| 131 | | 05091 | 4 | Ilex x koehneana (aquifolium x latifolia) | x | 1 | 05 | spo | | | spo #7845 rooted branches of #85002 |
| 131 | * | 95011 | 4 | Magnolia (acuminata x cylindrica) | x | 1 | 96 | pds | | K | */ BDB #30758, Sd.#4092 by August Kehr, _ 97:-a has |
| 131 | * | 95138 | 4 | Magnolia kobus var. borealis | x | 1 | 96 | wld | | | |
| 131 | | 91224 | 4 | Magnolia officinalis var. biloba | x | 1 | 91 | pds | | T | BDB #30730, sd #1502 from sd LUSHAN B.G, 97/4/2 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|--------|----------|----|-----|-----|---|---|
| 131 | | 18142 | 4 | Meliiodendron xylocarpum (Tregye clone) | x | 1 | 18 | div | ? | | #13939, gift Brian Humphrey, |
| 131 | | 14426 | 3 | Pterostyrax corymbosus | x | 1 | 14 | klm | ? | | 1509: st.3, is dry, 1706: this is prob. Pterostyrax corym |
| 131 | * | 88291 | 4 | Rhododendron 'Albatross Townhill White' | (sdlg) | x 1 | 91 | pds | C | C | */sd.#408, the only sdlg from that lot ! 97/4/30 floweri |
| 131 | * | 86367 | 4 | Rhododendron 'Blue Tit' (impeditum x augustinii) | x | 4 | 05 | esv | A | | 87:A+, 04: dominated by Enkianthus, 0604:4/5 left, 06 |
| 131 | | 85462 | 4 | Rhododendron ((discol.x smirno.) x (yak.x Gold Moh | | | 87 | pds | A | K | 7 sdlg originally, = Dismal Gold Gr., ARS SdXch-82/6 |
| 131 | | 99224 | 3 | Rhododendron fastigiatum | x | 4 | 10 | pds | A- | | Cttg 4513 fr 89334 ggd, 07: 1 status 1, 0806: 1 dead, 2 |
| 131 | | 00310 | 4 | Rhododendron fortunei subsp. discolor Houlstonii | Gr | | 00 | pds | B+ | | Cttg 5321 from Hkrd 78163, 100508: great flowering, |
| 131 | * | 85611 | 3 | Rhododendron 'Jeanne Artois' | x | 1 | 91 | pds | A- | | */ARS.sdex:'82 #925/MUR [(Scintillation*Inamorata)* |
| 131 | | 01202 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum | Gr | | 06 | esv | A | | |
| 131 | | 08005 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum | Gr | | 08 | pds | A | | cttg. #6597, |
| 131 | | 84894 | 4 | Rhododendron 'Sonata' ('Purple Splendour' x dichroan | | | 91 | pds | A | | ct.of 82075, 98:miserable in this heavy soil without hu |
| 131 | | 01035 | 4 | Rhododendron 'Songbird' ('Blue Tit' x russatum) | x | 6 | 01 | pds | B | | cttg Hkrd #4544 from 84056, 040409: good, deep purp |
| 131 | | 14427 | 4 | Sinojackia rehderiana | x | 1 | 14 | pds | | | fruit #9037, BDB trip Elzas and Vogezen, Jardin botan |
| 131 | | 95166 | 4 | Sinojackia xylocarpa | x | 1 | 06 | div | C | | J.A.Smith propagated, purchased at Magnolia Soc. auct |
| 131 | | 99197 | 3 | Stewartia pseudocamellia 'Milk and Honey' | x | 1 | 00 | pds | | | Cttg 5336 from 96107, 060818:has recovered after near |
| 131 | | 96102 | 4 | Stewartia rostrata (Bjuv shy bloomer) | x | 1 | 96 | pds | | | */Cttg #4556 fr.87263 , 97/9: some lobed lvs, many mi |
| 131 | | 99210 | 4 | Stewartia rostrata (Hemelrijk 16206) | x | 1 | 00 | pds | | | Cttg 5485 from Hemelrijk, 00:has those variable and u |
| 131 | | 12370 | 4 | Styrax americanus | x | 1 | 12 | wld | | | |
| 131 | | 14544 | 4 | Styrax chinensis | x | 1 | 16 | div | ? | | bought by Christophe at Hulsdonk |
| 131 | | 16059 | 3 | Styrax dasyanthus aff. | x | 1 | 16 | wld | ? | | |
| 131 | | 17306 | 4 | Styrax grandiflorus | x | 1 | 17 | ver | | | gift #14230 as S. hookeri var. yunnanensis, |
| 131 | | 04274 | 4 | Styrax japonicus | x | 1 | 04 | pds | | | sdlg from 80160, 1509: nice brownish foliage in late su |
| 131 | | 89168 | 4 | Styrax japonicus | x | 1 | 91 | pds | | | sdlg #0349, from 80160, 1509: is becoming very wide |
| 131 | | 11163 | 4 | Styrax japonicus ('Emerald Meadow' sdlg) | x | 1 | 11 | dcl | | | gift #10706 Antoon De Clercq |
| 131 | ** | 00277 | 4 | Styrax 'Wespelaar' (japonicus x hemsleyanus) | x | 1 | 00 | pds | | | */one of several hundred sdls at DDH (D. Duhaut's) N |
| 131 | | 14428 | 4 | Styrax wilsonii | x | 1 | 14 | klm | | | #12083, gift Kalmthout |
| 131 | | 14076 | 1 | Styrax wilsonii aff. | x | 1 | 14 | wld | ? | | |
| 132 | | 12309 | 4 | Alnus viridis subsp. fruticosa | x | 1 | 12 | wld | | | |
| 132 | | 16105 | 4 | Betula chichibuensis | x | 1 | 16 | div | | | #11645, Stone Lane Garden, H.P. so should be ok, mot |
| 132 | | 00271 | 3 | Betula dahurica | x | 1 | 00 | pds | ? | | */BDB #30729, "Cttg #5877 from Hkrd 89174 (albosin |
| 132 | | 14530 | 4 | Betula ermanii 'Grayswood Hill' | x | 1 | 17 | bul | | | |
| 132 | o | 98103 | 2 | Betula ovalifolia | x | 1 | 98 | pds | V | | Cttg. # 4552 from Hkrd 91355, Hugh McAllister verif |
| 132 | | 14131 | 4 | Carya ovata | x | 1 | 14 | wld | | | |
| 132 | * | 92467 | 4 | Cladrastis kentukea | x | 1 | 96 | waa | | | 071012: great autumn colour, as expected, 1508: leaves |
| 132 | | 11421 | 4 | Hydrangea paniculata 'Magical Flame' | x | 1 | 18 | klm | | | |
| 132 | | 01064 | 4 | Magnolia (sprengeri var. elongata x 'Pegasus') | x | 1 | 01 | pds | K | | */sd 5539 from Cross 96/025 on 82163, 040401: first fl |
| 132 | | 07032 | 4 | Rhododendron hippophaeoides (hybrid) | x | 2 | 07 | pds | H | | cttg Hkrd #5330 from 83608 |
| 132 | | 03062 | 4 | Rhododendron hippophaeoides 'Inshriach' | x | 1 | 06 | pds | | | Cttg #5602 from Hkrd #74022/D |
| 133 | | 14307 | 4 | Abies nordmanniana subsp. nordmanniana | x | 1 | 14 | wld | | | |
| 133 | | 18076 | 4 | Acer diabolicum | x | 1 | 18 | wld | | | |
| 133 | | 96252 | 3 | Aesculus pavia 'Atrorubra' | x | 1 | 10 | pav | | | 1508: very dry |
| 133 | | 92440 | 4 | Amelanchier sieboldii | x | 1 | 95 | waa | ? | | Montreal, |
| 133 | * | 88167 | 4 | Betula alleghaniensis | x | 2 | 88 | esv | V | | BDB#25035, 0306: one spcm suddenly dead, 2 others l |
| 133 | | 17307 | 4 | Betula insignis aff. | x | 1 | 17 | wld | ? | ? | |
| 133 | * | 92697 | 4 | Betula maximowicziana | x | 2 | 93 | ddh | V | | */BDB#25036, Sd from D.Duhaut, very dry in 133, nee |
| 133 | | 06014 | 3 | Betula utilis 'Jim Russell' | x | 1 | 10 | ver | | | graft #8516 of #92012, 0806: helped to force leader, 15 |
| 133 | | 04371 | 4 | Magnolia 'Black Tulip' ('Vulcan' x 'Iolanthe') | x | 1 | 07 | rut | | | 1004: 1 flower |
| 133 | | 13079 | 3 | Magnolia sieboldii | x | 2 | 13 | wld | | | |
| 133 | | 94267 | 3 | Magnolia sieboldii | x | 1 | 95 | wld | C | | |
| 133 | | 14429 | 4 | Magnolia sprengeri var. elongata | x | 1 | 14 | wld | | | |
| 133 | | 14430 | 3 | Magnolia wilsonii | x | 1 | 14 | pds | | | sd #6637 from Hergest Croft 1521 (top of Park Wood) |
| 133 | ** | 99194 | 4 | Osmanthus x burkwoodii (delavayi x decorus) | x | 4 | 00 | pds | V | | Cttg 5441 from 75127 |
| 133 | | 15194 | 4 | Osmanthus serrulatus | x | 1 | 15 | pds | | | cttg. #9065 of HKRD #83236 |
| 133 | | 02521 | 4 | Prunus incisa 'Fujimae' | x | 1 | 04 | div | | | 02: gift Maurice Foster (nr. 2601 or 2607) as 'Fujima', |
| 133 | * | 88156 | 4 | Quercus phellos | x | 1 | 88 | esv | | | good plant |
| 133 | | 86003 | 4 | Rhododendron 'August Lamken' ('Dr.V.H.Rutgers' | x | | 93 | dcl | A | | |
| 133 | | 91203 | 4 | Rhododendron ('Luscombei' sdlg) | x | 4 | 91 | pds | B+? | | OP.sd. fr.HKR#78058,98--e:bark split, 03: pl-f dead, 0 |
| 133 | * | 86008 | 4 | Rhododendron 'Monsieur Marcel Ménard' | x | 1 | 91 | dcl | A | | parentage unknown, ='Marcel Ménard', 030520: deep p |
| 133 | | 01022 | 4 | Rhododendron 'Saint Beward' (impeditum x augustin | | | 01 | pds | | | cttg Hkrd #5335 from 78132, 0105: status 3 from trans |
| 133 | | 86011 | 4 | Rhododendron 'Stockholm' ('Catalpa' x williamsianu | | | 91 | dcl | A | | 0703: removed a lot of stock |
| 133 | | 14344 | 4 | Stewartia malacodendron | x | 3 | 14 | wld | | | |
| 133 | | 17275 | 4 | Stewartia pseudocamellia (variegated) | x | 1 | 17 | spo | | | spo variegated sdlg #12556 under S pseudocamellia 88 |
| 133 | | 96108 | 4 | Stewartia pseudocamellia | x | 1 | 96 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|------|----------|----|-----|----|---|---|
| 133 | | 04292 | 4 | Zelkova carpinifolia | x | 1 | 04 | ddh | | | sdlg #5545b from ddh, 06: binding cord grown in trunk |
| 134 | | 14245 | 4 | Abies veitchii aff. | x | 1 | 18 | wld | | V | |
| 134 | | 06005 | 4 | Betula x apoienensis (ermanii x ovalifolia) | x | 1 | 06 | pds | | V | cttg 7395 from prop 6560, Kew 1985 4720 (from Liver |
| 134 | | 15195 | 4 | Carpinus fangiana | x | 1 | 15 | wld | | ? | |
| 134 | * | 92445 | 4 | Carpinus shensiensis | x | 1 | 93 | waa | A | V | */95/8:happy in heat and drought, 96/12:leaves green at |
| 134 | * | 00306 | 2 | Franklinia alatamaha | x | 1 | 00 | pds | | | Cttg 5355 from Hkrd 81284, 0912: stem split, had to c |
| 134 | ** | 98430 | 4 | Ilex fargesii var. brevifolia | x | 1 | 98 | vml | | | Bokrijk 98043, 0903:perfectly hardy and a good evergr |
| 134 | | 89473 | 4 | Magnolia cylindrica | x | 1 | 92 | wld | | V | |
| 134 | | 95263 | 4 | Rhododendron 'Bengal' ('Essex Scarlet' x forrestii) | repe | | 95 | pds | A- | | */cttg. #3340 from HKRD 80004,98:dry for many year |
| 134 | | 87323 | 4 | Staphylea colchica | x | 1 | 95 | pds | | | 94:suckers separated from 87270, 02: removed suckers, |
| 134 | | 95117 | 4 | Stewartia pseudocamellia (red petiole) | x | 3 | 95 | pds | | T | */sd.3205 ex Schuhmacher, 95:4/6 pl.left:one dry,one v |
| 135 | | 11429 | 4 | Acer sterculiaceum subsp. franchetti | x | 1 | 14 | esv | | ? | V gift from Cor Van Gelderen, |
| 135 | | 05232 | 4 | Larix gmelinii | x | 1 | 07 | klm | | V | BDB #30732, as Larix cajanderi N form of L. gmelinii, |
| 135 | * | 95240 | 4 | Magnolia macrophylla subsp. ashei | x | 1 | 95 | pds | | ? | Sd. #1636 from Henry Found.,Penn see photo 870924 |
| 135 | * | 94322 | 4 | Rhododendron brachycarpum subsp. fauriei | x | 4 | 98 | wld | A+ | | |
| 135 | ** | 04299 | 4 | Stewartia x henryae | x | 1 | 04 | spo | | H | Stewartia hybrid 7848, spo, found at the HKRD ground |
| 135 | | 14345 | 4 | Stewartia malacodendron | x | 1 | 14 | wld | | | |
| 135 | | 14491 | 4 | Stewartia monadelpha 'Black Dog' | x | 1 | 17 | dcl | | | gift Antoon De Clercq, |
| 135 | | 14346 | 4 | Stewartia ovata | x | 1 | 14 | wld | | | |
| 135 | | 95239 | 4 | Stewartia pseudocamellia (AA) | x | 1 | 95 | pds | | | */BDB 30733,Sd. 1670 from Arnold A., from the St. c |
| 135 | * | 99200 | 4 | Stewartia rostrata (glossy leaves) | x | 1 | 00 | pds | | V | */Cttg .5291from Arnold Arboretum (Busey Hil plant), |
| 135 | | 05236 | 3 | Stewartia rostrata 'Hulsdonk Pink' | x | 1 | 07 | div | | | Hulsdonk via Marc Libert |
| 135 | | 02410 | 4 | Stewartia sinensis var. acutisepala | x | 1 | 04 | bul | | V | */gift from Mark Bulk, sdlg from Heritage plant, 02: th |
| 136 | | 92170 | 4 | Acer cissifolium | x | 1 | 93 | spi | | V | leaves are very serrate, should be more entire for henryi |
| 136 | | 10179 | 4 | Acer crataegifolium | x | 1 | 14 | wld | | V | |
| 136 | | 08390 | 4 | Acer micranthum | x | 1 | 10 | esv | | V | |
| 136 | | 04425 | 4 | Acer palmatum 'Bloodgood' | x | 1 | 06 | bul | | ? | Amoenum Gr., Palmatum - red, 1106: check ID, Dougl |
| 136 | | 04318 | 4 | Acer palmatum 'Chishio' | x | 1 | 04 | pds | | ? | Palmatum - green, Cttg #5372 from HKRD #84675, 05 |
| 136 | | 11103 | 4 | Acer palmatum 'Dentelle de Binche' | x | 1 | 14 | dcl | | | Dissectum, gift Antoon De Clercq at my request, 1410: |
| 136 | | 12062 | 4 | Acer palmatum 'Gentaku' | x | 1 | 13 | esv | | | |
| 136 | | 98219 | 4 | Acer palmatum 'Linearilobum' | x | 1 | 09 | esv | | | Linearilobum - green, 0706: cut one branch that was ret |
| 136 | | 01260 | 4 | Acer palmatum 'Red Dragon' | x | 1 | 09 | bul | | | Dissectum - red, |
| 136 | | 88225 | 4 | Acer palmatum 'Tsuchigumo' | x | 1 | 96 | esv | | | Palmatum - green, 041123: nice autumn colour |
| 136 | | 00404 | 4 | Acer sterculiaceum subsp. franchetti | x | 1 | 03 | spi | | V | 0706: attractive plant, 0809: basal wound recovered we |
| 136 | | 14248 | 4 | Calycanthus floridus | x | 1 | 14 | wld | | | |
| 136 | | 06039 | 4 | Euonymus carnosus | x | 1 | 09 | pds | | | #6448, gift from Arnold Arboretum (363-81-C) at my r |
| 136 | | 99082 | 4 | Picrasma quassioides | x | 1 | 03 | div | | | |
| 136 | | 91103 | 4 | Quercus phellos | x | 1 | 90 | ter | | | BDB #24561, 97/4:frosted, nearly dead,_00:still not ful |
| 136 | * | 95244 | 4 | Rhododendron degronianum subsp. heptamerum | var. | | 12 | pds | A | | */Sd. #1247 from ARS 1987/296-JRS, origin unknown |
| 136 | | 01029 | 4 | Rhododendron 'Red Carpet' ('America' x forrestii) | Rep | | 01 | pds | A- | | cttg Hkrd #4555 from 80005, 04: 3 plants moved withi |
| 136 | | 02093 | 4 | Sapium japonicum | x | 1 | 10 | wld | | | |
| 136 | | 04324 | 3 | Sapium japonicum | x | 2 | 04 | pds | | | sd from Hkrd 82172, 0406: pl-e dead, 2 others sufferin |
| 136 | * | 99193 | 4 | Sapium japonicum | x | 3 | 01 | wld | | | |
| 136 | | 11430 | 4 | x Sinocalycanthus 'Venus' | x | 1 | 14 | esv | | | gift from Cor Van Gelderen, |
| 136 | | 04452 | 4 | Sinocalycanthus chinensis | x | 1 | 06 | bul | | | |
| 136 | | 94223 | 4 | Stewartia pseudocamellia (bullate) | x | 2 | 95 | pds | | T | cttg #3128, fr.#89261/SPI 96:1/3:dead,-01:one plant pr |
| 137 | | 03222 | 4 | Aesculus pavia 'Splendens' | x | 1 | 05 | pav | | | 141001: not very splendens, no autumn colour, lvs dro |
| 137 | | 07139 | 4 | Callicarpa americana | x | 1 | 07 | pds | | | sd #6392 Polly Hill Arboretum, in the play pen, may be |
| 137 | | 07135 | 4 | Callicarpa dichotoma | x | 3 | 07 | pds | | | sd #6390, sub 'Alba', but not very white and name not f |
| 137 | | 16162 | 4 | Callicarpa kwangtungensis | x | 1 | 16 | pds | | | cttg. #12513 of HKRD #02352 |
| 137 | | 13175 | 4 | Callicarpa mollis | x | 1 | 15 | wld | | | |
| 137 | * | 95237 | 4 | Carya glabra | x | 1 | 95 | pds | | V | */BDB #30735, Sd. 2165 from Arnold A., 96:ok, 0106 |
| 137 | * | 00305 | 4 | Franklinia alatamaha | x | 1 | 00 | pds | | | Cttg 5355 from Hkrd 81284, 141001: is excellent this |
| 137 | * | 04448 | 4 | Liriodendron 'Chapel Hill' (chinense x tulipifera) | x | 1 | 05 | bul | | | BDB #30734, 070527:flwrg, dark colour, on young pla |
| 137 | | 03218 | 4 | Magnolia 'Daphne' ('Miss Honeybee' x 'Gold Crown') | | | 05 | rut | | | gift Wim Rutten, 0805: top of almost all branches dead, |
| 137 | | 01021 | 4 | Rhododendron hippophaeoides (hybrid) | x | 10 | 01 | pds | A | H | cttg Hkrd #5330 from 83608, 09: 13/14, 15: 11/14, 170 |
| 137 | | 14508 | 4 | Styrax 'Evening Light' | x | 1 | 18 | div | | | pépinère du Vent Val |
| 138 | | 94309 | 4 | Fagus crenata | x | 1 | 96 | wld | | C | |
| 138 | | 17437 | 4 | Franklinia alatamaha | x | 1 | 17 | pds | | | #12924, gift Jack Johnston, fruit from his garden |
| 138 | | 14276 | 3 | Magnolia globosa | x | 1 | 14 | ver | | | gift #10715, graft of our #87090, |
| 138 | | 01219 | 4 | Magnolia 'Golden Sun' (acuminata x denudata) | x | 1 | 03 | rut | | | 090416: more yellow than Yellow Garland, flowers sm |
| 138 | | 02086 | 4 | Magnolia grandiflora | x | 1 | 02 | pds | | | cttg ex Hkrd #74004, 1501: good, dark indumentum, g |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|---|
| 138 | | 09138 | 4 | Magnolia x thompsoniana 'Cairn Croft' | x | 1 | 12 | rut | | | see Arnoldia 65(1):10-12, 09: slug damage |
| 138 | | 10110 | 4 | Magnolia virginiana var. australis 'Northern Belle' | x | 1 | 12 | rut | | | 1203: good evergreen after cold winter |
| 138 | * | 04416 | 4 | Magnolia virginiana var. australis 'Satellite' | x | 1 | 09 | rut | * | | 060302: seems good evergreen, 1107: has the largest fl |
| 138 | | 10118 | 4 | Magnolia virginiana 'Moonglow' | x | 1 | 12 | rut | | | TM name = 'Jim Wilson', rcvd as 'Wilson' |
| 138 | | 18104 | 4 | Stewartia rostrata | x | 1 | 18 | pds | | | sd #10124 from Lushan Botanic Garden, as S. sinensis |
| 139 | | 16030 | 4 | Acer japonicum | x | 1 | 16 | wld | | | |
| 139 | | 15284 | 4 | Acer palmatum subsp. matsumurae | x | 1 | 15 | wld | | V | |
| 139 | | 15283 | 4 | Acer shirasawanum | x | 1 | 15 | wld | | | |
| 139 | | 15285 | 4 | Acer shirasawanum | x | 1 | 15 | wld | | | |
| 139 | | 98240 | 4 | Acer shirasawanum | x | 1 | 00 | esv | | | |
| 139 | * | 99252 | 4 | Carpinus coreana | x | 1 | 03 | wld | * | | |
| 139 | | 92478 | 4 | Cornus kousa 'Gold Star' | x | 1 | 93 | waa | | | *95:all 3 are dry, curled lvs, Covered with scale insects |
| 139 | | 96001 | 4 | Magnolia macrophylla | x | 1 | 06 | pds | | | Sd.#2131 fr.Henry Foundation,PA, 97:one sdlg left, _0 |
| 139 | | 06168 | 4 | Magnolia (sieboldii 'Genesis' x virginiana) | x | 1 | 08 | rut | K | | 07: super plant, upright, virginiana like, needs good po |
| 139 | | 17438 | 4 | Pterocarya stenoptera 'Fern Leaf' | x | 1 | 17 | div | | | #13896, gift Herman Buttiens, VVPV & groenverantw |
| 139 | | 01253 | 4 | Thujaopsidolabrata | x | 1 | 05 | pds | A | | Layer from 85506 |
| 140 | | 12038 | 4 | Acer sieboldianum | x | 3 | 12 | wld | ? | | |
| 140 | * | 04081 | 4 | Ailanthus altissima | x | 1 | 04 | pav | | | BDB #90736 |
| 140 | * | 95301 | 2 | Betula platyphylla var. japonica | x | 1 | 96 | wld | | V | |
| 140 | | 17465 | 4 | Betula populifolia | x | 1 | 17 | wld | | | |
| 140 | * | 99167 | 4 | Carpinus coreana | x | 1 | 00 | wld | * | | |
| 140 | | 15286 | 4 | Carpinus laxiflora | x | 1 | 15 | wld | | | |
| 140 | ** | 99158 | 4 | Carpinus tschonoskii | x | 3 | 00 | wld | ** | | |
| 140 | | 12019 | 4 | Carya myristiciformis | x | 1 | 12 | wld | | | |
| 140 | | 12007 | 3 | Carya ovalis | x | 1 | 15 | wld | | | |
| 140 | | 18007 | 4 | Fagus grandifolia | x | 1 | 18 | pds | | | sd #8163, Arnold Arboretum (thus hort.), |
| 140 | | 93208 | 4 | Magnolia sieboldii (Tetraploid) | x | 4 | 93 | pds | K | | */ sd fr.#1746 1988/37 TMS SdXch. by August KEHR, |
| 140 | | 13490 | 4 | Meliiodendron xylocarpum | x | 1 | 18 | div | ? | | gift Botanica |
| 141 | | 12259 | 4 | Acer argutum | x | 1 | 12 | wld | | | |
| 141 | | 98179 | 4 | Acer (griseum x maximowiczianum) | x | 1 | 97 | ddh | K | | sdlg from D.Duhaut, variable lot,this 1/6 pl., 061117:g |
| 141 | | 94307 | 2 | Acer japonicum | x | 1 | 99 | wld | | V | |
| 141 | | 92399 | 4 | Acer japonicum 'Aconitifolium' | x | 1 | 93 | waa | | | 991013: quite miserable, has long history of spring fros |
| 141 | * | 91312 | 4 | Acer japonicum 'Attaryi' | x | 1 | 93 | waa | * | | 96 : always as good, 010422:frosted young growth! 02 |
| 141 | | 01178 | 2 | Acer japonicum 'Taki no gawa' | x | 1 | 14 | esv | | | */061112:yellow aut. col, not as per 84104-esv-64, but |
| 141 | | 08389 | 4 | Acer micranthum | x | 1 | 12 | esv | | V | |
| 141 | | 08033 | 4 | Acer pseudosieboldianum | x | 1 | 08 | wld | | V | |
| 141 | | 08035 | 3 | Acer pseudosieboldianum | x | 1 | 08 | wld | | V | |
| 141 | | 08036 | 4 | Acer pseudosieboldianum | x | 1 | 08 | wld | | V | |
| 141 | | 08038 | 4 | Acer pseudosieboldianum | x | 1 | 08 | wld | | V | |
| 141 | ** | 91664 | 4 | Acer pseudosieboldianum subsp. takesimense | x | 1 | 93 | waa | | V | */WAA/005-87, 95/8: 30% dieback which I cleared; w |
| 141 | | 02540 | 4 | Acer pubipalmatum | x | 1 | 04 | div | | | 02: gift Etienne Dehout (Ecole Hort. Tournai), from se |
| 141 | | 83462 | 4 | Acer shirasawanum 'Aureum' | x | 1 | 14 | esv | A | | 91:misery,in shade, 92:moved to 35 and recovered, 14 |
| 141 | | 98241 | 4 | Acer shirasawanum 'Aureum' | x | 1 | 00 | esv | | | 00: afex rare scale insects but one larvae of Lady Bug a |
| 141 | | 98197 | 4 | Acer shirasawanum 'Ezo-no-momiji' | x | 1 | 00 | esv | | | */99:no aut colour, 0309: a lot of dead wood, pruned, if |
| 141 | | 98242 | 4 | Acer shirasawanum 'Microphyllum' | x | 1 | 00 | esv | | | |
| 141 | | 01188 | 4 | Acer shirasawanum 'Susanne' | x | 1 | 04 | esv | | | 1409: several twigs in top of plant defoliated at apex an |
| 141 | | 02541 | 4 | Acer sieboldianum | x | 1 | 04 | div | | V | */02: gift Etienne Dehout (Ecole Hort. Tournai), from s |
| 141 | * | 99006 | 4 | Acer sieboldianum 'Isis' | x | 1 | 02 | esv | * | | 131113: good shape (domed), good aut.col., 1409: one |
| 141 | | 99007 | 4 | Acer sieboldianum 'Miyama Nishiki' | x | 1 | 02 | esv | | | 061117:pale beige pink aut. col., 141120: is this the sa |
| 141 | * | 91243 | 4 | Acer tschonoskii subsp. koreanum | x | 1 | 93 | wld | | C | V |
| 141 | | 00500 | 4 | Cornus x rutgersensis 'Stardust' | x | 1 | 01 | bul | | | ® name = 'Rutfan', 011019:lvs browning, no colour, 03 |
| 141 | | 04281 | 4 | Fagus grandifolia | x | 1 | 04 | wld | | | |
| 141 | | 14164 | 4 | Magnolia fraseri | x | 1 | 14 | wld | | | |
| 141 | * | 95160 | 4 | Magnolia grandiflora 'Brown Velvet' | x | 1 | 98 | div | * | | BDB #31173, J.A.Smith prop., purchased at Magnolia |
| 141 | * | 93183 | 4 | Magnolia tripetala | x | 3 | 93 | pds | * | | Sd.#2127 fr.Flora Bot Gar. Köln, Vigorous young plan |
| 142 | | 05090 | 4 | Acer carpinifolium | x | 1 | 05 | div | | | no data, was in p45 |
| 142 | * | 98199 | 4 | Acer mandshuricum | x | 1 | 00 | esv | | V | */ originally 3 plants split other two to n°, 00 top of lea |
| 142 | * | 98486 | 4 | Acer mandshuricum | x | 1 | 01 | cec | | | gift B. Choteau, 030918: amazing red autumn colour |
| 142 | | 17439 | 4 | Acer maximowiczianum | x | 1 | 17 | div | | | #13722, gift Piet de Jong at NDV-KVBC meeting, |
| 142 | * | 98249 | 4 | Acer triflorum | x | 1 | 00 | esv | | V | |
| 142 | ** | 92479 | 4 | Cornus kousa 'Milky Way' | x | 1 | 93 | waa | ** | | */98:good tree form,_060721:pl -c very dry, lvs totally |
| 142 | | 92488 | 3 | Cornus nuttallii 'North Star' | x | 1 | 93 | waa | | C | 96:damaged by spring frost, was superb last year, 97:le |
| 142 | | 18105 | 4 | Stewartia pseudocamellia 'Isola Bella' | x | 1 | 18 | div | | | #8462, golden variegated selection, cuttings by propag |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|---|---|---|
| 143 | | 02166 | 4 | Acer circinatum | x | 1 | 02 | spo | | V | spontaneous sdlg under Hkrd #80079, 0809: thin leave |
| 143 | | 97002 | 4 | Acer circinatum 'Monroe' | x | 1 | 97 | har | | C | 97:C+, |
| 143 | | 92412 | 4 | Acer forrestii | x | 1 | 94 | waa | A | V | *97/3/9:in leaf, very early, resisted frost later on, 00/3/ |
| 143 | | 98195 | 4 | Acer japonicum | x | 1 | 00 | esv | | | 010422:young growth frosted! 131123: outstanding lon |
| 143 | | 02536 | 4 | Acer japonicum 'Aconitifolium' | x | 1 | 03 | div | | | 02: source Arbor NV, 021219: slightly pruned, bleedin |
| 143 | ** | 92397 | 4 | Acer japonicum 'Aconitifolium' | x | 2 | 92 | waa | | | 00:scale insects massively on pl. -a, not on pl -e, 0809: |
| 143 | | 98485 | 4 | Acer mandshuricum | x | 1 | 01 | cec | | | gift B. Choteau, 001014:both plants are superb autumn |
| 143 | | 12079 | 4 | Acer palmatum 'Rokugatsu-en-nishiki' | x | 1 | 13 | esv | | | Palmatum - variegated, 1408: ugly, variegated thing, |
| 143 | | 12087 | 4 | Acer palmatum 'Westonbirt Orange' | x | 1 | 13 | esv | | | Amoenum - green, |
| 143 | | 07021 | 4 | Acer pseudosieboldianum | x | 1 | 07 | wld | | | |
| 143 | | 15287 | 2 | Acer shirasawanum aff. | x | 1 | 15 | wld | | ? | |
| 143 | | 12243 | 4 | Acer sieboldianum | x | 1 | 12 | wld | | | |
| 143 | * | 92421 | 4 | Acer sieboldianum 'Miyama Nishiki' | x | 1 | 93 | waa | | | 97:A, 99:1/3 surv, 01:last pl -b very frosted, status 1, n |
| 143 | | 00324 | 4 | Azalea 'Schneeglantz' | x | 5 | 00 | pds | | | Cttg 5343 from Hkrd 86392 |
| 143 | | 93087 | 4 | Cornus kousa 'Weaver's Weeping' | x | 1 | 93 | waa | C | | 97:last one C+, 0305: what a misery, again C+ I assum |
| 143 | | 00485 | 4 | Cornus x rutgersensis 'Aurora' | x | 1 | 01 | bul | | | ® name = 'Rutban', |
| 143 | | 00488 | 4 | Cornus x rutgersensis 'Celestial' | x | 1 | 01 | bul | | | ® name = 'Rutdan', rcvd. as 'Galaxy', 160524: spectacul |
| 143 | | 93997 | 4 | Cornus walteri | x | 1 | 05 | wld | | | |
| 143 | | 92215 | 4 | Halesia carolina | x | 1 | 94 | spi | | V | 02: unhappy, unadapted plant, treated with temik durin |
| 143 | | 14101 | 3 | Lindera angustifolia (salicifolia) | x | 1 | 14 | div | | | gift #9971 from Carla Theune, Leiden 1999.8249, as L. |
| 143 | | 92151 | 4 | Lindera angustifolia | x | 1 | 98 | pds | A | | */sd. CIL.by Pds at Arnold Arboretum, 98:moved to arb |
| 143 | | 13080 | 4 | Lindera erythrocarpa | x | 1 | 13 | wld | | | |
| 143 | * | 96146 | 4 | Lindera erythrocarpa | x | 3 | 96 | wld | A | | |
| 143 | ** | 00274 | 4 | Lindera obtusiloba | x | 1 | 00 | wld | | | |
| 143 | | 03105 | 4 | Lindera obtusiloba | x | 1 | 06 | wld | | | |
| 143 | | 15217 | 4 | Lindera obtusiloba | x | 1 | 15 | wld | | | |
| 143 | | 99035 | 4 | Lindera praecox | x | 1 | 99 | rug | | | gift from Marc Libert, 9908:suffering from drought, 14 |
| 143 | | 12396 | 4 | Lindera triloba | x | 1 | 16 | div | D | | sd. #9970 gift Dan Hinkley, 1402: moved back to p45 f |
| 143 | | 16163 | 4 | Litsea moupinensis var. szechuanica | x | 1 | 16 | wld | | | |
| 143 | | 17440 | 4 | Litsea moupinensis var. szechuanica | x | 1 | 17 | wld | | | |
| 143 | | 92589 | 4 | Phellodendron amurense | x | 1 | 92 | waa | | | BDB #30738, rcvd as Phellodendron piriforme, 95:not |
| 143 | | 93173 | 4 | Trochodendron aralioides | x | 1 | 93 | pds | | | */Sd.from my 71007, _0110:pl -c has lost its leader, fro |
| 144 | | 92200 | 4 | Cornus kousa var. chinensis 'Spinners' | x | 1 | 93 | spi | | | |
| 144 | * | 98487 | 4 | Cornus kousa var. chinensis 'Wieting's Select' | x | 1 | 00 | div | | | Selected for autumn colour, gift from Herlinde De Jaec |
| 144 | | 98279 | 4 | Cornus mas 'Aurea' | x | 1 | 00 | esv | | | 02: flowers at the same time as Cornus mas |
| 144 | | 92489 | 3 | Cornus nuttallii 'North Star' | x | 1 | 92 | waa | | | 98:was better but hit by caterpillars and scale insects ... |
| 144 | | 93110 | 4 | Ilex macropoda | x | 1 | 96 | wld | | ? | |
| 144 | | 12399 | 4 | Pterostyrax hispidus | x | 1 | 12 | wld | | V | |
| 144 | | 17213 | 4 | Rhododendron phaeochrysum | x | 1 | 17 | wld | | | |
| 144 | | 97023 | 4 | Rhododendron 'Wonderland' ('Alice' x auriculatum) | x | 1 | 00 | dcl | | | gift fr.Antoon De Clercq, his propagat.fr.A.Kehr plants |
| 145 | | 01179 | 3 | Acer palmatum 'Atrolineare' | x | 1 | 02 | esv | | | Linearilobum - red, |
| 145 | | 98208 | 4 | Acer palmatum 'Burgundy Lace' | x | 1 | 00 | esv | | | Matsumurae - red, |
| 145 | | 12057 | 4 | Acer palmatum 'Chikuma-no' | x | 1 | 13 | esv | | | Amoenum - red, |
| 145 | | 12060 | 4 | Acer palmatum 'Emperor 1' | x | 1 | 13 | esv | | | Amoenum - red, = 'Wolff'?, = 'Red Emperor'?, |
| 145 | | 12061 | 4 | Acer palmatum 'Fall's Fire' | x | 1 | 13 | esv | | | Palmatum - green, |
| 145 | | 01259 | 4 | Acer palmatum 'Filigree' | x | 1 | 04 | bul | | | Dissectum - variegated, 1108: back to status 4 (IL), |
| 145 | | 12064 | 4 | Acer palmatum 'Green Trompenburg' | x | 1 | 13 | esv | | | Matsumurae - green, |
| 145 | | 12067 | 4 | Acer palmatum 'Hino-tori-nishiki' | x | 1 | 16 | esv | | | Palmatum - green, |
| 145 | * | 98218 | 4 | Acer palmatum 'Korean Gem' | x | 1 | 00 | esv | | | syn. Koreanum, Palmatum - green, 0410: half of the lea |
| 145 | | 12075 | 3 | Acer palmatum 'Nathan' | x | 1 | 16 | esv | | | Matsumurae - red, 1407: remains status 3 |
| 145 | | 12078 | 4 | Acer palmatum 'Red Flame' | x | 1 | 13 | esv | | | |
| 145 | | 13050 | 4 | Acer palmatum 'Sango-kaku' | x | 1 | 13 | div | | | Palmatum - green, prop #11191, Dick van der Maat, |
| 145 | | 12080 | 4 | Acer palmatum 'Sawa-chidori' | x | 1 | 13 | esv | | | Matsumurae - variegated, |
| 145 | | 08144 | 4 | Acer palmatum 'Seiun-kaku' | x | 1 | 13 | div | | | Palmatum - green, from Maillot Bonsai in France |
| 145 | | 12085 | 4 | Acer palmatum 'Sister Ghost' | x | 1 | 16 | esv | | | Matsumurae - variegated, 1407: deeply cut and variegat |
| 145 | | 01261 | 4 | Acer palmatum 'Stella Rossa' | x | 1 | 07 | bul | | | Dissectum - red, |
| 145 | * | 98229 | 4 | Acer palmatum 'Suminagashi' | x | 1 | 00 | esv | | | Matsumurae - red, 1711: nice crimson red autumn colo |
| 145 | | 00429 | 4 | Acer palmatum 'Utsu-semi' | x | 1 | 08 | esv | | | Amoenum - green, |
| 145 | * | 97165 | 4 | Acer palmatum 'Yugure' | x | 1 | 02 | esv | | | Palmatum - red, 081102: good deep golden aut col, not |
| 145 | ** | 97164 | 4 | Acer shirasawanum 'Yasemin' | x | 1 | 98 | esv | | | */Esveld says this is a shirasawanum CV, _01very dam |
| 145 | * | 97162 | 4 | Acer 'Trompenburg' (palmatum x shirasawanum) | x | 1 | 98 | esv | | | Matsumurae - red, 001112: of course good autumn col |
| 145 | | 14010 | 4 | Celtis koraiensis | x | 1 | 14 | wld | | | |
| 145 | | 08269 | 4 | Cornus 'Dorothy' (florida x nuttallii) | x | 1 | 10 | div | | | 1406: status 3, not resistant to anthracnosis |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|-----|---|---|
| 145 | | 92470 | 4 | Cornus florida 'Cherokee Princess' | x | 1 | 93 | waa | | | 94:2pl.of 3, 96:1 poss. survives , 0111: Only survivor i |
| 145 | * | 93080 | 3 | Cornus florida 'Purple Glory' | x | 1 | 94 | waa | | | 95:1/3 dead, 96:1/3 survives, 01:compact plant, good a |
| 145 | | 93084 | 4 | Cornus kousa var. chinensis | x | 3 | 93 | waa | | | */seems to be 4 not 3 pl., _00:many scale insects, massi |
| 145 | | 05201 | 4 | Cornus kousa 'Ed Mezitt' | x | 1 | 07 | waa | | | 0807: seems sensitive to powdery mildew, 1406: wond |
| 145 | | 00498 | 4 | Cornus 'Ormonde' (florida x nuttallii) | x | 1 | 01 | bul | | | 070923:early aut. col., sick?, 1404: healthy and flwrg w |
| 145 | | 08268 | 4 | Cornus 'Starlight' (kousa x nuttallii) | x | 1 | 10 | div | | | = 'KN4-43' |
| 145 | | 08267 | 4 | Cornus 'Venus' (kousa x nuttallii) | x | 1 | 13 | div | | | = 'KN30-8' |
| 145 | | 00293 | 4 | Rhododendron 'Saint Breward' (impeditum x augustin | | | 00 | pds | B+ | | Cttg 5335 from Hkrd 78132 |
| 146 | | 01024 | 4 | Azalea 'Beethoven' (Vuyk) | x | 11 | 01 | pds | | | cttg Hkrd #5351 from 74148, 04: 11/12 left |
| 146 | | 13104 | 4 | Clethra acuminata | x | 1 | 13 | wld | | | |
| 146 | | 91292 | 4 | Clethra alnifolia | x | 1 | 98 | wld | T | | |
| 146 | | 98065 | 4 | Clethra alnifolia 'Pink Spires' | x | 1 | 04 | pds | | | Cttg 4829 from Hkrd 86247, 0601: to status 1, hit by m |
| 146 | | 13023 | 4 | Clethra barbinervis | x | 1 | 13 | wld | V | | |
| 146 | | 89298 | 3 | Clethra monostachya | x | 1 | 04 | spi | T | | 91/4:B-, poss.Lancaster coll, from Spinners P.Chappel |
| 146 | | 95092 | 4 | Clethra monostachya | x | 1 | 04 | pds | | | sd 3379 : IDS Xch. 1992, Fraser Jenkins, 97: 4/5 left, 9 |
| 146 | | 04013 | 4 | Cornus alba 'Hessei' | x | 1 | 09 | vpl | | | = C. sanguinea 'Compressa'? |
| 146 | | 92472 | 3 | Cornus florida 'G.H. Ford' | x | 1 | 94 | waa | | | */94:broken at graft, hit by tractor, layered, may recov |
| 146 | | 09191 | 3 | Cornus florida f. rubra | x | 1 | 10 | div | | | gift Bernard de la Rochefoucauld owner of Les Grande |
| 146 | | 17441 | 4 | Cornus kousa (yellow fruit sdlg) | x | 1 | 17 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 146 | | 18106 | 4 | Cornus kousa (yellow fruit sdlg) | x | 3 | 18 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 146 | | 00489 | 4 | Cornus kousa 'Bonfire' | x | 1 | 01 | bul | | | 061117:indeed good aut. col., |
| 146 | | 92477 | 4 | Cornus kousa var. chinensis | x | 2 | 92 | waa | | | 1008: 1 status 1, 3/4 of plant dead, Cornus are sufferin |
| 146 | ** | 03274 | 4 | Cornus kousa var. chinensis 'Wisley Queen' | x | 1 | 06 | wis | | | 031022: gift Colin Crosbie & David Jewell (RHS Wisl |
| 146 | | 00494 | 4 | Cornus kousa 'Rasen' | x | 1 | 01 | bul | | | */060605: this looks like a rutgersiensis, but 'Rasen' ha |
| 146 | | 00495 | 4 | Cornus kousa 'Tilgates' | x | 1 | 01 | bul | | | name? |
| 146 | | 00496 | 4 | Cornus kousa 'White Dusted' | x | 1 | 01 | bul | | | 0406: weak plant, 0806: ugly thing |
| 146 | * | 04015 | 4 | Cornus officinalis | x | 1 | 04 | vpl | | | */060327: spectacularly flowering, 070217:flowering, |
| 146 | | 98498 | 4 | Cornus x rutgersensis 'Aurora' | x | 1 | 00 | dcl | | | ® name = 'Rutban', gift Antoon Declercq |
| 146 | * | 02537 | 4 | Enkianthus campanulatus | x | 1 | 03 | pds | | | cttg. from HKRD #83429, 060521:flwrg has very small |
| 146 | | 18143 | 4 | Hamamelis x intermedia 'Angelly' | x | 1 | 18 | div | | | #12772, Chris Lane, Witch Hazel Nursery, |
| 146 | | 18144 | 4 | Hamamelis x intermedia 'Glowing Embers' | x | 1 | 18 | div | | | #12773, Chris Lane, Witch Hazel Nursery, |
| 146 | | 18145 | 4 | Hamamelis x intermedia 'Robert' | x | 1 | 18 | div | | | #12775, Chris Lane, Witch Hazel Nursery, |
| 146 | | 88435 | 4 | Hydrangea arborescens | x | 1 | 00 | dbl | | | gift KLMTH as serrata 'Angustata', moved from 22 to 1 |
| 146 | | 89237 | 4 | Hydrangea arborescens subsp. discolor 'Sterilis' | x | 5 | 16 | spi | V | | 1007: spreading, 1511: CUT - spreading and boring, wi |
| 146 | | 88365 | 4 | Ilex x altaclerensis 'Golden King' | x | 1 | 94 | vml | ? | V | Female |
| 146 | | 88502 | 4 | Ilex x altaclerensis 'Howick' | x | 1 | 94 | vml | | V | Female, |
| 146 | | 88355 | 4 | Ilex aquifolium 'Ferox Argentea' | x | 1 | 94 | vml | ? | V | Male |
| 146 | | 98422 | 4 | Ilex aquifolium 'Goldfrucht' | x | 1 | 98 | vml | | | Bokrijk 95838, 1401: yellow fruit on the ground, gave |
| 146 | | 95043 | 4 | Ilex aquifolium 'Green Devil' | x | 1 | 00 | div | | | gift from Susyn Andrews 94/10, 04: name not found in |
| 146 | | 07234 | 4 | Ilex brachyphylla | x | 1 | 10 | dev | | | gift Damien Devos, (= I. ficoidea var. brachyphylla) |
| 146 | | 88412 | 4 | Ilex 'Brilliant' (ciliospinosa x) | x | 1 | 94 | vml | ? | | */received as Ilex (TDN 6785193); 030616: good plant |
| 146 | | 17276 | 4 | Ilex fargesii | x | 3 | 17 | wld | V | | |
| 146 | | 88392 | 4 | Ilex 'Mary Nell' [(cornuta x pernyi) x latifolia] | x | 1 | 94 | vml | ? | V | ("the plastic holly" dixit S. Andrews) |
| 146 | | 94201 | 3 | Ilex x meserveae 'Blue Angel' (rugosa x aquifolium) | x | 1 | 09 | pds | | | Female, Cttg 1454 from HKRD 84006, 0406: pl-a drop |
| 146 | | 88413 | 4 | Ilex x meserveae 'Goliath' (rugosa x aquifolium) | x | 2 | 94 | vml | ? | V | Female, |
| 146 | | 99251 | 4 | Ilex sugerokii | x | 2 | 03 | wld | V | | |
| 146 | | 04460 | 4 | Ilex x wandoensis (cornuta x integra) | x | 1 | 06 | div | | | gift J. Pousse, 0608: new growth really purple! |
| 146 | | 15330 | 4 | Illicium floridanum f. album | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin) as 'Alba', |
| 146 | | 00436 | 4 | Itea virginica 'Henry's Garnet' | x | 2 | 03 | esv | | | 07: 2/3 left, 1211: good autumn colour, 131123: outsta |
| 146 | * | 92239 | 4 | Magnolia x brooklynensis 'Evamaria' | x | 1 | 94 | spi | | | 170425: only sl. damaged by devastating frost, prob. be |
| 146 | * | 91146 | 4 | Magnolia 'Galaxy' (liliiflora x sprengeri) | x | 1 | 91 | pds | | | HKR cttg#87065, 070328: wonderfully dark flowers th |
| 146 | | 06001 | 4 | Magnolia ('Galaxy' x 'Caerhays Surprise') | x | 1 | 06 | pds | K | | sd. #7675 from cross 02/009, #91146 x 90076, 1004:fl |
| 146 | | 03014 | 4 | Prunus lusitanica | x | 1 | 03 | spo | | | sdlg. |
| 146 | | 89250 | 4 | Quercus acutissima | x | 1 | 93 | spi | | | BDB #30708, 061126: no aut. colour, lvs go from gree |
| 146 | | 17214 | 4 | Rhododendron arboreum subsp. cinnamomeum | x | 1 | 17 | wld | ? | | |
| 146 | | 01020 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast' | | | 01 | pds | A+? | | cttg Hkrd # 5375 from 77125 |
| 146 | * | 86064 | 4 | Rhododendron brachycarpum Tigerstedtii Group | x | 1 | 97 | ggd | A | | */99 :good looking plant, healthy foliage (no flowers ye |
| 146 | | 95258 | 4 | Rhododendron rubiginosum | x | 1 | 95 | wld | B+ | | |
| 146 | | 12255 | 4 | Tsuga chinensis | x | 1 | 12 | wld | | | |
| 146 | * | 07006 | 4 | Tsuga mertensiana | x | 1 | 07 | pds | | | prop #3210, sd ex old cone "ARTER"(Tervuren), 1401 |
| 146 | | 12265 | 4 | Tsuga sieboldii | x | 1 | 12 | wld | | | |
| 147 | * | 92411 | 4 | Acer davidii (hybrid) | x | 3 | 94 | waa | C | H | */ pl-a hybrid with capillipes?, 96:2/3 frozen,new shoot |
| 147 | | 98196 | 4 | Acer japonicum 'Dissectum' | x | 1 | 00 | esv | | | 0107:burned by hot sun!, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 147 | | 05244 | 4 | Acer palmatum 'Crimson Queen' | x | 1 | 08 | bul | | | Dissectum - red, |
| 147 | * | 83485 | 4 | Acer palmatum 'Flavescens' | x | 1 | 07 | esv | A | | Dissectum - green, 0611: big move from 54, 1509: neat |
| 147 | | 05251 | 4 | Acer palmatum 'Tchigyoji' | x | 1 | 08 | bul | | | Amoenum - green, |
| 147 | | 01183 | 4 | Acer palmatum 'Kagiri-nishiki' | x | 1 | 04 | esv | | | Palmatum - variegated, |
| 147 | | 05254 | 3 | Acer palmatum 'Ornatum' | x | 1 | 08 | bul | ? | | Dissectum - red, 1005: to status 2, is this frost? |
| 147 | | 06225 | 4 | Acer palmatum 'Pevé Dave' | x | 1 | 10 | div | | | Linearilobum - red, gift Vergeldt who selected and nam |
| 147 | | 84124 | 4 | Acer palmatum 'Shinonome' | x | 1 | 01 | esv | A | | Matsumurae - red, 92:nearly dead, 94:still there, 95:mo |
| 147 | * | 01185 | 4 | Acer palmatum 'Suminagashi' | x | 1 | 04 | esv | | | Matsumurae - red, 02: 1/3 dead, 04: 2 plants split see # |
| 147 | | 93073 | 4 | Acer palmatum 'Tana' | x | 1 | 93 | waa | | | Amoenum - green, Only one pl.,not 3 as invoice ?? pos |
| 147 | | 98230 | 4 | Acer palmatum 'Tatsuta' | x | 1 | 00 | esv | | | Amoenum - green, 0811: disapointing aut col; brown le |
| 147 | * | 01186 | 4 | Acer palmatum 'Tatsuta-gawa' | x | 1 | 04 | esv | | | Amoenum - green, |
| 147 | ** | 00201 | 4 | Acer palmatum 'Utsu-semi' | x | 1 | 01 | esv | | | Amoenum - green, 0611: label cord grown in trunk, 10 |
| 147 | * | 98231 | 4 | Acer palmatum 'Villa Taranto' | x | 1 | 00 | esv | | | Linearilobum - green, |
| 147 | | 05058 | 4 | Betula ermanii | x | 1 | 05 | wld | | V | |
| 147 | | 88077 | 4 | Betula grossa | x | 1 | 93 | ter | | V | frm.sd.cllct.Japan,F.R.I,Ibaraki Gift from Van Dievoet, |
| 147 | | 88078 | 4 | Betula grossa | x | 1 | 93 | ter | | V | */frm.sd.cllct.Japan,F.R.I,Ibaraki Gift from Van Dievoe |
| 147 | | 88086 | 4 | Betula platyphylla var. japonica | x | 1 | 93 | ter | | T | sd.cllct.Japan,F.R.I,Ibaraki Verif.KR, Gift Van Dievoet, |
| 147 | | 05199 | 4 | Cornus controversa 'Candlelight' | x | 1 | 07 | waa | | | name? |
| 147 | | 94177 | 4 | Cornus walteri | x | 1 | 94 | mal | | | 96:good pl.,much better than all other, |
| 147 | | 00419 | 4 | Cotinus coggygria | x | 1 | 03 | esv | | | 030320: unhappy, frost sensitive? 0406: good flowerin |
| 147 | | 04342 | 4 | Kalmia latifolia 'Olympic Fire' | x | 2 | 05 | vpl | | | to fill group in 147 |
| 147 | | 96200 | 3 | Kalmia latifolia 'Olympic Fire' | x | 4 | 01 | div | | | gift from Bioplant , _0111:only 5/7 doing well, 02: two |
| 147 | | 92844 | 4 | Prunus maackii | x | 1 | 94 | nie | | | BDB #30740, 98:small fungus (Hypholoma fasciculare |
| 148 | | 12068 | 4 | Acer palmatum 'Hosoba-koshimino' | x | 1 | 13 | esv | | | rcvd as Hosoba-koshimono, but mostly found as Hosob |
| 148 | | 12069 | 4 | Acer palmatum 'Inazuma' | x | 1 | 13 | esv | | | Matsumurae - red, |
| 148 | | 12072 | 4 | Acer palmatum 'Kinky Krinkle' | x | 1 | 13 | esv | | | Palmatum - green, rcvd as 'Krazy Krinkle but name not |
| 148 | | 12081 | 4 | Acer palmatum 'Seiun-kaku' | x | 1 | 13 | esv | | | Palmatum - green, 141120: cut leaf, good late autumn c |
| 148 | | 17442 | 4 | Acer pentaphyllum | x | 1 | 17 | wld | ? | | |
| 148 | | 18035 | 4 | Acer rufinerve | x | 1 | 18 | wld | | | |
| 148 | | 16127 | 4 | Carpinus kawakamii | x | 1 | 16 | wld | | | |
| 148 | | 10260 | 4 | Carpinus laxiflora | x | 1 | 13 | wld | | | |
| 148 | | 92473 | 4 | Cornus florida 'Rainbow' | x | 1 | 92 | waa | | | Yellow variegated!! 94:2pl.of 3 survive, 08: 1 cut, 1 re |
| 148 | | 92482 | 4 | Cornus kousa 'Speciosa' | x | 1 | 92 | waa | | | 95:1/3 dead, 96:2 pl. very dry, 98:one improved and so |
| 148 | | 04430 | 4 | Daphniphyllum macropodum | x | 1 | 06 | bul | B | | 1003: status B, was not protected this winter, keep an e |
| 148 | | 14308 | 4 | Distylium racemosum | x | 1 | 14 | pds | | | sdlg #10699 of HKRD #98112, |
| 148 | | 01010 | 3 | Fitzroya cupressoides | x | 1 | 04 | wld | C- | | |
| 148 | ** | 88423 | 4 | Ilex x altaclerensis 'Belgica Aurea' | x | 1 | 93 | vml | ? | V | Female, |
| 148 | | 92795 | 4 | Ilex x altaclerensis 'Cherryberry' | x | 1 | 92 | vml | | V | Female, gift fr.Bokrijk as I. aquifolium 'Cherry Berry' |
| 148 | ** | 92791 | 4 | Ilex x altaclerensis 'James G. Esson' | x | 1 | 92 | vml | | | Female, 1010: good fruiting and outstanding form, |
| 148 | | 92806 | 4 | Ilex x altaclerensis 'Lawsoniana' | x | 1 | 92 | vml | | V | Female, 00:many shoots returns to type !! |
| 148 | * | 92788 | 4 | Ilex x altaclerensis 'W. J. Bean' | x | 1 | 92 | vml | | | Female, |
| 148 | | 88383 | 4 | Ilex aquifolium 'Angustimarginata Aurea' | x | 1 | 93 | vml | ? | | Male, |
| 148 | | 88363 | 4 | Ilex aquifolium 'Crispa Aureopicta' | x | 1 | 93 | vml | ? | V | Male |
| 148 | | 92800 | 4 | Ilex aquifolium 'Deletta' | x | 1 | 92 | vml | | | gift fr.Bokrijk |
| 148 | | 88354 | 4 | Ilex aquifolium 'Ferox' | x | 1 | 93 | vml | ? | | Male, 97:leggy, leader killed by frost, |
| 148 | | 88371 | 4 | Ilex aquifolium 'Green Pillar' | x | 1 | 93 | vml | ? | | Female, |
| 148 | | 92790 | 4 | Ilex aquifolium 'Handsworthensis' | x | 1 | 92 | vml | | V | Male,gift fr.Bokrijk |
| 148 | * | 92786 | 4 | Ilex aquifolium 'Marijo' | x | 1 | 92 | vml | | | Female gift fr.Bokrijk, 1010: very good fruiting plant |
| 148 | | 92794 | 4 | Ilex aquifolium 'Pyramidalis Fructu Luteo' | x | 1 | 92 | vml | | V | Female, yellow fruit, gift fr.Bokrijk |
| 148 | | 92805 | 4 | Ilex 'Edward Nosal' (pernyi x aquifolium) | x | 1 | 92 | vml | | | Male, gift fr.Bokrijk, male parent was I.a. 'Little Bull' |
| 148 | * | 88394 | 4 | Ilex 'Emily Bruner' (cornuta x latifolia) | x | 1 | 93 | vml | ? | V | Female, female parent was I.c. 'Burfordii'; '041122: ver |
| 148 | | 17047 | 4 | Ilex fargesii | x | 3 | 17 | pds | | V | sd #11637, Howick, acc#2000-1062, SICH 1784, |
| 148 | ** | 92797 | 4 | Ilex x koehneana 'Chestnut Leaf' | x | 1 | 92 | vml | | | BDB 30741, Female, gift fr.Bokrijk, 1010: excellent pl |
| 148 | | 03021 | 4 | Kalmia latifolia f. myrtifolia | x | 3 | 04 | bio | | | #4874, gift bio plant, microprop from my plant #82372 |
| 148 | | 99110 | 4 | Kalmia latifolia 'Ostbo Red' | x | 1 | 03 | bul | | | very similar to 'Olympic Fire' in 147 |
| 148 | | 16060 | 4 | Lonicera acuminata | x | 1 | 16 | wld | | | |
| 148 | | 92553 | 4 | Magnolia denudata 'Purpurascens' | x | 1 | 93 | waa | ? | | */Not M. acuminata 'Purpurea' as per invoice, Identifie |
| 148 | | 92556 | 4 | Magnolia x loebneri 'Leonard Messel' | x | 3 | 93 | waa | | | 99: moved from 147 to 148 to make way for new path, |
| 148 | * | 92575 | 4 | Magnolia 'Serene' (liliiflora x 'Mark Jury') | x | 2 | 93 | waa | | T | 95:only two pl.left, third may be lost in p25, 00:one of t |
| 148 | | 91148 | 4 | Magnolia tripetala | x | 1 | 91 | pds | | C | sd #1209,ex-Loutrier 65,BXL; 021028: two branches d |
| 148 | | 92588 | 4 | Parrotia persica 'Vanessa' | x | 1 | 92 | waa | ? | | */ 980702:end of shoots reddish-purple is this new gro |
| 148 | | 01141 | 4 | Populus lasiocarpa | x | 1 | 03 | cec | | | */BDB #30722 gift Benoit Choteau, also to Meise and |
| 148 | | 00262 | 4 | Quercus myrsinifolia | x | 1 | 00 | pds | A | | sd #4666 from MAG.SOC.sdex1994#?, 09: survived th |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|-----|----------|-----|-----|-----|----|---|
| 148 | | 01027 | 2 | Rhododendron 'Brigitte' (insigne x 'Mrs. J.G.Millais') | 10 | pds | 10 | pds | A | | */cttg Hkrd #4968 from 86136, 070521: central and pla |
| 148 | | 03037 | 2 | Rhododendron cinnabarinum subsp. xanthocodon | Pur | 03 | pds | 03 | pds | C+ | */Cttg #5954 from Hof ter Saksen 904-83-5481 (ex Ro |
| 148 | | 03016 | 4 | Rhododendron succothii | x | 1 | 03 | pds | B+ | | */cttg #4775 from Hkrd #85308, 030901: many lvs bur |
| 148 | | 00265 | 4 | Sciadopitys verticillata | x | 1 | 00 | pds | C? | | */sd #4277 from Sheffield park tree, 0408:seems very h |
| 149 | | 98198 | 4 | Acer japonicum 'Vitifolium' | x | 1 | 00 | esv | | | |
| 149 | | 17215 | 4 | Acer oliverianum subsp. formosanum | x | 1 | 17 | wld | ? | V | |
| 149 | | 14250 | 4 | Acer palmatum aff. | x | 1 | 14 | wld | | ? | |
| 149 | | 05246 | 4 | Acer palmatum cv. | x | 1 | 07 | bul | | | not Acer palmatum 'Enkan' as per invoice, |
| 149 | | 12059 | 3 | Acer palmatum 'Diana' | x | 1 | 15 | esv | | | Dwarf - green, |
| 149 | | 12063 | 4 | Acer palmatum 'Goshiki-kotohime' | x | 1 | 16 | esv | | | Dwarf - variegated, 1407: makes me think of Shishigas |
| 149 | o | 05249 | 4 | Acer palmatum 'Goshiki-shidare' | x | 1 | 14 | bul | | | Dissectum - variegated, 1404: back to status 4, |
| 149 | | 12065 | 4 | Acer palmatum 'Haibara' | x | 1 | 13 | esv | | | |
| 149 | | 12066 | 4 | Acer palmatum 'Harusame' | x | 1 | 13 | esv | | | Palmatum - green, but variegated acc. to text and PF, (|
| 149 | | 84116 | 4 | Acer palmatum 'Kinran' | x | 1 | 07 | esv | A | | Matsumurae - red, 0611: big move from 54 |
| 149 | * | 12071 | 4 | Acer palmatum 'Kiyohime' | x | 1 | 16 | esv | | | Dwarf - green, 1407: nice plant with small dark green l |
| 149 | | 83499 | 4 | Acer palmatum 'Ornatum' | x | 1 | 07 | esv | B | | Dissectum - red, 0611: big move from 54, 0709: status |
| 149 | | 05257 | 4 | Acer palmatum 'Red Pygmy' | x | 1 | 08 | bul | | | Linearilobum - red, |
| 149 | | 08145 | 4 | Acer palmatum 'Sango-kaku' | x | 1 | 10 | bul | | | Palmatum - green, |
| 149 | | 96118 | 4 | Acer palmatum 'Shishigashira' | x | 1 | 14 | waa | | | Palmatum - green, second pl. f/93115/WAA split off fr |
| 149 | | 12084 | 4 | Acer palmatum 'Spring Delight' | x | 1 | 15 | esv | | | Dissectum - green, |
| 149 | * | 94163 | 4 | Acer rubrum | x | 1 | 94 | mal | | | */0010:no autumn colour !!! not 'Schlesingeri', 01 pale |
| 149 | | 16106 | 4 | Calocedrus decurrens | x | 1 | 16 | wld | | | |
| 149 | | 03293 | 4 | Carpinus stipulata | x | 1 | 05 | wld | | | |
| 149 | | 02060 | 4 | Carpinus viminea | x | 1 | 02 | ddh | | V | BDB #25868, possibly from same origin as sdlg 5713, |
| 149 | | 10256 | 4 | Celtis koraiensis | x | 1 | 13 | wld | | | |
| 149 | * | 01007 | 4 | Fitzroya cupressoides | x | 1 | 04 | wld | A | V | |
| 149 | | 01008 | 4 | Fitzroya cupressoides | x | 1 | 04 | wld | C | V | |
| 149 | | 88364 | 4 | Ilex aquifolium 'Aurantiaca' | x | 1 | 93 | vml | ? | V | Female, orange, apparently not a synonym of Flavesce |
| 149 | | 88513 | 4 | Ilex x attenuata (cassine x opaca) | x | 1 | 93 | vml | ? | | male, 01:back to status 4 after wet seasons, 02: was du |
| 149 | | 88400 | 4 | Ilex 'Brighter Shines' (cornuta x pernyi) | x | 1 | 93 | vml | ? | | Female, female parent is I.c. 'Burfordii' |
| 149 | | 88333 | 4 | Ilex colchica | x | 1 | 93 | vml | ? | V | 150601: greenish fruit, thus female (JO) |
| 149 | * | 88395 | 4 | Ilex (cornuta x ciliospinosa) | x | 1 | 93 | vml | ? | H | 161225: last Ilex to hold its fruits, good plant |
| 149 | | 99119 | 4 | Ilex crenata cv. | x | 1 | 07 | div | | ? | gift from propagator of VML; 0302: nearly completely |
| 149 | | 88348 | 4 | Ilex crenata 'Zwischenahn' | x | 1 | 93 | vml | ? | | Female, |
| 149 | | 92784 | 4 | Ilex 'Drace' (cornuta x pernyi) | x | 1 | 92 | vml | | | Female, gift fr.Bokrijk, female parent is I.c. 'Burfordii', |
| 149 | | 88399 | 4 | Ilex 'John T. Morris' (cornuta x pernyi) | x | 1 | 93 | vml | ? | | Male, female parent was I.c. 'Burfordii' |
| 149 | | 18008 | 4 | Ligustrum compactum | x | 1 | 18 | ver | | | gift #14204 as L. chenaultii |
| 149 | o | 98491 | 4 | Ligustrum japonicum 'Korean Dwarf' | x | 3 | 00 | rut | C- | | gift from Wim Rutten and Dutch Nursery group, grafte |
| 149 | | 14249 | 4 | Picea morrissonicola | x | 1 | 14 | wld | | V | |
| 149 | | 98317 | 4 | Prunus avium 'Plena' | x | 1 | 00 | esv | | | BDB #30742, grafted on 'Colt' (sic), |
| 149 | | 88122 | 4 | Rhododendron martinianum (hybrid) | x | 1 | 02 | esv | A | H | flwrs are too large for type !! 030422: profusely floweri |
| 149 | | 13352 | 4 | Rhododendron schlippenbachii | x | 4 | 17 | div | | | gift Serge Wauthier, 1307: not all status 4, 6/7, 1406: 5 |
| 149 | | 13088 | 4 | Tetradium sp. | x | 1 | 13 | div | | ? | prop #8349, received from Maurice Foster as Tetradiu |
| 149 | | 99106 | 4 | Viburnum x bodnantense 'Charles Lamont' | x | 1 | 00 | bul | | | 04: flower is too small, this is Dawn says Philippe, but |
| 149 | | 99104 | 4 | Viburnum x bodnantense 'Dawn' | x | 1 | 00 | bul | | T | |
| 149 | | 98341 | 4 | Viburnum x bodnantense 'Deben' | x | 1 | 00 | esv | | | |
| 149 | | 99105 | 4 | Viburnum x bodnantense 'Deben' | x | 1 | 00 | bul | | | 020214: seems more pink than #98038, verify |
| 149 | | 14224 | 4 | Viburnum farreri 'Candidissimum' | x | 4 | 14 | pds | | | layer of 83702, 1706: 4/5 left |
| 149 | | 98347 | 4 | Viburnum farreri 'Farrer's Pink' | x | 1 | 00 | esv | | | 1307: pruned hard |
| 149 | | 16107 | 4 | Viburnum farreri 'Roseum' | x | 1 | 16 | pds | | | cttg. #7779 from HKRD #86327, |
| 149 | | 02386 | 3 | Viburnum grandiflorum | x | 1 | 03 | dev | C | | scion, 0709: not very attractive now, some dead wood, |
| 149 | | 98349 | 2 | Viburnum x hillieri 'Winton' | x | 1 | 00 | esv | C | | 1307: C, status 2, pruned away all dead wood |
| 151 | | 96069 | 4 | Acer griseum | x | 2 | 96 | vpl | | | 1108: one plant status 3, will go, two others healthy, 15 |
| 151 | | 14165 | 4 | Corylopsis sinensis | x | 1 | 14 | wld | ? | V | |
| 151 | | 18146 | 4 | Hamamelis x intermedia 'Foxy Lady' | x | 1 | 18 | div | | | #12771, Chris Lane, Witch Hazel Nursery, |
| 151 | | 05263 | 4 | Hamamelis x intermedia 'Livia' | x | 1 | 07 | bul | | | 170106: flowering started, good flowering but holding |
| 151 | | 06029 | 4 | Hamamelis x intermedia 'Rubin' | x | 1 | 11 | dcl | | | gift Antoon De Clercq, most probably 'Rubin' and not ' |
| 151 | | 98143 | 4 | Hydrangea paniculata 'Unique' | x | 1 | 98 | pds | | | Cttg.#4239 from 85595, 1005: to status 1, 1009: and n |
| 151 | * | 98441 | 4 | Ilex 'Clusterberry' | x | 1 | 98 | vml | | V | Bokrijk 98081, 99/1:*good lasting compact fruiting |
| 151 | | 96220 | 4 | Kalmia latifolia 'Pink Frost' | x | 6 | 01 | div | | | gift from Bioplant, very burnt by strong sun and warm |
| 151 | * | 95205 | 4 | Magnolia (x brooklynensis x acuminata) | x | 1 | 95 | pds | | K | */Sd.#1744, from SdXch.Mag.Soc 1988, 02: nice abov |
| 151 | | 04418 | 4 | Magnolia laevifolia 'Summer Snowflake' | x | 1 | 06 | rut | | B | 09: hardy, is A+ after -15°C, 1304: status 3, some dead |
| 151 | * | 92004 | 4 | Magnolia x loebneri 'Powder Puff' | x | 1 | 95 | eis | | | 1304: is indeed a good selection |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|-----|---|---|
| 151 | | 11169 | 3 | Magnolia 'Pink Petticoats' (globosa x wilsonii?) | x | 1 | 11 | div | | | prop #10725, gift Maurice Foster via PdS, garden seed, |
| 151 | | 12400 | 4 | Picea omorika | x | 1 | 12 | wld | | V | |
| 151 | | 92593 | 4 | Populus tremula 'Erecta' | x | 1 | 93 | waa | | | |
| 151 | | 14253 | 4 | Pterostyrax corymbosus | x | 1 | 14 | wld | | V | |
| 151 | | 95143 | 4 | Pterostyrax corymbosus | x | 1 | 95 | pds | | V | Cttg.#4551 ex HKRD 88153, 97:1/3 left, 1505: inflore |
| 151 | | 99160 | 3 | Rhododendron 'Beauty of Littleworth' (griffithianum | x | 1 | 00 | pds | A+ | | Cttg 4960 Hkr 80096, 1803: Stephanitis! |
| 151 | * | 78068 | 4 | Rhododendron 'Mount Everest' (campanulatum x griff | x | 1 | 98 | hil | B | | 98:moved to make room for better view,had grown too |
| 151 | * | 78069 | 4 | Rhododendron 'Mount Everest' (campanulatum x griff | x | 1 | 98 | hil | B | | 05: one of them given to friend of Philippe |
| 151 | | 96085 | 4 | Rhododendron 'Shrimp Girl' (yakushmanum x 'Fabia | x | 1 | 98 | pds | A+ | | 96:layer of 83760, on moving |
| 151 | ** | 74045 | 4 | Rhododendron yakushmanum | x | 1 | ** | 05 | hil | A | 05: moved back from Artois offices, Vaartstr. Leuven, |
| 151 | * | 00562 | 4 | Rhododendron (yakushmanum x proteoides) | x | 1 | * | 09 | bul | K | 1304: not sure about * (KC) |
| 151 | | 01047 | 4 | Tsuga canadensis | x | 1 | 09 | wld | | | |
| 152 | | 12371 | 3 | Acer cissifolium | x | 1 | 12 | wld | | | |
| 152 | | 12011 | 4 | Betula albosinensis | x | 1 | 12 | wld | | | |
| 152 | | 96065 | 4 | Cercidiphyllum japonicum 'Pendulum' (male) | x | 1 | 96 | vpl | | | 03: male; 0308: almost dead but some buds still alive a |
| 152 | | 13177 | 3 | Chamaecyparis formosensis | x | 1 | 15 | wld | | | |
| 152 | | 12462 | 2 | Hamamelis x intermedia 'Orange Peel' | x | 1 | 18 | bul | | | 1206: status 2, half dead, beware for stock, |
| 152 | | 92571 | 4 | Magnolia kobus 'Janaki Ammal' | x | 1 | 95 | waa | | | 97:damaged by roe deer ! _01:back from 2 to status 4, |
| 152 | | 04395 | 3 | Magnolia 'Nimbus' (obovata x virginiana) | x | 1 | 09 | rut | | | 1301: remains status 3, difficult plants |
| 152 | | 05279 | 3 | Magnolia (sieboldii 'Genesis' x virginiana) | x | 1 | 07 | rut | K | | 1301: to status 3, head dead |
| 152 | | 08256 | 3 | Magnolia sieboldii 'Michiko Renge' | x | 1 | 12 | rut | | | double form, 1006: snails!, 1304: status 3 instead of 2 |
| 152 | | 17334 | 4 | Platycladus orientalis | x | 1 | 17 | wld | | | |
| 152 | | 92616 | 4 | Pyrus pyraeaster | x | 1 | 93 | waa | | | BDB #30737, 020315: only upper part of tree will flow |
| 152 | | 02083 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast' | x | 1 | 02 | pds | A | ? | cttg #5375 from Hkrd #77124, 14: 1 of 3 big move to 1 |
| 152 | | 97047 | 4 | Rhododendron calophytum | x | 3 | 97 | pds | C | | */sd#1275 fr.Wakehurst pl., see photo 870420-11, goo |
| 152 | | 02080 | 4 | Rhododendron Oxlip Group (williamsianum x wardii | x | 1 | 02 | pds | B+ | | cttg two from #4201 and one from #4541 from Hkrd #7 |
| 152 | | 00369 | 4 | Rhododendron 'Susan' (campanulatum x fortunei) | x | 1 | 05 | pds | A+ | | layer from 77209 |
| 152 | * | 77209 | 4 | Rhododendron 'Susan' (campanulatum x fortunei) | x | 3 | 98 | hil | A | | 98:moved from R, to allow for view, was growing too |
| 152 | * | 98540 | 4 | Rhododendron 'Susan' (campanulatum x fortunei) | x | 1 | 98 | pds | A | | 98:moved from R, to allow for view, was growing too |
| 153 | | 05004 | 4 | Abies sachalinensis | x | 1 | 05 | pds | C | V | sd. #3199, ex SCHUMACHER Mass., plants in 117 ar |
| 153 | | 17186 | 4 | Acer elegantulum aff. | x | 1 | 17 | wld | | C | |
| 153 | | 03087 | 4 | Carpinus stipulata | x | 1 | 05 | wld | | | |
| 153 | | 13021 | 4 | Fagus japonica | x | 1 | 13 | wld | | | |
| 153 | | 98423 | 4 | Ilex 'Accent' (integra x pernyi) | x | 1 | 98 | vml | | | Male, Bokrijk 95864, 1210: not the most elegant plant, |
| 153 | | 98444 | 4 | Ilex aquifolium 'Lewis' | x | 1 | 98 | vml | | | Bokrijk 98175 |
| 153 | | 99171 | 4 | Maackia amurensis | x | 1 | 03 | pds | | | Sd unknow origin |
| 153 | | 17335 | 1 | Magnolia delavayi | x | 1 | 17 | div | ? | | prop #8395, no info, 1706: st.1 after April spring frost |
| 153 | | 11142 | 3 | Magnolia globosa | x | 1 | 11 | ver | | | gift #10715, graft of our #87090, 1703: status 3 |
| 153 | | 94299 | 3 | Quercus crispula | x | 1 | 96 | wld | | | |
| 153 | | 96152 | 4 | Thuja standishii | x | 1 | 96 | wld | | V | |
| 153 | | 16108 | 4 | Tsuga sieboldii | x | 1 | 16 | wld | | | |
| 154 | | 04507 | 3 | Abies pindrow | x | 1 | 09 | wld | | V | |
| 154 | | 01279 | 4 | Cornus florida 'Royal Red' | x | 1 | 02 | bul | | | |
| 154 | | 13105 | 2 | Cornus florida subsp. urbiniana | x | 1 | 13 | dcl | | | prop #12569, gift Antoon De Clercq as C. pringlei, 160 |
| 154 | | 01280 | 1 | Cornus florida 'Xanthocarpa' | x | 1 | 02 | bul | | | or f. xanthocarpa, 0603: heavily hit by roe deer in 2005 |
| 154 | | 01291 | 4 | Cornus kousa 'Steffen' | x | 1 | 02 | bul | | | name?, 0603: heavily hit by roe deer in 2005, 1506: go |
| 154 | | 06024 | 4 | Cornus x rutgersensis 'Celestial' | x | 1 | 09 | dcl | | | @ name = 'Rutdan', gift Antoon De Clercq as 'Galaxy' |
| 154 | | 14166 | 1 | Grewia biloba var. parviflora | x | 1 | 14 | wld | ? | | |
| 154 | | 99024 | 4 | Hamamelis 'Doerak' | x | 1 | 99 | div | | | */gift Groendecor (exchange), 01:has kept all its leaves |
| 154 | | 06023 | 4 | Hamamelis x intermedia 'Sarah' | x | 1 | 08 | dcl | | | gift Antoon De Clercq, 0802: petals pale yellow, pinkis |
| 154 | | 03046 | 4 | Hamamelis x intermedia 'Spanish Spider' | x | 1 | 09 | klm | | | gift Arboretum Kalmthout, 1401: big flowers, rather str |
| 154 | | 15164 | 4 | Hamamelis mollis 'Wisley Supreme' | x | 1 | 15 | div | | | #12774, Chris Lane, Witch Hazel Nursery, |
| 154 | | 01359 | 4 | Hamamelis vernalis 'Quasimodo' | x | 1 | 09 | bul | | | 030203: flowering with short orange-red petals like littl |
| 154 | | 14215 | 4 | Hydrangea aspera | x | 1 | 14 | spo | ? | | spo sdlg #11221 in E, verify ID, |
| 154 | | 03198 | 4 | Magnolia 'Daisy Diva' ('Diva' x 'Lennei Alba') | x | 1 | 05 | rut | | | |
| 154 | | 02202 | 4 | Magnolia 'Daphne' ('Miss Honeybee' x 'Gold Crown') | x | 1 | 08 | rut | | | 0402: severe damaged by rabbit, 1108:very pale/chloro |
| 154 | | 02219 | 4 | Magnolia dawsoniana 'Valley Splendour' | x | 1 | 03 | rut | | | 0709:bamboo badly placed, ringed by roe deer, status 2 |
| 154 | | 15257 | 3 | Magnolia globosa | x | 1 | 15 | pds | | | sd. #8099 from HKRD #87090, 1006: lvs scorched, sta |
| 154 | | 04402 | 4 | Magnolia 'Purple Breeze' (sargentiana hybrid ?) | x | 1 | 07 | rut | | | 1803: probably 15 years old, vigorous upright, 8 m hig |
| 154 | | 14136 | 4 | Mahonia nervosa | x | 3 | 14 | wld | | | |
| 154 | | 15026 | 4 | Menziesia ciliicalyx 'Honshu Blue' | x | 1 | 17 | ggd | ? | | |
| 154 | | 15027 | 4 | Menziesia ciliicalyx 'Honshu Blue' | x | 1 | 17 | ggd | ? | | |
| 154 | | 15028 | 4 | Menziesia ciliicalyx 'Honshu Blue' | x | 1 | 17 | ggd | ? | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 154 | * | 09577 | 4 | Menziesia ciliicalyx var. purpurea | x | 1 | 13 | ggd | | | |
| 154 | | 98827 | 4 | Menziesia pentandra | x | 1 | 14 | pds | | | was #98060-D, see there for more information, |
| 154 | | 04257 | 4 | Pinus armandii | x | 1 | 04 | wld | | V | |
| 154 | | 09289 | 3 | Rhododendron anthopogon 'Betty Graham' | x | 1 | 13 | ggd | A | | 1703: status 3 |
| 154 | | 09290 | 2 | Rhododendron anthopogon 'Betty Graham' | x | 1 | 13 | ggd | A | | 1703: status 2 |
| 154 | | 09291 | 3 | Rhododendron anthopogon 'Betty Graham' | x | 1 | 13 | ggd | | | 1703: status 3 |
| 154 | | 09292 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Ann | | | 13 | ggd | A | | 1703: status 3 |
| 154 | | 09293 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Ann | | | 13 | ggd | A | | 1703: status 3 |
| 154 | | 09294 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Ann | | | 13 | ggd | A | | 1703: status 3 |
| 154 | | 16193 | 4 | Rhododendron calostrotum subsp. calostrotum | x | 5 | 16 | div | ? | | Wauthier, 1703: 3/5 with status 2 |
| 154 | | 16061 | 4 | Rhododendron calostrotum subsp. riparium | x | 1 | 16 | div | | | #9938, Theo Leijdens, POT, 080806: nice flower, |
| 154 | | 08434 | 2 | Rhododendron calostrotum subsp. riparium Calciphyl | | | 16 | ggd | C+ | | |
| 154 | | 08435 | 2 | Rhododendron calostrotum subsp. riparium Calciphyl | | | 16 | ggd | C+ | | |
| 154 | | 08436 | 2 | Rhododendron calostrotum subsp. riparium Calciphyl | | | 16 | ggd | C+ | | |
| 154 | | 18214 | 3 | Rhododendron catawbiense | x | 1 | 18 | wld | | | |
| 154 | | 10325 | 3 | Rhododendron cephalanthum Nmaiense Group | x | 1 | 15 | ggd | | | 1503: st.3, lvs purplish after winter |
| 154 | | 10326 | 2 | Rhododendron cephalanthum Nmaiense Group | x | 1 | 15 | ggd | | | 1503: st.3, lvs purplish after winter 1703: status 2 |
| 154 | | 91579 | 4 | Rhododendron 'Daniela' (H x yakushmanum 'Koichir | | | 08 | waa | A | | |
| 154 | | 15133 | 2 | Rhododendron helirolepis var. fumidum | x | 1 | 15 | wld | ? | | |
| 154 | | 09221 | 1 | Rhododendron laudandum var. temoense | x | 1 | 13 | ggd | A | ? | 1504: this is original Kingdon-Ward introduction, but |
| 154 | | 09222 | 1 | Rhododendron laudandum var. temoense | x | 1 | 15 | ggd | ? | | 1502: not very attractive, will be moved deeper in bed |
| 154 | | 97048 | 3 | Rhododendron macrophyllum | x | 1 | 14 | wld | B+ | V | |
| 154 | | 11132 | 4 | Rhododendron 'Mrs T.H. Lowinsky' | x | 1 | 11 | pds | A+ | | layer #9164 of HKRD #82328, |
| 154 | | 10318 | 4 | Rhododendron pemakoense | x | 1 | 15 | ggd | | | |
| 154 | | 15134 | 4 | Rhododendron polylepis aff. | x | 3 | 15 | wld | | ? | |
| 154 | | 10330 | 4 | Rhododendron primuliflorum 'Doker La' | x | 1 | 13 | ggd | | | AM, |
| 154 | | 10331 | 4 | Rhododendron primuliflorum 'Doker La' | x | 1 | 13 | ggd | | | AM, |
| 154 | | 10332 | 4 | Rhododendron primuliflorum 'Doker La' | x | 1 | 13 | ggd | | | AM, |
| 154 | | 09225 | 4 | Rhododendron sargentianum 'Whitebait' | x | 1 | 14 | ggd | A | | |
| 154 | | 09226 | 4 | Rhododendron sargentianum 'Whitebait' | x | 1 | 14 | ggd | A | | |
| 154 | | 00425 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forr | | | 12 | esv | A- | | 08: moved towards fence and 6 plants now (1 layer), 09 |
| 154 | | 16200 | 4 | Rhododendron 'Snipe' (pemakoense x davidsonianum | | | 16 | div | ? | | Wauthier |
| 154 | | 09307 | 3 | Rhododendron trichostomum | x | 1 | 15 | ggd | A+ | | pink form, 1703: status 3 |
| 154 | | 09308 | 4 | Rhododendron trichostomum | x | 1 | 15 | ggd | A+ | | pink form, |
| 154 | | 09309 | 4 | Rhododendron trichostomum | x | 1 | 15 | ggd | A+ | | pink form, |
| 154 | | 95291 | 4 | Sequoia sempervirens | x | 1 | 95 | pds | | | |
| 155 | | 10161 | 4 | Acer oliverianum subsp. formosanum | x | 1 | 10 | wld | A | | |
| 155 | | 11202 | 3 | Ailanthus vilmoriniana | x | 1 | 11 | wld | C | | |
| 155 | | 16240 | 4 | Callicarpa 'Cardinal' | x | 1 | 16 | div | | | #13853 as C. dichotoma 'Cardinal', gift Hennebelle, sel |
| 155 | | 14486 | 4 | Clematis fusca | x | 1 | 14 | pds | | | at oak next to Enkianthus campanulatus, sd. #10459 fro |
| 155 | | 16218 | 4 | Comptonia peregrina | x | 1 | 16 | div | | | Un Jardin au Mont-Blanc, |
| 155 | | 02076 | 4 | Cornus elliptica | x | 1 | 02 | pds | | | cttg #5777 from Hkrd #98101 |
| 155 | | 18107 | 4 | Cornus kousa (yellow fruit sdlg) | x | 1 | 18 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 155 | * | 01287 | 4 | Cornus kousa 'China Girl' | x | 1 | 02 | bul | | | bought as 'Madame Butterfly', 0906: probably error, is |
| 155 | | 01296 | 4 | Cornus nuttallii 'North Star' | x | 1 | 02 | bul | | | 1305: huge flowers |
| 155 | | 08029 | 2 | Enkianthus campanulatus | x | 1 | 15 | spo | | | spo sldg #9123, possibly sdlgs of #83429, 0903: 1/5 fo |
| 155 | | 18036 | 3 | Fagus hayatae | x | 1 | 18 | wld | ? | | |
| 155 | | 06028 | 4 | Hamamelis x intermedia 'Strawberries and Cream' | x | 1 | 09 | dcl | | | gift Antoon De Clercq |
| 155 | | 16241 | 4 | Hydrangea anomala subsp. petiolaris | x | 3 | 16 | wld | | | |
| 155 | | 16228 | 4 | Hydrangea serrata | x | 8 | 16 | pds | | | #14545: cuttings of 93271 |
| 155 | | 15071 | 4 | Ilex latifolia | x | 1 | 15 | wld | ? | ? | |
| 155 | | 15353 | 4 | Lonicera caerulea var. kamtschatica | x | 2 | 16 | klm | | | gift Abraham Rammeloo |
| 155 | | 03195 | 4 | Magnolia 'Apollo' (liliiflora 'Nigra' x campbellii 'Lana | | | 05 | rut | | | |
| 155 | | 99069 | 4 | Magnolia kobus 'Edward A. Kehr' | x | 1 | 02 | rut | | | syn 'Octopus', rcvd as stellata 'Edward E. Kehr' |
| 155 | | 84680 | 4 | Magnolia stellata 'Royal Star' | x | 1 | 87 | spi | A | | |
| 155 | | 13555 | 4 | Paeonia delavayi | x | 4 | 13 | pds | | | sd #10271 (Riez), was perennial #2907 |
| 155 | | 09267 | 3 | Rhododendron augustinii subsp. chasmanthum | x | 1 | 13 | ggd | B+ | | 1401: status 2 1703: status 3 |
| 155 | | 09268 | 2 | Rhododendron augustinii subsp. chasmanthum | x | 1 | 13 | ggd | B+ | | 1401: status 2 |
| 155 | | 02579 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast' | | | 14 | pds | A | ? | cttg #5375 from Hkrd #77124, 14: big move from 152, |
| 155 | | 09246 | 3 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 13 | ggd | A | | 1401: status from 2 to 3 |
| 155 | | 09845 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 13 | ggd | | | |
| 155 | ** | 83572 | 3 | Rhododendron 'Cream Crest' (chryseum x 'Cilpinense' | | | 16 | esv | C | | 85:C, lovely good pl., 99:again very good, reliable, har |
| 155 | | 10304 | 4 | Rhododendron fastigiatum | x | 1 | 13 | ggd | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|--------------------------|----------|----|-----|-----|---|---|
| 155 | | 10305 | 4 | Rhododendron fastigiatum | x | 1 | 13 | ggd | | | |
| 155 | | 02079 | 4 | Rhododendron fortunei subsp. discolor Houlstonii | Gr | | 02 | pds | A+ | | cttg #5321 from Hkrd #78163 |
| 155 | | 09301 | 4 | Rhododendron 'Frosthexe' | (anthopogon x lapponicum | | 13 | ggd | A+ | | |
| 155 | | 09303 | 4 | Rhododendron 'Frosthexe' | (anthopogon x lapponicum | | 13 | ggd | A+ | | |
| 155 | | 87343 | 4 | Rhododendron hippophaeoides (hybrid) | x | 4 | 16 | pds | B | H | */Cttg.#0646,ctg.78013,ex R. glomeratum, 98:1/3 dead |
| 155 | | 13306 | 4 | Rhododendron 'Joachim Reich' | x | 1 | 17 | ggd | | | |
| 155 | | 13307 | 4 | Rhododendron 'Joachim Reich' | x | 1 | 17 | ggd | | | |
| 155 | | 13308 | 4 | Rhododendron 'Joachim Reich' | x | 1 | 17 | ggd | | | |
| 155 | | 08422 | 1 | Rhododendron 'Josefa Blue' (russatum x edgeworthii) | | | 15 | ggd | A | | 1701: st.1, pruned hard |
| 155 | | 12029 | 4 | Rhododendron lapponicum aff. | x | 3 | 12 | pds | B+ | C | cttg. #10656 of HKRD #83202, 1504: can be hybrids |
| 155 | | 13313 | 3 | Rhododendron lepidotum | x | 1 | 17 | ggd | | | (white), 1703: status 3 |
| 155 | | 13314 | 3 | Rhododendron lepidotum | x | 1 | 17 | ggd | | | (white), 1703: status 3 |
| 155 | | 13315 | 4 | Rhododendron lepidotum | x | 1 | 17 | ggd | | | (white) |
| 155 | | 17216 | 4 | Rhododendron oreotrephe | s | x | 1 | 17 | pds | | Cttg #10217 Rhododendronpark Bremen |
| 155 | | 81096 | 3 | Rhododendron 'Ptarmigan' (leucaspi | s | x | 1 | 15 | wgp | B | */85:B, charming if no late frosts, 97:damaged by frost |
| 155 | | 15097 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum | Gr | | 15 | pds | | | cttg. #11042 of HKRD #01202 |
| 155 | | 08423 | 4 | Rhododendron 'Ramapo' (fastigiatum x minus) | x | 1 | 16 | ggd | A | | |
| 155 | | 14209 | 4 | Rhododendron rex | x | 1 | 14 | wld | | | |
| 155 | | 14210 | 4 | Rhododendron rex | x | 1 | 14 | wld | | | |
| 155 | | 14211 | 4 | Rhododendron rex | x | 1 | 14 | wld | | | |
| 155 | * | 76036 | 4 | Rhododendron rubiginosum | x | 1 | 17 | hil | B | | good pl. but flower dirty mauve pink colour, 96/4:quite |
| 155 | | 08411 | 3 | Rhododendron rupicola | x | 1 | 18 | ggd | | | |
| 155 | | 08412 | 2 | Rhododendron rupicola | x | 1 | 18 | ggd | | | |
| 155 | | 08413 | 4 | Rhododendron russatum 'Collingwood Ingram' | x | 1 | 16 | ggd | | | |
| 155 | | 14355 | 4 | Rhododendron Russautinii Group (russatum x augusti | | | 14 | pds | | | cttg. #11060 of HKRD #78104 |
| 155 | | 08424 | 4 | Rhododendron 'Sacko' (russatum x 'Moerheim') | x | 1 | 16 | ggd | A | | |
| 155 | | 13493 | 4 | Rhododendron yungningense | x | 1 | 16 | div | | | prop #9933, via Theo Leijdens, F16282 |
| 155 | | 13494 | 4 | Rhododendron yungningense | x | 1 | 16 | div | | | prop #9933, via Theo Leijdens, F16282 |
| 155 | | 14303 | 4 | Sorbus reducta | x | 7 | 14 | pds | | | layers of HKRD #83696 1703: 7 plants in stead of 6 |
| 155 | | 15066 | 4 | Stewartia malacodendron | x | 1 | 15 | wld | | | |
| 155 | | 15067 | 2 | Stewartia ovata | x | 1 | 15 | wld | | | |
| 155 | | 18108 | 4 | Stewartia pseudocamellia | x | 1 | 18 | pds | | | sd #8292, Nikko BG, good tree see photo PdS 2008.10 |
| 155 | | 18109 | 4 | Stewartia serrata | x | 1 | 18 | pds | | | sd #8390 from Closerie du Rond Chêne, from 4 big ser |
| 156 | | 14309 | 4 | Magnolia 'Summer Solstice' (globosa x obovata) | x | 1 | 14 | rut | | | 140605: excellent plant, will deserve a * if it proves go |
| 156 | * | 08401 | 3 | Rhododendron hippophaeoides 'Haba Shan' | x | 1 | 18 | ggd | A+ | | |
| 156 | * | 08402 | 2 | Rhododendron hippophaeoides 'Haba Shan' | x | 1 | 18 | ggd | A+ | | |
| 156 | | 17277 | 4 | Rhododendron impeditum | x | 1 | 17 | pds | | | cttg. #9799 of HKRD #86171 |
| 156 | | 99225 | 3 | Rhododendron impeditum | x | 1 | 16 | pds | | | Cttg 4496 of 70009, 1703: status 3 |
| 156 | | 90895 | 4 | Rhododendron micranthum | x | 1 | 12 | div | A | | gift? |
| 156 | | 08410 | 3 | Rhododendron polycladum Scintillans Group (F.C.C.) | | | 15 | ggd | A | | 1703: status 3 |
| 156 | | 04266 | 4 | Rhododendron 'Saint Beward' (impeditum x augustin | | | 15 | pds | | | Cttg 5335 from Hkrd 78132, 1107: to status 3, must be |
| 156 | | 08419 | 4 | Rhododendron tsaii aff. | x | 1 | 16 | ggd | | C | |
| 156 | | 14356 | 4 | Stewartia malacodendron | x | 1 | 14 | wld | | | |
| 156 | | 14357 | 4 | Stewartia ovata | x | 1 | 14 | wld | | | |
| 156 | | 18110 | 4 | Stewartia ovata | x | 1 | 18 | pds | | | sd #8171 PHA from an ovata + ovata Red Purple mix, |
| 156 | | 86318 | 4 | Tilia mongolica | x | 1 | 87 | esv | ? | T | |
| 156 | | 15320 | 2 | Xanthorhiza simplicissima | x | 2 | 15 | wld | | | |
| 161 | | 18209 | 4 | Alnus serrulata | x | 1 | 18 | wld | | | |
| 161 | | 00726 | 4 | Corylus avellana | x | 1 | ?? | spo | | | |
| 161 | | 13026 | 4 | Cryptomeria japonica | x | 1 | 13 | wld | | | |
| 161 | | 14216 | 4 | Kalmia angustifolia f. rubra | x | 1 | 14 | pds | | | cttg. #9719 of HKRD #84279 |
| 161 | | 09007 | 4 | Magnolia ('Athene' x 'Vulcan') | x | 1 | 09 | div | K | | sdlg. #8915, gift Michael Gottschalk, his cross, #1249- |
| 161 | | 09005 | 4 | Magnolia ('Atlas' x 'J.C. Williams') | x | 1 | 09 | div | K | | sdlg. #8917, gift Michael Gottschalk, his cross, #1327- |
| 161 | | 04412 | 4 | Magnolia dawsoniana 'Valley Splendour' | x | 1 | 06 | rut | | | |
| 161 | | 17337 | 4 | Magnolia insignis | x | 1 | 17 | pds | ? | | (Manglietia), sd #11618 from Dick Figlar, sec-ID MG |
| 161 | | 07171 | 4 | Magnolia maudiae | x | 1 | 11 | div | C+ | | (Michelia), gift Carol Gurney via Kevin Hughes; 1003: |
| 161 | | 09006 | 4 | Magnolia ('Pink Cecil Nice' x 'Vulcan') | x | 1 | 09 | div | K | | sdlg. #8924, gift Michael Gottschalk, his cross, #1849- |
| 161 | | 18147 | 4 | Quercus hypoleucoides | x | 1 | 18 | wld | | | |
| 161 | | 07002 | 4 | Rhododendron 'Alison Johnstone' (yunnanense x Con | | | 14 | pds | D | T | layer of #78004? 12: recovering perfect |
| 161 | | 11329 | 3 | Rhododendron amagianum | x | 1 | 11 | dbl | A+ | | gift Daniel de Belder as wadanum, 1508: top leaves co |
| 161 | * | 08466 | 4 | Rhododendron ambiguum 'Golden Summit' | x | 1 | 11 | ggd | A | | |
| 161 | | 14077 | 3 | Rhododendron 'Arthur Grumiaux' (oreotrephe | s | x | 1 | 14 | pds | | cttg. #10655 of HKRD #88057, 1703: status 3 |
| 161 | | 02081 | 3 | Rhododendron augustinii | x | 1 | 12 | pds | | | cttg #5606 from Hkrd #92375, 1804: sad coloured leav |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|----|---|--|
| 161 | | 03049 | 3 | Rhododendron augustinii | x | 1 | 12 | pds | A | | cttg. 5880 from Hkrd #92375, 1401: back to status 4 (fr |
| 161 | | 07251 | 4 | Rhododendron augustinii | x | 1 | 14 | wld | B+ | | |
| 161 | | 09261 | 4 | Rhododendron augustinii 'Electra' | x | 1 | 13 | ggd | B | | 1303: B confirmed |
| 161 | | 09262 | 4 | Rhododendron augustinii 'Electra' | x | 1 | 13 | ggd | B | | 1303: B confirmed |
| 161 | | 09263 | 4 | Rhododendron augustinii 'Electra' | x | 1 | 13 | ggd | B | | 1303: B confirmed |
| 161 | | 09264 | 4 | Rhododendron augustinii 'Trewithen' | x | 1 | 13 | ggd | B+ | | "Pale Trewithen" on label |
| 161 | | 09265 | 4 | Rhododendron augustinii 'Trewithen' | x | 1 | 13 | ggd | B+ | | "Pale Trewithen" on label |
| 161 | | 09266 | 4 | Rhododendron augustinii 'Trewithen' | x | 1 | 13 | ggd | B+ | | "Pale Trewithen" on label |
| 161 | | 12030 | 4 | Rhododendron cinnabarinum 'Mount Everest' | x | 1 | 12 | pds | B | | cttg. #9713 of HKRD #85419 |
| 161 | | 09245 | 4 | Rhododendron cinnabarinum Roylei Group | x | 1 | 13 | ggd | B | | |
| 161 | | 11423 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 11 | wld | A | | |
| 161 | | 11424 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 2 | 11 | wld | A | | |
| 161 | | 11425 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 7 | 11 | wld | B+ | | |
| 161 | | 11426 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 4 | 11 | wld | A | | |
| 161 | | 11427 | 3 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 11 | wld | A | | |
| 161 | | 14218 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 14 | pds | | | "Exbury form", ctggs #10606, garden Maurice Foster, |
| 161 | | 10298 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | | | 14 | ggd | | | |
| 161 | | 12032 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | | | 12 | pds | B+ | | cttg. #8204 of HKRD #03039, |
| 161 | | 09091 | 4 | Rhododendron concinnum | x | 1 | 12 | wld | | | |
| 161 | | 09093 | 4 | Rhododendron concinnum | x | 1 | 12 | wld | A | | |
| 161 | | 12310 | 4 | Rhododendron concinnum | x | 1 | 16 | pds | | | Cttg #4586, TESSE-2030 = Promenade Delsaut, à Esne |
| 161 | | 95245 | 3 | Rhododendron concinnum | x | 1 | 12 | wld | B+ | V | |
| 161 | | 08467 | 4 | Rhododendron concinnum Pseudoyanthinum Group | x | 11 | 11 | ggd | B+ | | |
| 161 | | 08468 | 4 | Rhododendron concinnum Pseudoyanthinum Group | x | 11 | 11 | ggd | B+ | | 150430: excellent flowering, this group of 3 plants! |
| 161 | | 08469 | 4 | Rhododendron concinnum Pseudoyanthinum Group | x | 11 | 11 | ggd | B+ | | |
| 161 | | 07271 | 4 | Rhododendron 'Curlew' (ludlowii x fletcherianum) | x | 1 | 11 | div | | ? | via Theo Leijdens, NLD, 1305: not R. keiskei 'Yaku Fa |
| 161 | | 03042 | 3 | Rhododendron davidsonianum | x | 1 | 12 | pds | C+ | | FCC, Cttg. #5887 from Hkrd #94040 |
| 161 | | 09852 | 4 | Rhododendron davidsonianum (FCC) | x | 1 | 13 | ggd | D | | was #09270 |
| 161 | | 13303 | 4 | Rhododendron 'Dörte Reich' (minus x cinnabarinum s | | | 15 | ggd | | | |
| 161 | | 83197 | 4 | Rhododendron Ernestine Group (yunnanense x cinnab | | | 12 | hil | | ? | */87:D, 91:A, 91/4:C+, 92:4,98:flwrg *,99:flwrg but sti |
| 161 | | 10217 | 3 | Rhododendron 'Goosander' (ludlowii x lutescens) | x | 3 | 14 | pds | B | | cttg #6547 of Hkrd #85334, 1003: status B |
| 161 | | 07272 | 4 | Rhododendron keysii | x | 2 | 11 | wld | B | | |
| 161 | | 07273 | 4 | Rhododendron keysii | x | 3 | 11 | wld | B | | |
| 161 | | 15137 | 4 | Rhododendron keysii | x | 1 | 15 | wld | | | |
| 161 | | 07275 | 4 | Rhododendron x lochmium (trichanthum x davidsonia | | | 11 | ggd | B | | via Theo Leijdens |
| 161 | | 15014 | 4 | Rhododendron lutescens | x | 1 | 15 | wld | | | |
| 161 | | 09271 | 4 | Rhododendron lutescens 'Bagshot Sands' | x | 1 | 13 | ggd | C- | | AGM, 1401: back to status 4 (from 3) |
| 161 | | 14358 | 4 | Rhododendron minus | x | 1 | 14 | div | | | #11588, gift Maurice Foster, |
| 161 | | 17004 | 4 | Rhododendron minus | x | 3 | 17 | wld | | | |
| 161 | | 13054 | 4 | Rhododendron minus var. chapmanii | x | 1 | 13 | div | | | prop #9968, Theo Leijdens, RHS, 00.069, OP, Willis |
| 161 | | 15011 | 3 | Rhododendron 'Nizette' (oreotrephe x 'Youthful Sin') | | | 15 | pds | | | Cttg #8483 of HKRD #88058, 1703: status 3 |
| 161 | | 01023 | 4 | Rhododendron oreotrephe | x | 3 | 12 | pds | B | | cttg Hkrd #5337 from 81109, 04: 3/13 moved to 228 su |
| 161 | | 01410 | 3 | Rhododendron oreotrephe | x | 1 | 18 | pds | | | cttg Hkrd #5337 from 81109, 04: 3 from group sub #01 |
| 161 | | 12035 | 4 | Rhododendron oreotrephe | x | 1 | 12 | pds | A | | cttg. #9714 of HKRD #77190 |
| 161 | | 15012 | 3 | Rhododendron oreotrephe aff. | x | 3 | 15 | wld | | ? | |
| 161 | | 09275 | 4 | Rhododendron oreotrephe 'Pentland' | x | 1 | 15 | ggd | | | AM (dark), 1703: back to status 4 |
| 161 | | 09276 | 4 | Rhododendron oreotrephe 'Pentland' | x | 1 | 13 | ggd | | | AM (dark), |
| 161 | | 16199 | 4 | Rhododendron 'Patty Bee' (keiskei 'Yaku Fairy' x fletc | | | 16 | div | | | Wauthier, 1703: 1 with status 2, 1801: 4/5 left |
| 161 | | 15068 | 3 | Rhododendron polylepis aff. | x | 1 | 15 | wld | | ? | |
| 161 | | 94326 | 4 | Rhododendron 'Princesse Esmeralda' | x | 1 | 14 | pds | | | Cttg. ex HKRD 97: 2/3 survive after bad winter, 00 this |
| 161 | | 14223 | 4 | Rhododendron 'Razorbill' (spinuliferum x) | x | 3 | 14 | esv | | | |
| 161 | | 09277 | 4 | Rhododendron rigidum | x | 1 | 13 | ggd | B+ | | |
| 161 | | 09278 | 4 | Rhododendron rigidum | x | 1 | 13 | ggd | B+ | | |
| 161 | | 09279 | 4 | Rhododendron rigidum | x | 1 | 13 | ggd | B+ | | |
| 161 | | 09280 | 3 | Rhododendron rubiginosum | x | 1 | 13 | ggd | | | 1703: status 3 |
| 161 | | 14310 | 4 | Rhododendron rubiginosum | x | 1 | 14 | wld | | | |
| 161 | | 13025 | 3 | Rhododendron rubiginosum aff. | x | 1 | 13 | wld | | ? | |
| 161 | | 07286 | 4 | Rhododendron sanctum | x | 1 | 11 | wld | A | | |
| 161 | | 07311 | 4 | Rhododendron sanctum var. lasiogynum | x | 1 | 11 | div | A+ | | via Theo Leijdens, sd. ARS #04-416, possibly wild coll |
| 161 | | 07288 | 4 | Rhododendron scabrifolium | x | 1 | 14 | div | A | | via Theo Leijdens, 080303: not typical : corolla lobes n |
| 161 | | 13053 | 4 | Rhododendron scabrifolium | x | 1 | 13 | div | | | prop #9937, Theo Leijdens, NRV, |
| 161 | | 17188 | 4 | Rhododendron searsiae | x | 1 | 17 | pds | | | cttg #10221, Rhododendronpark Bremen, |
| 161 | | 12031 | 4 | Rhododendron 'Seta' (moupinense x spinuliferum) | x | 2 | 12 | pds | | | cttg. #9737 of HKRD #00264, 150311: starts to flower, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|----|---|--|
| 161 | | 14078 | 4 | Rhododendron 'Shamrock' (keiskei x hanceanum) | x | 3 | 14 | pds | | | cttg. #9716 of HKRD #83583, 1703: flowering |
| 161 | | 15165 | 4 | Rhododendron sp. | x | 3 | 15 | wld | | ? | |
| 161 | | 17253 | 3 | Rhododendron sp. | x | 1 | 17 | wld | | ? | |
| 161 | | 16062 | 4 | Rhododendron spinuliferum | x | 1 | 16 | wld | | ? | |
| 161 | * | 74112 | 4 | Rhododendron 'Spinulosum' (spinuliferum x racemos) | x | | 14 | hil | D | | (85:D-) (86:C-) (87:A) , 97/3 : nearly dead from a who |
| 161 | | 13347 | 4 | Rhododendron 'Tanager' (brachyanthum x viridescens) | x | | 17 | ggd | | | |
| 161 | | 15013 | 4 | Rhododendron tatsienense | x | 5 | 15 | wld | | | |
| 161 | | 17005 | 4 | Rhododendron tatsienense | x | 3 | 17 | wld | | | |
| 161 | | 07292 | 4 | Rhododendron tosaense | x | 1 | 11 | esv | A+ | | via Theo Leijdens, 130528: attractive flowering |
| 161 | | 15015 | 4 | Rhododendron trichanthum | x | 1 | 15 | pds | | | Cttg #8495 of HKRD #94042 |
| 161 | | 15218 | 3 | Rhododendron trichanthum | x | 1 | 15 | pds | | | cttg. #8196 of HKRD #94042, 1703: status 3 |
| 161 | | 09281 | 3 | Rhododendron triflorum | x | 1 | 13 | ggd | | | Tibetan form, 1703: status 3 |
| 161 | | 13024 | 4 | Rhododendron triflorum var. bauhiniiflorum | x | 1 | 13 | wld | | ? | |
| 161 | | 17187 | 4 | Rhododendron triflorum var. bauhiniiflorum | x | 1 | 17 | wld | | ? | |
| 161 | * | 07296 | 4 | Rhododendron wadanum | x | 1 | 11 | div | A | | via Theo Leijdens, sd. ARS #98-378, RSF, 1305: white |
| 161 | | 09248 | 4 | Rhododendron 'What a Dane' (cinnabarinum x) | x | 1 | 13 | ggd | B | | |
| 161 | | 15040 | 3 | Rhododendron wongii | x | 1 | 17 | ggd | | | 1703: status 3 |
| 161 | | 15041 | 4 | Rhododendron wongii | x | 1 | 17 | ggd | | | |
| 161 | | 15042 | 4 | Rhododendron wongii | x | 1 | 17 | ggd | | | |
| 161 | | 02254 | 4 | Rhododendron yunnanense | x | 1 | 14 | pds | B- | | Cttg. #4839 fr. HEMEL 20126? 12: leggy plant |
| 161 | | 09282 | 4 | Rhododendron yunnanense | x | 1 | 13 | ggd | A+ | | white form, 1301: not found in 161, is in 167 |
| 161 | | 03306 | 4 | Sorbus aucuparia | x | 1 | 03 | spo | | | |
| 161 | | 14217 | 4 | Sorbus thibetica | x | 1 | 14 | wld | | ? | |
| 161 | | 15069 | 4 | Stewartia ovata | x | 1 | 15 | wld | | | |
| 161 | | 95436 | 4 | Ulmus glabra | x | 2 | 95 | spo | | V | |
| 162 | | 00250 | 4 | Abies fraseri | x | 1 | 00 | pds | | V | Hkrd sd 3204 from Schuhmacher Mass, USA, 0402: pl |
| 162 | | 15220 | 4 | Acer calcaratum | x | 1 | 15 | ver | | ? | #12874, graft of our Acer calcaratum - 05187-waa-163 |
| 162 | | 14219 | 4 | Acer campbellii | x | 1 | 14 | wld | | | |
| 162 | | 12253 | 4 | Acer elegatum | x | 1 | 12 | rug | A | ? | prop #9923, gift Marc Libert as A. kweilinense, MF06 |
| 162 | | 17254 | 4 | Acer pentaphyllum | x | 1 | 17 | wld | | ? | |
| 162 | | 14529 | 4 | Acer sikkimense var. serrulatum | x | 1 | 16 | div | | V | gift Koen Van Poucke |
| 162 | | 18037 | 4 | Acer sp. | x | 1 | 18 | wld | | ? | |
| 162 | | 08225 | 4 | Betula lenta | x | 1 | 07 | spo | | | found in 165, spo sdlg of 92163 I suppose |
| 162 | * | 92163 | 4 | Betula lenta | x | 2 | 92 | pds | | | BDB#25038, Sd.hkr#1653:cclct PdS Bronx B.G., 0310 |
| 162 | | 01119 | 4 | Calocedrus decurrens | x | 1 | 03 | wld | A | | |
| 162 | | 01407 | 4 | Calocedrus decurrens | x | 1 | 03 | wld | A | | |
| 162 | | 17255 | 4 | Celtis koraiensis | x | 1 | 17 | wld | | | |
| 162 | | 00255 | 4 | Cupressus gigantea | x | 1 | 00 | wld | | | |
| 162 | | 15221 | 4 | Daphniphyllum macropodum | x | 1 | 15 | wld | | ? | |
| 162 | | 00670 | 4 | Frangula alnus | x | 1 | 00 | spo | | | |
| 162 | | 15259 | 2 | x Gordlinia grandiflora | x | 1 | 15 | div | B | | 1702: st.3 lvs touched by frost, B, 1803: again B, mayb |
| 162 | | 09122 | 3 | Kalmia latifolia cv. | x | 1 | 09 | pds | | ? | unknown Kalmia from loc 4 |
| 162 | | 14134 | 4 | Lindera triloba | x | 1 | 14 | wld | | ? | |
| 162 | | 16164 | 4 | Litsea moupinensis var. szechuanica | x | 1 | 16 | wld | | | |
| 162 | | 04379 | 4 | Magnolia 'Frank's Masterpiece' ('Deep Purple Dream') | x | | 08 | rut | | | 06: roe deer damage, 11: really ugly habit this taxon, 1 |
| 162 | | 16109 | 4 | Magnolia insignis | x | 1 | 16 | div | | ? | (Manglietia), prop #11601, purchased at Hulsdonk by |
| 162 | | 89218 | 4 | Magnolia 'Iolanthe' ('Lennei' x 'Mark Jury') | x | 1 | 96 | spi | | | 95:spring frosted again in 24, 96:moved to a more prot |
| 162 | | 17336 | 4 | Magnolia (laevifolia x maudiae) | x | 1 | 17 | pds | | K | */sd #11548 from Bill Smith Virginia, laevifolia is seed |
| 162 | | 18077 | 4 | Meliosma cuneifolia | x | 1 | 18 | div | | | gift #12907 from Gerbert Klein Wassink, nurseryman |
| 162 | | 14506 | 4 | Meliosma dileniifolia var. tenuis | x | 1 | 18 | div | | ? | name not found, pépinière du Vent Val |
| 162 | | 14012 | 3 | Quercus agrifolia | x | 1 | 14 | wld | | | |
| 162 | | 09129 | 4 | Quercus argyrotricha | x | 1 | 09 | wld | | C | |
| 162 | | 04131 | 4 | Quercus glauca | x | 1 | 04 | pav | B | V | */060605: This seems to be Q. myrsinifolia, check now |
| 162 | | 16005 | 4 | Quercus 'Margaret Fenton' | x | 1 | 16 | ver | | ? | #14228, from plant at Maurice Foster (between private |
| 162 | | 14011 | 4 | Quercus mexicana | x | 1 | 14 | wld | | | |
| 162 | | 17424 | 4 | Rhododendron annae subsp. laxiflorum | x | 3 | 17 | wld | | | |
| 162 | | 17397 | 4 | Rhododendron anthosphaerum | x | 2 | 17 | wld | | | |
| 162 | | 17418 | 4 | Rhododendron arboreum subsp. delavayi | x | 6 | 17 | wld | | | |
| 162 | * | 81193 | 4 | Rhododendron 'Ascot Brilliant' (thomsonii x 'Blandya | x | | 91 | hil | B | | (85B-) 87:B+; 0703: layering plant, cleaned, 090416: |
| 162 | | 17398 | 4 | Rhododendron asterochnoum | x | 3 | 17 | wld | | | |
| 162 | | 09348 | 3 | Rhododendron balangense | x | 1 | 09 | ggd | B+ | | JN, 1703: status 3 |
| 162 | | 09398 | 4 | Rhododendron beanianum aff. | x | 1 | 13 | ggd | | | 1504: possibly hybrid with other Neriiflora member say |
| 162 | | 09399 | 4 | Rhododendron beanianum aff. | x | 1 | 09 | ggd | | | 1504: possibly hybrid with other Neriiflora member say |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|-----|-----|----|---|---|
| 162 | | 10377 | 4 | Rhododendron beanianum aff. | x | 1 | 13 | ggd | | | 1504: possibly hybrid with other Neriiflora member say |
| 162 | | 10378 | 4 | Rhododendron beanianum aff. | x | 1 | 17 | ggd | | | 1504: possibly hybrid with other Neriiflora member say |
| 162 | | 09494 | 4 | Rhododendron bhutanense | x | 1 | 09 | ggd | | | (deep pink), |
| 162 | | 17399 | 4 | Rhododendron brachyanthum subsp. hypolepidotum | x | 17 | wld | | | | |
| 162 | | 17400 | 4 | Rhododendron bracteatum | x | 3 | 17 | wld | | | |
| 162 | | 09327 | 4 | Rhododendron callimorphum | x | 1 | 13 | ggd | | | |
| 162 | | 14312 | 4 | Rhododendron callimorphum | x | 1 | 14 | pds | | | cttg #12530 of HKRD #89376 |
| 162 | | 16128 | 4 | Rhododendron callimorphum | x | 3 | 16 | pds | | | cttg #12530 of HKRD #89376 |
| 162 | | 09105 | 4 | Rhododendron calophytum | x | 1 | 09 | pds | B+ | | layer #8021 of #76011, 0712: buds and flower buds ver |
| 162 | | 09329 | 4 | Rhododendron campylocarpum | x | 1 | 13 | ggd | B | | 1704: best flwrg campylocarpum this year (PdS), |
| 162 | | 09331 | 4 | Rhododendron campylocarpum | x | 1 | 13 | ggd | B | | |
| 162 | | 12311 | 4 | Rhododendron campylocarpum | x | 1 | 12 | pds | B+ | | Cttg. #4532 of HKRD #85343 (RSF 75156), 1404: sup |
| 162 | | 09332 | 3 | Rhododendron campylocarpum subsp. caloxanthum | x | 15 | ggd | B+ | | | "APA 57 N" on invoice |
| 162 | | 09334 | 4 | Rhododendron campylocarpum subsp. caloxanthum | x | 09 | ggd | B+ | | | "APA 57 N" on invoice, 1502: stay, |
| 162 | o | 83336 | 4 | Rhododendron campylogynum 'no.3.' (white) | x | 1 | 16 | ggd | B | | 0109: not too happy in p6, but only campylogynum aliv |
| 162 | | 09295 | 4 | Rhododendron cephalanthum Crebreflorum Group | x | 09 | ggd | A | | | |
| 162 | | 09296 | 4 | Rhododendron cephalanthum Crebreflorum Group | x | 09 | ggd | A | | | |
| 162 | | 09297 | 4 | Rhododendron cephalanthum Crebreflorum Group | x | 09 | ggd | | | | |
| 162 | | 09505 | 4 | Rhododendron cerasinum 'Coals of Fire' | x | 1 | 13 | ggd | | | |
| 162 | | 09506 | 4 | Rhododendron cerasinum 'Coals of Fire' | x | 1 | 13 | ggd | | | |
| 162 | | 09249 | 4 | Rhododendron charitopes subsp. charitopes | x | 1 | 09 | ggd | | | 13: can remain here, better spot than 165, 1502: stay, |
| 162 | | 09251 | 4 | Rhododendron charitopes subsp. charitopes | x | 1 | 09 | ggd | | | 13: can remain here, better spot than 165, 1502: stay, |
| 162 | | 09403 | 3 | Rhododendron citriniflorum var. horaeum | x | 1 | 09 | ggd | C- | | ggd: "needs good drainage. Always creates a stir", 1406 |
| 162 | | 09404 | 4 | Rhododendron citriniflorum var. horaeum | x | 1 | 15 | ggd | C- | | ggd: "needs good drainage. Always creates a stir", |
| 162 | | 09405 | 4 | Rhododendron citriniflorum var. horaeum | x | 1 | 09 | ggd | C- | | ggd: "needs good drainage. Always creates a stir", 1703 |
| 162 | | 17401 | 4 | Rhododendron coriaceum | x | 2 | 17 | wld | | | |
| 162 | o | 77133 | 4 | Rhododendron 'Corona' (H x H) | x | 1 | 86 | hil | B | T | 86:moved, 89:has recovered in loc 165, 99:not very ha |
| 162 | | 09508 | 3 | Rhododendron cyanocarpum | x | 1 | 15 | ggd | | | 1703: status 3 |
| 162 | | 15070 | 4 | Rhododendron davidsonianum aff. | x | 1 | 15 | wld | | | |
| 162 | | 15442 | 4 | Rhododendron davidsonianum aff. | x | 1 | 15 | wld | | | |
| 162 | | 15443 | 4 | Rhododendron davidsonianum aff. | x | 1 | 15 | wld | | | |
| 162 | | 09440 | 4 | Rhododendron dichroanthum subsp. apodectum | x | 1 | 09 | ggd | | | 1502: stay, |
| 162 | | 09441 | 4 | Rhododendron dichroanthum subsp. apodectum | x | 1 | 09 | ggd | B | | 1502: stay, |
| 162 | | 09512 | 4 | Rhododendron eclecteum | x | 1 | 15 | ggd | | | (yellow), 1202: lvs brownish, hardiness? 1703: back to |
| 162 | | 09513 | 3 | Rhododendron eclecteum | x | 1 | 09 | ggd | | | (yellow), 1202: lvs brownish, hardiness? |
| 162 | | 17423 | 4 | Rhododendron edgeworthii | x | 2 | 17 | wld | | | |
| 162 | | 11131 | 4 | Rhododendron 'Elsie Straver' (campylocarpum) | x | 1 | 11 | pds | A | | layer #9159 of HKRD #86348 |
| 162 | | 17412 | 4 | Rhododendron exasperatum | x | 1 | 17 | wld | | | |
| 162 | | 17402 | 4 | Rhododendron floccigerum | x | 5 | 17 | wld | | | |
| 162 | | 09446 | 4 | Rhododendron forrestii Repens Group | x | 1 | 09 | ggd | | | is this the cv 'Seinghku'? |
| 162 | | 09451 | 4 | Rhododendron forrestii Tumescens Group 'Keillour' | x | 09 | ggd | | | | |
| 162 | | 17426 | 4 | Rhododendron galactinum | x | 2 | 17 | wld | | | |
| 162 | | 15023 | 4 | Rhododendron griersonianum | x | 1 | 17 | ggd | ? | | |
| 162 | | 15024 | 4 | Rhododendron griersonianum | x | 1 | 17 | ggd | ? | | |
| 162 | | 09453 | 4 | Rhododendron haematodes | x | 1 | 13 | ggd | | | |
| 162 | | 09454 | 3 | Rhododendron haematodes | x | 1 | 13 | ggd | | | 1703: status 3 |
| 162 | | 10367 | 4 | Rhododendron haematodes subsp. chaetomallum | x | 1 | 13 | ggd | | | |
| 162 | | 17403 | 4 | Rhododendron heliolepis var. heliolepis | x | 3 | 17 | wld | | | |
| 162 | | 17404 | 1 | Rhododendron heteroclitum aff. | x | 3 | 17 | wld | | | |
| 162 | | 09515 | 4 | Rhododendron hookeri | x | 1 | 15 | ggd | C | | (pink), 1703: from 3 back to status 4 |
| 162 | | 17417 | 4 | Rhododendron horlickianum | x | 6 | 17 | wld | | | |
| 162 | | 17422 | 4 | Rhododendron horlickianum | x | 5 | 17 | ggd | | | gift Rhododendron-Park Bremen, 2012/342, Glendoick |
| 162 | | 17405 | 4 | Rhododendron hunnewellianum | x | 6 | 17 | wld | | | |
| 162 | | 17406 | 4 | Rhododendron hylaeum | x | 5 | 17 | wld | | | |
| 162 | | 17416 | 4 | Rhododendron kyawii | x | 5 | 17 | wld | | | |
| 162 | | 17420 | 1 | Rhododendron leptothrium | x | 1 | 17 | wld | | | |
| 162 | | 17407 | 3 | Rhododendron lukiangense | x | 3 | 17 | wld | | | |
| 162 | | 17413 | 4 | Rhododendron maddenii subsp. crassum | x | 3 | 17 | wld | | | |
| 162 | | 09523 | 3 | Rhododendron meddianum | x | 1 | 15 | ggd | C | | H.P., |
| 162 | | 17408 | 4 | Rhododendron mianningense | x | 1 | 17 | wld | | | |
| 162 | | 10369 | 4 | Rhododendron microgynum | x | 1 | 13 | ggd | | | |
| 162 | | 10370 | 4 | Rhododendron microgynum | x | 1 | 13 | ggd | | | |
| 162 | | 10371 | 4 | Rhododendron microgynum | x | 1 | 13 | ggd | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|------|---|--|
| 162 | | 09461 | 3 | Rhododendron neriiflorum subsp. phaedropum | x | 1 | 15 | ggd | D | | 1502: has a good layer with many flower buds, 1709: r |
| 162 | | 09560 | 4 | Rhododendron nipponicum | x | 1 | 09 | ggd | A | | |
| 162 | | 09562 | 4 | Rhododendron nipponicum | x | 1 | 09 | ggd | A | | |
| 162 | | 17419 | 4 | Rhododendron oldhamii | x | 6 | 17 | wld | | | |
| 162 | | 01477 | 4 | Rhododendron oreotrephes | x | 1 | 18 | pds | | | cttg Hkrd #5337 from 81109, was HKRD #01410, |
| 162 | | 01478 | 4 | Rhododendron oreotrephes | x | 1 | 18 | pds | | | cttg Hkrd #5337 from 81109, was HKRD #01410, |
| 162 | | 17415 | 4 | Rhododendron pachypodum | x | 1 | 17 | wld | | | |
| 162 | | 09463 | 4 | Rhododendron parmulatorum | x | 1 | 09 | ggd | | | collected by Peter and Ken Cox in SE Tibet 1996, 1703 |
| 162 | | 09464 | 3 | Rhododendron parmulatorum | x | 1 | 09 | ggd | | | collected by Peter and Ken Cox in SE Tibet 1996 |
| 162 | | 17414 | 4 | Rhododendron pseudociliipes | x | 1 | 17 | wld | | | |
| 162 | | 17409 | 4 | Rhododendron ririei | x | 6 | 17 | wld | | | |
| 162 | ** | 82100 | 3 | Rhododendron 'Rothenburg' (williamsianum x 'Diane') | | | 14 | reu | A | | 09: damaged by Stephanitis and then cut back, 10:still |
| 162 | | 09472 | 4 | Rhododendron sanguineum var. haemaleum | x | 1 | 13 | ggd | C+ | | |
| 162 | | 09473 | 4 | Rhododendron sanguineum var. haemaleum | x | 1 | 13 | ggd | C+ | | |
| 162 | | 09474 | 4 | Rhododendron sanguineum var. haemaleum | x | 1 | 13 | ggd | C+ | | |
| 162 | | 13333 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii) | | | 17 | ggd | | | |
| 162 | * | 13334 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii) | | | 17 | ggd | | | 18: deserves at least one star (PdS) |
| 162 | | 13335 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii) | | | 17 | ggd | | | |
| 162 | | 17410 | 4 | Rhododendron selense subsp. dasycladum | x | 3 | 17 | wld | | | |
| 162 | | 09339 | 3 | Rhododendron selense subsp. jucundum | x | 1 | 09 | ggd | C | | 1406: remains status 3 |
| 162 | | 09525 | 4 | Rhododendron sherriffii | x | 1 | 13 | ggd | B+ | | |
| 162 | | 09526 | 4 | Rhododendron sherriffii | x | 1 | 13 | ggd | B+ | | |
| 162 | | 09388 | 2 | Rhododendron sikangense var. exquisitum | x | 1 | 13 | ggd | B | | 1502: to status 2 |
| 162 | | 17411 | 4 | Rhododendron souliei | x | 3 | 17 | wld | | | |
| 162 | | 17308 | 4 | Rhododendron sp. | | | 17 | wld | | ? | |
| 162 | | 17421 | 3 | Rhododendron sp. | | | 17 | wld | | | |
| 162 | | 09391 | 2 | Rhododendron strigillosum | x | 1 | 09 | ggd | B+ | | 1703: status 2 |
| 162 | | 09393 | 3 | Rhododendron strigillosum | x | 1 | 09 | ggd | C | | 1005: young growth sl. frozen |
| 162 | | 09394 | 4 | Rhododendron strigillosum (Tower Court Form) | x | 1 | 09 | ggd | C | | 09: new shoots frozen, 1406: back to status 4, 1502: sta |
| 162 | | 09475 | 4 | Rhododendron temenium var. dealbatum | x | 1 | 09 | ggd | | | 1703: from 3 back to status 4 |
| 162 | | 09479 | 3 | Rhododendron temenium subsp. gilvum 'Cruachan' | x | | 09 | ggd | B | | 1703: from 2 to status 3 |
| 162 | * | 09532 | 4 | Rhododendron thomsonii | x | 1 | 13 | ggd | B+ | | |
| 162 | | 15138 | 4 | Rhododendron thomsonii | x | 1 | 15 | wld | | | |
| 162 | | 17217 | 4 | Rhododendron thomsonii | x | 1 | 17 | wld | | | |
| 162 | | 11130 | 4 | Rhododendron 'Tibet' ('Bismark' x williamsianum) | x | 1 | 11 | pds | A+ | | layer #9160 of HKRD #86365 |
| 162 | | 09286 | 2 | Rhododendron uniflorum var. imperator | x | 1 | 09 | ggd | C | | Myanmar, 1703: status 2 |
| 162 | | 09287 | 4 | Rhododendron uniflorum var. imperator | x | 1 | 09 | ggd | C | | Myanmar |
| 162 | | 09288 | 4 | Rhododendron uniflorum var. imperator | x | 1 | 09 | ggd | C | | Myanmar |
| 162 | | 10400 | 4 | Rhododendron viscidifolium aff. | x | 1 | 17 | ggd | D | ? | 1309: has completely recovered from status 1! (PdS) |
| 162 | * | 08487 | 4 | Rhododendron wardii | x | 1 | 18 | ggd | B | | (L&S HP) |
| 162 | | 09345 | 4 | Rhododendron wardii | x | 1 | 13 | ggd | | | (L&S HP) |
| 162 | | 09846 | 3 | Rhododendron wardii | x | 1 | 13 | ggd | B+ | | (L&S HP), 1511: remains st.3 |
| 162 | | 09847 | 4 | Rhododendron wardii | x | 1 | 13 | ggd | B+ | | (L&S HP) |
| 162 | | 16032 | 4 | Rhododendron wardii aff. | x | 1 | 16 | wld | | ? | |
| 162 | * | 09552 | 4 | Rhododendron (wardii x macabeaenum) | x | 1 | 11 | ggd | B+ K | | Glendoick selection |
| 162 | | 10078 | 2 | Rhododendron williamsianum | x | 2 | 14 | pds | B+ | | layers #10686 of HKRD #77093 |
| 162 | | 15111 | 4 | Rhododendron williamsianum | x | 1 | 15 | pds | | | layer #10686 of HKRD #77093 |
| 162 | | 17190 | 3 | Rhododendron williamsianum | x | 1 | 17 | pds | | | layer #10686 of HKRD #77093, 1612: leggy, needs pr |
| 162 | | 00688 | 4 | Sorbus aucuparia | x | 1 | 00 | spo | | | 1508: nice upright tree |
| 162 | | 15219 | 4 | Sorbus hedlundii | x | 1 | 15 | wld | | ? | |
| 162 | | 17309 | 1 | Stewartia sp. | x | 1 | 17 | wld | | ? | ? |
| 163 | | 17443 | 4 | Acer caudatifolium | x | 1 | 17 | wld | | ? | |
| 163 | | 06230 | 4 | Acer elegantulum | x | 1 | 08 | div | A | V | */gift Anne Leitner and BDB (from Zundert), check ID |
| 163 | | 15113 | 4 | Acer elegantulum aff. | x | 1 | 15 | wld | | C | |
| 163 | | 97130 | 4 | Camellia 'Cornish Spring' (japonica x cuspidata) | x | 1 | 97 | tre | A+ | | 09: A+ under Pinus, 150324: excellent plant, floriferou |
| 163 | | 10216 | 4 | Carpinus fangiana | x | 1 | 10 | wld | | ? | |
| 163 | | 12330 | 4 | Litsea kingii | x | 1 | 12 | wld | | ? | V |
| 163 | | 02251 | 4 | Magnolia decidua | x | 1 | 02 | rut | A | | (Manglietia), 0904:perfectly hardy, came through -15°C |
| 163 | | 01002 | 4 | Magnolia fraseri var. pyramidata | x | 1 | 02 | wld | | | |
| 163 | | 95298 | 4 | Magnolia 'Leda' (campbellii Alba Gr. X 'Pegasus') | x | 1 | 96 | rut | | | graft fr.84302, by Rutten, 99:healthy, vigorous, 03: no |
| 163 | | 94249 | 4 | Magnolia macrophylla | x | 1 | 08 | pds | | | */sd. #1636,sd.Henry Found. 95:too much shade ? 96:1 |
| 163 | | 99232 | 4 | Magnolia 'Suishoren' (Nakamura 8) | x | 1 | 02 | div | | | gift Groendekor,grafts of my dying plant by Carlos Ver |
| 163 | | 15260 | 4 | Mallotus japonicus | x | 1 | 15 | div | | ? | #12888, gift Dutch Dendrological Society in 2012, kep |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|----------------|---|---|----|-----|----|---|---|
| 163 | | 07003 | 4 | Pterostyrax | | psilophyllus x 1 | 07 | wld | A | V | |
| 163 | | 16165 | 4 | Quercus | | multinervis x 1 | 16 | wld | ? | | |
| 163 | | 84383 | 4 | Quercus | | phillyreoides x 1 | 92 | esv | D | V | 85:D, 87:D/O 87:B, 92 moved to 169 u/pines, 97:good |
| 163 | | 14278 | 3 | Rehderodendron | | macrocarpum x 1 | 14 | pds | ? | V | sd. #9690, IDS 2007-M104, from Alison Mallett, Devo |
| 163 | | 09320 | 4 | Rhododendron | | argipeplum x 1 | 13 | ggd | | | |
| 163 | | 09321 | 4 | Rhododendron | | argipeplum x 1 | 13 | ggd | B- | | |
| 163 | | 08059 | 4 | Rhododendron | | 'Argosy' (discolor x auriculatum) x 1 | 08 | pds | B+ | | layer #9094 of HKRD #78006 |
| 163 | | 93300 | 4 | Rhododendron | | auriculatum (hybrid) x 1 | 08 | pds | B- | H | formerly #93212, see there for more info |
| 163 | | 09325 | 4 | Rhododendron | | barbatum f. imberbe x 1 | 13 | ggd | C | | (HP), 1306: is f. imberbe (no bristles on petiole) |
| 163 | | 09252 | 4 | Rhododendron | | changii x 1 | 13 | ggd | | | |
| 163 | | 09253 | 4 | Rhododendron | | changii x 1 | 15 | ggd | | | |
| 163 | | 09254 | 4 | Rhododendron | | changii x 1 | 15 | ggd | B+ | | |
| 163 | | 97129 | 4 | Rhododendron | | ciliatum x 1 | 97 | tre | C | | 990411:flwrg very late for a ciliatum, small, surviving |
| 163 | | 13055 | 4 | Rhododendron | | coryanum 'Chelsea Chimes' x 1 | 13 | div | | | prop #9950, Theo Leijdens, COX |
| 163 | | 15222 | 4 | Rhododendron | | coryanum 'Chelsea Chimes' x 1 | 15 | div | | | prop #9950, Theo Leijdens, COX |
| 163 | | 95272 | 4 | Rhododendron | | dichroanthum (hybrid) x 1 | 10 | div | A+ | H | gift J. De Strycker, Kasterlee sdlg, 97: flwrg,calyx smal |
| 163 | | 16129 | 4 | Rhododendron | | 'Fairy Light' ('Lady Mar' x griersonian | 16 | pds | | | layer #13675 of HKRD #81251 |
| 163 | | 09448 | 4 | Rhododendron | | forrestii Repens Group x 1 | 15 | ggd | | | is this the cv 'Seinghku'? 1703: from 3 back to status 4 |
| 163 | * | 86071 | 4 | Rhododendron | | fulgens x 1 * | 95 | ggd | A | | 93:glaucous lvs., 0109:from status 4 to 3, no obvious re |
| 163 | | 09581 | 4 | Rhododendron | | hookeri x 1 | 11 | ggd | C | | (red), |
| 163 | | 12034 | 4 | Rhododendron | | hookeri x 1 | 12 | wld | B+ | V | |
| 163 | * | 82058 | 4 | Rhododendron | | 'Lodauric Iceberg' (Loderi Gr. x auricu | 86 | reu | C | | 85:C-, 88:OK after move to 165, 97:A+, 060605:redu |
| 163 | | 15422 | 4 | Rhododendron | | 'Lucy Lou' (leucaspis x ciliatum x lau | 17 | ggd | ? | | |
| 163 | | 95419 | 4 | Rhododendron | | martinianum x 1 | 07 | pds | C | | cttg.#2407:ex HKRD 86074, 0611: see sub 95097 for |
| 163 | | 78064 | 4 | Rhododendron | | meddianum (hybrid) x 1 | 86 | hil | C | H | */(85:C), 97/2/:flwrs white with few purple flecks, lv a |
| 163 | * | 09242 | 4 | Rhododendron | | 'Merganser' (campylogynum x luteiflor | 13 | ggd | B+ | | |
| 163 | | 05098 | 2 | Rhododendron | | parmulatum 'Ocelot' x 1 | 13 | pds | A | | cttg. 4752 from #89357, 150330: interesting flowers wi |
| 163 | | 09549 | 4 | Rhododendron | | 'Polar Bear' (diaprepes x auriculatum) | 11 | ggd | B | | |
| 163 | | 10397 | 3 | Rhododendron | | sikkimense x 1 | 13 | ggd | C | | natural hybrid of arboreum x thomsonii? 1703: from 1 t |
| 163 | | 01106 | 2 | Rhododendron | | 'Silkcap' (leucaspis x Cilpinense Grou | 15 | pds | A+ | | Cttg Hkrd 5653 from 85605, 0304: Stephanitis, will be |
| 163 | | 94250 | 3 | Rhododendron | | ('Sir Charles Lemon' x rex) x 2 | 94 | pds | B | K | */#1262,sd.ARS, 96:-A, good pl., 97:B for pl.-b, but |
| 163 | | 16033 | 4 | Rhododendron | | 'Talavera' (moupinense x sulfureum) x | 16 | pds | ? | | cttg #8202 of HKRD #05123 |
| 163 | * | 09531 | 4 | Rhododendron | | thomsonii x 1 * | 13 | ggd | B+ | | |
| 163 | | 10269 | 4 | Rhododendron | | tsariense x 1 | 13 | dcl | | | gift, graft of our #86422 |
| 163 | | 14431 | 4 | Rhododendron | | Vanessa Group (griersonianum x 'Soul | 14 | pds | | | layer #12544 of HKRD #78121 |
| 163 | | 83156 | 4 | Rhododendron | | 'Vanessa Pastel' (griersonianum x 'Sou | 86 | hil | C | | (85:C), 97:A+ superb there in the shade, flowering pro |
| 163 | | 07298 | 4 | Rhododendron | | wallichii x 1 | 11 | wld | A | | |
| 164 | | 02352 | 4 | Callicarpa | | kwangtungensis x 1 | 03 | dev | | | cttg, 030906: flowering! 0603: attacked by roe deer in |
| 164 | | 17278 | 4 | Cornus | | capitata x 1 | 17 | wld | | | |
| 164 | * | 09600 | 4 | Cornus | | hongkongensis x 1 * | 12 | div | ? | | pépinère Le Try, 1401: good evergreen, 1405: first tim |
| 164 | | 15166 | 4 | Cornus | | 'Norman Hadden' (kousa x capitata) x 1 | 15 | div | ? | | gift J.-L. Dantec, #12593, |
| 164 | | 00374 | 4 | Cornus | | 'Porlock' (capitata x kousa) x 1 | 01 | spi | B | | */02: cord grown in stem near base, 0901: damaged by |
| 164 | | 12372 | 2 | Cornus | | wilsoniana x 1 | 12 | wld | C | | |
| 164 | | 14032 | 4 | Fothergilla | | x intermedia 'Mount Airy' x 6 | 14 | div | | | 1706: 6/7 |
| 164 | | 14102 | 4 | Lindera | | angustifolia (salicifolia) x 1 | 14 | div | | | gift #9971 from Carla Theune, Leiden 1999.8249, as L. |
| 164 | * | 02412 | 4 | Magnolia | | 'Black Tulip' ('Vulcan' x 'Iolanthe') x 1 * | 03 | div | | | 020505: gift from Jim Gardiner, 140325: excellent plan |
| 164 | | 09151 | 4 | Magnolia | | 'Brixton Belle' ('Sweet Simplicity' x 'Black | 10 | div | | | */from Vance Hooper through Vergeldt, for trial and re |
| 164 | | 09153 | 4 | Magnolia | | 'Plum Pudding' ('Genie' x 'Sir Harold Hillier | 12 | div | | | from Vance Hooper through Vergeldt, for trial and rep |
| 164 | | 08207 | 4 | Magnolia | | 'Shirazz' (denudata x 'Vulcan') x 1 | 10 | bur | | | 140325: this plant better than the one in 258, protectio |
| 164 | | 94248 | 4 | Magnolia | | sieboldii x 1 | 94 | pds | | | #3012,TMS SdXch..Wld.cllect. 95:2/3 left, 97/8 second |
| 164 | | 02239 | 4 | Magnolia | | 'Suishoren' (Nakamura 8) x 1 | 08 | rut | | | 1401: to status 2 from 3, 1703: from status 2 to status 4 |
| 164 | | 94121 | 4 | Magnolia | | 'Vulcan' (liliiflora hybrid x 'Lanarth') x 1 | 94 | spi | | | */01: very vigorous growth (new shoots of 1 m), 07032 |
| 164 | | 01248 | 4 | Quercus | | dentata subsp. yunnanensis x 1 | 03 | wld | A | V | |
| 164 | * | 89251 | 4 | Quercus | | myrsinifolia x 1 * | 92 | spi | C- | V | */BDB #24953, 91:B+, at -10°C, 92/2 good evergreen, |
| 164 | | 94287 | 4 | Rhododendron | | 'Amor' (griersonianum x thayerianum) | 17 | pds | B- | | */cttg.#3319 fr.82099, 95/8:dry , 97:A has established i |
| 164 | * | 08577 | 4 | Rhododendron | | campanulatum subsp. aeruginosum x | 11 | ggd | B+ | | (select) |
| 164 | * | 08427 | 4 | Rhododendron | | dauricum 'Hokkaido' x 3 * | 11 | ggd | A | | 150330: floriferous white |
| 164 | | 10308 | 4 | Rhododendron | | dauricum 'Midwinter' x 1 | 14 | ggd | | | |
| 164 | | 10309 | 4 | Rhododendron | | dauricum 'Midwinter' x 1 | 14 | ggd | | | |
| 164 | | 10310 | 4 | Rhododendron | | dauricum 'Midwinter' x 1 | 14 | ggd | | | |
| 164 | | 12036 | 4 | Rhododendron | | dauricum 'Midwinter' x 2 | 12 | pds | B- | | cttg. #10632 of HKRD #03036, 1512: back to st.4 (fro |
| 164 | | 02153 | 4 | Rhododendron | | mucronulatum x 1 | 18 | pds | A | | */cttg #5311 from Hkrd #76061/6, 09:0, 1203: found a |
| 164 | | 83825 | 4 | Rhododendron | | mucronulatum (VML) x 1 | 06 | vml | A | | good early flwrg.(not "poukhn.") previously 8361D, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|----|----------|----|-----|----|---|---|
| 164 | * | 96116 | 4 | Rhododendron mucronulatum (pink sdls) | x | 1 | 03 | pds | C | | */sd#4064 from Chollipo A.92/92 , 98:8/12 survive, ___ |
| 164 | | 96332 | 4 | Rhododendron mucronulatum (pink sdls) | x | 2 | 16 | pds | C | | sd#4064 from Chollipo A.92/92, 1511: were 96116-b a |
| 164 | | 15035 | 4 | Rhododendron mucronulatum 'Cornell Pink' | x | 3 | 17 | ggd | | | 150309: a good, soft pink selection, |
| 164 | | 10311 | 4 | Rhododendron mucronulatum var. taquetii | x | 1 | 13 | ggd | | | syn. var. chejuense, 140309: last of Rhodorastra to flo |
| 164 | | 10313 | 4 | Rhododendron mucronulatum var. taquetii | x | 1 | 13 | ggd | | | syn. var. chejuense, 140309: last of Rhodorastra to flo |
| 164 | | 07280 | 4 | Rhododendron pentaphyllum | x | 1 | 11 | div | A | | via Theo Leijdens, sd. RHS #96.142, OP from Clark M |
| 164 | | 13351 | 4 | Rhododendron 'Queen Bee' (tsariense x yakushimanu | | | 17 | div | | | gift Serge Wauthier |
| 164 | | 08430 | 3 | Rhododendron sichotense | x | 1 | 11 | ggd | A | | 130114: starts to flower, 1411: status 2, 151209: remain |
| 164 | | 15016 | 4 | Rhododendron sichotense | x | 3 | 15 | pds | | | cttg #8473 of HKRD #08430 |
| 164 | | 17218 | 4 | Rhododendron wallichii | x | 1 | 17 | wld | | | |
| 164 | | 18040 | 4 | Stewartia ovata | x | 1 | 18 | wld | | | |
| 165 | | 17310 | 4 | Acer sterculiaceum subsp. franchetti | x | 1 | 17 | wld | | V | |
| 165 | | 13081 | 4 | Clethra barbinervis | x | 1 | 13 | wld | | | |
| 165 | | 18148 | 4 | Quercus crassifolia 'Flamingo' | x | 1 | 18 | div | | | #13934, gift Brian Humphrey, ex Maurice Foster |
| 165 | | 18185 | 4 | Quercus fusiformis | x | 1 | 18 | sny | | | #12264, gift Charles Snyers, Huebner Oaks Mall, San |
| 165 | | 15224 | 2 | Quercus laurina | x | 1 | 15 | wld | | ? | |
| 165 | | 16007 | 4 | Quercus (mexicana x acutifolia) | x | 1 | 16 | wld | | H | |
| 165 | | 08455 | 2 | Rhododendron hanceanum 'Canton Consul' | x | 1 | 15 | ggd | B+ | | A.M., 1508: very damaged by heat or drought |
| 165 | | 08456 | 3 | Rhododendron hanceanum 'Canton Consul' | x | 1 | 15 | ggd | B+ | | A.M., 1508: very damaged by heat or drought, 1703: fr |
| 165 | | 08457 | 2 | Rhododendron hanceanum 'Canton Consul' | x | 1 | 15 | ggd | B+ | | A.M., 1508: very damaged by heat or drought |
| 165 | | 10314 | 4 | Rhododendron lepidostylum | x | 1 | 15 | ggd | | | |
| 165 | | 10315 | 2 | Rhododendron lepidostylum | x | 1 | 15 | ggd | | | 1508: one plant very damaged by heat or drought, 1607 |
| 165 | | 10316 | 4 | Rhododendron lepidostylum | x | 1 | 15 | ggd | | | 1703: from 3 to status 4 |
| 165 | | 12224 | 4 | Rhododendron lepidostylum | x | 1 | 12 | pds | C | | cttg. #9050 of HKRD #87245 |
| 165 | | 13056 | 4 | Rhododendron lepidostylum | x | 3 | 13 | pds | | | cttg. #9050 of HKRD #87245, 1508: much better than |
| 165 | * | 94238 | 3 | Rhododendron 'Princess Anne' (hanceanum x keiskei) | | | 12 | pds | | | #949,cttg.HKR81256, 04: 3 left, 09: 2 left, 1006: 1 left, |
| 165 | | 17311 | 4 | Rhododendron racemosum | x | 1 | 17 | wld | | V | |
| 166 | | 13082 | 2 | Juniperus virginiana | x | 1 | 13 | wld | | | |
| 166 | | 18210 | 4 | Magnolia macrophylla | x | 1 | 18 | wld | | | |
| 166 | | 12436 | 4 | Magnolia martini | x | 1 | 15 | rut | ? | | (Michelia), |
| 166 | | 18111 | 4 | Pinus morrisonicola | x | 1 | 18 | wld | ? | V | |
| 166 | | 07246 | 4 | Rhododendron annae | x | 1 | 11 | esv | A | | via Theo Leijdens, 1101: leggy after snow |
| 166 | | 13059 | 4 | Rhododendron decorum | x | 3 | 13 | wld | | | |
| 166 | | 09175 | 4 | Rhododendron fortunei | x | 1 | 09 | pds | B+ | ? | layer #9811 of HKRD #83370, 16: indeed not discolor |
| 166 | | 13057 | 4 | Rhododendron fortunei | x | 1 | 13 | pds | | ? | layer #9811 of HKRD #83370 |
| 166 | | 08001 | 4 | Rhododendron fortunei subsp. discolor Houlstonii | Gr | | 14 | pds | B+ | | three layers of #78163 in T, 09:02/3 found, 14: 1/2 mo |
| 166 | | 10356 | 4 | Rhododendron glanduliferum | x | 1 | 14 | ggd | C | | |
| 166 | | 09384 | 4 | Rhododendron irroratum 'Polka Dot' | x | 1 | 15 | ggd | C | | 1208: C to D, 1703: from 2 to status 4 |
| 166 | | 06022 | 4 | Rhododendron Lodauric Group (Loderi Gr. x auricula | | | 06 | pds | A | | layer of #77169, |
| 166 | | 14481 | 4 | Rhododendron lukiangense | x | 1 | 17 | div | ? | | gift NDV, Magnolia study day, 140424 (maak extra lab |
| 166 | | 08530 | 4 | Rhododendron maculiferum | x | 1 | 11 | ggd | | | 1205: too bristly for maculiferum but former Glendoick |
| 166 | | 08532 | 4 | Rhododendron maculiferum | x | 1 | 11 | ggd | | | 1205: too bristly for maculiferum but former Glendoick |
| 166 | | 13058 | 4 | Rhododendron maculiferum | x | 1 | 13 | wld | | | |
| 166 | | 10362 | 4 | Rhododendron maculiferum subsp. anweiense | x | 1 | 15 | ggd | | | AM form, |
| 166 | | 08533 | 4 | Rhododendron morii | x | 1 | 15 | ggd | B+ | | |
| 166 | | 08057 | 4 | Rhododendron 'Naomi Early Dawn' ('Aurora' x fortun | | | 08 | pds | B- | | layer #9092 of HKRD #80121, 1208: B- in april after c |
| 166 | * | 77187 | 4 | Rhododendron 'Naomi Nereid' ('Aurora' x fortunei) | x | | 08 | hil | B | ? | 060509:quite similar to Nautilus 77186, check, 08: thre |
| 166 | | 08549 | 4 | Rhododendron (pachysanthum x morii 'Loch Tummel' | | | 11 | ggd | A | K | 170328: beautiful flowering |
| 166 | | 09385 | 4 | Rhododendron pachytrichum | x | 1 | 13 | ggd | | | |
| 166 | | 09386 | 2 | Rhododendron pachytrichum | x | 1 | 13 | ggd | | | 1703:1703:from status 3 to status 2 |
| 166 | | 17220 | 4 | Rhododendron praevernium | x | 1 | 17 | div | | ? | gift #11641 from Marc of arboreum.be, RSF reference |
| 166 | | 18211 | 4 | Rhododendron qiaojaense | x | 1 | 18 | wld | | | |
| 166 | | 09396 | 4 | Rhododendron strigillosum (Tower Court Form) | x | 1 | 15 | ggd | C+ | | 09: new shoots frozen, 1005: better than two others, 17 |
| 166 | | 08002 | 4 | Rhododendron sutchuenense | x | 3 | 12 | pds | A | C | #10692: layers of #77105 in T, see there for more info, |
| 167 | | 13083 | 4 | Acer oliverianum | x | 1 | 13 | wld | ? | V | |
| 167 | | 17219 | 4 | Acer oliverianum subsp. formosanum | x | 1 | 17 | wld | ? | V | |
| 167 | | 02556 | 4 | Betula pubescens | x | 1 | 02 | spo | | | spontaneous in that location |
| 167 | | 09574 | 4 | Enkianthus deflexus | x | 1 | 09 | ggd | | | |
| 167 | | 88385 | 4 | Ilex aquifolium 'Ovata Aurea' | x | 1 | 95 | vml | ? | | Male, |
| 167 | | 92755 | 4 | Ilex x attenuata (cassine x opaca) | x | 1 | 95 | vml | | | male, gift fr.Bokrijk, 97:B,C+, 06: verified JDL as I. x |
| 167 | * | 88393 | 4 | Ilex x attenuata 'Sunny Foster' | x | 1 | 95 | vml | ? | | Female, |
| 167 | | 88332 | 4 | Ilex cornuta 'Anicet Delcambre' | x | 1 | 95 | vml | ? | V | 97:B,C, not I. fargesii, maybe error with HKRD #9275 |
| 167 | | 88338 | 4 | Ilex pedunculosa | x | 1 | 95 | vml | ? | V | Female, 97:B+, some lvs of late growth damaged, 050 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|--|
| 167 | * | 88327 | 4 | Ilex yunnanensis var. gentilis | x | 1 * | 95 | vml | ? | V | 97:B+, 0109:elegant plant, 1605: var. not recognized b |
| 167 | | 09003 | 4 | Magnolia ('Black Tulip' x 'Vulcan') | x | 1 | 09 | div | | K | sdlg. #8918, gift Michael Gottschalk, his cross, #1549- |
| 167 | ** | 91237 | 4 | Magnolia 'Caerhays Belle' (sargentiana x sprengeri) | x | 1 | 94 | eis | | | 0801: sl. damaged during thinning of pine wood, 0904 |
| 167 | | 91238 | 4 | Magnolia 'Jersey Belle' (sinensis x wilsonii) | x | 1 | 94 | eis | A | | 94:herbicide damage ! _01:from status 1 to 3, 0706: ba |
| 167 | | 07169 | 4 | Magnolia laevifolia ("arborescent") | x | 1 | 10 | div | B- | ? | *gift Carol Gurney via Kevin Hughes; this is 'Velvet a |
| 167 | | 18112 | 3 | Magnolia (laevifolia x maudiae) | x | 1 | 18 | pds | | K | sd #11548 from Bill Smith Virginia, laevifolia is seed p |
| 167 | | 06142 | 4 | Nothofagus dombeyi | x | 1 | 08 | bul | C | | */0811: perfectly green and healthy, 0904: B after cold |
| 167 | | 18009 | 4 | Pseudotsuga sinensis | x | 1 | 18 | wld | ? | | |
| 167 | | 10201 | 4 | Quercus agrifolia | x | 1 | 10 | wld | D | V | |
| 167 | | 14360 | 4 | Quercus parvula var. shrevei | x | 1 | 14 | wld | | | |
| 167 | | 10063 | 4 | Quercus rysophylla | x | 1 | 10 | wld | | V | |
| 167 | | 09578 | 4 | Rhododendron adenosum | x | 1 | 13 | ggd | B | | (pink), |
| 167 | | 09579 | 4 | Rhododendron adenosum | x | 1 | 13 | ggd | B | | (pink), |
| 167 | | 83730 | 4 | Rhododendron 'Chlorops' (wardii x vernicosum?) | x | 1 | 86 | reu | C | | */85:C 86:A, 0811: heavily damaged when pine tree fel |
| 167 | | 09379 | 4 | Rhododendron crinigerum | x | 1 | 13 | ggd | | | |
| 167 | | 09380 | 4 | Rhododendron crinigerum | x | 1 | 13 | ggd | | | |
| 167 | | 08492 | 4 | Rhododendron davidii | x | 1 | 16 | ggd | A | | (HP), 0908: main stem dead, hardiness?, 1703: from 3 t |
| 167 | | 10357 | 4 | Rhododendron glanduliferum | x | 1 | 17 | ggd | | | 17: to st.4 from 1 |
| 167 | | 10415 | 4 | Rhododendron heatheriae aff. | x | 1 | 13 | ggd | | ? | prob. var. of arizelum |
| 167 | | 09540 | 4 | Rhododendron (hemsleyanum x auriculatum) | x | 1 | 15 | ggd | | | |
| 167 | | 09355 | 4 | Rhododendron hodgsonii | x | 1 | 13 | ggd | A | | |
| 167 | | 09514 | 3 | Rhododendron hookeri | x | 1 | 09 | ggd | C | | (pink), 1502: remains status 2, 1703: status 3 |
| 167 | | 13309 | 4 | Rhododendron kesangiae | x | 1 | 17 | ggd | | | (MH Pink) |
| 167 | | 13323 | 4 | Rhododendron magniflorum | x | 1 | 15 | ggd | | | (NNO 959) |
| 167 | | 08534 | 4 | Rhododendron morii | x | 1 | 13 | ggd | B+ | | |
| 167 | | 09081 | 4 | Rhododendron 'Naomi Exbury' ('Aurora' x fortunei) | x | 1 | 09 | pds | B+ | | layer #9167 of HKRD #77185 |
| 167 | | 08254 | 4 | Rhododendron (niveum x hodgsonii) | x | 1 | 12 | wld | B | V | |
| 167 | | 17048 | 3 | Rhododendron oreodoxa | x | 3 | 17 | wld | | | |
| 167 | | 08510 | 4 | Rhododendron oreodoxa var. fargesii | x | 1 | 11 | ggd | B+ | | |
| 167 | * | 08544 | 4 | Rhododendron pachysanthum | x | 1 * | 08 | ggd | A | | (HP), (ex RV 72001) |
| 167 | * | 08547 | 4 | Rhododendron pachysanthum | x | 1 * | 18 | ggd | A | | |
| 167 | | 10348 | 4 | Rhododendron praestans | x | 1 | 15 | ggd | B | | 1006: B |
| 167 | | 10349 | 4 | Rhododendron praestans | x | 1 | 17 | ggd | B | | 1006: B |
| 167 | | 09365 | 4 | Rhododendron pudorosum | x | 1 | 13 | ggd | B | | 1303: B |
| 167 | | 13332 | 4 | Rhododendron qiaojiense | x | 1 | 15 | ggd | | | (NNO 903) |
| 167 | | 81206 | 4 | Rhododendron recurvoides | x | 1 | 14 | spi | ? | | 91/4C-, 94:recov. 14: big move from U, |
| 167 | | 09360 | 4 | Rhododendron rex | x | 1 | 13 | ggd | A | | 13: not kesangiae as per invoice |
| 167 | | 09368 | 4 | Rhododendron rex | x | 1 | 13 | ggd | A | | 1401: not found, 1703: found in 167 |
| 167 | | 09370 | 4 | Rhododendron rex | x | 1 | 13 | ggd | A | | |
| 167 | | 12026 | 4 | Rhododendron rex | x | 1 | 12 | wld | A | | |
| 167 | | 12028 | 4 | Rhododendron rex | x | 1 | 12 | wld | A | | |
| 167 | | 83749 | 4 | Rhododendron rex | x | 1 | 83 | reu | C | | 85C+ , 97:A, 1703: from 3 to status 4 |
| 167 | | 09372 | 4 | Rhododendron rex subsp. ficolacteam | x | 1 | 13 | ggd | | | |
| 167 | | 09373 | 4 | Rhododendron rex subsp. ficolacteam | x | 1 | 13 | ggd | | | |
| 167 | | 16034 | 4 | Rhododendron selense subsp. jucundum | x | 1 | 16 | pds | ? | | cttg #9031, BDB trip 2006 to Elzas and Vogezen, Jardi |
| 167 | | 09374 | 3 | Rhododendron sinofalconeri | x | 1 | 15 | ggd | | | |
| 167 | | 13336 | 4 | Rhododendron sinofalconeri | x | 1 | 15 | ggd | | | (HP) |
| 167 | * | 83213 | 4 | Rhododendron 'Titness Park' (barbatum x calophytum) | x | 1 | 86 | hil | D | | 85:C-, 88:OK, 040320: flowering, 070311:flowering, r |
| 167 | | 12223 | 3 | Rhododendron uvariifolium | x | 1 | 12 | wld | B+ | | |
| 167 | | 83223 | 4 | Rhododendron uvariifolium | x | 1 | 88 | hil | C | | 85:C, 88:ok, 97:A, 060515:well developed healthy pla |
| 167 | | 89339 | 4 | Rhododendron uvariifolium 'Yangtze Bend' | x | 1 | 95 | ggd | C | V | 91:C, 95:recovrd after moving, 97:A no flwr, 080412:fl |
| 167 | | 08517 | 4 | Rhododendron vernicosum | x | 1 | 11 | ggd | A | | (CW), |
| 167 | | 08567 | 3 | Rhododendron wightii | x | 1 | 16 | ggd | B | | 170520: new growth totally destroyed by April frost, |
| 167 | | 00673 | 4 | Sorbus aucuparia | x | 1 | 00 | spo | | | |
| 168 | * | 10064 | 4 | Aesculus wilsonii | x | 1 * | 10 | wld | A | V | |
| 168 | * | 95035 | 4 | Catalpa fargesii | x | 1 * | 95 | pds | D | ? | */(five lobed !), Sd.#3264, ex Chollipo hort., 94/9:goo |
| 168 | * | 12503 | 4 | Fraxinus xanthoxyloides | x | 1 * | 14 | wld | | V | |
| 168 | | 85024 | 4 | Kalmia latifolia 'Olympic Fire' | x | 1 | 07 | vml | A | | 92:ok, 07: to status 1, 1007: back to status 3 |
| 168 | * | 12423 | 4 | Magnolia cavaleriei var. platypetala | x | 1 * | 14 | wld | | | |
| 168 | | 07083 | 4 | Magnolia 'James Comber' | x | 1 | 08 | rut | | | */gift Catharien Rutten, rcvd. as 'James James Comber', |
| 168 | | 09211 | 4 | Pinus massoniana | x | 1 | 10 | wld | | V | |
| 168 | | 09009 | 3 | Rhododendron 'Aladdin' (auriculatum x griersonianu | x | 1 | 13 | pds | B | | layer #9163 of HKRD #80095 |
| 168 | | 11029 | 4 | Rhododendron Avocet Group (discolor x fortunei) | x | 1 | 14 | pds | | | layer of #82033 in T, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|--------|-----|----|---|--|
| 168 | | 10137 | 4 | Rhododendron 'Azor' (griersonianum x fortunei subsp | | 10 | pds | | B+ | | prop #11048, 08: found in pON, probably Azor, proba |
| 168 | | 95246 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x | | 6 | 95 wld | | A+ | | |
| 168 | * | 01025 | 4 | Rhododendron 'Cream Crest' (chryseum x 'Cilpinense' | | 09 | pds | | C | | *cttg Hkrd #, 030401: nice group of plants flowering s |
| 168 | | 08497 | 4 | Rhododendron decorum (pale pink) x 1 | | | 11 | ggd | | | 0810: wonderful lvs and stem |
| 168 | | 08498 | 4 | Rhododendron decorum (white) x 1 | | | 11 | ggd | | | |
| 168 | | 08501 | 4 | Rhododendron decorum subsp. cordatum x 1 | | | 13 | ggd | A | | 13: moved within location |
| 168 | | 11122 | 4 | Rhododendron decorum subsp. cordatum x 1 | | | 11 | wld | | | |
| 168 | | 11045 | 4 | Rhododendron dichroanthum (hybrid) x 1 | | | 11 | pds | A | H | layer #9812 of HKRD #95272 |
| 168 | | 08504 | 4 | Rhododendron fortunei x 1 | | | 11 | ggd | C | | (HP) |
| 168 | | 09539 | 3 | Rhododendron (hemsleyanum x auriculatum) x 1 | | | 13 | ggd | C | | |
| 168 | | 95247 | 4 | Rhododendron ('Hotei' x lacteum) x 1 | | | 95 | pds | B+ | K | */Sd.ARS 1986/1035, good variab.pl , 97:A,B+ but D i |
| 168 | | 09541 | 4 | Rhododendron 'Loderi King George' (fortunei x griffit | | 13 | ggd | | B | | |
| 168 | | 09543 | 4 | Rhododendron 'Loderi King George' (fortunei x griffit | | 13 | ggd | | B | | |
| 168 | | 08060 | 4 | Rhododendron 'Loder's White' (arboreum album x grif | | 08 | pds | | B- | | layer #9095 of HKRD #79016 |
| 168 | | 13326 | 4 | Rhododendron maoerense x 1 | | | 15 | ggd | | | (CGG 14082) |
| 168 | | 15322 | 4 | Rhododendron 'Matador' (griersonianum x strigilloso | | 16 | pds | | | | remaining layers #13834 of Rhododendron 'Matador' (g |
| 168 | | 94247 | 4 | Rhododendron 'May Day' (haematodes x griersonianu | | 94 | pds | | B | | cttg fr.#."1837 fr.HKR.80116, 07: apparently only 3-4 |
| 168 | * | 93024 | 4 | Rhododendron mucronulatum var. ciliatum x 1 * | | 18 | wld | | C | | |
| 168 | | 13084 | 4 | Rhododendron 'Naomi Exbury' ('Aurora' x fortunei) x | | 13 | pds | | | | layer #9167 of HKRD #77185 |
| 168 | | 05324 | 4 | Rhododendron 'Naomi Stella Maris' ('Aurora' x fortun | | 12 | pds | | B+ | | layer of 80124, |
| 168 | | 11173 | 4 | Rhododendron 'Snow Queen' ('Halopeanum' x 'Loderi' | | 11 | pds | | B+ | | layer #11081 of HKRD #79023 |
| 168 | | 13106 | 4 | Rhododendron sp. x 1 | | | 13 | wld | | ? | |
| 168 | | 13107 | 4 | Rhododendron sp. x 1 | | | 13 | wld | | ? | |
| 168 | | 95270 | 4 | Rhododendron 'Winsome' (Humming Bird Gr x griers | | 95 | pds | | | | gift J. De Strycker, Kasterlee , 97:B vry dry there |
| 168 | | 10419 | 4 | Rhododendron yuefengense x 1 | | | 14 | ggd | B+ | | H.P., 1703: from 3 to status 4 |
| 168 | | 10421 | 2 | Rhododendron yuefengense x 1 | | | 16 | ggd | B+ | | H.P.,110525: flwrg, low shrub, rounded leaves, elongat |
| 168 | | 18113 | 4 | Stewartia serrata x 1 | | | 18 | pds | | | sd #8390 from Closerie du Rond Chêne, from 4 big ser |
| 168 | | 09097 | 4 | Torreya californica x 1 | | | 09 | wld | B | | |
| 168 | | 95120 | 2 | Viburnum cassinoides x 1 | | | 95 | pds | | | sd. 3250 ex Morris Arb. 9906:this one not affected by s |
| 169 | | 08491 | 3 | Rhododendron asterochnoum x 1 | | | 11 | ggd | B | | 1209: status 3, a bit dry here under the beech trees but |
| 169 | | 17312 | 4 | Rhododendron fortunei subsp. discolor 'John R. Elcoc | | 17 | div | | | | gift #14131 Marc Reuling, Houlstonii Gr., |
| 169 | | 17313 | 4 | Rhododendron fortunei 'Lu-Shan' x 1 | | | 17 | div | | | gift #14132 Marc Reuling, |
| 171 | | 05003 | 4 | Abies balsamea x 1 | | | 05 | pds | | V | sd #3201 from Schuhmacher Seed, Mass, _ 0603: uppe |
| 171 | | 04490 | 4 | Abies pindrow x 1 | | | 11 | wld | A | V | |
| 171 | * | 03223 | 4 | Abies recurvata var. ernestii x 1 * | | | 06 | wld | | V | |
| 171 | | 14168 | 4 | Abies veitchii x 1 | | | 14 | wld | | | |
| 171 | | 15114 | 4 | Acer elegantulum aff. x 1 | | | 15 | wld | | C | |
| 171 | | 17049 | 4 | Betula alleghaniensis x 1 | | | 17 | wld | | | |
| 171 | | 85807 | 4 | Castanea sativa x 1 | | | 85 | div | | | accessed in 2014, possibly spo, date planted uncertain |
| 171 | | 14169 | 3 | Corylopsis sinensis x 1 | | | 14 | wld | ? | V | |
| 171 | | 14432 | 4 | Enkianthus campanulatus x 1 | | | 14 | spo | | | spo sldg #9123, possibly sdlg of #83429, |
| 171 | | 11025 | 4 | Enkianthus campanulatus var. sikokianus x 1 | | | 14 | ggd | | | |
| 171 | | 11026 | 4 | Enkianthus campanulatus var. sikokianus x 1 | | | 14 | ggd | | | |
| 171 | | 11027 | 4 | Enkianthus campanulatus var. sikokianus x 1 | | | 14 | ggd | | | |
| 171 | | 10075 | 4 | Kalopanax septemlobus x 1 | | | 10 | spo | | | prop #10687, found in pON, had no label, but is in fact |
| 171 | | 04372 | 4 | Magnolia 'Ivory Chalice' (acuminata x denudata) ? x 1 | | 12 | rut | | ? | | ERROR, is not M. sargentiana 'Broadleas'! 1704: could |
| 171 | | 11053 | 2 | Magnolia 'Lanhydrock' (sprengeri 'Diva' seedling) x 1 | | 11 | ver | | | | graft #9899 of our #00390 I suppose, 1705: frost dama |
| 171 | | 04393 | 3 | Magnolia 'Marwood Spring' (sprengeri x) x 1 | | | 07 | rut | | ? | 1109: Carlos says there are 2 clones, one wrong via Lu |
| 171 | | 91227 | 3 | Magnolia sargentiana 'Chyverton Pale f.' x 1 | | | 92 | eis | | | 1108: to status 3, thin leaved, 1705: frozen leaves |
| 171 | | 13001 | 4 | Mahonia nervosa x 7 | | | 15 | pds | | | prop #10111, seed Scottisch Rock Garden Club #2382, |
| 171 | | 15029 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | | | 17 | ggd | ? | | |
| 171 | | 15030 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | | | 17 | ggd | ? | | |
| 171 | | 15031 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | | | 17 | ggd | ? | | |
| 171 | | 15032 | 4 | Menziesia ciliicalyx 'Ylva' x 1 | | | 17 | ggd | ? | | |
| 171 | | 15033 | 4 | Menziesia ciliicalyx 'Ylva' x 1 | | | 17 | ggd | ? | | |
| 171 | | 15034 | 4 | Menziesia ciliicalyx 'Ylva' x 1 | | | 17 | ggd | ? | | |
| 171 | | 04502 | 4 | Pinus thunbergii x 1 | | | 06 | wld | | V | |
| 171 | | 15098 | 4 | Quercus candicans x 1 | | | 15 | wld | ? | | |
| 171 | | 00603 | 4 | Quercus glauca x 1 | | | 02 | div | C+ | V | Zundert :Tuincentrum Hulsdonk, Hulsdonk straat, 060 |
| 171 | | 02132 | 4 | Quercus myrsinifolia x 1 | | | 02 | div | A | | */sd #4666 from MAG.SOC.sdex1994#? 05: severely d |
| 171 | | 11349 | 2 | Quercus salicina (hybrid?) x 1 | | | 14 | wld | | ? | |
| 171 | | 11050 | 3 | Quercus x undulata (gambelii x grisea) x 1 | | | 11 | wld | | | |
| 171 | | 18213 | 4 | Rhododendron ambiguum x 1 | | | 18 | pds | | | cttg. #12509 of HKRD #88065 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|-----------|----------|-----|-----|---|---|--|
| 171 | | 17256 | 4 | Rhododendron cinnabarinum Blandfordiiiflorum | Grou | 17 | pds | | | | cttg #12523 of HKRD #08039 |
| 171 | | 17257 | 4 | Rhododendron cinnabarinum 'Mount Everest' | x 2 | 17 | pds | | | ? | cttg. #12501 of HKRD #76014 |
| 171 | | 09850 | 4 | Rhododendron cinnabarinum Roylei | Group x 1 | 13 | ggd | | B | | |
| 171 | | 11126 | 4 | Rhododendron 'Fastuosum Flore Pleno' | x 1 | 11 | pds | A+ | | | layers #9158 of HKRD #74144 |
| 171 | | 11127 | 4 | Rhododendron 'Fastuosum Flore Pleno' | x 1 | 11 | pds | A+ | | | layers #9158 of HKRD #74144 |
| 171 | | 14100 | 4 | Rhododendron 'Jacksonii' (caucasicum x 'Nobleanum') | | 14 | pds | | | | 5 layers around mother plant #85337 |
| 171 | | 85337 | 4 | Rhododendron 'Jacksonii' (caucasicum x 'Nobleanum') | | 14 | ggd | B | T | | 87:A+, 97:A+, 14: big move from 172, with 5 layers # |
| 171 | | 11124 | 4 | Rhododendron 'Madame Masson' (catawbiense x pont) | | 11 | pds | A+ | | | layer #9157 of HKRD #83205, |
| 171 | | 11125 | 4 | Rhododendron 'Madame Masson' (catawbiense x pont) | | 11 | pds | A+ | | | layer #9157 of HKRD #83205, |
| 171 | | 18212 | 4 | Rhododendron maximum | x 1 | 18 | wld | | | | |
| 171 | | 15099 | 4 | Rhododendron (maximum compactum x maximum La) | | 15 | pds | | K | | layers of HKRD #83796 |
| 171 | | 14135 | 4 | Rhododendron 'Midsummer' (maximum x) | x 1 | 14 | pds | | | | layers of #91598 in 464, 1412: perfectly healthy and di |
| 171 | | 14313 | 4 | Rhododendron 'Midsummer' (maximum x) | x 2 | 14 | pds | | | | layers #12528 of HKRD #91598, 1412: status 3, chloro |
| 171 | | 17221 | 3 | Rhododendron oreotrephes 'Davidian's Favorite' | x 1 | 17 | pds | | | | Cttg #10214 Rhododendronpark Bremen, 1705: to stat |
| 171 | | 15017 | 3 | Rhododendron rubiginosum aff. | x 3 | 15 | wld | | | ? | |
| 171 | | 15018 | 2 | Rhododendron rubiginosum aff. | x 3 | 15 | wld | | | ? | |
| 171 | | 15020 | 4 | Rhododendron rubiginosum aff. | x 3 | 15 | wld | | | ? | |
| 171 | | 15142 | 4 | Rhododendron searsiae | x 1 | 15 | wld | | | | |
| 171 | | 95440 | 3 | Rhododendron smirnowii | x 1 | 15 | pds | A+ | | | was #95099 (group of 3 in 85, one big move to 171), ct |
| 171 | | 17258 | 4 | Rhododendron sp. | x 3 | 17 | wld | | | ? | |
| 171 | | 14362 | 4 | Stewartia malacodendron | x 3 | 14 | wld | | | | |
| 171 | | 12257 | 4 | Tsuga chinensis | x 1 | 12 | wld | | | | |
| 172 | * | 94006 | 4 | Abies durangensis | x 3 | 94 | wld | A | V | | |
| 172 | | 05005 | 4 | Abies sachalinensis | x 1 | 05 | pds | C | V | | sd. #3199, ex SCHUMACHER Mass., plants in 117 ar |
| 172 | | 13027 | 2 | Actinidia sp. | x 1 | 13 | wld | | | ? | |
| 172 | | 09117 | 3 | Berberis temolaica | x 1 | 09 | wld | A | | | |
| 172 | | 11073 | 4 | Betula grossa | x 1 | 11 | wld | | | | |
| 172 | * | 04111 | 4 | Betula lenta | x 1 | 04 | pav | | V | | 0709: very healthy, lush plant, *, growing like hell, 081 |
| 172 | | 17259 | 4 | Camellia japonica 'Berenice Boddy' | x 1 | 17 | pds | | | | cttg #8477 of HKRD #83651 |
| 172 | | 11317 | 4 | Camellia japonica 'Koreas Sol' | x 1 | 18 | wld | | | ? | |
| 172 | | 08274 | 3 | Camellia japonica 'Lavinia Maggi' | x 1 | 13 | tre | | | | 1601: st.3 chlorotic |
| 172 | | 08181 | 4 | Camellia x williamsii 'Saint Ewe' | x 1 | 14 | bur | C | | | 1004: leader frozen, 120113: big pink flowers, quite im |
| 172 | | 08183 | 3 | Camellia 'Winton' (cuspidata x saluenensis) | x 1 | 15 | bur | | | | 1207: remains status 3, 150324: first flowering, small, |
| 172 | | 05073 | 4 | Carpinus kawakamii aff. | x 1 | 07 | div | | | ? | gift Jacky Pousse, no info, 0806: omeiensis group?, 14 |
| 172 | | 14496 | 4 | Chimonanthus nitens | x 1 | 15 | rug | | | | gift visit HBUG team 140417, origin unknown, XX0G |
| 172 | | 04302 | 3 | Chimonanthus praecox | x 1 | 04 | rug | | V | | sd 6344 Gent BG RUG, 1402: not C. zhejiangensis, thi |
| 172 | | 14361 | 4 | Cornus excelsa | x 1 | 14 | wld | | | | |
| 172 | | 00254 | 4 | Cupressus gigantea | x 3 | 00 | wld | | | | |
| 172 | | 06175 | 4 | Daphniphyllum macropodium | x 1 | 11 | klm | | | | 150430: seems slow to establish but now good growth |
| 172 | | 08192 | 4 | Enkianthus campanulatus | x 1 | 10 | bur | | | | 130607: not perulatus as per invoice (see mail Joke), 1 |
| 172 | | 17339 | 4 | Juniperus recurva aff. | x 1 | 17 | wld | | | ? | |
| 172 | | 17340 | 4 | Lithocarpus henryi aff. | x 1 | 17 | wld | | ? | ? | |
| 172 | | 07085 | 3 | Magnolia 'Felix Jury' ('Atlas' x 'Vulcan') | x 1 | 09 | rut | | | | gift Catharien Rutten, 100427: flowering, 1108: remain |
| 172 | | 09137 | 4 | Microbiota decussata | x 3 | 14 | esv | | | | 1702: 2/5 plants in roots of Larix died from drought in |
| 172 | | 03273 | 4 | Orixa japonica | x 1 | 12 | mei | | | | Gift Dirk De Meyere, Meise: 10001059- origin unkno |
| 172 | | 04504 | 3 | Oxydendrum arboreum | x 1 | 04 | spo | | | | spo sdlg in that location! 1705: from 4 to status 3: froze |
| 172 | | AA172 | 4 | Pinus nigra subsp. laricio | x 1 | 59 | div | A | | | BDB #25934, Not sure about date planted |
| 172 | * | 02374 | 4 | Podocarpus nivalis 'Rockery Gem' | x 1 | 10 | dev | | | | cttg |
| 172 | | 10076 | 3 | Quercus argyrotricha | x 1 | 10 | wld | B | | | |
| 172 | | 11052 | 4 | Quercus phillyreoides | x 1 | 11 | div | | | | prop #10681, BW 041231-01, Eike Jablonski, garden o |
| 172 | | 91492 | 4 | Quercus pontica | x 1 | 94 | waa | | | | 01: healthy but loosing lower inside branches, |
| 172 | | 11049 | 3 | Quercus rugosa | x 1 | 11 | wld | | | | |
| 172 | | 07141 | 4 | Quercus salicina | x 1 | 08 | wld | A | V | | |
| 172 | | 00418 | 4 | Rhododendron brachycarpum subsp. fauriei | x 2 | 11 | div | A | | | from open pollinated seed ex Kalmthout, raised by G. |
| 172 | | 94338 | 4 | Rhododendron brachycarpum subsp. fauriei | x 3 | 12 | wld | A | | | |
| 172 | | 14302 | 4 | Rhododendron 'Coral Velvet' (yakushmanum x) | x 6 | 14 | pds | | | | layers of #91578 |
| 172 | | 91578 | 4 | Rhododendron 'Coral Velvet' (yakushmanum x) | x 1 | 14 | waa | B | | | 060415: flwrg, rather ugly orange fleshy colour, 0604;s |
| 172 | | 11118 | 4 | Rhododendron degronianum subsp. degronianum | x 1 | 11 | pds | A | | | layer #9155 of HKRD #81210 |
| 172 | * | 84768 | 4 | Rhododendron degronianum subsp. degronianum | x 1 | 12 | eve | A | | | 97:severely hit by spring frosts, 02: back to status 3; 03 |
| 172 | | 07264 | 4 | Rhododendron degronianum subsp. heptamerum | var. | 15 | wld | | | | |
| 172 | | 94279 | 3 | Rhododendron degronianum subsp. heptamerum | var. | 14 | wld | A | | | |
| 172 | | 08551 | 4 | Rhododendron degronianum subsp. heptamerum | var. | 15 | ggd | A+ | | | BV Sel, 1501: good low plant |
| 172 | | 95433 | 4 | Rhododendron degronianum subsp. heptamerum | var. | 12 | pds | A | | | was #95244-F, see there for more info |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|------|---|---|
| 172 | | 11153 | 4 | Rhododendron 'Fastuosum Flore Pleno' | x | 1 | 11 | pds | A+ | | big layers of #74144 |
| 172 | | 07270 | 4 | Rhododendron hyperythrum | x | 1 | 11 | div | B+ | | via Theo Leijdens, sd. ARS #04-415, possibly wild clc |
| 172 | | 08552 | 4 | Rhododendron hyperythrum 'Omo' | x | 1 | 15 | ggd | B+ | | AM |
| 172 | | 15225 | 4 | Rhododendron 'Late Love' ('Chinyeyi' x nakaharae) | x | 1 | 15 | pds | | | layer #7853 of HKRD #89254 |
| 172 | | 16198 | 4 | Rhododendron makinoi | x | 1 | 16 | div | | | Wauthier |
| 172 | ** | 05119 | 4 | Rhododendron makinoi 'Fuju-kaku-no-matsu' | x | 1 | ** | 13 | dcl | | gift Antoon De Clercq |
| 172 | ** | 81209 | 4 | Rhododendron 'Roza Stephenson' ('Loderi' x wardii) | x | 1 | 86 | spi | C | | 85:C, 88:2, 93:super, 96:sup, moved to 165 in 86, 0703 |
| 172 | | 15019 | 4 | Rhododendron rubiginosum aff. | x | 3 | 15 | wld | ? | | |
| 172 | | 15021 | 4 | Rhododendron rubiginosum aff. | x | 3 | 15 | wld | ? | | |
| 172 | | 18186 | 3 | Rhododendron tschonoskii | x | 1 | 18 | wld | ? | | |
| 172 | | 99031 | 4 | Rhododendron yakushmanum (white) | x | 1 | 14 | div | | | gift from Guido Campo, should have pure white flower |
| 172 | * | 09310 | 4 | Rhododendron yakushmanum 'Koichiro Wada' | x | 1 | * | 13 | ggd | A | FCC, |
| 172 | | 94039 | 4 | Rhododendron yedoense | x | 1 | 14 | wld | | | |
| 172 | | 04500 | 2 | Sciadopitys verticillata | x | 1 | 16 | pds | | | sd #4277 from Sheffield park tree, 1310: always misera |
| 172 | | 15261 | 4 | Skimmia japonica cv. | x | 2 | 15 | pds | ? | | prop #9078 as subsp. pumila (Wisley cutting by Christ |
| 172 | | 14363 | 4 | Stewartia malacodendron | x | 1 | 14 | wld | | | |
| 172 | | 15072 | 4 | Stewartia malacodendron | x | 1 | 15 | wld | | | |
| 172 | * | 13030 | 4 | Stewartia monadelpha | x | 1 | * | 13 | wld | | |
| 172 | | 93178 | 4 | Stewartia monadelpha | x | 1 | 93 | pds | | | V Cttg#3108 fr #87119,not serrata, 98:is slightly weeping |
| 172 | | 14509 | 4 | Stewartia 'Ogisu' | x | 1 | 18 | div | ? | | pépinière du Vent Val, 1508: sold as pseudocamellia 'O |
| 172 | | 14364 | 4 | Stewartia ovata | x | 1 | 14 | wld | | | |
| 172 | | 15073 | 4 | Stewartia ovata | x | 1 | 15 | wld | | | |
| 172 | | 18038 | 4 | Stewartia ovata | x | 1 | 18 | wld | | | |
| 172 | | 18039 | 4 | Stewartia ovata | x | 1 | 18 | wld | | | |
| 172 | | 10119 | 3 | Stewartia 'Pascua' | x | 1 | 12 | dcl | | | gift Antoon De Clercq, high graft!, 1706: st.3 chlorotic |
| 172 | | 93177 | 4 | Stewartia pseudocamellia (lanceolate leaves) | x | 1 | 93 | pds | V | | */89: mother plant identified as S. pseudocamellia var. |
| 172 | | 98058 | 4 | Stewartia pseudocamellia | x | 1 | 14 | wld | V | | |
| 172 | | 13011 | 4 | Stewartia pseudocamellia 'Blue Dress' | x | 1 | 14 | div | | | gift Klaas Verboom, sdlg selected by him for blueish m |
| 172 | | 93174 | 4 | Stewartia pseudocamellia 'Harold Hillier' | x | 1 | 93 | pds | V | | Cttg#2029 fr #84551/Q, typical rounded bullate leaves, |
| 172 | | 99199 | 4 | Stewartia rostrata (glossy leaves) | x | 1 | 00 | pds | V | | Cttg .5291from Arnold Arboretum (Busey Hil plant), c |
| 172 | | 99204 | 4 | Stewartia rostrata (AA-769) | x | 1 | 00 | pds | V | | Cttg 5282 from Arnold.Arb., from Lushan 1936 plant, |
| 172 | | 99211 | 4 | Stewartia rostrata (Hemelrijk 16206) | x | 1 | 00 | pds | ? | | Cttg 5485 from Hemelrijk, 1107: is this true rostrata?, |
| 172 | | 99208 | 4 | Stewartia (rostrata x sinensis) AA-761 | x | 1 | 00 | pds | H | | Cttg 5243 from Arnold Arboretum with ref 761-69-A, l |
| 172 | | 92285 | 4 | Stewartia serrata | x | 1 | 94 | spi | V | | */97:healthy pl., the best serrata,big red buds with flat g |
| 172 | | 14365 | 4 | Symphoricarpos microphyllus | x | 5 | 14 | wld | | | |
| 173 | | 92853 | 4 | Abies numidica | x | 1 | 06 | nie | V | | 0409: is the wild form of numidica and not the cultivat |
| 173 | | 92855 | 4 | Abies numidica | x | 1 | 06 | nie | V | | 031229: still not growing although 2003 was a good w |
| 173 | | 14170 | 4 | Berchemia scandens | x | 1 | 14 | wld | | | |
| 173 | | 14434 | 4 | Cotoneaster ambiguus | x | 1 | 14 | wld | V | | |
| 173 | | 14435 | 4 | Cotoneaster moupinensis | x | 1 | 14 | wld | V | | |
| 173 | | 14433 | 4 | Cotoneaster rehderi | x | 1 | 14 | wld | V | | |
| 173 | | 15115 | 4 | x Gordlinia grandiflora | x | 1 | 15 | div | ? | | */prop #12097, Heritage Seedling Nursery, received 3 |
| 173 | | 15167 | 4 | Hamamelis ovalis | x | 1 | 15 | wld | | | |
| 173 | | 18149 | 4 | Magnolia 'Big Ben' (cylindrica x 'Vulcan') | x | 1 | 18 | ver | | | #14213, |
| 173 | | 01128 | 4 | Magnolia 'Ghislaine' ('Galaxy' x 'Purple Breeze') | x | 1 | 01 | pds | K | | */sd from 5543 Cross 96/031 : 89480 x 84323, 061125 |
| 173 | | 98479 | 4 | Magnolia 'Milky Way' ('Lennei Alba' x 'Mark Jury') | x | 1 | 00 | rut | ? | | 02: flowers not pure white, verify, 050411: huge flower |
| 173 | | 93013 | 4 | Magnolia obovata (Pruhonice) | x | 1 | 93 | pds | | | */ Sd.#2110, fr.Pruhonice pl.880917 see my notes that |
| 173 | | 99280 | 4 | Magnolia officinalis | x | 1 | 01 | wld | | | |
| 173 | | 13029 | 4 | Meliosma veitchiorum | x | 1 | 13 | div | | | Gift of Arborealis (Micha Wieland), grown from seed o |
| 173 | | 92709 | 4 | Phellodendron amurense | x | 1 | 94 | ddh | | | sdlg by D.Duhaut, 08: pl-a cut, was dying (honey fung |
| 173 | | 10181 | 4 | Photinia davidiana | x | 1 | 10 | wld | V | | |
| 173 | | 14314 | 4 | Pseudotsuga sinensis | x | 1 | 14 | wld | | | |
| 173 | | 16201 | 4 | Rhododendron 'Marquis de Chacelas' | x | 2 | 16 | pds | | | mother plant (#92685) was cut to make path, two layers |
| 173 | | 94031 | 4 | Rhododendron 'Odorum' (ponticum x periclymenoid) | x | 1 | 94 | pds | A+ ? | | cttg #3322, ex HKR 86506, 97:B, not happy there, erro |
| 173 | | 76078 | 3 | Rhododendron 'Souvenir de Dr. Endtz' | x | 1 | 10 | hil | B | | pl.on island, never happy,dry !! 00:back to status 3, wit |
| 173 | | 15022 | 4 | Rhododendron spinuliferum | x | 1 | 15 | wld | ? V | | |
| 173 | | 83328 | 4 | Rhododendron thayerianum | x | 1 | 18 | rsf | B T | | 85:B,87:B+,RGB EDIMB,66/617,: 94:unhappy, _00:h |
| 173 | | 00561 | 4 | Rhododendron uvariifolium | x | 1 | 04 | bul | A | | |
| 173 | | 94251 | 4 | x Sycoparrotia semidecidua (Sycopsis x Parrotia) | x | 1 | 94 | pds | B V | | sd #3208, ex-Tenbosch, 97: this one perfectly hardy bu |
| 174 | | 10434 | 4 | Camellia japonica 'Adolphe Audusson' | x | 1 | 13 | boc | ? | | |
| 174 | | 16130 | 4 | Camellia x williamsii 'Empire Rose' | x | 1 | 16 | div | C | | #10966, gift John Gallagher, 1006: status 3, hardiness |
| 174 | | 97131 | 3 | Camellia x williamsii 'Mary Phoebe Taylor' | x | 1 | 99 | tre | C+ | | */9905:moved out of greenhouse to 172, 070304:perfec |
| 174 | | 93172 | 3 | Fraxinus paxiana | x | 1 | 14 | wld | C V | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|---|
| 174 | | 14138 | 4 | Lindera angustifolia (salicifolia) | x | 1 | 14 | mor | | | gift #12096, Morris Arboretum as L. salicifolia (#2007 |
| 174 | | 18150 | 4 | Magnolia 'Ann's Delight' ('Vulcan' x 'Apollo' ?) | x | 1 | 18 | ver | | | #14212, "improved 'Vulcan'", |
| 174 | | 94119 | 4 | Magnolia 'Atlas' ('Mark Jury' x 'Lennei') | x | 1 | 94 | spi | | | 050411: very good flowering this year, mostly 9 petals |
| 174 | | 09152 | 3 | Magnolia 'Cleopatra' ('Sweet Simplicity' x 'Black Tuli | | | 12 | div | | | from Vance Hooper through Vergeldt, for trial and rep |
| 174 | | 90014 | 4 | Magnolia dawsoniana | x | 1 | 92 | rut | V | | */Rutten sdlg,fr.Amer.Mag.sd.exch. , 97/4/23:lvs totall |
| 174 | | 98501 | 4 | Magnolia 'Frank Gladney' (Gresham) | x | 1 | 00 | div | | | gift Jancel, Dir. J.B.Nantes, 060429: not much of an im |
| 174 | | 01375 | 4 | Magnolia 'Marguerite' ('Anne Rosse' x 'Purple Breeze' | | | 02 | pds | K | | */BDB #30744, propagat 5556 : Cross 96/055 on 8505 |
| 174 | | 99223 | 4 | Magnolia officinalis | x | 4 | 01 | wld | | | |
| 174 | | 12268 | 4 | Magnolia 'Red as Red' ('Pickard's Ruby' x 'Vulcan') | x | 1 | 12 | ver | | | #11105, 1504: not very special (KC), 1507: nice burgu |
| 174 | | 92140 | 4 | Magnolia salicifolia | x | 1 | 92 | pds | | | */BDB #30746, Sdlg from ? 74007/25 , 98:first massiv |
| 174 | | 14137 | 4 | Magnolia (virginiana x insignis) | x | 1 | 14 | vml | K | | #12787, gift Jef Van Meulder, Bokrijk, 20120302, in fa |
| 174 | | 10079 | 4 | Photinia davidiana | x | 1 | 10 | wld | V | | |
| 174 | | 16131 | 4 | Photinia davidiana | x | 1 | 16 | wld | | | |
| 174 | | 02514 | 3 | Pinus bungeana | x | 1 | 04 | wld | V | | |
| 174 | | 94010 | 4 | Pseudotsuga menziesii var. glauca | x | 3 | 94 | wld | A | T | |
| 174 | | 00602 | 4 | Quercus glauca | x | 1 | 02 | div | B | V | */Zundert :Tuincentrum Hulsdonk, Hulsdonk straat, pla |
| 174 | | 18078 | 4 | Rhododendron 'Matador' (griersonianum x strigilloso | | | 18 | pds | | | Cttg #4924 from HKRD #78062, |
| 174 | | 11046 | 4 | Rhododendron 'May Day' (haematodes x griersonianu | | | 11 | pds | B+ | | layers #9813 of HKRD #94247 |
| 174 | | 08540 | 4 | Rhododendron oligocarpum | x | 1 | 15 | ggd | A | | |
| 174 | | 10354 | 4 | Rhododendron rothschildii | x | 1 | 17 | ggd | | | |
| 174 | * | 08526 | 4 | Rhododendron tsariense | x | 1 | 18 | ggd | | | (Ascreavie) |
| 174 | | 08595 | 3 | Rhododendron wallichii | x | 1 | 16 | ggd | | | 1610: drying up although in perfect position, |
| 174 | | 13350 | 3 | Rhododendron wallichii Heftii Group | x | 1 | 15 | ggd | | | |
| 174 | | 92686 | 4 | Rhododendron 'Whitney's Late Orange' | x | 1 | 95 | goo | B | | Gift from Mr.Goossens |
| 174 | | 03044 | 3 | Stewartia rostrata (glossy leaves) | x | 1 | 03 | pds | | | cttg. #6069 from cttg 5291, Arnold Arboretum, 0909: s |
| 174 | | 95072 | 4 | Zanthoxylum schinifolium | x | 1 | 96 | wld | | | |
| 175 | | 14315 | 2 | Abies cilicica subsp. isaurica | x | 1 | 14 | wld | | | |
| 175 | | 03221 | 4 | Aesculus x neglecta (flava x sylvatica) | x | 1 | 10 | pav | B | | 0705: wood breaks easily in heavy wind, 0903: damage |
| 175 | | 12331 | 4 | Ampelopsis japonica | x | 3 | 12 | div | | | #9077, rcvd as A. serianifolia; gift Anne Leitner, sd. Ar |
| 175 | | 08046 | 4 | Buddleja albiflora | x | 2 | 08 | wld | ? | ? | |
| 175 | | 13157 | 4 | Buddleja albiflora | x | 2 | 13 | wld | | | |
| 175 | | 05362 | 2 | Cephalanthus occidentalis | x | 1 | 18 | div | | | gift Etienne Dehout (Ecole Hort. Tournai), 1007 sufferi |
| 175 | | 17314 | 4 | Cephalanthus occidentalis | x | 6 | 17 | wld | | | |
| 175 | | 09571 | 3 | Clethra alnifolia 'Sixteen Candles' | x | 1 | 13 | ggd | | | 1705: from 4 tot status 3 |
| 175 | ** | 12454 | 4 | Fothergilla x intermedia 'Blue Shadow' | x | 3 | 14 | bul | | | 1206: good blue, 1306: amazing colour, one plant statu |
| 175 | * | 01305 | 3 | Fothergilla x intermedia 'Mount Airy' | x | 1 | 12 | bul | | | name see HortScience 42(3):473, 081022: wonderful a |
| 175 | | 05092 | 4 | Ilex x koehneana (aquifolium x latifolia) | x | 2 | 08 | spo | | | spo #7845 rooted branches of #85002, 07: chlorotic, 08 |
| 175 | | 05101 | 4 | Ilex verticillata | x | 4 | 14 | wld | | | |
| 175 | | 11201 | 2 | Ilex verticillata | x | 4 | 14 | wld | | | |
| 175 | | 08262 | 4 | Magnolia grandiflora 'Rosemoor' | x | 1 | 10 | rut | B- | | 1202: sl. damage after cold winter on younger lvs, 130 |
| 175 | | 92722 | 3 | Magnolia virginiana | x | 1 | 14 | vml | T | | ex-Bokrijk plant 98 moved to loc 12 close to water edg |
| 175 | | 04160 | 4 | Platanus orientalis 'Minaret' | x | 1 | 06 | pav | | | BDB #30750, 1705: frozen leaves |
| 175 | | 18151 | 4 | Populus tremula 'Gigas' | x | 1 | 18 | ver | | | #14226, from Horsholm via Peter Hoffmann |
| 175 | | 07257 | 3 | Rhododendron canadense | x | 1 | 11 | div | A | | via Theo Leijdens, 1109: pl-b status 1, heavily pruned, |
| 175 | | 08125 | 3 | Rhododendron 'Madame Masson' (catawbiense x pont | | | 08 | pds | A+ | | layer #9157 of HKRD #83205, beware for ponticum st |
| 175 | | 15043 | 3 | Rhododendron molle subsp. japonicum | x | 3 | 15 | wld | | | |
| 175 | * | 08167 | 3 | Taxodium distichum | x | 8 | 10 | bul | | | 12: one plant added from pON under same nr, 151209: |
| 175 | | 08168 | 3 | Taxodium distichum | x | 3 | 10 | bul | | | same lot as 08167 but bigger size (175-200) for centre |
| 175 | | 12256 | 3 | Tsuga chinensis | x | 1 | 12 | wld | | | |
| 175 | | 91784 | 4 | Zelkova carpinifolia | x | 1 | 94 | pav | | | was 91090-c, see there for more info |
| 175 | | 06150 | 2 | Zenobia pulverulenta 'Blue Sky' | x | 2 | 12 | bul | | | 1007: 1/3 to status 3, 1104: status 2, is this frost?, 1202 |
| 176 | | 04329 | 4 | Abies balsamea | x | 2 | 04 | pds | V | | BDB #30752, was listed as fraseri, but this is balsamea |
| 176 | | 09161 | 3 | Aesculus parviflora | x | 1 | 09 | wld | | | |
| 176 | | 12270 | 3 | Berberis amurensis | x | 1 | 12 | div | | | prop #10620, gift Gunther Diamant (date on label 20-s |
| 176 | | 12271 | 4 | Berberis silva-taroucana | x | 1 | 12 | div | | | prop #10618, gift Gunther Diamant (date on label 20-s |
| 176 | | 08131 | 4 | Betula pendula Laciniata Group | x | 1 | 08 | spo | | | prop #8862, spontaneous cut leaved sdlg in p152, 1311 |
| 176 | | 13108 | 4 | Carya aquatica | x | 1 | 13 | wld | | | |
| 176 | | 04192 | 4 | Cladrastis kentukea | x | 1 | 06 | pav | | | 171107: good late aut. Col. (PdS) |
| 176 | | 12452 | 3 | Fothergilla gardenii 'Brian Upchurch' | x | 3 | 18 | bul | | | |
| 176 | | 12453 | 4 | Fothergilla gardenii 'Zundert' | x | 3 | 14 | bul | | | |
| 176 | | 14167 | 2 | Grewia biloba var. parviflora | x | 1 | 14 | wld | ? | | |
| 176 | | 14171 | 3 | Pinus morrisonicola | x | 1 | 14 | wld | ? | V | |
| 176 | | 05122 | 4 | Pyrus pyrifolia | x | 1 | 07 | dcl | | | gift Antoon De Clercq as Nashi-peer, 1711: ugly, Pyrus |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|--|
| 176 | ** | 91093 | 4 | Quercus coccinea 'Splendens' | x | 1 | 94 | pav | | | */BDB #30712, 991101:late aut.colour good, should be |
| 176 | | 10165 | 3 | Quercus petraea subsp. pinnatifida | x | 1 | 10 | wld | | | |
| 176 | | 09053 | 4 | Rhamnus utilis | x | 1 | 09 | wld | | | |
| 176 | | 09848 | 3 | Rhododendron annae | x | 1 | 09 | pds | | V | layers #9168 of HKRD #78136, |
| 176 | | 08127 | 4 | Rhododendron 'Mrs T.H. Lowinsky' | x | 1 | 08 | pds | A+ | | layer #9164 of HKRD #82328, 0903: status 1, pruned t |
| 176 | | 15289 | 4 | Sorbus rutilans | x | 1 | 15 | wld | | | |
| 176 | | 03297 | 4 | Torreya grandis | x | 1 | 08 | wld | | B | |
| 176 | | 02160 | 4 | Viburnum plicatum f. tomentosum | x | 3 | 02 | div | | | gift Michel Boutsen, layers, 1109: 1/3 status 3, 1506: 1 |
| 176 | | 05137 | 4 | Zelkova serrata | x | 1 | 07 | rug | | | BDB #30751, gift Marc Libert (via Jacky Pousse), 051 |
| 177 | | 05109 | 3 | Acer palmatum 'Dissectum' | x | 1 | 07 | div | | | Van Bauwel, 1109: main stem wounded, beware for sto |
| 177 | | 05110 | 3 | Acer palmatum 'Garnet' | x | 1 | 07 | div | | | Dissectum - red, Van Bauwel, 1705: from 4 to status 3: |
| 177 | | 05319 | 4 | Cornus x rutgersensis 'Celestial' | x | 1 | 07 | dev | | | @ name = 'Rutdan', 050521 gift as 'Galaxy', 1506: nice |
| 177 | | 12559 | 4 | Fothergilla x intermedia 'Red Licorice' | x | 1 | 14 | bul | | | was part of group #12456, |
| 177 | | 12459 | 4 | Fothergilla x intermedia 'Windy City' | x | 2 | 14 | bul | | | 1706: 2/3 left |
| 177 | | 07020 | 3 | Fraxinus chinensis | x | 1 | 08 | wld | | V | |
| 177 | | 13032 | 3 | Fraxinus sieboldiana | x | 1 | 13 | wld | | | |
| 177 | | 18010 | 4 | Liquidambar orientalis 'M. Foster' | x | 1 | 18 | div | | | prop #14505, Raf Lenaerts |
| 177 | | 07016 | 4 | Ostrya carpinifolia | x | 1 | 07 | wld | | | |
| 177 | | 07017 | 4 | Ostrya carpinifolia | x | 1 | 07 | wld | | | |
| 177 | | 03282 | 2 | Populus wilsonii | x | 1 | 10 | div | | D | gift Gidy van Vugt, Nederl. Dendr. Ver., small graft, 0 |
| 177 | * | 05322 | 3 | Pterocarya rhoifolia | x | 1 | 07 | dev | | V | 050521 gift, 061203:scales falling off from buds, 1705: |
| 178 | | 10162 | 2 | Abies holophylla | x | 1 | 10 | wld | | C | |
| 178 | | 07056 | 4 | Acer palmatum subsp. palmatum | x | 1 | 07 | spo | | | */prop #7388, sdlg from 82342, spontaneous at foot of |
| 178 | * | 08387 | 4 | Acer x pseudoheldreichii (heldreichii x pseudoplatanus) | | | 10 | esv | | H | rcvd as (griseum x pseudoplatanus), 1007: nice, unders |
| 178 | * | 07081 | 4 | Alnus subcordata | x | 1 | 08 | wld | | | |
| 178 | | 13192 | 4 | Carpinus caroliniana | x | 1 | 13 | wld | | | |
| 178 | | 13159 | 4 | Carya tomentosa | x | 1 | 13 | wld | | | |
| 178 | | 16166 | 4 | Corylus ferox var. tibetica | x | 1 | 16 | wld | | | |
| 178 | | 12377 | 3 | Juglans ailanthifolia | x | 1 | 12 | wld | | | |
| 178 | | 11070 | 4 | Juglans microcarpa | x | 1 | 11 | wld | | | |
| 178 | | 08261 | 3 | Magnolia 'Purple Globe' (liliiflora 'Nigra' x veitchii) | | | 10 | rut | | | 1402: back to status 4 (from 3), 140324: name better th |
| 178 | | 15290 | 3 | Magnolia 'Sweet Rose' ('Sweet Simplicity' x 'Black Tu | | | 15 | div | | | #11584, gift Carlos Verhelst & Antoon De Clercq, 170 |
| 178 | | 07117 | 3 | Magnolia zenii (hybrid) | x | 1 | 07 | pds | | H | */OP sdlgs #7834, gift John Gallagher, 1007 back to st |
| 178 | | 08037 | 3 | Morus sp. | x | 1 | 08 | wld | | ? | |
| 178 | | 05068 | 3 | Phellodendron japonicum | x | 1 | 07 | div | | | gift Françoise Salomon, from tree in Hof ter Saksen, 17 |
| 178 | | 16090 | 4 | Picea breweriana | x | 1 | 18 | bul | | | |
| 178 | | 18011 | 4 | Pinus densiflora | x | 1 | 18 | wld | | | |
| 178 | | 18012 | 4 | Thuja standishii | x | 1 | 18 | wld | | | |
| 178 | | 04224 | 4 | Tilia amurensis subsp. taquetii | x | 1 | 07 | pav | | | rcvd as T. koreana, 1410: bad wound near base, ugly gr |
| 178 | | 17280 | 3 | Tsuga forrestii | x | 1 | 17 | wld | | | |
| 178 | | 12269 | 4 | Tsuga sieboldii | x | 1 | 12 | wld | | | |
| 179 | | 97216 | 4 | Acer rubrum 'Schlesingeri' | x | 1 | 06 | cec | | | Gift CECE, Mr Choteau, 00:suffering, stressed by so |
| 179 | | 03104 | 4 | Ilex verticillata | x | 6 | 03 | wld | | | |
| 179 | | 11200 | 4 | Ilex verticillata | x | 4 | 11 | pds | | | cttg. #9049 of HKRD #03104-A, good fruit-bearing sp |
| 179 | | 17050 | 4 | Ilex verticillata | x | 1 | 17 | wld | | | |
| 179 | | 04255 | 4 | Magnolia ('Purple Breeze' sdlg) | x | 1 | 04 | pds | | ? | sd. #6346, 0406: leaves flabby, 170327: first flowering, |
| 179 | * | 04409 | 3 | Magnolia 'Sunsation' ('Woodsmen' x 'Elizabeth') | x | 1 | 10 | rut | | | 070417: interesting, not too pale and purplish of Wood |
| 179 | | 04506 | 4 | Pseudotsuga menziesii | x | 1 | 08 | spo | | | from group in 194, see sub #04259, 09: pl-b dead after |
| 179 | | 14172 | 4 | Pseudotsuga sinensis | x | 1 | 14 | wld | | ? | |
| 179 | | 10202 | 3 | Quercus michauxii | x | 1 | 10 | wld | | | |
| 179 | | 04263 | 4 | Rhododendron 'Jack Skelton' ('Dr. Stocker' x 'M. L. S | | | 04 | pds | B+ | | Cttg Hkrd 6055 from 79014 |
| 179 | | 03078 | 2 | Rhododendron traillianum | x | 1 | 03 | wld | B+ | | |
| 179 | | 17051 | 4 | Torreya taxifolia | x | 1 | 17 | pds | | | sd. #11647, gift Jack Johnston, from a conservation pla |
| 181 | | 07136 | 4 | Acer pensylvanicum | x | 2 | 07 | wld | | V | |
| 181 | | 12234 | 4 | Acer rufinerve | x | 1 | 12 | wld | | | |
| 181 | | 18079 | 4 | Acer sterculiaceum subsp. franchetti | x | 1 | 18 | wld | | | |
| 181 | | 10080 | 4 | Aesculus wilsonii | x | 1 | 10 | wld | A | V | |
| 181 | | 17052 | 4 | Cornus amomum | x | 1 | 17 | wld | | | |
| 181 | | 12248 | 4 | Euptelea polyandra | x | 1 | 12 | wld | | | |
| 181 | | 09171 | 4 | Fagus grandifolia | x | 1 | 09 | wld | | | |
| 181 | | 07128 | 4 | Fagus orientalis | x | 1 | 07 | wld | | | |
| 181 | | 11204 | 3 | Juglans major | x | 1 | 11 | pds | | | sd #8153, Arnold 10968-A -big Tr., (mixed with man |
| 181 | | 11206 | 4 | Juglans microcarpa | x | 1 | 11 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|----|-----|----|---|--|
| 181 | | 05302 | 4 | Magnolia grandiflora 'Kay Parris' | x | 1 | 08 | rut | B- | | 080201: youngest leaf frost damage, 1204: B-, |
| 181 | | 06126 | 4 | Magnolia x proctoriana 'Robert's Dream' | x | 1 | 08 | rut | | | natural hybrid found in Japan by Yamaguchi, named af |
| 181 | | 07089 | 4 | Magnolia 'Yuchelia' ('Miss Honeybee' | x | figo) | 08 | rut | ? | | gift Catharien Rutten, 150604: very late flowering and |
| 181 | | 09210 | 4 | Metasequoia glyptostroboides | x | 1 | 10 | wld | B | V | |
| 181 | | 09115 | 4 | Prunus padus var. commutata | x | 1 | 09 | pds | | | cttg. #7515 HKRD #84647 |
| 181 | | 08239 | 4 | Quercus hartwissiana | x | 1 | 10 | wld | | | |
| 181 | | 09114 | 4 | Quercus pubescens | x | 1 | 09 | wld | | | |
| 181 | | 15227 | 4 | Quercus pubescens | x | 1 | 15 | wld | | | |
| 181 | | 10164 | 3 | Quercus robur subsp. pedunculiflora | x | 1 | 10 | wld | | | |
| 181 | | 04498 | 4 | Quercus shumardii | x | 1 | 08 | wld | | V | |
| 181 | | 10221 | 3 | Quercus stellata | x | 1 | 13 | pav | | | 1207: 1/3 left, no good, unfortunate, 1712: good marce |
| 181 | | 13193 | 4 | Rhamnus cathartica | x | 1 | 13 | pds | | | cutting #9025, BDB trip Elzas and Vogezen, Nancy, Ja |
| 181 | | 08051 | 4 | Tsuga canadensis | x | 1 | 08 | wld | | | |
| 182 | | 14436 | 3 | Abies holophylla | x | 1 | 14 | wld | | | |
| 182 | | 07014 | 4 | Acer velutinum | x | 1 | 07 | pds | V | | sd #6624 hort BG Tbilissi!, 1312: later colouring than |
| 182 | | 07054 | 3 | Celtis sinensis | x | 1 | 08 | sny | | | prop #8869, gift Charles Snyers d'Attenhoven, Square |
| 182 | | 07022 | 4 | Chionanthus retusus | x | 3 | 07 | pds | | | sd #5188, Mag.Soc Sd.Xch # 109, from Chollipo Arbo |
| 182 | | 07027 | 3 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) | | | 07 | pds | | | prop #8028, cttg. from plant at Wisley, 0906: to status |
| 182 | | 07029 | 3 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) | | | 07 | pds | | | prop #8028, cttg. from plant at Wisley, 1402: has a big, |
| 182 | | 07019 | 2 | Diospyros lotus | x | 1 | 07 | spo | | | prop #9124, spo sdlg HKRD, 1706: st.2, badly frozen t |
| 182 | | 11186 | 3 | Juglans cathayensis | x | 1 | 11 | wld | | | |
| 182 | | 09058 | 3 | Magnolia ('Galaxy' x 'Caerhays Surprise') | x | 1 | 09 | pds | K | | sd. #7676 from cross 02/008, #91146 x 90076, 1705: fr |
| 182 | | 07030 | 4 | Magnolia stellata | x | 1 | 07 | wld | | ? | |
| 182 | | 09059 | 3 | Magnolia ('Tina Durio' x 'Iolanthe' sdlg) | x | 1 | 09 | pds | ? | | sd. #7680 from HKRD #95047-b, OP, 1108: staked, w |
| 182 | | 09060 | 2 | Magnolia ('Tina Durio' x 'Iolanthe' sdlg) | x | 1 | 09 | pds | ? | | sd. #7680 from HKRD #95047-b, OP, 1007 last it's lea |
| 182 | | 09212 | 4 | Pinus taeda | x | 1 | 10 | wld | | V | |
| 182 | | 04168 | 4 | Quercus x hispanica 'Ambrozyana' | x | 1 | 09 | pav | | | 06: deheaded, roe deer? 1007 back to status 4, 1511: da |
| 182 | | 15228 | 4 | Quercus lobata | x | 1 | 15 | wld | | | |
| 182 | | 15229 | 4 | Quercus mongolica | x | 1 | 15 | wld | | | |
| 182 | | 05321 | 3 | Taxodium distichum 'Cascade Falls' | x | 1 | 07 | dev | | | 050521 gift, 1705: from 4 to status 3: frost |
| 182 | | 08053 | 4 | Tilia chingiana (sdlg) | x | 1 | 08 | pds | ? | | sdlg #6162 from Hkrd 83183,before cutting down; ID |
| 183 | | 12004 | 4 | Aesculus flava | x | 1 | 12 | wld | | | |
| 183 | | 04306 | 2 | Betula ermanii | x | 1 | 04 | wld | | | |
| 183 | | 10241 | 4 | Leitneria floridana | x | 1 | 10 | div | | | sucker #9505, gift Anne Leitner, female, 1007 seems to |
| 183 | | 04259 | 4 | Pseudotsuga menziesii | x | 2 | 04 | spo | | | */spontaneous sdlgs under parents in 152 moved to 194 |
| 183 | | 18041 | 4 | Quercus falcata (hybrid?) | x | 1 | 18 | wld | | ? | |
| 183 | | 13194 | 3 | Quercus hintoniiorum | x | 1 | 13 | wld | B | | |
| 183 | | 11051 | 4 | Quercus phillyreoides | x | 1 | 11 | div | | | prop #10681, BW 041231-01, Eike Jablonski, garden o |
| 183 | | 04251 | 3 | Sciadopitys verticillata | x | 1 | 04 | pds | | | sd #4277 from Sheffield park tree, 1705: from 2 to stat |
| 183 | | 04183 | 4 | Tilia monticola | x | 1 | 07 | pav | | | |
| 184 | | 03244 | 3 | Nothofagus obliqua | x | 1 | 05 | wld | | | |
| 185 | | 10449 | 4 | Aesculus parviflora | x | 9 | 11 | opr | | | size 100/120, to hide ugly corner in former 190s, 1108: |
| 185 | | 18080 | 4 | Diospyros sp. | x | 1 | 18 | wld | ? | ? | |
| 185 | | 11067 | 4 | Juglans cinerea | x | 1 | 11 | pds | | | sd #8185 from Guy Sternberg from a cultivated specim |
| 185 | * | 07005 | 3 | Juglans nigra 'Laciniata' | x | 1 | 08 | div | | | Kris Michielsen, 1610: not a big success so far |
| 185 | | 09065 | 3 | Magnolia 'Wim Rutten' ('Forrest's Pink' x 'Marillyn') | x | | 09 | pds | K | | cttg. #7362 of Hkrd #98132-C, 1705: from 4 to status 3 |
| 185 | | 06204 | 4 | Ostrya japonica | x | 1 | 09 | div | | | Hulsdonk via Marc Libert, 0707: forced leader, 0807: t |
| 185 | | 14014 | 4 | Quercus agrifolia | x | 1 | 14 | wld | | | |
| 185 | | 17262 | 4 | Quercus alba | x | 1 | 17 | wld | | | |
| 185 | | 12198 | 3 | Quercus gambelii | x | 1 | 12 | wld | | | |
| 185 | | 15230 | 4 | Quercus michauxii | x | 1 | 15 | wld | | | |
| 185 | | 16036 | 3 | Quercus mongolica | x | 1 | 16 | wld | | | |
| 185 | | 17263 | 4 | Quercus muehlenbergii | x | 1 | 17 | wld | | | |
| 185 | | 07042 | 3 | Quercus vulcanica 'Kasnak' | x | 1 | 10 | pav | | | 1705: from 4 to status 3 |
| 185 | | 04499 | 3 | Sciadopitys verticillata | x | 1 | 05 | pds | | | sd #4277 from Sheffield park tree, 1705: from 2 to stat |
| 185 | | 10065 | 3 | Styrax obassia | x | 1 | 10 | pds | | | sd. #8508 from HKRD #95210, 1006: pruned for stabil |
| 185 | | 18187 | 4 | Tilia sp. | x | 1 | 18 | wld | | ? | |
| 186 | | 00444 | 3 | Magnolia sieboldii | x | 1 | 03 | wld | | | |
| 186 | | 14013 | 4 | Quercus mexicana | x | 1 | 14 | wld | | | |
| 186 | | 00215 | 4 | Rhododendron 'Azor' (griersonianum x fortunei subsp | | | 00 | pds | B | | Layer of 76045 |
| 186 | | 01252 | 4 | Thujopsis dolabrata | x | 1 | 05 | pds | A | | Layer from 85506 |
| 187 | | 00300 | 4 | Carpinus tschonoskii | x | 1 | 07 | wld | | | |
| 187 | | 98101 | 4 | Cornus elliptica | x | 1 | 07 | pds | B- | | */Cttg. # 4773 from Hkrd 92203; 030209: perfectly har |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 187 | | 90225 | 4 | Cornus florida | x | 1 | 07 | wld | | | |
| 187 | | 00674 | 3 | Corylopsis sinensis | x | 1 | 11 | pds | | V | was #00302-B, see there for more info, 1404: few hairs |
| 187 | | 05278 | 2 | Magnolia 'Blushing Belle' ('Yellow Bird' x 'Caerhays | | | 08 | rut | | | 160420: good plant, 1705: from 4 to status 2, badly hit |
| 187 | | 05287 | 2 | Magnolia 'March Til Frost' ((liliiflora x cylindrica) x ') | | | 08 | rut | | | 1405: status 2, slugs |
| 187 | | 14096 | 3 | Rhododendron 'Aladdin' (auriculatum x griersonianu | | | 14 | pds | | | big layer of #80095 in 37, |
| 187 | | 18114 | 4 | Stewartia rostrata | x | 1 | 18 | pds | | | sd #10124 from Lushan Botanic Garden, as S. sinensis |
| 188 | * | 08062 | 4 | Acer palmatum ('Osakazuki' sdlg) ('Osakazuki' sdlg) x | | | 08 | pds | X | | sdlg #9097 of HKRD #81285, 131227: late yellow red |
| 188 | | 13173 | 4 | Aesculus californica | x | 1 | 15 | wld | | | |
| 188 | | 10082 | 4 | Carpinus caroliniana | x | 1 | 10 | wld | | | |
| 188 | | 12005 | 4 | Carya ovalis | x | 1 | 12 | wld | | | |
| 188 | | 12547 | 3 | Cladrastis sinensis | x | 1 | 15 | div | | | syn of C. delavayi acc to FOC, Pan-Global Plants, 170 |
| 188 | | 11092 | 3 | Corylus fargesii | x | 1 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foster |
| 188 | | 11093 | 4 | Corylus fargesii | x | 1 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foster |
| 188 | | 05222 | 3 | Davidia involucrata var. vilmoriniana | x | 1 | 07 | rug | | | gift Marc libert, seedling of their compact tree, 1705: fr |
| 188 | | 04298 | 4 | Enkianthus campanulatus | x | 1 | 04 | pds | | | sdlg 6673 from 83429 on rotting stump, very good autu |
| 188 | | 83429 | 2 | Enkianthus campanulatus | x | 1 | 07 | ggd | A | T | 051209: nice autumn colour, 0611: big move from 5, 1 |
| 188 | | 02449 | 4 | Enkianthus perulatus 'J.L. Pennock' x 1 | | | 11 | mor | | | from Rik Lewandowski now at Mount Cuba Center, 11 |
| 188 | | 13179 | 2 | Fraxinus anomala | x | 1 | 15 | wld | | | |
| 188 | | 08031 | 4 | Kalopanax septemlobus | x | 1 | 08 | spo | | | spo sdlg #9808 |
| 188 | | 13035 | 4 | Kalopanax septemlobus | x | 1 | 13 | wld | | ? | |
| 188 | | 05231 | 4 | Larix gmelinii | x | 1 | 07 | klm | A | V | as Larix cajanderi N form of L. gmelinii, mostly not rec |
| 188 | ** | 07200 | 4 | Liquidambar styraciflua 'Aurora' x 1 ** | | | 08 | bul | | ? | 081022: deep dark burgundy autumn colour, 0911: is t |
| 188 | | 05270 | 4 | Liquidambar styraciflua 'Moonbeam' x 1 | | | 07 | bul | | | 061124: no colour, what is special about this cv? 1305 |
| 188 | | 05233 | 4 | Liriodendron 'Chapel Hill' (chinense x tulipifera) x 1 | | | 07 | div | | | gift visit Boskoop nursery men |
| 188 | | 08050 | 3 | Maackia hupehensis | x | 1 | 08 | div | | | (syn. chinensis), 5741b, origin unknown, could be from |
| 188 | | 98821 | 3 | Magnolia ('David Clulow' x sprengeri var. elongata) x | | | 06 | pds | K | | from #98137-C, see there for more info, 1610: once ag |
| 188 | | 06217 | 4 | Magnolia x loebneri 'Mag's Pirouette' x 1 | | | 09 | ver | | | |
| 188 | | 08040 | 4 | Magnolia x loebneri 'Snowdrift' x 1 | | | 08 | pds | | | cttg #7608 of HKRD #84320 |
| 188 | | 07187 | 3 | Magnolia 'Ruth' (campbellii 'Lanarth' x liliiflora) x 1 | | | 09 | rut | | | 160428: interesting parentage but nothing special this y |
| 188 | | 07189 | 4 | Magnolia 'Sweet Valentine' ('Sweet Simplicity' x 'Blac | | | 09 | rut | | | 1106: conspicuous upright habit, 160428: good parent |
| 188 | | 11432 | 3 | Meliosma veitchiorum | x | 1 | 15 | div | | | gift Klaas Verboom, 1705: from 4 to status 3 |
| 188 | | 13184 | 4 | Pinus tabuliformis | x | 1 | 15 | wld | | | |
| 188 | | 94030 | 4 | Prunus padus var. commutata | x | 1 | 94 | wld | | | |
| 188 | | 94334 | 4 | Prunus padus var. commutata | x | 1 | 94 | wld | | | |
| 188 | o | 05317 | 4 | Quercus cerris 'Athena' x 1 o | | | 09 | wld | | V | |
| 188 | | 10066 | 4 | Quercus nigra | x | 1 | 10 | wld | | | |
| 188 | * | 09118 | 4 | Quercus oglethorpensis | x | 1 | 09 | wld | | V | |
| 188 | | 15100 | 4 | Rhododendron arboreum subsp. cinnamomeum | x | 1 | 15 | wld | ? | | |
| 188 | | 15108 | 2 | Rhododendron argyrophyllum | x | 1 | 16 | pds | | | layer of HKRD #89373, 1703: st.2, half of plant is dea |
| 188 | | 15356 | 3 | Rhododendron argyrophyllum | x | 1 | 16 | pds | | | layer #14113 of HKRD #89373, 1705: from 4 to status |
| 188 | | 82309 | 4 | Rhododendron catawbiense 'Album' x 1 | | | 06 | sgw | A | | 05: most of the high branches are rootstock, 0506: rem |
| 188 | | 95243 | 3 | Rhododendron degronianum subsp. heptamerum var. | | | 06 | wld | B | | |
| 188 | * | 83205 | 4 | Rhododendron 'Madame Masson' (catawbiense x pont | | | 06 | hil | A | | 90:pushed over by storm |
| 188 | | 00368 | 4 | Rhododendron 'Mount Everest' (campanulatum x griff | | | 03 | pds | B+ | | layer from 78069, 0701: flowering, but flowers damage |
| 188 | | 77335 | 3 | Rhododendron (orbiculare x 'Metternianum') x 1 | | | 17 | dho | A | K | good plant, but messy colour, 1307: layer of original p |
| 188 | | 17264 | 4 | Rhododendron phaeochrysum | x | 1 | 17 | wld | | | |
| 188 | | 86135 | 4 | Rhododendron 'Polaris' ('Omega' x yakushmanum) x | | | 06 | div | ? | | ex stand allemand Florales Gant.1985, Hachmann sele |
| 188 | | 02121 | 4 | Rhododendron 'Romany Chal' ('Moser's Maroon' x fac | | | 05 | pds | B | | layer from Hkrd #78098, 06: missing, 1705: back to sta |
| 188 | | 12003 | 4 | Rhododendron 'Santiago' ('Hachmann's Polaris' x rex f | | | 15 | div | | | arboreum.be, Marc Reuling, 1801: cut, was dead |
| 188 | | 06008 | 4 | Sequoia sempervirens | x | 1 | 09 | spo | | | spo sdlg in A |
| 188 | | 06009 | 4 | Sequoia sempervirens | x | 1 | 09 | spo | | | spo sdlg in A, 1007: stem damaged by bamboo, 14: bac |
| 188 | | 89160 | 4 | Sequoia sempervirens | x | 1 | 89 | pds | | T | One of 50 sdlg,raised from 71009 |
| 189 | * | 00223 | 4 | Enkianthus campanulatus | x | 1 | 00 | pds | B | | cttg. of 81283/spi, 99:moved to 227, (previously one of |
| 189 | | 00507 | 4 | Enkianthus campanulatus 'Hollandia' x 1 | | | 03 | bul | | | |
| 189 | | 00508 | 4 | Enkianthus campanulatus var. palibinii x 1 | | | 03 | bul | | | 06: very similar to 'Hollandia' 00507, is probably that c |
| 189 | | 99241 | 3 | Enkianthus campanulatus var. palibinii x 1 | | | 02 | wis | | | 1705: from 4 to status 3 |
| 189 | | 08190 | 3 | Enkianthus (campanulatus x perulatus) x 1 | | | 10 | bur | H | | 130607: not perulatus as per invoice (see mail Joke), 1 |
| 189 | | 01301 | 3 | Enkianthus campanulatus 'Ruby Glow' x 1 | | | 04 | bul | | | 131123: good aut. col. 1705: from 4 to status 3 |
| 189 | | 00510 | 4 | Enkianthus campanulatus var. sikokianus | x | 1 | 01 | bul | | | |
| 189 | | 00512 | 4 | Enkianthus campanulatus 'Wallaby' x 1 | | | 03 | bul | | | |
| 189 | * | 92858 | 4 | Enkianthus cernuus f. rubens | x | 1 | 03 | pds | | | Sd.#1510 Ex Kyoto BG.#547, 03: moved this plant fro |
| 189 | | 00513 | 4 | Enkianthus chinensis | x | 1 | 03 | bul | | | |
| 189 | | 93096 | 4 | Enkianthus chinensis | x | 1 | 02 | waa | | | 94:only one left ? 98: pl-b,last,very good autumn colou |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|----|----------|-------|-----|----|---|--|
| 189 | | 99212 | 4 | Enkianthus chinensis | x | 3 | 00 | pds | | ? | Cttg 5309 from 85390 or 81282, 1405: not at all like th |
| 189 | | 03058 | 4 | Enkianthus deflexus (AA) | x | 1 | 03 | pds | | | Cttg 5784 ex Arnold Arboretum, 1106: status 2, scale i |
| 189 | | 99214 | 4 | Enkianthus deflexus (AA) | x | 1 | 00 | pds | | | Cttg 5784 ex Arnold arboretum on Busey Hill possibl |
| 189 | | 12373 | 2 | Prunus sp. | x | 1 | 12 | wld | | ? | |
| 189 | | 00261 | 4 | Quercus myrsinifolia | x | 1 | 00 | pds | A | | sd #4666 from MAG.SOC.sdex1994#?, 09: survived th |
| 189 | * | 88303 | 4 | Rhododendron brachycarpum subsp. fauriei | x | 1 | * 05 | wld | A | | |
| 189 | | 99175 | 3 | Rhododendron faberi | x | 1 | 03 | pds | | | layer of 78155, 1706: from 4 to status 3, had to cut som |
| 189 | | 03019 | 4 | Rhododendron fortunei subsp. discolor Houlstonii | Gr | | 03 | pds | A | | cttg #5321 from Hkrd #78163 |
| 189 | | 91590 | 4 | Rhododendron 'Lissabon' ('Nova Zembla' x williamsia | | | 02 | waa | B+ | | |
| 189 | | 05117 | 4 | Rhododendron 'Mountain Marriage' (maximum x yak | | | 09 | dcl | A+ | | gift Antoon De Clercq |
| 189 | | 77051 | 4 | Rhododendron oreodoxa var. fargesii | x | 1 | 00 | hil | A | V | */00:moved to 227 a more shady plot than its original L |
| 189 | * | 92680 | 4 | Rhododendron traillianum var. dictyotum | x | 1 | * 00 | goo | B+ | | graft 84040, gift from Goossens, 01:flwrg beautifully, |
| 190 | | 07305 | 4 | Pinus nigra subsp. laricio | x | 142 | 07 | div | | V | 100 Pines planted in the 190's, from Op de Beeck as 'C |
| 190 | | 06237 | 4 | Pseudotsuga menziesii | x | 50 | 06 | div | | | 50 Douglas planted in the 190's; 09: I guess this is the s |
| 191 | | 03241 | 4 | Carya myristiciformis | x | 1 | 08 | nie | | V | USA, wld collected? |
| 191 | | 06110 | 4 | Magnolia 'Advance' ('Burgundy' x 'Vulcan') | x | 1 | 09 | rut | | | 1105: status 2, dry and lvs shriveled, 1406: back to stat |
| 191 | | 05281 | 3 | Magnolia ('Miss Honeybee' x sargentiana var. robusta | | | 09 | rut | | K | 160421: not bad, big flowers, late, pink with a touch of |
| 191 | | 07090 | 3 | Magnolia 'Snowgoose' | x | 1 | 08 | rut | | | gift Catharien Rutten, no info, 1210: untidy habit, all si |
| 191 | | 09487 | 4 | Rhododendron alutaceum var. russotinctum Triplonae | | | 13 | ggd | A | | |
| 191 | | 09491 | 2 | Rhododendron bhutanense | x | 1 | 13 | ggd | A | | 1712: dying, probably summer droughth, from 4 to statu |
| 191 | | 09495 | 3 | Rhododendron bhutanense | x | 1 | 15 | ggd | | | (deep pink), 1705: from 4 to status 3 (frost) |
| 191 | | 09498 | 4 | Rhododendron bureavii | x | 1 | 13 | ggd | | C | |
| 191 | | 09499 | 4 | Rhododendron bureavii | x | 1 | 13 | ggd | | | |
| 191 | | 09501 | 4 | Rhododendron bureavii 'Ardrishaig' | x | 1 | 13 | ggd | | | |
| 191 | | 09502 | 4 | Rhododendron bureavii 'Ardrishaig' | x | 1 | 13 | ggd | | | |
| 191 | | 10381 | 4 | Rhododendron clementinae | x | 1 | 14 | ggd | | | |
| 191 | | 10382 | 4 | Rhododendron clementinae subsp. aureodorsale | x | 1 | 15 | ggd | | | |
| 191 | | 10383 | 4 | Rhododendron clementinae subsp. aureodorsale | x | 1 | 17 | ggd | | | |
| 191 | | 07260 | 4 | Rhododendron coeloneuron | x | 1 | 11 | wld | B+ | | |
| 191 | | 07261 | 4 | Rhododendron coeloneuron | x | 1 | 11 | wld | B+ | | |
| 191 | | 07262 | 4 | Rhododendron coeloneuron | x | 1 | 11 | wld | | | |
| 191 | | 18081 | 3 | Rhododendron przewalskii | x | 1 | 18 | wld | | | |
| 191 | | 13339 | 3 | Rhododendron sphaeroblastum | x | 1 | 17 | ggd | | | (C12529) |
| 191 | | 13340 | 4 | Rhododendron sphaeroblastum | x | 1 | 17 | ggd | | | (C12529) |
| 191 | | 13344 | 4 | Rhododendron sphaeroblastum var. wumengense | x | 1 | 17 | ggd | | | (JN) |
| 191 | | 09503 | 4 | Rhododendron taliense | x | 1 | 13 | ggd | A | | |
| 191 | | 09504 | 4 | Rhododendron taliense | x | 1 | 13 | ggd | A | | |
| 191 | | 10395 | 4 | Rhododendron taliense | x | 1 | 13 | ggd | | | |
| 191 | | 13061 | 4 | Rhododendron taliense | x | 1 | 13 | wld | | V | |
| 191 | | 13062 | 4 | Rhododendron taliense | x | 1 | 13 | wld | | V | |
| 191 | * | 03307 | 4 | Rhododendron traillianum | x | 1 | * 12 | wld | A | | |
| 191 | * | 92682 | 4 | Rhododendron wasonii | x | 1 | * 12 | goo | B+ | | Graft from 78126, by Mr.Goossens |
| 191 | ** | 08569 | 2 | Rhododendron wiltonii | x | 1 | ** 18 | ggd | | | 1407: wonderful plant! 1712: st.2, too crowded in 468, |
| 192 | | 06050 | 4 | Acer velutinum | x | 1 | 07 | pds | | V | sd #6624 hort BG Tbilissi! |
| 192 | | 18082 | 4 | Betula chichibuensis | x | 1 | 18 | wld | | | |
| 192 | | 10401 | 3 | Enkianthus campanulatus var. palibinii | x | 1 | 14 | ggd | | | 1705: from 4 to status 3 |
| 192 | | 10402 | 3 | Enkianthus campanulatus var. palibinii | x | 1 | 14 | ggd | | | 1705: from 4 to status 3 |
| 192 | | 10403 | 2 | Enkianthus campanulatus var. palibinii | x | 1 | 14 | ggd | | | 1706: st.2, hit by frost and scale insects, pruned |
| 192 | | 98822 | 3 | Magnolia ('David Clulow' x sprengeri var. elongata) | x | | 06 | pds | | K | from #98137-E, see there for more info, 1705: from 4 t |
| 192 | | 95278 | 4 | Prunus takesimensis | x | 1 | 95 | pds | | V | sd.#3274 from Chollipo Arboretum 95:1/4 died, 99:pl- |
| 192 | * | 94284 | 4 | Quercus acutissima | x | 1 | * 07 | wld | | | |
| 192 | | 17222 | 4 | Rhododendron arboreum subsp. cinnamomeum | x | 1 | 17 | wld | | ? | |
| 192 | | 12027 | 4 | Rhododendron argyrophyllum | x | 1 | 12 | wld | | B | |
| 192 | | 16038 | 4 | Rhododendron argyrophyllum | x | 1 | 16 | wld | | | |
| 192 | * | 89373 | 4 | Rhododendron argyrophyllum | x | 1 | * 14 | ggd | A+ | | */(Nankingense), 97:A+ one single flower, 060429:se |
| 192 | | 15101 | 3 | Rhododendron formosanum | x | 1 | 15 | pds | | | layer of HKRD #83400, 1705: from 2 up to status 3 |
| 192 | | 08479 | 1 | Rhododendron insigne | x | 1 | 16 | ggd | A | | 1703: st.1 |
| 192 | | 10338 | 4 | Rhododendron longipes | x | 1 | 17 | ggd | | | 1307: back to status 4 |
| 193 | | 96290 | 4 | Alnus crispa | x | 1 | 07 | wld | | | |
| 193 | | 12023 | 3 | Carya glabra var. megacarpa | x | 1 | 12 | wld | | | |
| 193 | | 04287 | 4 | Fagus grandifolia | x | 1 | 10 | wld | | | |
| 193 | | 07086 | 4 | Magnolia 'Ghost Ship' | x | 1 | 08 | rut | | | gift Catharien Rutten, 110501: not a denudata, much to |
| 193 | | 08218 | 4 | Nothofagus betuloides | x | 1 | 15 | bur | B | | 09:A, 1006: but less happy now, 1211: status 2, not a s |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|-------|-------|--------------------|---|---|----------|-----|-----|----|-------------------------------------|--|
| 193 | | 18083 | 4 | Quercus aliena | x | 1 | 18 | wld | ? | | |
| 193 | | 13310 | 4 | Rhododendron lacteum | x | 1 | 17 | ggd | ? | (JN) | |
| 193 | | 13331 | 4 | Rhododendron qiaojiaense | x | 1 | 15 | ggd | | (NNO 903), 1705: from 3 to status 4 | |
| 193 | * | 05118 | 2 | Rhododendron roxieanum var. cucullatum aff. | x | 1 | 13 | dcl | A | C | graft by Antoon De Clercq of our #86099, see there for |
| 193 | | 08558 | 4 | Rhododendron roxieanum var. oreonastes | x | 1 | 16 | ggd | A | | |
| 193 | | 08559 | 4 | Rhododendron roxieanum var. oreonastes | x | 1 | 16 | ggd | A | | |
| 193 | * | 81230 | 4 | Rhododendron roxieanum var. oreonastes | x | 1 | 14 | spi | A | ? | 89: var. roxieanum says Jan De Langhe, verify, 90:dry |
| 194 | | 10067 | 3 | Phellodendron amurense var. sachalinense | x | 1 | 10 | wld | B | | |
| 194 | | 07041 | 2 | Quercus x streimii 'Kortrijk' | x | 1 | 10 | pav | | | (petraea x pubescens), 1706: st.2 after April spring fros |
| 194 | | 09311 | 4 | Rhododendron arboreum subsp. cinnamomeum | x | 1 | 13 | ggd | C | | |
| 194 | | 14221 | 4 | Rhododendron arboreum subsp. cinnamomeum | x | 1 | 14 | wld | ? | | |
| 194 | | 10335 | 4 | Rhododendron coeloneuron | x | 1 | 13 | ggd | | | 180408: flwrg profusely |
| 194 | | 13312 | 4 | Rhododendron lacteum | x | 1 | 17 | ggd | ? | (JN) | |
| 194 | | 10337 | 4 | Rhododendron longipes | x | 1 | 13 | ggd | | | |
| 194 | | 09316 | 3 | Rhododendron niveum | x | 1 | 15 | ggd | D | | 1705: from 4 to status 3 (frost), 180408: one flower, ty |
| 194 | | 09318 | 3 | Rhododendron niveum | x | 1 | 15 | ggd | C | | 1705: from 4 to status 3 (frost) |
| 194 | | 10340 | 4 | Rhododendron thayerianum | x | 1 | 13 | ggd | | | |
| 195 | | 12048 | 4 | Acer negundo 'Winter Lightning' | x | 1 | 13 | esv | | | |
| 195 | | 92446 | 4 | Carya illinoensis | x | 1 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk |
| 195 | | 92447 | 4 | Carya illinoensis | x | 1 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk |
| 195 | | 92448 | 4 | Carya illinoensis | x | 1 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk, 0 |
| 195 | AA189 | 4 | Fraxinus excelsior | x | 1 | ?? | div | | | | BDB #29628, 00:received 200 kg of chalk !! 1111: Ar |
| 195 | | 14279 | 3 | Magnolia 'Pickard's Garnet' | x | 1 | 14 | pds | | | cttg. #7819 from HKRD #85088 |
| 195 | | 18084 | 4 | Prunus sargentii | x | 1 | 18 | wld | | | |
| 195 | AA344 | 4 | Quercus robur | x | 1 | ?? | div | | | | 160410: accessed because it is so early in leaf this year, |
| 195 | | 09314 | 4 | Rhododendron niveum | x | 1 | 15 | ggd | D | | |
| 195 | | 84751 | 4 | Rhododendron 'Olga' ('Mrs Lindsay Smith x Dido Gr) | | | 03 | reu | A | | |
| 196 | * | 97037 | 4 | Quercus serrata 'Herkenrode' | x | 1 | 97 | wld | C | | |
| 201 | | 16132 | 3 | Abies cilicica subsp. isaurica | x | 1 | 16 | wld | | | |
| 201 | | 98429 | 4 | Ilex aquifolium 'Aurea Marginata Fructu Lutea' | x | 1 | 98 | vml | | | */Bokrijk 98042; 0302: fruits pale orange, not 'luteo'; 0 |
| 201 | | 98414 | 4 | Ilex aquifolium 'Ingramii' | x | 1 | 98 | vml | ? | | (syn. 'Silver Dust'), Bokrijk 8734, very similar, poss.sy |
| 201 | | 98424 | 4 | Ilex aquifolium 'Repanda' | x | 1 | 98 | vml | | | Bokrijk 96008 |
| 201 | | 98431 | 4 | Ilex aquifolium 'Weeping Golden Milkmaid' | x | 1 | 98 | vml | | | Bokrijk 98045 |
| 201 | | 98417 | 4 | Ilex x aquipernyi 'Wieman's Pacific Queen' | x | 1 | 98 | vml | | | Bokrijk 92187 |
| 201 | | 18154 | 4 | Ilex spinigera | x | 1 | 18 | wld | | | |
| 201 | | 96167 | 3 | Magnolia 'Cecil Nice' (denudata x sargent.) | x | 1 | 97 | div | | | purchased at Magnolia auction, 1996, 98:one of two ste |
| 201 | | 18042 | 4 | Magnolia dawsoniana 'Clarke' | x | 1 | 18 | ver | | | gift #14019 |
| 201 | | 85085 | 3 | Magnolia dawsoniana 'Strybing' | x | 1 | 87 | eis | A | ? | */91/4:D,could be stock !! 96/10:plenty Armillaria arou |
| 201 | | 01081 | 4 | Magnolia grandiflora | x | 1 | 01 | pds | | | Cttg f5788 rom Hkrd # 74004 |
| 201 | | 07047 | 4 | Magnolia grandiflora | x | 1 | 07 | pds | | | prop #7225, Cttg Hkrd 74004 |
| 201 | | 95378 | 4 | Magnolia grandiflora 'Saint George' | x | 1 | 96 | div | | | gift from NL.Keuringskomitee on their visit 11.9.95, 00 |
| 201 | | 96178 | 4 | Magnolia grandiflora 'Samuel Sommer' | x | 1 | 98 | rut | B+ | | BDB #31174, gift from Rutten, 99/1:new growth hit by |
| 201 | | 14015 | 3 | Magnolia macrophylla | x | 1 | 14 | wld | | | |
| 201 | | 84689 | 4 | Magnolia 'Maryland' (grandiflora x virginiana) | x | 1 | 88 | spi | D | | (85:D) much more hardy than M. grandiflora; 0302: so |
| 201 | | 13213 | 2 | Magnolia officinalis | x | 1 | 13 | div | | | sd. #9841 via Francine Riez, Shanghai BG, IS2007 #19 |
| 201 | | 07123 | 2 | Magnolia officinalis var. biloba | x | 1 | 07 | pds | | | sd. #7684 from cross 02/160, 74008, selfed, 1705: st.2 |
| 201 | | 13022 | 3 | Magnolia (sieboldii 'Colossus' x grandiflora) | x | 1 | 13 | pds | K | | seed #7409 and cross by Frank Galyon, see his letter, 0 |
| 201 | | 17281 | 4 | Magnolia (sieboldii 'Colossus' x grandiflora 'Kay Parri | | | 17 | div | K | | #10807, gift Michael Gottschalk, Ledvina cross, #CD-5 |
| 201 | | 86569 | 4 | Magnolia x thompsoniana (virginiana x tripetala) | x | 1 | 88 | pds | | | cttg 82164; 030203: leggy plant, weeping branches, pr |
| 201 | | 08243 | 4 | Magnolia tripetala 'Bloomfield' | x | 1 | 12 | rut | | | 1608: this vigorous cv is most probably hybrid (with o |
| 201 | | 86572 | 4 | Magnolia virginiana | x | 1 | 95 | pds | | | */cttg 82165? , 97:could be that plant without label aga |
| 201 | | 92720 | 3 | Magnolia virginiana | x | 1 | 95 | vml | T | | ex-Bokrijk plant, 1707: remains st.3 |
| 201 | | 92723 | 3 | Magnolia virginiana | x | 1 | 95 | vml | T | | ex-Bokrijk plant |
| 201 | | 92724 | 4 | Magnolia virginiana | x | 1 | 95 | vml | T | | ex-Bokrijk plant |
| 201 | | 97186 | 4 | Magnolia virginiana 'Havener' | x | 1 | 00 | rut | | | |
| 202 | | 01207 | 3 | Magnolia 'Aashild Kalleberg' | x | 1 | 02 | rut | | | */0405: big leaves, outer tepals bending completely, tri |
| 202 | * | 84545 | 3 | Magnolia 'Charles Coates' (sieboldii x tripetala) | x | 1 | 86 | hil | A | | 0302: many rubbing branches causing sometimes major |
| 202 | | 06216 | 4 | Magnolia x thompsoniana 'Olmenhof' | x | 1 | 09 | ver | | | 1307: roe deer damage at lower branches, otherwise ok, |
| 202 | | 87092 | 3 | Magnolia tripetala | x | 1 | 88 | hil | A | | 98: rose coloured fruits; 020808: large frost wound!, 04 |
| 202 | * | 01065 | 4 | Magnolia virginiana var. australis | x | 1 | 01 | pds | | | cttg 5774 from unknown Hkrd pl ! 05: is indeed a good |
| 202 | * | 92247 | 2 | Magnolia x wieseneri (obovata x sieboldii) | x | 1 | 93 | spi | | | */98:superb, healthy and flowering with beautiful pink |
| 202 | * | 84340 | 4 | Malus sargentii | x | 1 | 84 | esv | A | T | 0302: shaved, was becoming very wide |
| 202 | | 13369 | 4 | Pinus pinea | x | 1 | 15 | div | ? | | gift garden party, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|---|---|---|
| 202 | | 04036 | 4 | Quercus x hispanica 'Fulhamensis' | x | 1 | 04 | vpl | B | V | */0803: not Quercus x kewensis as per invoice, see mai |
| 202 | | 98031 | 4 | Styphnolobium japonicum 'Pendulum' | x | 1 | 98 | vpl | | | 02: a lot of dead wood, esp. at the end of branches, due |
| 203 | | 16133 | 2 | Abies cilicica subsp. cilicica | x | 1 | 16 | wld | C | | |
| 203 | * | 09206 | 3 | Abies kawakamii | x | 1 | 14 | wld | | V | |
| 203 | * | 94015 | 4 | Abies koreana | x | 1 | 02 | pds | | V | */Sd HKR#1801from Chollipo sd.exch.1987/178, 99:1 |
| 203 | | 18013 | 4 | Abies lasiocarpa | x | 1 | 18 | wld | | | |
| 203 | * | 95311 | 4 | Betula szechuanica | x | 1 | 96 | wld | | V | |
| 203 | | 98462 | 4 | Ilex x attenuata 'Tanager' | x | 1 | 98 | vml | | | Female, Bokrijk 98218 |
| 203 | | 99236 | 4 | Magnolia biondii | x | 1 | 01 | wis | | V | gift from Allan Coombes, 070301: one flower, seems c |
| 203 | | 89472 | 4 | Magnolia cylindrica | x | 1 | 94 | wld | | | |
| 203 | * | 92021 | 4 | Magnolia cylindrica (Arnold 652-90) | x | 1 | 94 | arn | | V | */ "not M. amoena" says someone, from Arnold Arbore |
| 203 | | 14280 | 4 | Magnolia fraseri | x | 1 | 14 | pds | | | sd. #9225, cross 06/35, 060512, 93251 x 93251, selfed, |
| 203 | * | 90108 | 4 | Magnolia x kewensis 'Iufer' | x | 1 | 93 | eis | | | */96/8:very dry , 98:very yellow, suddenly ! 99/3: not |
| 203 | | 14065 | 4 | Magnolia kobus 'Isis' | x | 1 | 15 | div | | | gift Gerbert Klein Wassink, fastigate selection from H |
| 203 | * | 84331 | 4 | Magnolia kobus 'Norman Gould' | x | 1 | 84 | esv | A | | 0410: a lot of dead wood, reduced evaluation to 1 *, 10 |
| 203 | | 11140 | 4 | Magnolia kobus 'Pseudokobus' | x | 1 | 11 | ver | | | gift #10714 as pseudokobus 'Abe et Akasawa' but these |
| 203 | | 97181 | 4 | Magnolia x loebneri 'Raspberry Fun' | x | 1 | 02 | rut | | | |
| 203 | * | 85087 | 3 | Magnolia 'Pegasus' (cylindrica x denudata) | x | 1 | 87 | eis | A | T | */tree form,but seed very different from others in same |
| 203 | | 97183 | 4 | Magnolia x proctoriana 'Gloster form' | x | 1 | 00 | rut | | ? | 1004: disappointing, could eventually go..., 1406: look |
| 203 | | 92560 | 4 | Magnolia salicifolia 'Miss Jack' (hybrid) | x | 1 | 93 | waa | | H | */Sepals open all crinkled as if they were too tight in t |
| 203 | ** | 85078 | 4 | Magnolia stellata 'Centennial' | x | 1 | 87 | eis | A | | previously 'Harvard Centennial', 99/3/18: most advance |
| 203 | | 89109 | 4 | Magnolia stellata 'Chrysanthemiflora' | x | 1 | 89 | waa | | | 95: not very vigorous/healthy charming flwr., 99:has goo |
| 203 | | 93139 | 4 | Magnolia stellata 'Kikuzaki' | x | 1 | 94 | waa | | ? | 97/3 : disappointing, a small stellata with short sepals, |
| 203 | | 85077 | 4 | Magnolia stellata 'King Rosea' | x | 1 | 87 | eis | A | | |
| 203 | | 06169 | 4 | Magnolia virginiana 'Pink Halo' | x | 1 | 08 | rut | | | |
| 203 | | 15074 | 3 | Magnolia x wieseneri (obovata x sieboldii) | x | 1 | 15 | pds | | | sd. #12558 of Magnolia x wieseneri (Tetraploid) (Kehr |
| 203 | | 04459 | 3 | Magnolia zenii | x | 1 | 14 | dcl | | | graft from my gift (a ctg) to Het Leen from HKRD #89 |
| 203 | | 10183 | 4 | Pinus pinaster | x | 1 | 10 | wld | | V | |
| 204 | * | 95415 | 4 | Abies x borisii-regis | x | 1 | 06 | wld | | V | |
| 204 | | 18014 | 4 | Abies lasiocarpa | x | 1 | 18 | wld | | | |
| 204 | ** | 08222 | 4 | Abies pinsapo var. pinsapo | x | 1 | 14 | wld | | | |
| 204 | | 98442 | 4 | Ilex opaca 'Cave Hill No. 1' | x | 1 | 98 | vml | | | Female, Bokrijk 98082, 1311: good fruiting |
| 204 | * | 98435 | 4 | Ilex 'Sambeau' | x | 1 | 98 | vml | | | */Bokrijk 98057, 021028: rcvd as Ilex opaca 'Sambeau' |
| 204 | | 15197 | 1 | Magnolia biondii | x | 1 | 15 | wld | | | |
| 204 | | 90033 | 3 | Magnolia 'Bjuv' (cylindrica x) | x | 1 | 90 | pds | | V | Cttg #1414 .fr.Bjuv pl..received as cylindrica "the real t |
| 204 | | 95384 | 4 | Magnolia 'Gold Star' ('Miss Honeybee' x stellata 'Rubr | | | 98 | rut | | | gift Mr Rutten, |
| 204 | * | 92555 | 4 | Magnolia x kewensis 'Parsons Clone' | x | 1 | 93 | waa | | ? | 94:6-7 petals, a M. kobus ? or wrong CV or not a stella |
| 204 | | 96008 | 4 | Magnolia kobus 'Janaki Ammal' | x | 1 | 00 | pds | | V | Cttg.4486 fr.92571, 070927: beautiful red seeds |
| 204 | | 12272 | 4 | Magnolia 'Lemon Star' (acuminata x 'Norman Gould') | | | 12 | ver | | | prop #11106 |
| 204 | | 86310 | 4 | Magnolia x loebneri 'Ballerina' | x | 1 | 87 | esv | ? | | 91/4:spring frost, 1004: ideally would be cut, is too tall |
| 204 | | 98473 | 4 | Magnolia x loebneri 'Donna' | x | 1 | 99 | rut | | | 98:defoliated by slugs, |
| 204 | | 06121 | 4 | Magnolia x loebneri 'Encore' | x | 1 | 08 | rut | | | 0802: incredible all these flower buds! |
| 204 | ** | 84681 | 4 | Magnolia x loebneri 'Leonard Messel' | x | 1 | 86 | spi | B | T | superb flwrg, hardy, longlasting flw._01:lost one big br |
| 204 | ** | 97184 | 4 | Magnolia x loebneri 'Mag's Pirouette' | x | 1 | 99 | rut | | | ('Ballerina' seedling) |
| 204 | | 03129 | 4 | Magnolia x loebneri 'Merrill' | x | 1 | 05 | dev | | ? | 0703:seems to have too many tepals for Merrill |
| 204 | | 99022 | 4 | Magnolia x loebneri 'Powder Puff' | x | 1 | 00 | pds | | | Cttg 4731Hkrd |
| 204 | | 13112 | 4 | Magnolia salicifolia | x | 1 | 13 | wld | | | |
| 204 | | 14173 | 2 | Magnolia salicifolia | x | 1 | 14 | wld | | | |
| 204 | | 91235 | 3 | Magnolia sprengeri var. elongata | x | 1 | 93 | eis | | V | */grafted plant, 96:first flower only 9 tepals,(this was st |
| 204 | * | 90016 | 4 | Magnolia stellata 'Chrysanthemiflora' | x | 1 | 93 | rut | | | 95: not very vigorous/healthy, but charming flwr., Rutte |
| 204 | * | 90098 | 4 | Magnolia stellata 'Jane Platt' | x | 1 | 92 | eis | | | 97/3/27 : one of the best pink stellata, somewhat like 'C |
| 204 | | 01241 | 4 | Magnolia stellata 'Keiskei Plena' | x | 1 | 03 | rut | | | |
| 204 | | 96007 | 4 | Magnolia stellata 'Kikuzaki' | x | 1 | 98 | pds | | ? | Cttg.#4489 fr.93139, 0503: young flower buds sl. pink |
| 204 | ** | 87057 | 4 | Magnolia stellata 'Rosea' (best clone) | x | 1 | 88 | eis | | ? | */97:not stellata 'Rosea, not flwrg, possibly stock , late |
| 204 | * | 84332 | 4 | Magnolia stellata 'Royal Star' | x | 1 | 86 | esv | A | | |
| 204 | | 03209 | 4 | Magnolia stellata 'Shi Banchi Rosea' | x | 1 | 05 | rut | | | |
| 204 | | 18188 | 4 | Prunus 'Kursar' (campanulata x nipponica var. kurilen | | | 18 | ver | | | #15067; graft of our 92732 |
| 204 | | 10068 | 4 | Staphylea bumalda | x | 1 | 10 | wld | | | |
| 204 | | 10069 | 4 | Staphylea trifolia | x | 1 | 10 | wld | | | |
| 204 | * | 84738 | 4 | Tsuga mertensiana | x | 1 | 95 | div | B | V | |
| 205 | | 92830 | 4 | Ilex opaca 'Big Mack' | x | 1 | 95 | vml | | | Female, gift fr.Bokrijk, 1311: good fruiting |
| 205 | | 92832 | 4 | Ilex opaca 'Cheerful' | x | 1 | 95 | vml | | | Female, gift fr.Bokrijk, 0606: good flowering, 1311: g |
| 205 | | 92745 | 4 | Ilex opaca 'Longwood Gardens' | x | 1 | 95 | vml | | | Female, yellow drupes gift fr.Bokrijk, 1311: good fruit |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|----|--|
| 205 | | 92747 | 4 | Ilex opaca 'Red Flush' | x | 1 | 95 | vml | | | Female, gift fr.Bokrijk, 1311: good fruiting |
| 205 | | 01224 | 4 | Magnolia x loebneri 'Lesley Jane' | x | 1 | 03 | rut | | | 091111: excellent late deep yellow aut. col., 160113: fl |
| 205 | ** | 90096 | 4 | Magnolia x loebneri 'Spring Snow' | x | 1 | 92 | eis | | ** | lovely colour, slightly greenish, 1004: continuously flo |
| 205 | | 02222 | 4 | Magnolia stellata 'Alixed' | x | 1 | 03 | rut | | | 0608: very big wound near base, mower (Stefan on holi |
| 205 | | 86143 | 4 | Magnolia stellata 'Dr. Massey' | x | 1 | 86 | eis | ? | | 97: modest, tabular shaped pl., small pink flwrs on top |
| 206 | | 98425 | 4 | Ilex x aquipernyi 'Wieman's Oriental Queen' | x | 1 | 98 | vml | | | Bokrijk 96015 |
| 206 | | 98437 | 4 | Ilex 'Emily Bruner' (cornuta x latifolia) | x | 1 | 98 | vml | | | Bokrijk 98070, female parent was I.c. 'Burfordii'; |
| 206 | | 98426 | 4 | Ilex 'William Cowgill' (cornuta x ciliospinosa) | x | 1 | 98 | vml | | | Bokrijk 96020, 1210: is a grafted plant; had to remove |
| 206 | | 15169 | 3 | Magnolia 'Anne Rosse' (denudata x sargentiana var. r | | | 15 | ver | | | #12877, graft of our Magnolia 'Anne Rosse' (denud. x s |
| 206 | | 99046 | 3 | Magnolia 'Eleanor May' (soulangeana x campanulata) | | | 99 | rut | | | 070312: good dark flowers, a bit cup and saucer, early, |
| 206 | | 96158 | 4 | Magnolia grandiflora 'Bracken's Brown Beauty' | x | 1 | 98 | div | | | BDB #31175, 96:gift from August Kehr 030204: main |
| 206 | | 87308 | 3 | Magnolia 'Hot Lips' (mollicomata x) | | | 97 | pds | | | mollicomata x sprengeri or x soulangeana?, ctg.#903, f |
| 206 | | 84301 | 3 | Magnolia 'Hot Pants' | x | 1 | 86 | esv | C | | */sold by Esveld as mollicomata ! 94/4:one small flwr. |
| 206 | * | 85088 | 3 | Magnolia 'Pickard's Garnet' | x | 1 | 88 | eis | A | V | not M.Spreng.'Th.Messel' as per invoice ! 1705: from 4 |
| 206 | * | 84323 | 3 | Magnolia 'Purple Breeze' (sargentiana hybrid ?) | x | 1 | 86 | esv | B | | */95/3: first massive flwrg, good flwrs deep pink-purpl |
| 206 | * | 05020 | 4 | Magnolia virginiana var. australis | x | 1 | 05 | pds | A+ | V | */sd. #6441, sd from Magn.Soc.Sd.Exch 2001, from H |
| 207 | | 88038 | 4 | Halesia carolina | x | 1 | 88 | pds | | V | my #0201,cttg.of 74107/B |
| 207 | * | 85062 | 4 | Magnolia 'Royal Crown' (liliiflora x veitchii) | x | 1 | 87 | eis | A | T | 99:many rotten and frozen flower buds this year, 02: lo |
| 207 | | 01237 | 2 | Magnolia sargentiana var. robusta | x | 1 | 02 | rut | | | 02: leader lost by frost, 0406: leader broke off, leaves b |
| 207 | * | 90115 | 4 | Magnolia 'Spectrum' (liliiflora 'Nigra' x sprengeri 'Div | | | 99 | eis | | V | 99:moved away from yellows ! 02: many spontaneous f |
| 207 | ** | 84329 | 4 | Magnolia sprengeri var. sprengeri | x | 1 | 86 | esv | A | V | */91:ringed by rabbits, good flwrg fl:17.3.90,super perf |
| 207 | | 14254 | 4 | Pinus koraiensis | x | 1 | 14 | wld | | | |
| 208 | | 03227 | 4 | Abies lasiocarpa var. arizonica | x | 1 | 05 | wld | | V | |
| 208 | | 92696 | 4 | Carya cordiformis | x | 1 | 92 | pds | | V | Sd.HKRD #3196 from seed from Schumacher Mass, b |
| 208 | | 18155 | 4 | Fagus engleriana | x | 1 | 18 | ver | | | graft #12870 of our #83173 |
| 208 | | 13031 | 4 | Magnolia 'Coral Lake' ('Legend' x 'Butterflies') | x | 1 | 13 | ver | | | gift #11110 |
| 208 | * | 92835 | 3 | Magnolia 'Daybreak' ('Woodsmen' x 'Tina Durio') | x | 1 | 92 | div | | | gift from A. Kehr to B.Dendr.S on our visit to his home |
| 208 | | 03207 | 3 | Magnolia 'Peachy' (acum. 'Fertile Myrtle' x 'Diva') | x | 1 | 05 | rut | | | 1006: excellent upright regular shape, 110410: interesti |
| 208 | | 11148 | 3 | Magnolia 'Purple Star' ('Bjuv' x 'Purple Breeze') | x | 1 | 11 | ver | | | gift #10719, graft of our #02552, 1705: from 4 to status |
| 208 | | 85070 | 3 | Magnolia 'Raspberry Ice' (Gresham) | x | 1 | 87 | eis | A | | flwrs very similar to Heaven Scent! 02: many older bar |
| 208 | | 89475 | 4 | Magnolia 'Serene' (liliiflora x 'Mark Jury') | x | 1 | 95 | pds | C | | ctg... fr.85092, 97: frozen to ground, new shoot lateral, |
| 208 | * | 84615 | 4 | Magnolia x soulangeana 'Brozzonii' | x | 1 | 86 | hil | A | | 90/4:C |
| 208 | | 84684 | 4 | Magnolia x soulangeana 'Lennei Alba' | x | 1 | 97 | spi | A | | 0406: unhappy and a lot of dead wood, to status 3, 070 |
| 208 | | 85056 | 4 | Magnolia 'Sulphur Cockatoo' ('L. Alba' x veitchii) | x | 1 | 87 | eis | A | | 90/4: C+, 99:flwrg see photo, 0409: leaves yellowish, s |
| 208 | * | 85051 | 3 | Magnolia 'Tina Durio' (veitchii x 'Lennei Alb.') | x | 1 | 86 | eis | A | | 90/4:C+, 91:vigorous, 1705: from 4 to status 3 (frost) |
| 208 | | 83005 | 4 | Pinus cembra | x | 1 | 88 | vpl | A | V | |
| 208 | | 84439 | 4 | Pinus cembra 'Compacta Glauca' | x | 1 | 88 | esv | A | | |
| 208 | | 11175 | 4 | Torreya californica | x | 1 | 11 | wld | | | |
| 208 | | 92388 | 3 | Torreya grandis | x | 1 | 01 | waa | | | */0301: looks better, but still some yellow lvs; 0305: lo |
| 208 | | 93112 | 3 | Torreya nucifera | x | 1 | 01 | waa | | V | */98:improving this year, still small not vigorous; 0301 |
| 208 | | 16110 | 3 | Torreya taxifolia | x | 1 | 16 | pds | | | prop #11136, see memo, 1705: from 4 to status 3 (yello |
| 208 | | 86120 | 3 | Tsuga mertensiana | x | 1 | 95 | ggd | ? | V | 95:2/3 pl.dry on moving, 08: 1 miserable specimen cut, |
| 209 | | 91658 | 4 | Abies pinsapo var. marocana aff. | x | 1 | 91 | waa | | V | Sd Arboretum des Barres, marocana aff., see plantcol d |
| 209 | | 13160 | 3 | Carya pallida | x | 1 | 13 | wld | | | |
| 209 | | 12404 | 4 | Carya tomentosa | x | 1 | 12 | wld | | | |
| 209 | | 84436 | 4 | Cedrus brevifolia | x | 1 | 88 | esv | B | | 92:slow,no vigour in shoot, 99:possibly affected by hig |
| 209 | | 03030 | 4 | Halesia diptera var. magniflora | x | 1 | 03 | pds | | V | sd. #5987 from Hkrd #94317 in 266 |
| 209 | | 05276 | 3 | Magnolia 'Apricot Brandy' (acuminata x sprengeri) | x | | 07 | rut | | | 1104: interesting flower colour, 1704: very floriferous t |
| 209 | | 98502 | 3 | Magnolia 'Big Dude' (sprengeri sprengeri x 'Picture') | | | 00 | div | | | unknown source, 0403: error, Big Dude instead of Full |
| 209 | | 16167 | 3 | Magnolia denudata 'Sleeping Beauty' | x | 1 | 16 | div | | | #10964, gift John Gallagher, (late flowering denudata), |
| 209 | | 84307 | 3 | Magnolia 'Manchu Fan' ('Lennei Alba' x veitchii) | x | 1 | 86 | esv | B | | 95:previously damaged, frost ? probably spring frost, n |
| 209 | | 84308 | 3 | Magnolia 'Peppermint Stick' (liliiflora x veitchii) | x | 1 | 86 | esv | B | T | 90/4:C , 97/5/20 spring frost, 97/8:many frostedbranc |
| 209 | | 01244 | 3 | Magnolia sprengeri 'Bucklands' | x | 1 | 03 | rut | | | */1103: touched by frost, more sensitive than wonderfu |
| 209 | | 10102 | 3 | Magnolia sprengeri 'Dark Diva' | x | 1 | 12 | rut | | | 170321: there is a touch of orange in these flowers as if |
| 209 | | 09029 | 3 | Magnolia sprengeri 'Diva' | x | 1 | 12 | bur | | | Charles Williams (Caerhays-Burncoose) did mention th |
| 209 | | 85063 | 4 | Magnolia 'Tiffany' (Gresham) | x | 1 | 87 | eis | C | | 89:dry,dirt pink, 90/4:C |
| 209 | | 92578 | 3 | Magnolia 'Winelight' (JG 15, Gresham) | x | 1 | 93 | waa | | | 1705: from 4 to status 3 (frost) |
| 209 | | 08043 | 4 | Magnolia zenii | x | 1 | 08 | pds | | | sd. #6440 from Magn.Soc.Sd.Exch 2001, from Chollip |
| 209 | | 84735 | 3 | Pinus jeffreyi | x | 1 | 88 | div | C | V | */sensitive to spring frosts ? 99: very yellow, chlorotic, |
| 209 | | 13368 | 4 | Pinus pinea | x | 1 | 15 | div | ? | | gift garden party, |
| 209 | | 12332 | 4 | Pinus taiwanensis | x | 1 | 12 | wld | ? | V | |
| 209 | * | 93171 | 4 | Pseudolarix amabilis | x | 1 | 93 | pds | | T | Sd #1225 from 1986 , KLMTH, 9907:good shoots after |
| 209 | * | 84370 | 4 | Quercus alba 'Laura' | x | 1 | 88 | esv | B | | BDB #33313, good autumn colour , 97:good healthy pl |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|---|---|---|
| 209 | | 87101 | 4 | Quercus x hispanica (cerris x suber) | x | 1 | 88 | hil | | | 011128:late to change, but no autumn colour (late yello |
| 209 | | 91113 | 4 | Quercus x libanerris (libani x cerris) | x | 1 | 91 | pds | | | sd.#1723 ex-Trompenburg, "Should be true from Sd." s |
| 210 | | 12448 | 4 | Aesculus glabra | x | 1 | 15 | wld | | | |
| 210 | | 17282 | 4 | Carpinus betulus 'Rockhampton Red' | x | 1 | 17 | pav | | | #13729, gift Dirk Benoit (Pavia), !!! NO PROPAGATI |
| 210 | | 18015 | 4 | Carpinus caroliniana 'Sentinel Dries' | x | 1 | 18 | ver | | | gift #14192, |
| 210 | | 15143 | 4 | Carpinus sp. | x | 1 | 15 | wld | | ? | |
| 210 | | 03292 | 4 | Carpinus stipulata | x | 1 | 05 | wld | | | |
| 210 | | 13161 | 3 | Carya tomentosa | x | 1 | 13 | wld | | | |
| 210 | | 15075 | 2 | Fraxinus baroniana | x | 1 | 15 | wld | | | |
| 210 | * | 96017 | 4 | Juglans nigra | x | 1 | 97 | pds | C | | */Sd.4615 fr. Jardin Bot.Liège ! possibly hbrd, _01:earl |
| 210 | | 13085 | 4 | Koelreuteria bipinnata | x | 1 | 13 | pds | V | | sd. #9988, Morris Arboretum, collected by PdS, |
| 210 | * | 00537 | 4 | Koelreuteria paniculata | x | 1 | 01 | bul | | | 0108:flowering, and at last a happy koelreuteria, on tha |
| 210 | | 93020 | 4 | Magnolia denudata | x | 1 | 93 | pds | T | | Sd.CLP.90/122, Hort.ex Arb., 97/3/27 : flwrg OK Type |
| 210 | | 89281 | 4 | Magnolia denudata (late form) | x | 1 | 92 | spi | | | 02: many older and recent bark splits |
| 210 | * | 85079 | 4 | Magnolia 'Forrest's Pink' | x | 1 | 87 | eis | A | T | (?Diva Hbrd thinks K.Flink) ,clearly not a denudata, W |
| 210 | | 10105 | 4 | Magnolia 'Genie' (x soulangeana x liliiflora) | x | 1 | 12 | rut | | | gift Vergeldt, 160414: is good this year, floriferous and |
| 210 | | 90173 | 4 | Magnolia x soulangeana 'Big Pink' | x | 1 | 93 | wav | ? | | */ this plant less vigorous than his ctg ofspring, but thi |
| 210 | | 84309 | 4 | Magnolia x soulangeana 'Picture' | x | 1 | 86 | esv | A | | 99:always one of the first to flower, but not this year: fr |
| 210 | | 86151 | 4 | Magnolia x soulangeana 'Picture Superba' | x | 1 | 88 | eis | ? | | 05: problem with name and not very interesting, may b |
| 210 | | 86311 | 3 | Magnolia x soulangeana 'Speciosa' | x | 1 | 93 | esv | ? | | 00:very pale in bud, Verify, 020219: two flowers visibl |
| 210 | * | 83188 | 4 | Magnolia x soulangeana 'Verbanica' | x | 1 | 87 | hil | A | ? | 'Rustica Rubra?', previously named 'Triumphans', 0504: |
| 210 | * | 85069 | 4 | Magnolia x soulangeana 'White Giant' | x | 1 | 87 | eis | A | | formerly 'Picture White Giant' |
| 210 | | 91719 | 3 | Pinus heldreichii var. leucodermis | x | 1 | 93 | waa | V | | 954-80, 1703: branches with dead needles: to status 3 |
| 210 | | 00420 | 4 | Pinus ponderosa | x | 1 | 02 | esv | V | | |
| 211 | * | 91003 | 4 | Acer carpinifolium | x | 1 | 94 | pav | V | | |
| 211 | ** | 91356 | 4 | Carpinus betulus 'Columnaris Nana' | x | 1 | 00 | waa | | | 041113:good aut. Colour, still good shape, but fattenin |
| 211 | | 91189 | 4 | Carpinus caroliniana | x | 1 | 90 | pds | | | sd.HKR#0012,ex-Bokrijk, 051015 : very good autumn |
| 211 | * | 95063 | 4 | Carpinus caroliniana subsp. virginiana | x | 1 | 94 | wld | V | | |
| 211 | * | 89103 | 4 | Carpinus cordata | x | 1 | 89 | waa | V | | 89:dry,because of drought+transplanting, 99:fully reco |
| 211 | | 96270 | 2 | Carpinus cordata | x | 1 | 01 | wld | | | |
| 211 | | 94167 | 4 | Carpinus coreana | x | 1 | 96 | mal | | | 061125:very late to colour, still green with some yello |
| 211 | | 95167 | 4 | Carpinus coreana | x | 1 | 98 | div | | | J.A.Smith propagated, purchased at Magnolia Soc. auct |
| 211 | | 12201 | 4 | Carpinus eximia | x | 1 | 12 | rug | | | gift #11118, Marc Libert, graft by Carlos Verhelst from |
| 211 | | 14437 | 4 | Carpinus faginea | x | 1 | 14 | rug | | | gift #11122 from Marc Libert, graft by Carlos Verhelst |
| 211 | | 90047 | 4 | Carpinus japonica | x | 1 | 90 | pds | C | V | BDB #25873, HKRD #0001, ex-Bokrijk 96:lost its hea |
| 211 | | 92738 | 4 | Carpinus japonica | x | 1 | 93 | waa | C | V | BDB #25872, not Carpinus monbeigiana as per invoice |
| 211 | | 16134 | 4 | Carpinus kawakamii | x | 1 | 16 | wld | | | |
| 211 | | 16135 | 4 | Carpinus kawakamii | x | 1 | 16 | wld | | | |
| 211 | | 10259 | 4 | Carpinus laxiflora | x | 1 | 13 | wld | | | |
| 211 | | 17283 | 4 | Carpinus orientalis 'Perdika' | x | 1 | 17 | pav | | | #13732, gift Dirk Benoit (Pavia), |
| 211 | | 01018 | 4 | Carpinus tschonoskii | x | 1 | 01 | div | C | V | */BDB #25874, gift C. Adeline as C. fargesiana, large t |
| 211 | | 92085 | 4 | Carpinus tschonoskii | x | 1 | 94 | wld | T | | |
| 211 | * | 89082 | 4 | Carpinus turczaninovii (pendulous form) | x | 1 | 92 | waa | V | | */BDB #25875, not laxiflora but good pl., good shape |
| 211 | | 91364 | 4 | Carpinus turczaninovii | x | 1 | 95 | waa | | | BDB #25876, WAA.#064-88 |
| 211 | | 14080 | 4 | Carpinus viminea | x | 1 | 14 | wld | ? | | |
| 211 | * | 88107 | 4 | Tilia amurensis | x | 1 | 88 | esv | C | V | 95:frost damage, possibly from earlier spring frost, 050 |
| 211 | * | 04180 | 4 | Tilia henryana 'Arnold Select' | x | 1 | 05 | pav | | | graft on cordata from motherplant with leader in Arnol |
| 211 | ** | 89121 | 4 | Tilia japonica 'Ernest Wilson' | x | 1 | 92 | waa | | | (syn. T. insularis, see Plantsman 2008(3):195), 96/7/27 |
| 211 | * | 89123 | 4 | Tilia kiusiana | x | 1 | 92 | waa | | | 97/4:very sensitive to late frosts ! 990731:beatifully per |
| 212 | * | 92302 | 4 | Acer pictum subsp. mono | x | 1 | 94 | wld | V | | |
| 212 | | 09051 | 4 | Asimina triloba | x | 1 | 09 | pds | | | sd. #7700 from RUG Botanic Garden, W19790897 |
| 212 | * | 90152 | 2 | Asimina triloba | x | 1 | 94 | fli | | | sdlg. fr.BJUV, gift K.Flink, 0107:lower br. brocken in |
| 212 | * | 90153 | 4 | Asimina triloba | x | 1 | 94 | fli | | | sdlg. fr.BJUV, gift K.Flink, 97/8:happy good growth f |
| 212 | | 02064 | 4 | Carpinus coreana | x | 1 | 02 | wld | V | | |
| 212 | | 99168 | 4 | Carpinus coreana | x | 1 | 02 | wld | V | | |
| 212 | | 15116 | 4 | Carpinus japonica | x | 1 | 15 | wld | | | |
| 212 | | 86278 | 4 | Fagus sylvatica 'Dawyck' | x | 1 | 88 | esv | ? | ? | */001112:good autumn colour, |
| 212 | | 92991 | 4 | Magnolia 'Betty' (liliiflora Nigra) x stellata 'Rosea' | x | 1 | 00 | pds | | | cttg # 1473, ex-HKRD 84704, |
| 212 | | 96010 | 4 | Magnolia 'Lileny' (liliiflora x 'Lennei') | x | 1 | 99 | pds | | | Cttg.4492 fr. 92243 , 99:first flowering |
| 212 | | 08246 | 4 | Magnolia liliiflora 'Chinese Form' | x | 1 | 13 | rut | | | name?, 1609: beware for stock (not kobus!), 1703: bac |
| 212 | | 00464 | 4 | Magnolia liliiflora 'Gracilis' | x | 1 | 02 | rut | | | 1408: good second flowering |
| 212 | | 14438 | 3 | Magnolia liliiflora 'Lyons' | x | 1 | 14 | rut | | | prop #11609, 1609: st.2, not doing well and beware of |
| 212 | * | 84317 | 4 | Magnolia 'Pinkie' (liliiflora 'Refloresc.' x stellata 'Rose | x | 1 | 87 | esv | A | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|-----|-----|---|---|---|
| 212 | | 03006 | 4 | Magnolia 'Randy' (liliiflora 'Nigra' x stellata 'Rosea') | x | 03 | pds | | ? | | cttg. #5783, possibly from HKRD #97009, 0511: big b |
| 212 | | 97009 | 4 | Magnolia 'Randy' (liliiflora 'Nigra' x stellata 'Rosea') | x | 98 | div | | | | gift from Dennis H. Jones (TMS), more narrow and poi |
| 212 | | 83632 | 4 | Magnolia 'Ricki' (liliiflora 'Nigra' x stellata 'Rosea') | x | 86 | gro | | A | | |
| 212 | * | 83633 | 4 | Magnolia 'Susan' (liliifl. 'Nigra' x stellata 'Rosea') | x | 1 | 86 | gro | A | T | |
| 212 | | 93014 | 4 | Quercus variabilis | x | 1 | 96 | pds | | T | Sd.CLP #89/107, 97/9: ID ver. by A.Coombs, 99:pl -c |
| 213 | | 00251 | 4 | Abies amabilis | x | 1 | 00 | pds | | | Hkrd sd 3200 from Schuhmacher, Mass USA, 1210: pl |
| 213 | | 03226 | 4 | Abies lasiocarpa | x | 1 | 10 | nie | | | wld collected? |
| 213 | | 18016 | 4 | Abies lasiocarpa | x | 1 | 18 | wld | | | |
| 213 | * | 89079 | 4 | Aesculus x arnoldiana (glabra x A. x hybrida) | x | 1 | 89 | waa | | | 011007:good red colour on some early colouring leave |
| 213 | * | 84160 | 4 | Aesculus x mutabilis aff. x 1 | * | | 86 | esv | A | ? | 97:too small for flava, could be A. mutabilis group (Dir |
| 213 | * | 92251 | 4 | Magnolia acuminata var. subcordata | x | 1 | 93 | spi | | | 99:many small bark splits at the base, _011007:good au |
| 213 | * | 85090 | 4 | Magnolia x brooklynensis 'Evamaria' | x | 1 | 87 | eis | A | | (acuminata x liliiflora), 15: blocks the view on Wada's |
| 213 | * | 85058 | 4 | Magnolia x brooklynensis 'Woodsmen' | x | 1 | 87 | eis | A | | (acuminata x liliiflora) |
| 213 | * | 85094 | 4 | Magnolia 'Elizabeth' (acuminata x denudata) | x | 1 | 86 | eis | | | |
| 213 | * | 09142 | 4 | Magnolia 'Honey Belle' ('Miss Honeybee' x 'Ballerina') | | | 12 | rut | | | 1404: not much Buergeria in here (PdS)!, 1504: good y |
| 213 | ** | 84691 | 4 | Magnolia x kewensis 'Wada's Memory' | x | 1 | 86 | spi | A | | 111101: some flowers |
| 214 | | 18017 | 4 | Abies firma | x | 1 | 18 | wld | | | |
| 214 | | 96250 | 4 | Aesculus x bushii (discolor x glabra) | x | 1 | 01 | pav | | | 0107:status 2, problems on transplanting!, 180426: go |
| 214 | * | 02113 | 4 | Aesculus x neglecta 'Autumn Fire' | x | 1 | 04 | pav | | | 101005: outstanding early autumn colour, scarlet, 1609 |
| 214 | | 17284 | 4 | Carpinus caroliniana 'Red Fall' | x | 1 | 17 | pav | | | #13731, gift Dirk Benoit (Pavia), |
| 214 | | 17285 | 4 | Carpinus caroliniana 'Sentinel Dries' | x | 1 | 17 | pav | | | #13730, gift Dirk Benoit (Pavia), |
| 214 | | 91263 | 4 | Carya ovata | x | 1 | 91 | pds | | | sd HKR #2316 ex-Arnold Arb. 98:some leaves with 7 f |
| 214 | | 14366 | 4 | Tilia japonica | x | 1 | 14 | wld | | | |
| 214 | | 94323 | 4 | Tilia maximowicziana | x | 1 | 95 | wld | | V | |
| 214 | | 14103 | 4 | Viburnum plicatum f. tomentosum 'Cascade' | x | 1 | 14 | pds | | | no info, must be layer of HKRD plant, |
| 215 | | 14281 | 4 | Carpinus fangiana | x | 1 | 14 | ver | | | gift #10708 graft of wood I got from Maurice Foster, 1 |
| 215 | | 03031 | 4 | Cornus macrophylla | x | 1 | 03 | pds | | | sd #6136 Potager de Wespelaar (Sybille c/maison) #80 |
| 215 | | 13063 | 4 | Cornus macrophylla aff. x 1 | | | 13 | wld | | ? | |
| 215 | * | 18189 | 4 | Fagus grandifolia | x | 1 | 18 | wld | | | |
| 215 | | 84828 | 4 | Metasequoia glyptostroboides | x | 1 | 84 | vpl | A | | BDB#29525 , 96/8:130cm, 081107: good colouring |
| 215 | | 94234 | 4 | Metasequoia glyptostroboides | x | 1 | 94 | pds | | | Prob.sd #3226 ex Arnold Arb., _0111:good autumn col |
| 215 | | 91563 | 4 | Metasequoia glyptostroboides 'Waasland' | x | 1 | 91 | waa | | | |
| 215 | * | 84829 | 4 | Quercus frainetto | x | 1 | 84 | vpl | A | | 97/4/23:lv's completely black from spring frost, 1408: t |
| 215 | | 02518 | 2 | Quercus pontica | x | 1 | 14 | div | | | 02: gift Maurice Foster (Westonbirt), 09: very slow gro |
| 215 | | 85383 | 4 | Tilia amurensis | x | 1 | 85 | wld | | C | V |
| 215 | | 17053 | 4 | Tilia chinensis | x | 1 | 17 | wld | | | |
| 215 | | 87104 | 4 | Tilia henryana var. subglabra | x | 1 | 87 | hil | | C | 87:D, 91/4:B-, 92/1:OK,shade ? 94:warm summer but |
| 215 | | 04226 | 4 | Tilia mandshurica | x | 1 | 06 | pav | | | 141122: still mostly green, 171120: again still green, c |
| 215 | | 98405 | 4 | Tilia miqueliana | x | 1 | 00 | pav | | V | 0508: requires further determination, hairs on upper sid |
| 215 | * | 84597 | 3 | Tilia oliveri | x | 1 | 86 | hil | A | | 971023:lv's upturned after early frost ! Both pl., 990908 |
| 215 | | 98412 | 4 | Tilia (oliveri x mongolica) | x | 1 | 00 | pav | | K | 0104:frosted, 0507: looks correct! |
| 216 | * | 83469 | 4 | Acer macrophyllum | x | 1 | 86 | esv | A | V | |
| 216 | * | 87012 | 3 | Acer nipponicum | x | 1 | 97 | pds | A | V | HKR #813,ex Zuidepark,Den Haag , 97:had started to |
| 216 | * | 87320 | 4 | Acer opalus subsp. obtusatum | x | 1 | 91 | pds | A | V | HKR#341 1 ex Kew #111-671102, 98:good autumn c |
| 216 | * | 97171 | 4 | Acer saccharum 'Brocade' | x | 1 | 98 | esv | | | 101029:good aut col this year, warm beige yellow, 141 |
| 216 | * | 89104 | 4 | Carya illinoensis | x | 1 | 89 | waa | | V | 90:Lv.yellowing,brown edges, 97/4:C, 0907: damage t |
| 216 | | 95131 | 4 | Cercidiphyllum japonicum (female) | x | 1 | 95 | pds | | | as var. sinense, Sd.2195 ex Morris Arb., PDS clct, 04: |
| 216 | ** | 01271 | 4 | Cercidiphyllum japonicum 'Heronswood Globe' | x | 1 | 02 | bul | | | 0406: young leaves and shoots attractive, purplish oran |
| 216 | | 06163 | 4 | Cercidiphyllum japonicum 'Pendulum' | x | 1 | 08 | bul | | | not Cercidiphyllum japonicum 'Krukenberg Dwarf' as p |
| 216 | | 88182 | 4 | Eucommia ulmoides (female) | x | 1 | 88 | esv | | T | 95/6:fruiting, sterile,no male in area, 90:new growth d |
| 216 | * | 92032 | 4 | Halesia diptera var. diptera | x | 1 | 93 | pds | | V | ? #2157, ex-Henry Foundation ? 95/5/28:flwrg.late, 95/ |
| 216 | | 04368 | 4 | Magnolia 'Athene' ('Lennei Alba' x 'Mark Jury') | x | 1 | 06 | rut | | | |
| 216 | | 98015 | 4 | Magnolia 'Big Dude' (sprengeri sprengeri x 'Picture') | | | 99 | pds | | | Cttg. 4733 from HKRD#90176, 0608: fruits so heavy t |
| 216 | | 18043 | 4 | Magnolia 'Brixton Belle' ('Sweet Simplicity' x 'Black | | | 18 | ver | | | #14016, graft from our #09151 |
| 216 | * | 87054 | 4 | Magnolia x brooklynensis 'Yellow Bird' (acuminata x | | | 88 | eis | | ? | 02: older big bark splits and wound in fork at 60cm |
| 216 | | 05037 | 4 | Magnolia 'Green Snow' ('Woodsmen' x 'Lennei') x 'El | | | 05 | pds | | | cttg. # 7613 from HKRD #95404 |
| 216 | | 14532 | 4 | Magnolia 'Heaven Scent' (veitchii x liliiflora) | x | 1 | 17 | bul | | | |
| 216 | * | 90082 | 4 | Magnolia 'JG 11' (Gresham) | x | 1 | 92 | eis | | | huge white flowers ! Good tree form, floriferous*, prob |
| 216 | | 15170 | 4 | Magnolia 'Phelan Bright' (Gresham) | x | 1 | 15 | ver | | | #12880, graft of our Magnolia 'Phelan Bright' (Gresha |
| 216 | | 18044 | 4 | Magnolia 'Premier Cru' (robusta 'Blood Moon' x spren | | | 18 | ver | | | gift #14017 |
| 216 | | 18156 | 4 | Magnolia 'Raspberry Ripple' | x | 1 | 18 | ver | | | #14219, |
| 216 | * | 01239 | 4 | Magnolia sprengeri 'Eric Savill' | x | 1 | 02 | rut | | | */090403: first flowering, big dark floppy flowers, 100 |
| 216 | * | 85053 | 4 | Magnolia sprengeri var. sprengeri | x | 1 | 86 | eis | A | | */91/4:Brk.Split, 50% of base damaged, 99:a few more |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|---|---|---|
| 216 | | 04406 | 4 | Magnolia 'Spring Rite' ('Lennei Alba' x veitchii) | x | 1 | 06 | rut | | | |
| 216 | | 15171 | 4 | Magnolia 'Sweetheart' ('Diva' x sargentiana robusta) | x | 1 | 15 | ver | | | #12876 |
| 216 | | 90090 | 4 | Magnolia 'Winelight' (JG 15, Gresham) | x | 1 | 92 | eis | | | fl. are pink + white, 98:very late flowering **, 99:late fl |
| 216 | | 14256 | 4 | Pinus densiflora | x | 1 | 14 | wld | | | |
| 216 | * | 83121 | 4 | Quercus bicolor | x | 1 | 86 | hil | A | T | very healthy plant, much better than neighbour Q. alie |
| 216 | ** | 84649 | 4 | Quercus crispula (hybrid) | x | 1 | 86 | dbl | A | H | *90:super aut.col, is downy !! Possibly hybrid with Q. |
| 216 | | 95363 | 4 | Sassafras albidum | x | 1 | 03 | waa | | | !! invasive and no colour, cut ! 03: moved from 6 to 21 |
| 217 | | 14222 | 4 | Carya ovalis | x | 1 | 14 | wld | | | |
| 217 | | 95076 | 4 | Chionanthus retusus | x | 1 | 00 | pds | | | sd.1673:Hort.Arnold Arb., PdS cll, 00:moved to arbore |
| 217 | | 92465 | 4 | Chionanthus virginicus | x | 1 | 08 | waa | | | 00:unhappy plants, pl a is best, 04: pl-b and pl-c moved |
| 217 | * | 94046 | 4 | Chionanthus virginicus 'Groenendaal' | x | 1 | 03 | pds | | | Cttg #2414 ex hkrd 76158 |
| 217 | | 10262 | 4 | Fraxinus chiisanensis | x | 1 | 13 | wld | | | |
| 217 | * | 84569 | 4 | Fraxinus pennsylvanica 'Variegata' | x | 1 | 86 | hil | A | V | BDB #29631, will be more pubesc.on return, 99:alway |
| 217 | | 04485 | 4 | Fraxinus platypoda | x | 1 | 09 | wld | A | V | |
| 217 | * | 84568 | 4 | Fraxinus platypoda | x | 1 | 86 | hil | A | V | *89:good growth warm summ.,90/4:C ex-Fr.platypoda |
| 217 | * | 83262 | 4 | Fraxinus quadrangulata | x | 1 | 87 | hil | A | V | remarkable shoots, |
| 217 | | 00387 | 4 | Fraxinus sieboldiana (longicuspis) | x | 1 | 04 | spi | | | 071010: good autumn colour, 111031: but no colour th |
| 217 | * | 83289 | 4 | Fraxinus smallii | x | 1 | 86 | hil | A | V | *BDB #7738, 04: always beautiful round compact sha |
| 217 | | 13162 | 4 | Fraxinus sp. | x | 1 | 13 | wld | | | ? |
| 217 | * | 84570 | 4 | Fraxinus velutina | x | 1 | 86 | hil | A | V | BDB #29632, 90:good pl., |
| 217 | * | 90172 | 4 | Magnolia 'Dude's Sister' (sprengeri sprengeri x 'Pictur | | | 93 | wav | | V | SAVAGE R10-#7:"nice hardy pl." Propag.+ descr. by |
| 217 | | 99051 | 4 | Magnolia 'Laura Saylor' ('Sawada's Pink' x 'Diva') | x | 1 | 02 | rut | | | rcvd as 'Laura'; 00:could be stock , lateral br taking ove |
| 218 | | 03298 | 4 | Carya myristiciformis | x | 1 | 05 | nie | | V | USA, wld collected?, 0606: lvs yellowish and damaged |
| 218 | * | 86179 | 4 | Carya ovata | x | 1 | 86 | dbl | A | V | 99:developing into a super plant, 1110: brittle wood, ag |
| 218 | | 91412 | 4 | Fraxinus excelsior 'Nana' | x | 1 | 94 | waa | | V | 0606: top seemed to be reverting to type, pruned away |
| 218 | | 91417 | 4 | Fraxinus floribunda | x | 1 | 94 | waa | | V | = F. insularis?, = F. floribunda?, 0405: spectacular flo |
| 218 | | 00344 | 4 | Ginkgo biloba 'Autumn Gold' | x | 1 | 01 | pav | | | 0307: severely damaged, by mower? |
| 218 | | 08257 | 4 | Magnolia acuminata var. subcordata 'Mister Yellowja | | | 12 | rut | | | |
| 218 | | 18190 | 4 | Magnolia x brooklynensis 'Black Beauty' | x | 1 | 18 | ver | | | #14214 |
| 218 | | 14367 | 3 | Magnolia x brooklynensis 'Hattie Carthan' | x | 1 | 14 | div | | | #11578, gift Carlos Verhelst & Antoon De Clercq, graf |
| 218 | | 12333 | 4 | Magnolia 'Judy Zuk' (x brooklynensis hybrid) | x | 1 | 12 | ver | | | not a brooklynensis but acuminata x (acuminata x (liliif |
| 218 | | 90118 | 4 | Magnolia 'Sundance' (acuminata x denudata) | x | 1 | 92 | eis | | V | |
| 218 | | 91236 | 4 | Magnolia 'Yellow Fever' (acuminata x denudata) | x | 1 | 92 | eis | | V | 060424: is good this year, but everything is, |
| 218 | * | 90168 | 4 | Magnolia 'Yellow Lantern' ('Miss Honeybee' x 'Big Pi | | | 93 | wav | | V | SAVAGE R13-#6 Propag.+ descr. by Ph.Savage,multi |
| 219 | | 14368 | 4 | Carya aquatica | x | 1 | 14 | wld | | | |
| 219 | * | 97042 | 4 | Carya glabra var. megacarpa | x | 1 | 97 | pds | | V | */sd.#possibly 2165, fr. Arnold arb.2019-0) see also # |
| 219 | | 12006 | 4 | Carya ovalis | x | 1 | 12 | wld | | | |
| 219 | | 91107 | 4 | Liquidambar styraciflua 'Aurea' | x | 1 | 90 | esv | | ? | Second pl.of 3 (see 89412) |
| 219 | * | 87053 | 4 | Magnolia acuminata 'Seiju' | x | 1 | 88 | eis | | ? | 9908:loosing some inner lvs from drought |
| 219 | | 00408 | 4 | Nyssa aquatica | x | 1 | 01 | spi | | | 0104:leader killed by frost, 1210: never a good aut.col |
| 219 | | 00552 | 4 | Nyssa sylvatica var. ursina | x | 1 | 03 | bul | | | 0308: lost its head, 061126:still green shiny lvs, with s |
| 219 | | 15198 | 4 | Parrotia persica 'Pendula' | x | 1 | 15 | div | | | #12596, gift J.-L. Dantec, 17: not very pendula, but Da |
| 219 | | 13114 | 4 | Tilia endochrysea | x | 1 | 13 | div | | | #11192, gift Brian Humphrey, 140502: new growth is |
| 219 | | 08024 | 4 | Tilia 'Harold Hillier' (japonica 'Ernest Wilson' x mong | | | 10 | pav | B | | 1004: little frost damage |
| 219 | | 91524 | 4 | Tilia paucicostata | x | 1 | 94 | waa | | T | this plant is close to T.amurensis |
| 220 | | 88082 | 4 | Betula ermanii | x | 1 | 89 | ter | C | V | BDB#25040, from.sd.forest clct.Japan,F.R.I. Ibaraki, |
| 220 | | 98166 | 4 | Calocedrus decurrens | x | 2 | 98 | div | | | */sd by Johny Verhoeven at Bosveld, _0110:one of the |
| 220 | | 14174 | 4 | Nyssa sylvatica 'Red Rage' | x | 1 | 14 | ver | | | prop #12885, 150608: good reddish new growth, 1611 |
| 220 | | 01004 | 4 | Parrotia persica | x | 1 | 01 | wld | | | |
| 220 | * | 06146 | 4 | Parrotia persica 'Jodrell Bank' | x | 1 | 08 | bul | | | 0606: small leaves, 130925: good autumn colour and u |
| 220 | | 98110 | 4 | Pseudolarix amabilis | x | 1 | 98 | pds | | | Sd #: 021011: no colour yet, 1111: brown, only one br |
| 220 | * | 97036 | 3 | Quercus serrata | x | 1 | 97 | wld | C | | |
| 220 | ** | 91519 | 4 | Tilia japonica | x | 1 | 93 | waa | | T | 94/4:red bracts on opening buds! 97:has major wound |
| 220 | * | 89098 | 4 | Tilia kiusiana | x | 1 | 89 | waa | | | 97/4:very sensitive to late frosts ! 991027:good aut.col |
| 221 | | 15327 | 4 | Cercidiphyllum japonicum 'Glowball' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 221 | | 93248 | 4 | Cercidiphyllum japonicum 'Rotfuchs' (female) | x | 1 | 94 | dbl | | | gift from Jelena de Belder, 04: female |
| 221 | * | 92319 | 3 | Cercis chinensis | x | 1 | 98 | nie | D | | 97:A quite hardy !!, 0304: massive flowering, 051028 : |
| 221 | | 89415 | 4 | Liquidambar styraciflua 'Gum Ball' | x | 1 | 90 | esv | | | */(syn.'Globe'), 90:0, 1/3 found along edge of pond in 1 |
| 221 | ** | 8306A | 4 | Liquidambar styraciflua 'Lane Roberts' | x | 1 | 90 | hil | A | T | */one of three plants of a gr.of 3 under #83071, 98110 |
| 221 | * | 90220 | 4 | Myrica gale | x | 4 | 91 | pds | | V | cttg.#969 fr. 84547, good ground cover, along this ban |
| 221 | | 82344 | 4 | Nyssa sylvatica | x | 1 | 88 | wir | A | | 1710: lots of fruits |
| 222 | | 08289 | 4 | Cephalanthus occidentalis | x | 5 | 08 | vpl | | | |
| 222 | | 08285 | 4 | Cornus sericea 'Kelsey' | x | 8 | 08 | vpl | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|----|-----|---|---|--|
| 222 | | 08287 | 4 | Cornus sericea 'Kelseyi' | x | 6 | 08 | vpl | | | |
| 222 | | 08288 | 4 | Cornus sericea 'Kelseyi' | x | 6 | 08 | vpl | | | 0809: 6/7 found |
| 222 | | 08286 | 4 | Deutzia gracilis | x | 4 | 08 | vpl | | | |
| 222 | | 08282 | 4 | Deutzia x kalmiiiflora (parviflora x purpurascens | x | 5 | 08 | vpl | | | |
| 222 | | 08279 | 4 | Deutzia x lemoinei (gracilis x parviflora) | x | 8 | 08 | vpl | | | |
| 222 | | 08280 | 4 | Deutzia x lemoinei (gracilis x parviflora) | x | 8 | 08 | vpl | | | |
| 222 | | 08580 | 3 | Diervilla x splendens (Ionicera x sessilifolia) | x | 1 | 08 | vpl | | | 1602: 1/3 left and not very happy |
| 222 | | 08290 | 4 | Itea virginica | x | 3 | 08 | vpl | | | 0809:6/7 found, 1008: 3 left, too dry? |
| 222 | | 08293 | 4 | Itea virginica | x | 2 | 08 | vpl | | | 1409: 2/5 left? |
| 222 | | 08301 | 4 | Itea virginica | x | 2 | 08 | vpl | | | 1003: 3/4, 1103: 2/4 |
| 222 | | 99230 | 4 | Liquidambar orientalis | x | 1 | 99 | cec | | | gift Choteau, 061105:poor aut. col. (pale yellow) |
| 222 | | 13115 | 4 | Liriodendron tulipifera | x | 1 | 13 | wld | | | |
| 222 | | 08281 | 4 | Myrica gale | x | 5 | 08 | vpl | | | next to Liq. orientalis |
| 222 | | 08296 | 4 | Myrica gale | x | 2 | 08 | vpl | | | under Alchemilla mollis, 1705: 2/3 left |
| 222 | | 08297 | 4 | Myrica gale | x | 1 | 08 | vpl | | | left of 'Sheffield Park', 1705: 1/3 left |
| 222 | | 08298 | 4 | Myrica gale | x | 5 | 08 | vpl | | | under Sedum, border of pond, 11: 6/7, 15: 5/7 left, 170 |
| 222 | | 08299 | 4 | Myrica gale | x | 3 | 08 | vpl | | | in Thalictrum group |
| 222 | | 98314 | 4 | Nyssa sylvatica 'Autumn Cascades' | x | 1 | 02 | esv | | | 0308: lost its head, 0410: all, very brittle, branches and |
| 222 | * | 84626 | 4 | Nyssa sylvatica 'Sheffield Park' | x | 1 | 91 | hil | D | | 85:D, 031108: no good aut.col. this year: lvs brown, dr |
| 222 | | 12406 | 4 | Parrotia persica | x | 1 | 12 | wld | | | |
| 222 | * | 93297 | 4 | Quercus x brittonii (ilicifolia x marilandica) | x | 1 | 94 | wld | | * | |
| 222 | * | 93044 | 4 | Quercus ilicifolia | x | 1 | 94 | wld | | * | |
| 222 | | 93040 | 4 | Quercus marilandica | x | 1 | 94 | wld | | | |
| 222 | | 08277 | 4 | Salix purpurea 'Nana' | x | 6 | 08 | vpl | | | 1409: 6/7 left |
| 222 | | 08278 | 4 | Salix purpurea 'Nana' | x | 7 | 08 | vpl | | | 13: 9/10 17: 7/9 left |
| 222 | | 08283 | 4 | Spiraea betulifolia var. aemiliana | x | 3 | 08 | vpl | | | 1409: 3/5 left |
| 222 | | 08294 | 4 | Spiraea trilobata | x | 8 | 08 | vpl | | | 3 high against grass and 6 low against water, 0809: do |
| 222 | | 08292 | 4 | Stephanandra incisa | x | 1 | 08 | vpl | | | 1409: not found, 1705: 1/6 found |
| 222 | | 08300 | 4 | Stephanandra incisa | x | 4 | 08 | vpl | | | under 'Sheffield Park' |
| 222 | | 08302 | 4 | Stephanandra incisa | x | 3 | 08 | vpl | | | under Tetradium, 1409: 3/5 left |
| 222 | | 08304 | 3 | Stephanandra incisa | x | 3 | 08 | vpl | | | in Origanum, 1209: status 3, frost damage, check quant |
| 222 | | 08284 | 4 | Stephanandra incisa 'Crispa' | x | 5 | 08 | vpl | | | |
| 222 | | 08295 | 4 | Stephanandra tanakae | x | 3 | 08 | vpl | | | |
| 222 | | 08303 | 4 | Stephanandra tanakae | x | 3 | 08 | vpl | | | in Origanum, 1004: 4/5 left, 1705: 3/5 |
| 222 | | 08584 | 4 | Stephanandra tanakae | x | 3 | 08 | vpl | | | near Sedum |
| 222 | | 98030 | 3 | Styphnolobium japonicum 'Pendulum' | x | 1 | 98 | vpl | | | 98:flowering on its first summer ! 0403: tops of branch |
| 222 | | 91729 | 2 | Tetradium ruticarpum | x | 1 | 95 | waa | | | 005-87 (from Chollipo sd as Euodia rutaecarpum) 98: |
| 223 | | 88203 | 4 | Acer campestre 'Elsrijk' | x | 1 | 88 | esv | | | on avenue Philippe, 041122: nice late yellow orange co |
| 223 | * | 91308 | 4 | Acer campestre 'Nanum' | x | 1 | 92 | waa | | | 99:early in leaf, neat little thing, |
| 223 | | 86186 | 4 | Acer campestre 'Schwerinii' | x | 1 | 87 | esv | A | | |
| 223 | | 04320 | 4 | Acer cappadocicum | x | 1 | 04 | wld | | V | |
| 223 | | 17342 | 4 | Acer cappadocicum subsp. sinicum | x | 1 | 17 | wld | | | |
| 223 | | 86191 | 4 | Acer x coriaceum (monspeulanum x opalus subsp. o | | | 88 | esv | A | V | *90:slowly settling, shrub, then suddenly in 91:vig.gro |
| 223 | | 18085 | 4 | Acer diabolicum | x | 1 | 18 | wld | | | |
| 223 | | 88037 | 4 | Acer miyabei (hybrid) | x | 1 | 88 | pds | | H | my #0029, from tree at Bergius Bot.Garden Stockholm, |
| 223 | | 89396 | 4 | Acer monspeulanum subsp. turcomanicum | x | 1 | 90 | esv | | ? | 1109: doubt on turcomanicum |
| 223 | | 02289 | 3 | Acer pictum subsp. okamotoanum | x | 1 | 03 | waa | | V | */has this combination been made sub pictum?, 061025 |
| 223 | | 15231 | 4 | Acer rubrum 'Sartori' | x | 1 | 15 | dcl | | | #14129, gift Antoon De Clercq |
| 223 | | 11297 | 4 | Acer tenellum | x | 1 | 16 | div | | | gift Piet de Jong, opening of Arboretum, 1605: back to |
| 223 | | 14175 | 4 | Crataegus x lavalleyi 'Carrieri' | x | 1 | 14 | ver | | | prop #12881 |
| 223 | | 97207 | 4 | Gymnocladus dioica | x | 1 | 01 | vpl | | | 07: too close to Nyssa and too late to move, wait and se |
| 223 | | 00551 | 4 | Nyssa sylvatica 'Wisley Bonfire' | x | 1 | 02 | bul | | | |
| 223 | | 16039 | 4 | Quercus ellipsoidal | x | 1 | 16 | wld | | | |
| 223 | * | 93041 | 4 | Quercus imbricaria | x | 1 | 94 | wld | | | |
| 224 | | 84194 | 4 | Cercidiphyllum japonicum (Male) | x | 1 | 86 | esv | ? | | Male pl., |
| 224 | | 84195 | 4 | Cercidiphyllum japonicum | x | 1 | 86 | esv | A | | as var. sinense, 90:very dry, 101029:best colouring of a |
| 224 | | 84196 | 4 | Cercidiphyllum japonicum (male) | x | 1 | 86 | esv | A | | Male pl., 90:very dry, 9906 status back from 1 to 3, 04 |
| 224 | | 84198 | 4 | Cercidiphyllum japonicum (female) | x | 1 | 86 | esv | A | V | Female, 90:very dry, 1511: not magnificum as per invo |
| 225 | | 92393 | 4 | Acer carpinifolium | x | 1 | 94 | waa | | V | */95:2 pl. very dry, top cut away , 97/9/25:suffering fro |
| 232 | | 17315 | 4 | Clethra sp. | x | 1 | 17 | wld | ? | ? | |
| 232 | | 11262 | 4 | Cornus sanguinea 'Winter Beauty' | x | 3 | 11 | rob | | | |
| 232 | | 11263 | 4 | Cornus sanguinea 'Winter Beauty' | x | 10 | 12 | rob | | | 1501: good for winter interest 17: 2 extra plants |
| 232 | | 11310 | 4 | Cotoneaster neo-antoninae | x | 1 | 14 | hts | | | gift Hof ter Saksen opening Arboretum, #6222*A, gard |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|---|---|--|
| 232 | | 08155 | 4 | Hydrangea paniculata 'Pinky-Winky' | x | 2 | 12 | bul | | | AGM, = 'Dvppinky', 1106: 1 dead without reason, stran |
| 232 | | 11260 | 4 | Hydrangea paniculata 'Pinky-Winky' | x | 3 | 11 | rob | | | |
| 232 | | 11440 | 4 | Hydrangea paniculata 'Pinky-Winky' | x | 2 | 12 | rob | | | 1801: 2/3 left |
| 232 | | 11275 | 4 | Philadelphus 'Lemoinei' | x | 2 | 11 | rob | | | 11: 4/6, 1203: 2/6 |
| 232 | | 14104 | 4 | Rosa roxburghii f. normalis | x | 1 | 14 | div | | | prop #11199, CC, found in greenhouse, no info, |
| 232 | | 11294 | 4 | Sambucus nigra f. porphyrophylla 'Eva' | x | 1 | 11 | div | | | (syn. 'Black Lace'), gift Françoise Salomon, 150603: go |
| 232 | | 13086 | 2 | Sorbus gracilis | x | 1 | 13 | wld | | | |
| 232 | | 12218 | 4 | Sorbus meliosmifolia | x | 1 | 12 | wld | | | |
| 232 | | 11277 | 4 | Spiraea japonica 'Goldflame' | x | 10 | 12 | rob | | | |
| 232 | | 11039 | 4 | Styrax obassia | x | 1 | 11 | wld | | V | |
| 232 | | 14081 | 4 | Viburnum orientale | x | 1 | 14 | wld | | | |
| 233 | | 12530 | 4 | Clethra delavayi | x | 1 | 12 | div | | V | prop #12120, spo sdlg from Vasterival, 1609: verified J |
| 233 | | 11035 | 4 | Cotoneaster kerstani | x | 1 | 11 | pds | | | cttg. #8657, Halle Bot Garden BDB trip may 2005, ver |
| 233 | | 08143 | 4 | Fothergilla gardenii 'Blue Mist' | x | 1 | 11 | pds | | | cttg. #7805 from HKRD #03056 |
| 233 | | 11065 | 4 | Hamamelis x intermedia 'Antoine Kort' | x | 1 | 11 | ver | | | prop #7860, graft of HKRD #88010, 11: moved from |
| 233 | | 11292 | 4 | Hydrangea serrata 'Grayswood' | x | 4 | 11 | div | | | 1408: not H. serrata var. thunbergii 'Plena', prob. 'Gray |
| 233 | | 11273 | 4 | Spiraea 'Arguta' (multiflora x thunbergii) | x | 5 | 11 | rob | | | |
| 234 | | 13541 | 4 | Clematis 'Alba Luxurians' | x | 1 | 13 | div | | | Viticella Group, in Ilex |
| 234 | | 11257 | 4 | Cornus sericea 'Flaviramea' | x | 3 | 11 | rob | | | 1501: good for winter interest |
| 234 | | 17466 | 4 | Exochorda x macrantha 'The Bride' | x | 1 | 17 | div | | | |
| 234 | | 15076 | 4 | Hydrangea arborescens 'Hayes Starburst' | x | 5 | 15 | pds | | | cttg #12818 of HKRD #08003, 1706: 5/6 left |
| 234 | | 11328 | 3 | Hydrangea serrata 'Dwarf White' | x | 4 | 11 | div | | V | Koen Van Poucke, 1206: 3+2 plants in fact, 1706: 4/5 1 |
| 234 | | 03026 | 4 | Ilex aquifolium | x | 1 | 00 | spo | | V | spontaneous, in feet of Oak, few years old |
| 234 | | 03027 | 4 | Ilex aquifolium | x | 1 | 00 | spo | | V | spontaneous, in feet of Oak, few years old |
| 234 | | 10529 | 4 | Paeonia rockii cv. | x | 1 | 10 | div | | ? | was perennial #2451, bought by Daphne during visit to |
| 234 | | 08231 | 3 | Rhododendron amagianum | x | 4 | 12 | dcl | | | gift A. & C. De Clercq garden party 080531, sdlgs fro |
| 234 | ** | 11043 | 4 | Sorbus matsumurana | x | 1 | 11 | ver | | | gift #9892, from plant in Arboretum Maurice Foster |
| 234 | * | 01449 | 4 | Sorbus poteriifolia | x | 5 | 14 | pds | | | (syn. S. pygmaea), 1311: layers of #01195 |
| 234 | | 14369 | 4 | Stewartia malacodendron | x | 1 | 14 | wld | | | |
| 234 | | 13034 | 4 | x Sycoparrotia semidecidua 'Purple Haze' (Sycopsis x | | | 13 | div | | | gift #11615 of Arborealis (Micha Wieland), grafted |
| 235 | | 11269 | 4 | Deutzia gracilis | x | 3 | 11 | rob | | | |
| 235 | | 11291 | 3 | Deutzia setchuenensis var. corymbiflora | x | 3 | 11 | div | | | 1706: from st 4 to st 3 |
| 235 | | 05013 | 4 | Diospyros lotus | x | 1 | 05 | wld | | | |
| 235 | | 02391 | 4 | Hamamelis x intermedia 'Barmstedt Gold' | x | 1 | 11 | dev | | | 11: moved from DC37 |
| 235 | | 09073 | 4 | Hydrangea macrophylla 'Souvenir du Président Doum | | | 11 | pds | | ? | layer #9166 of HKRD #92349, check ID, seems very di |
| 235 | | 94340 | 4 | Magnolia macrophylla | x | 1 | 11 | pds | | | big move from 163, was #94249-a, see there for more i |
| 235 | | 12374 | 4 | Stachyurus praecox | x | 1 | 12 | wld | | | |
| 236 | | 91307 | 4 | Acer caesium subsp. giraldii | x | 1 | 93 | waa | | V | 97:C+ after -13°C this past winter, 02: to status 3, 0601: |
| 236 | | 15103 | 4 | Acer griseum | x | 1 | 17 | spo | | | sdlg of HKRD #86195, |
| 236 | | 18018 | 4 | Acer maximowiczianum | x | 1 | 18 | spo | | | spo sdlg #13241 under Acer maximowiczianum - 8619 |
| 236 | | 18019 | 4 | Acer shirasawanum ('Aureum' sdlg) | x | 1 | 18 | spo | | | spo sdlg #13240 under Acer shirasawanum 'Aureum' - |
| 236 | | 12541 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') | x | 1 | 13 | rob | | | PBR='Londaz', |
| 236 | | 12542 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') | x | 1 | 13 | rob | | 1 | PBR='Londaz', |
| 236 | | 12514 | 4 | Clematis montana var. grandiflora | x | 1 | 12 | rob | | | 1306: 3/4 left, 1506: only one left; Clematis wilt?, 160 |
| 236 | | 12516 | 4 | Clematis montana var. grandiflora | x | 1 | 14 | rob | | | 1706: from st 3 back to st. 4 |
| 236 | | 14016 | 4 | Decaisnea fargesii | x | 2 | 14 | wld | | | |
| 236 | | 15199 | 4 | Enkianthus perulatus 'J.L. Pennock' | x | 1 | 15 | pds | | | cttg. #9711 of HKRD #02449 |
| 236 | | 15077 | 4 | Holboellia angustifolia subsp. angustifolia | x | 1 | 15 | wld | | | |
| 236 | | 15144 | 4 | Holboellia angustifolia subsp. angustifolia | x | 1 | 15 | wld | | | |
| 236 | | 12211 | 4 | Hydrangea arborescens | x | 1 | 12 | wld | | | |
| 236 | | 12216 | 4 | Hydrangea arborescens | x | 1 | 12 | wld | | V | |
| 236 | | 12520 | 4 | Hydrangea arborescens 'Incrediball' | x | 6 | 12 | div | | | gift #11653 from Jan Liekens as "Strong Annabelle", 1 |
| 236 | | 15078 | 4 | Hydrangea chinensis | x | 3 | 15 | pds | | | cttg #11629 as H. scandens ?, Dantec BDB trip Haut N |
| 236 | | 15266 | 4 | Hydrangea involucrata | x | 3 | 17 | bul | | | |
| 236 | | 15274 | 3 | Hydrangea involucrata 'Wim Rutten' | x | 1 | 17 | bul | | | = Blue Bunny |
| 236 | | 14017 | 4 | Hydrangea involucrata 'Yohraku-tama' | x | 1 | 14 | div | | | gift #12566 from Dantec & de le Fonchais, 1410: back |
| 236 | | 11290 | 4 | Hydrangea macrophylla 'Mariesii Perfecta' | x | 3 | 11 | div | | ? | 1408: not H. serrata 'Grayswood' as per invoice, prob. ' |
| 236 | | 11261 | 3 | Hydrangea paniculata 'Pinky-Winky' | x | 3 | 12 | rob | | | 1706: 3/4 left, from status 4 to st 3 |
| 236 | | 14440 | 4 | Hydrangea serrata 'Besshi-temari' | x | 1 | 14 | div | | | gift #11076 from Maurice Foster |
| 236 | | 12188 | 4 | Hydrangea serrata 'Bluebird' | x | 5 | 12 | boc | | | |
| 236 | | 15003 | 4 | Hydrangea serrata 'Diadem' | x | 1 | 15 | pds | | | cttg of HKRD #89239, 1307: status 1, 1411: can stay t |
| 236 | | 12186 | 4 | Hydrangea serrata 'Intermedia' | x | 5 | 12 | boc | | | |
| 236 | | 14439 | 4 | Hydrangea serrata 'Miyama-yae-murasaki' | x | 1 | 14 | div | | | gift #11075 from Maurice Foster as 'Mik yae murasaki' |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|---|---|---|
| 236 | | 12204 | 4 | Hydrangea serrata 'Odoriko-amacha' | x | 1 | 12 | div | | | gift #11077 from Maurice Foster |
| 236 | | 12187 | 4 | Hydrangea serrata 'Preziosa' | x | 5 | 12 | boc | | | |
| 236 | | 11270 | 4 | Itea virginica 'Little Henry' | x | 5 | 11 | rob | | | = 'Sprich', |
| 236 | | 17286 | 4 | Maddenia wilsonii | x | 1 | 17 | wld | | ? | |
| 236 | | 17343 | 4 | Magnolia (laevifolia x maudiae) | x | 1 | 17 | pds | | K | sd #11548 from Bill Smith Virginia, laevifolia is seed p |
| 236 | | 12506 | 3 | Parthenocissus henryana | x | 1 | 12 | rob | | D | 1406: back to status 4, from 1, 160504: young shoots a |
| 236 | | 03245 | 4 | Paulownia elongata | x | 1 | 05 | wld | | | |
| 236 | | 12179 | 4 | Philadelphus 'Bouquet Blanc' | x | 1 | 12 | boc | | | |
| 236 | | 12180 | 4 | Philadelphus 'Bouquet Blanc' | x | 1 | 12 | boc | | | |
| 236 | | 12184 | 4 | Philadelphus 'Bouquet Blanc' | x | 1 | 12 | boc | | | |
| 236 | | 12222 | 2 | Rhododendron campanulatum subsp. aeruginosum | x | | 12 | pds | | | layer #9101 of HKRD #77345, 1412: status 2, 1/4th of |
| 236 | | 14139 | 4 | Rhodotypos scandens | x | 1 | 14 | div | | | #12865, gift Peter Hoffmann, BDB trip to Denmark 20 |
| 236 | | 12510 | 2 | Schizophragma hydrangeoides | x | 1 | 12 | div | | V | |
| 236 | | 11420 | 4 | Sinofranchetia chinensis | x | 1 | 14 | rug | | | gift Marc Libert, HBUG #2010-0201, via Arboretum R |
| 236 | | 11280 | 4 | Spiraea japonica 'Albiflora' | x | 10 | 11 | rob | | | |
| 236 | | 12540 | 4 | Spiraea japonica 'Albiflora' | x | 4 | 13 | rob | | | to add to group in 236, 1305: 4/5 |
| 236 | | 11274 | 4 | Spiraea japonica 'Golden Princess' | x | 7 | 11 | rob | | | |
| 236 | | 12157 | 4 | Stachyurus chinensis 'Celina' | x | 1 | 12 | boc | | | |
| 236 | | 14480 | 2 | Tetrapanax papyrifer 'Rex' | x | 1 | 14 | div | | ? | Hessenhof, 1706: from 4 to status 1, 1802: mother plan |
| 236 | | 12226 | 4 | Viburnum dilatatum | x | 1 | 12 | wld | | | |
| 236 | | 11064 | 4 | Viburnum x hillieri 'Winton' | x | 3 | 11 | dev | | | 11: moved from DC37, 1104: suffering after move, 140 |
| 236 | | 18216 | 4 | Viburnum japonicum | x | 1 | 18 | pds | | ? | cttg #13771 Arboretum Het Leen #4199 |
| 236 | | 16249 | 2 | Wisteria 'Caroline' | x | 1 | 17 | rug | | | gift Marc Libert, the correct one |
| 236 | | 16250 | 2 | Wisteria 'Caroline' | x | 1 | 17 | rug | | | gift Marc Libert, the correct one |
| 237 | * | 09113 | 4 | Catalpa fargesii | x | 1 | 14 | pds | | | (five lobed !), cttg. #7533 of HKRD #95035, 0606: goo |
| 237 | | 11276 | 4 | Cotinus coggygria 'Royal Purple' | x | 1 | 11 | rob | | | 1305: one plant status 2, is that frost? 1309: 2/3 left, th |
| 237 | | 12273 | 4 | Deutzia longifolia | x | 1 | 12 | wld | | | |
| 237 | | 98386 | 3 | Ginkgo biloba | x | 1 | 00 | pav | | | 141118: excellent autumn colour, all Ginkgo this year |
| 237 | | 98387 | 4 | Gymnocladus dioica | x | 1 | 00 | pav | | | 0707: lost head in strong wind |
| 237 | | 12161 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 12 | boc | | | |
| 237 | | 12162 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 12 | boc | | | |
| 237 | | 12163 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 12 | boc | | | |
| 237 | | 09428 | 4 | Hydrangea paniculata 'Great Star' | x | 1 | 12 | div | | | bought by Christophe at Ashwood Nurseries |
| 237 | | 08350 | 4 | Hydrangea paniculata 'Vanille Fraise' | x | 1 | 11 | div | | | ™ name = 'Renhy', bought by Christophe in garden cent |
| 237 | | 11265 | 4 | Kolkwitzia amabilis 'Pink Cloud' | x | 1 | 11 | rob | | | |
| 237 | | 11266 | 4 | Kolkwitzia amabilis 'Pink Cloud' | x | 1 | 11 | rob | | | |
| 237 | | 11267 | 4 | Kolkwitzia amabilis 'Pink Cloud' | x | 1 | 11 | rob | | | |
| 237 | | 00335 | 4 | Liquidambar acalycina | x | 1 | 00 | pav | | | 0111:dark lvs for long,only starting to colour |
| 237 | * | 98310 | 4 | Liquidambar formosana Monticola Group | x | 1 | 00 | esv | | | 121122: superb autumn colour |
| 237 | ** | 89413 | 4 | Liquidambar styraciflua 'Burgundy' | x | 1 | 90 | esv | | | */one of three only, others lost or not delivered ? 03112 |
| 237 | * | 98312 | 4 | Liquidambar styraciflua 'Palo Alto' | x | 1 | 00 | esv | | | 031104: relatively good and late colour, was not specta |
| 237 | | 08394 | 4 | Liquidambar styraciflua 'Slender Silhouette' | x | 1 | 10 | div | | | gift visit Dreisvogt and friends, from nursery man Rein |
| 237 | ** | 06145 | 4 | Parrotia persica 'Felicie' | x | 1 | 08 | bul | | | (Bulk selection of DDH seed), 0905: to status 1, frost?, |
| 237 | | 11258 | 4 | Philadelphus 'Beauclerk' | x | 2 | 11 | rob | | | 1703: 2/3 left? |
| 237 | | 11259 | 4 | Philadelphus 'Beauclerk' | x | 1 | 11 | rob | | | 1707: 1/2 left |
| 237 | | 11256 | 4 | Philadelphus 'Manteau d'Hermine' | x | 4 | 11 | rob | | | 1409: 4/5 |
| 237 | | 11264 | 4 | Physocarpus opulifolius 'Diabolo' | x | 5 | 11 | rob | | | |
| 237 | | 18157 | 4 | Prunus 'Catherine' | x | 1 | 18 | div | | | #13914, gift Chris Lane |
| 237 | ** | 91490 | 4 | Quercus 'Pondaim' (pontica x dentata) | x | 1 | 94 | waa | | | |
| 237 | | 98370 | 4 | Sequoiadendron giganteum | x | 1 | 00 | esv | | | 1007: fungus? Botryosphaeria (MS)? 1403: is in good |
| 237 | | 14533 | 4 | Sorbus commixta 'Olympic Flame' | x | 1 | 17 | bul | | | |
| 237 | | 11271 | 4 | Spiraea nipponica 'Snowmound' | x | 2 | 11 | rob | | | |
| 237 | | 11272 | 4 | Spiraea nipponica 'Snowmound' | x | 3 | 11 | rob | | | |
| 237 | | 14370 | 4 | x Sycoparrotia semidecidua 'Purple Haze' (Sycopsis x | | | 14 | div | | | #11603, Hulsdonk |
| 237 | | AA349 | 4 | Tilia x europaea | x | 1 | ?? | div | A | V | at border park Wespelaar |
| 237 | | AA350 | 4 | Tilia x europaea | x | 1 | ?? | div | A | V | at border park Wespelaar |
| 237 | | AA351 | 4 | Tilia x europaea | x | 1 | ?? | div | A | V | at border park Wespelaar |
| 241 | | 04343 | 4 | Azalea 'Hinomayo' (Kurume) | x | 3 | 09 | vpl | | | to fill group in 241, 1008: 3/5 left, drought, 1302: back |
| 241 | | 77241 | 4 | Azalea 'Hinomayo' (Kurume) | x | 1 | 03 | hil | A | | 03: moved with 2 layers to 241, was in P since 1977, 0 |
| 241 | | 13163 | 4 | Carya glabra var. megacarpa | x | 1 | 13 | pds | | | sd. #10778, collected Ron Lance, #08254, NC, Hender |
| 241 | | 14105 | 2 | Diospyros virginiana | x | 1 | 14 | wld | | C | |
| 241 | | 04304 | 4 | Fagus orientalis | x | 1 | 04 | wld | | V | |
| 241 | | 91126 | 4 | Fraxinus angustifolia | x | 1 | 94 | wld | | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA | |
|-----|---|-------|---|--|---------------------|----------|-----|-----|-----|----|--|---|
| 241 | | 17445 | 2 | Fraxinus baroniana | x | 1 | 17 | wld | | | | |
| 241 | | 13214 | 4 | Magnolia macrophylla | x | 1 | 13 | pds | | | sd. #8158 of HKRD #00275, | |
| 241 | | 04496 | 4 | Malus kansuensis | x | 1 | 07 | wld | | | | |
| 241 | | 14082 | 4 | Ostrya virginiana | x | 1 | 14 | wld | | | | |
| 241 | | 13087 | 4 | Sorbus gracilis | x | 1 | 13 | wld | | | | |
| 241 | | 00453 | 3 | Sorbus sargentiana | x | 1 | 02 | esv | | | 020301: cut back to single stem, conspicuous large, red | |
| 241 | | 14442 | 4 | Sorbus sargentiana aff. | x | 1 | 14 | wld | | ? | | |
| 241 | | 14443 | 4 | Sorbus tianschanica | x | 1 | 14 | wld | | | | |
| 241 | | 04319 | 3 | Zelkova carpinifolia | x | 1 | 04 | wld | | | | |
| 242 | | 00578 | 4 | Azalea 'Dominico Scassi' | (Ghent) | x | 1 | 14 | div | | bought at Beervelde from Cesar De Keiser, at BDB stu | |
| 242 | | 08169 | 4 | Azalea 'Persil' | (Knap Hill) | x | 3 | 15 | bul | | 1411: 3/4 left | |
| 242 | | 05100 | 4 | Callicarpa americana | x | 4 | 05 | pds | | | sd #6392 Polly Hill Arboretum, in the play pen, may be | |
| 242 | | 06041 | 4 | Callicarpa dichotoma | x | 3 | 06 | pds | | | sd #6390, sub 'Alba', but not very white and name not f | |
| 242 | | 01069 | 3 | Celtis chosoniana | x | 1 | 01 | wld | | | | |
| 242 | | 92455 | 4 | Celtis jessoensis | x | 1 | 93 | waa | | ? | similar to C. occidentalis, verify! | |
| 242 | | 10070 | 4 | Celtis laevigata | x | 1 | 10 | wld | | | | |
| 242 | | 91340 | 4 | Celtis sp. | x | 1 | 02 | waa | | ? | not Aphananthe aspera as per invoice, 02: status 3, olde | |
| 242 | | 02298 | 4 | Corylopsis glabrescens var. gotoana | 'Chollipo' | x | 1 | 03 | waa | C | V | */0805: to status 2, pruned, frost damage as with many |
| 242 | | 98296 | 4 | Fagus sylvatica 'Aspleniifolia' | x | 1 | 99 | esv | | | | BDB #30147, 0606: not 'Laciniata' as per invoice, pres |
| 242 | | 92596 | 3 | Prunus x gondouinii 'Schnee' | x | 3 | 93 | waa | | | | (P.avium x cerasus) 020823: several lvs turn yellow an |
| 242 | | 04495 | 4 | Pyrus betulifolia | x | 1 | 07 | wld | | | | |
| 242 | | 96132 | 4 | Rhododendron amagianum | x | 2 | 18 | pds | | | | */Cttg#4534 f/86176/DBL:dead, poss. Amagianum W |
| 242 | * | 84729 | 4 | Rhododendron 'Morning Cloud' | (yakushmanum x 'Sp | 96 | spi | A | | | | 90:Bk.Splt, 0305: spectacular flowering, _060722:very |
| 242 | | 84750 | 4 | Rhododendron 'Morning Cloud' | (yakushmanum x 'Sp | 96 | reu | A | | | | 90:Bk.Splt, 0305: spectacular flowering |
| 242 | | 06234 | 4 | Sorbus keissleri | x | 1 | 08 | div | | | | gift Anne Leitner, from sd. from tree in Kew, 1302: ma |
| 242 | * | 02340 | 4 | Sorbus pseudohupehensis | x | 1 | 03 | waa | | V | | 02: oligodonta syn of S. hupehensis hort. acc. to Jan D |
| 242 | * | 00405 | 3 | Sorbus scalaris | x | 1 | 01 | spi | | V | | */020823: good plant, 020924: both plants (98400) are |
| 243 | | 10071 | 4 | Betula ermanii | x | 1 | 10 | wld | | C | | |
| 243 | | 18191 | 4 | Cornus kousa 'Teutonia' | x | 1 | 18 | ver | | | | #15055 |
| 243 | | 02268 | 4 | Fagus grandifolia | x | 1 | 02 | wld | | V | | |
| 243 | | 02363 | 4 | Fontanesia phillyreoides | x | 3 | 10 | dev | | | | from seed |
| 243 | * | 04104 | 4 | Fraxinus americana 'Autumn Purple' | x | 1 | 14 | pav | | | | 1208: verified to species level, 121004: wonderful deep |
| 243 | * | 04172 | 4 | Quercus stellata 'Artois' | x | 1 | 06 | pav | | V | | 0610: removed a lot of stock, beware, 081010: growing |
| 243 | | 18192 | 4 | Sorbus commixta 'Dodong' | x | 1 | 18 | ver | | | | #15068 |
| 243 | | 16040 | 4 | Sorbus forrestii | x | 1 | 16 | sny | | | | #12288, gift Charles Snyers, sd from Botanic Garden B |
| 243 | | 08141 | 4 | Sorbus hybrida | x | 1 | 10 | wld | | | | |
| 243 | * | 10083 | 4 | Sorbus megalocarpa aff. | x | 1 | 10 | wld | | ? | | |
| 243 | | 16063 | 4 | Sorbus sp. | x | 1 | 16 | wld | | ? | | |
| 243 | | 08025 | 4 | Zelkova x verschaaffeltii (carpinifolia x serrata) | x | 1 | 10 | pav | | | | |
| 244 | | 04147 | 4 | Betula albosinensis 'Fascination' | x | 1 | 06 | pav | | | | |
| 244 | | 16089 | 4 | Betula albosinensis 'Pink Champagne' | x | 1 | 18 | bul | | | | |
| 244 | | 15325 | 4 | Betula ermanii 'Hakkoda Orange' | x | 1 | 18 | div | | | | Un Jardin au Mont-Blanc (Franck Sadrin), 1801: bewar |
| 244 | | 02525 | 4 | Betula 'Hergest' | x | 1 | 04 | div | | | | 02: gift IDS, visit to Belgium, from Hergest Croft, 061 |
| 244 | | 03100 | 3 | Fagus grandifolia | x | 1 | 06 | wld | | V | | |
| 244 | | 04265 | 3 | Fraxinus chinensis subsp. rhynchophylla | x | 1 | 04 | wld | | | | |
| 244 | | 04246 | 3 | Fraxinus lanuginosa | x | 1 | 04 | wld | | | | |
| 244 | | 10186 | 4 | Malus 'Spring Memories' | x | 1 | 10 | wis | | | | */prop #9928, gift Colin Crosbie, brown lvd sdlg of Wi |
| 244 | | 10185 | 4 | Malus toringoides | x | 1 | 10 | wld | | | | |
| 244 | | 14018 | 4 | Quercus macrocarpa | x | 1 | 14 | wld | | ? | | |
| 244 | | AA187 | 4 | Quercus robur | x | 1 | ?? | div | | | | BDB #16476, probably planted after 1933, with the Q. |
| 244 | | 04061 | 4 | Quercus robur 'Fastigiata Koster' | x | 1 | 04 | vpl | | V | | 0408: several holes in main stem, bigger than those of |
| 245 | | 04017 | 4 | Acer rubrum 'Tilford' | x | 1 | 04 | vpl | | | | |
| 245 | | 96264 | 4 | Aesculus x mutabilis 'Penduliflora' | (pavia x sylvatica) | | 08 | pav | | | | 0606: lvs scorched |
| 245 | | 04336 | 3 | Azalea 'Daviesii' | (Ghent) | x | 1 | 10 | dcl | | | 0807: mildew, seem very susceptible, 1207: 12/13 |
| 245 | | 96055 | 3 | Azalea 'Persil' | (Knap Hill) | x | 2 | 06 | vpl | | | 0805:12/15 left, 0909: 2 left !! |
| 245 | | 12407 | 4 | Betula browicziana | x | 1 | 12 | wld | | | | |
| 245 | | 06015 | 3 | Betula utilis | x | 1 | 06 | wld | | C+ | | |
| 245 | | 12408 | 2 | Fraxinus angustifolia subsp. syriaca | x | 1 | 12 | wld | | | | |
| 245 | | 04497 | 4 | Quercus shumardii | x | 1 | 10 | wld | | V | | |
| 246 | | 05192 | 4 | Betula albosinensis 'Bowling Green' | x | 1 | 07 | waa | | | | |
| 246 | | 05193 | 4 | Betula albosinensis 'Chinese Garden' | x | 1 | 07 | waa | | | | |
| 246 | | 14531 | 4 | Betula dahurica 'Maurice Foster' | x | 1 | 17 | bul | | | | |
| 246 | | 12277 | 4 | Betula platyphylla var. japonica | x | 1 | 12 | wld | | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|---|
| 246 | | 15146 | 4 | Carpinus fangiana | x | 1 | 15 | wld | | | |
| 246 | | 18020 | 4 | Corylus colurna | x | 1 | 18 | ver | | | gift #14196 as "Kloon 21", Hungarian selection resemb |
| 246 | | 17054 | 4 | Fraxinus baroniana | x | 1 | 17 | wld | | | |
| 246 | | 14444 | 3 | Gleditsia caspia | x | 1 | 14 | wld | | | |
| 246 | | 04047 | 4 | Liquidambar styraciflua 'Worplesdon' | x | 1 | 04 | vpl | | | |
| 246 | | 18217 | 4 | Ostrya virginiana | x | 1 | 18 | wld | | | |
| 247 | | 09240 | 3 | Alnus crispa | x | 1 | 14 | div | C | | gift Leo Terlouw, |
| 247 | * | 94310 | 4 | Alnus japonica | x | 1 | 95 | wld | | V | |
| 247 | | 12010 | 4 | Betula albosinensis | x | 1 | 12 | wld | | | |
| 247 | | 14140 | 4 | Carya pallida | x | 1 | 14 | wld | | | |
| 247 | | 18021 | 4 | Pinus koraiensis | x | 1 | 18 | wld | | | |
| 247 | | 04134 | 4 | Quercus 'Pondaim' (pontica x dentata) | x | 1 | 04 | pav | | | |
| 247 | * | 09040 | 4 | Quercus texana 'New Madrid' | x | 1 | 10 | pav | C | | gift Dirk Benoit, 100427: head dead, frost? and bark sp |
| 248 | | 91326 | 4 | Acer spicatum | x | 1 | 91 | waa | | V | */this pl. with new growth earlier than the others; 0209 |
| 248 | | 93162 | 4 | Acer spicatum | x | 1 | 93 | ddh | | | */prob.sd.ex Arb.Lenoir #892 , 97: pl -c was blown ove |
| 248 | | 18193 | 4 | Alnus serrulata | x | 1 | 18 | wld | | | |
| 248 | | 07080 | 4 | Alnus subcordata | x | 1 | 07 | wld | | V | |
| 248 | | 99184 | 4 | Betula populifolia | x | 1 | 00 | wld | | V | |
| 248 | | 15294 | 3 | Carpinus fangiana | x | 1 | 15 | div | | | Gift #11614 of Arborealis (Micha Wieland), grafted on |
| 248 | | 11157 | 4 | Corylus fargesii | x | 1 | 11 | mor | | | gift #10711 Carlos Verhelst, graft of material from Mor |
| 248 | * | 91633 | 4 | Fraxinus americana 'Iodocarpa' | x | 1 | 93 | waa | | ? | 043-86, Pensylv. 020930: spectacular buttersyellow wit |
| 248 | o | 95376 | 3 | Populus koreana | x | 1 | 97 | sny | B | V | */ needs humidity, otherwise leggy, winter ctg by Ch. |
| 248 | | 16111 | 4 | Sorbus sargentiana | x | 1 | 16 | wld | | | |
| 248 | | 16112 | 4 | Sorbus sargentiana aff. | x | 1 | 16 | wld | | ? | |
| 248 | | 17316 | 4 | Stewartia ovata | x | 1 | 17 | wld | | | |
| 251 | | 98189 | 4 | Acer buergerianum | x | 1 | 99 | esv | | V | */99:head possibly killed by autumn frost of 1998, 990 |
| 251 | * | 97140 | 4 | Acer buergerianum 'Hime-kaede' | x | 1 | 00 | esv | | | 041123: good yellow autumn colour, 061125:once agai |
| 251 | | 14176 | 2 | Acer cissifolium | x | 1 | 14 | wld | | | |
| 251 | | 98202 | 4 | Acer negundo var. violaceum | x | 1 | 99 | esv | | V | |
| 251 | | 09112 | 4 | Acer tataricum subsp. semenowii | x | 1 | 09 | wld | | V | |
| 251 | | 84223 | 4 | Corylus colurna | x | 1 | 88 | esv | A | | 89:on very bad soil; 02: flowering very abundant, nice t |
| 251 | | 96058 | 4 | Fagus sylvatica 'Purple Fountain' | x | 1 | 96 | vpl | | | BDB #30148 |
| 251 | | 01228 | 2 | Magnolia 'Pickard's Firefly' | x | 1 | 02 | rut | | | |
| 251 | | 18045 | 4 | Magnolia 'Pickard's Snow Queen' | x | 1 | 18 | ver | | | #14015, graft from our #85055 |
| 251 | | 92712 | 4 | Malus hupehensis | x | 5 | 94 | ddh | | | sdlg by D.Duhaut, 1405: heavily infested, many lvs (pa |
| 252 | | 92002 | 4 | Magnolia 'Deep Purple Dream' (LA 45) | x | 1 | 94 | eis | | | (den.pink form x liliifl.) Hybridized by Prof J.McDanie |
| 252 | * | 85083 | 4 | Magnolia 'Pickard's Opal' | x | 1 | 87 | eis | A | ? | not 'Maime', 91/4+deer+frost, to ground, ?stock 95:sup |
| 252 | ** | 86147 | 4 | Magnolia 'Pickard's Schmetterling' | x | 1 | 87 | eis | | ? | 90:defol/dry, 95:super flwrg, like a sprengeri diva hbrd, |
| 252 | ** | 85055 | 3 | Magnolia 'Pickard's Snow Queen' | x | 1 | 87 | eis | C+ | | 97:vigorous plant, tree like, should be pruned !! 98:pru |
| 252 | | 95157 | 4 | Magnolia 'Sangreal' (soulangeana) | x | 1 | 97 | div | | | J.A.Smith prop purchased at Magnolia Soc. auction, M |
| 253 | * | 88201 | 4 | Acer buergerianum | x | 1 | 93 | esv | C | | */95:cut back by autumn/spring frost, 98:good foliage o |
| 253 | | 12008 | 4 | Carya cordiformis | x | 1 | 12 | wld | | | |
| 253 | | 18086 | 4 | Cladrastis platycarpa | x | 1 | 18 | dev | | | gift #12947 Damien Devos, from Arnold Arboretum (1 |
| 253 | | 98009 | 4 | Fagus orientalis | x | 1 | 98 | wld | | V | |
| 253 | | 98385 | 4 | Fagus sylvatica 'Rohanii' | x | 1 | 00 | pav | | | |
| 253 | | 90002 | 4 | Liriodendron chinense | x | 1 | 90 | dbl | | V | */90:dry,KLMT sd:89/1410 98:some yellowish lvs, and |
| 253 | * | 95050 | 4 | Magnolia 'Dude's Brother' (sprengeri sprengeri x Pict | x | 1 | 96 | pds | | | cttg.#... fr.90164 fr.Savage R14-5 cttg 4118, 00:flwrg |
| 253 | | 14177 | 4 | Prunus sargentii 'Charles Sargent' | x | 1 | 14 | ver | | | prop #12886, 18/3/30: not leafing yet |
| 254 | | 12409 | 4 | Alnus rhombifolia | x | 1 | 12 | wld | | | |
| 254 | | 12021 | 4 | Carya glabra var. megacarpa | x | 1 | 12 | wld | | | |
| 254 | | 13036 | 3 | Fagus crenata | x | 1 | 13 | wld | | V | |
| 254 | | 94285 | 4 | Fagus grandifolia | x | 1 | 00 | div | | V | BDB #30150, very big leaves, unknown origin, from H |
| 254 | | 13037 | 2 | Fagus japonica | x | 1 | 13 | wld | | V | |
| 254 | | 08149 | 4 | Fagus sylvatica 'Cochleata' | x | 1 | 14 | bul | | | |
| 254 | | 09170 | 4 | Fraxinus chinensis | x | 1 | 09 | wld | | V | |
| 254 | | 91497 | 4 | Quercus robur 'Concordia' | x | 1 | 95 | waa | | | */96:is OK , 970920 covered with mildew, rather uggly |
| 254 | | 92644 | 4 | Styrax japonicus | x | 1 | 95 | waa | | | 96/8:covered with scale insects, will it survive if we do |
| 255 | | 98297 | 4 | Fagus sylvatica 'Quercifolia' | x | 1 | 00 | esv | | | |
| 256 | | 89059 | 4 | Alnus nitida (hybrid?) | x | 1 | 89 | ddh | A | H | sdlg by DDH, ex-Hof Ter Saks, Number of veins =8, n |
| 256 | * | 98114 | 4 | Alnus subcordata | x | 1 | 98 | wld | | V | |
| 256 | | 04338 | 4 | Davidia involucrata var. vilmoriniana | x | 1 | 06 | div | | | 04: from Chen Yi Nursery, China, wld?, 2500m, Catalo |
| 256 | | 00548 | 4 | Nyssa sylvatica 'Autumn Cascades' | x | 1 | 01 | bul | | | 0107:leader lost in wind, 031107: uninteresting habit a |
| 256 | | 87275 | 4 | Zelkova serrata | x | 1 | 88 | pds | | | */sd.#0375 from Wakehurst #31094, 88:miserable, 99 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|---|---|--|
| 257 | * | 88173 | 4 | Betula nigra | x | 1 * | 88 | esv | | V | BDB#25041 |
| 257 | | 95238 | 4 | Carya glabra var. megacarpa | x | 1 | 95 | pds | | C | */Sd. 2165 from Arnold A., poss hbr from the Carya col |
| 257 | | 84290 | 4 | Liriodendron tulipifera 'Aureomarginatum' | x | 1 | 87 | esv | A | | BDB #30753, 020626: is flowering |
| 257 | | 08071 | 4 | Pyrus elaeagnifolia | x | 1 | 10 | wld | | | |
| 257 | | 18046 | 4 | Quercus alba | x | 1 | 18 | wld | | | |
| 258 | | 00357 | 4 | Magnolia ('David Clulow' x 'Hot Pants') | x | 1 | 00 | pds | | K | */sd 5548 from Cross 96/037, _ 02: pl-c bark split; 03: 130510: is good yellow this year |
| 258 | | 06117 | 4 | Magnolia 'Golden Joy' ('Yellow Bird' x brooklynensis) | x | 1 | 08 | rut | | | |
| 258 | | 08249 | 3 | Magnolia 'Golden Rain' (acuminata x 'Norman Gould') | x | 1 | 13 | rut | | | |
| 258 | | 04390 | 4 | Magnolia 'Lois' (acuminata x (acuminata x denudata)) | x | 1 | 06 | rut | | | 070417: surely not the most yellow Magnolia, but not b |
| 258 | | 00360 | 4 | Magnolia ('Manchu Fan' x 'Leda') | x | 1 | 00 | pds | | K | */sd 5560 from Cross 96/064; 03: plants nice upright h |
| 258 | | 00359 | 4 | Magnolia 'Patty' ('David Clulow' x 'Leda') | x | 1 | 00 | pds | | | */sd 5549 from Cross 96/038, quite different from 554 |
| 258 | | 08209 | 4 | Magnolia 'Shirazz' (denudata x 'Vulcan') | x | 1 | 10 | bur | | | 140324: dark, compact flowers, standing out from a dis |
| 258 | | 17317 | 4 | Nyssa sylvatica 'Herkenrode' | x | 1 | 17 | ver | | | gift #14222, graft of our #71002 |
| 258 | | 04119 | 4 | Quercus x hispanica 'Diversifolia' | x | 1 | 04 | pav | | | 0801: electric wire grown in main stem, my fault, unfor |
| 258 | | 16010 | 4 | Quercus prinoides | x | 1 | 16 | sny | | | #12275, gift Charles Snyers, International Oak Society |
| 261 | | 15081 | 4 | Acer pycnanthum | x | 1 | 15 | wld | | | |
| 261 | | 02109 | 4 | Acer rubrum 'October Glory' | x | 1 | 03 | pav | | | */leave lower branches; 041122: good autumn colour, |
| 261 | | 01015 | 4 | Celtis tenuifolia | x | 1 | 01 | wld | | | |
| 261 | | 04008 | 4 | Cercis chinensis 'Avondale' | x | 1 | 04 | vpl | | | not C. gigantea as per invoice, 050412: good flowering |
| 261 | | 15295 | 4 | Crataegus chungtienensis aff. | x | 1 | 15 | wld | | ? | |
| 261 | | 16041 | 4 | Crataegus chungtienensis aff. | x | 1 | 16 | wld | | ? | |
| 261 | | 12221 | 4 | Crataegus dahurica | x | 1 | 12 | div | | | gift #10967, Maurice Foster, 1707: from 2 back to statu |
| 261 | | 14083 | 4 | Crataegus kansuensis | x | 1 | 14 | wld | | | |
| 261 | * | 02356 | 4 | Crataegus macracantha | x | 1 * | 03 | dev | | C | 0709: deserves a * for its spectacular fruiting, 1710: see |
| 261 | | 08021 | 4 | Crataegus x persimilis 'Prunifolia Splendens' | x | 1 | 10 | pav | | V | rcvd as 'Splendens', 'Prunifolia Splendens' in PF, |
| 261 | | 08020 | 4 | Crataegus phaenopyrum | x | 1 | 10 | pav | | V | 1401: nice, small fruits in late winter |
| 261 | | 86272 | 4 | Eucommia ulmoides (female) | x | 1 | 87 | esv | A | | 96:cut double head, vigorous pl., 0008:seems stressed, |
| 261 | | 04151 | 4 | Fagus sylvatica 'Dawyck Purple' | x | 1 | 06 | pav | | | |
| 261 | | 18087 | 4 | Fraxinus papillosa | x | 1 | 18 | wld | | | |
| 261 | | 91758 | 4 | Hovenia dulcis | x | 1 | 92 | pds | | | Sd.#1650 PdS cll. from Morris arb, 91/9:OK, 95:warm |
| 261 | | 12410 | 3 | Magnolia macrophylla | x | 1 | 12 | wld | | | |
| 261 | | 04125 | 4 | Nothofagus antarctica | x | 1 | 04 | pav | | | |
| 261 | | 88095 | 4 | Phellodendron lavalleyi | x | 1 | 88 | ter | | ? | not chinensis?=Lavalleyi, Gift from Van Dievoet, Tervu |
| 261 | | 15234 | 4 | Quercus lobata | x | 1 | 15 | wld | | | |
| 261 | | 14318 | 2 | Quercus x warei 'Nadler' | x | 1 | 14 | ver | | | gift #11624, opening Arboretum, 1709: somewhat chlo |
| 262 | | 02290 | 4 | Acer pycnanthum | x | 1 | 03 | waa | | | 03: lost its head, 0807: lvs small, not variegated, thus n |
| 262 | * | 86251 | 4 | Cornus controversa | x | 1 * | 87 | esv | ? | | 95:good pl., well established,_011007:superb aut.col, t |
| 262 | | 08019 | 4 | Crataegus crus-galli | x | 1 | 10 | pav | | V | 140916: wonderful in fruit and good healthy foliage, g |
| 262 | | 16168 | 4 | Fraxinus americana 'Bash Bish Falls' | x | 1 | 16 | ver | | | #14133, graft of our #93047 |
| 262 | | 11058 | 4 | Juglans cinerea | x | 1 | 11 | pds | | | sd #8185 from Guy Sternberg from a cultivated specim |
| 262 | ** | 80064 | 4 | Magnolia x loebneri 'Leonard Messel' | x | 1 ** | 86 | hil | A | V | 94:always lovely, 04: and flowers very frost resistant, |
| 262 | | 04118 | 4 | Quercus x hispanica 'Lucombeana' | x | 1 | 04 | pav | | | 10: double head, must be pruned |
| 262 | | AA191 | 4 | Quercus palustris | x | 3 | 50 | spo | | | probably spontaneous in old Douglas avenue, set free i |
| 262 | * | 76107 | 4 | Zelkova serrata | x | 1 * | 84 | pds | A | | */sd frm good KLMTM tree , 97:92cm a/1m, 9911:late |
| 263 | | 12042 | 3 | Acer cappadocicum 'De Oirsprong' | x | 1 | 16 | esv | | | |
| 263 | * | 87073 | 4 | Acer platanoides 'Dissectum' | x | 1 * | 87 | pds | A | T | HKR.sdlg ex-Winkworth, See photo's, 99: Verify : coul |
| 263 | | 91655 | 4 | Fagus lucida | x | 1 | 94 | waa | | V | BDB #30151, 900-82 |
| 263 | | 04066 | 4 | Fagus sylvatica 'Pendula' | x | 1 | 04 | vpl | | | 0408: rather sparsely leaved, not in perfect health, was |
| 263 | | 18194 | 4 | Nyssa sinensis 'Heddon Flame' | x | 1 | 18 | ver | | | #15066 |
| 263 | ** | 92007 | 4 | Nyssa sinensis 'Jim Russell' | x | 1 ** | 92 | rus | | | */ex- Fromefield Nursery, 94:vig., 97:pruned top latera |
| 263 | | 89046 | 4 | Photinia villosa | x | 2 | 89 | ddh | | | received from DDH, (from ESV) for deposit in arboret |
| 263 | | 99218 | 4 | Photinia villosa | x | 1 | 00 | wld | | | |
| 263 | | 00554 | 4 | Photinia villosa f. maximowicziana | x | 1 | 02 | bul | | | 02: changed 'Maximowicziana' to forma, 051206: inten |
| 263 | | 83122 | 4 | Quercus petraea 'Columna' | x | 1 | 87 | hil | A | | |
| 263 | | 11098 | 4 | Quercus x warei (bicolor x robur) | x | 1 | 11 | pds | | | BDB trip Illinois, sd. #8084, Petersburg, photos, plante |
| 264 | | 18022 | 4 | Corylus chinensis | x | 1 | 18 | ver | | | gift #14195 |
| 264 | | 02519 | 4 | Crataegus songarica | x | 1 | 04 | wld | | | |
| 264 | | 17446 | 4 | Fraxinus baroniana | x | 1 | 17 | wld | | | |
| 264 | * | 84641 | 4 | Fraxinus chinensis subsp. rhynchophylla | x | 1 * | 87 | dbl | B | V | BDB #29635, 91/10:good early aut.colour, is the 84DB |
| 264 | | 96277 | 3 | Fraxinus chinensis subsp. rhynchophylla | x | 1 | 97 | div | | V | gift from ... 96/10:petiole stays on branchlet after folioli |
| 264 | | 83109 | 4 | Fraxinus ornus | x | 1 | 85 | hil | A | V | not F.chinensis rhynchophylla, 0311: had some stock, 0 |
| 264 | * | 84255 | 4 | Fraxinus sieboldiana (mariesii) | x | 1 * | 87 | esv | A | V | best in 91/4 frost, Good pl., holds it flowers, dry,into |
| 264 | | 04075 | 4 | Quercus petraea | x | 1 | 04 | pav | | | 11: is this pure species?, 170601: processionary caterpi |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 264 | | 04102 | 4 | Sorbus folgneri | x | 1 | 04 | pav | | V | 0407: lost its head in storm, |
| 264 | | 04079 | 3 | Sorbus folgneri 'Lemon Drop' | x | 1 | 04 | pav | | V | 0407: many dead branches, not doing well, 060514: ful |
| 264 | * | 96163 | 4 | Sorbus hemsleyi | x | 1 | 98 | div | A | | Purchased at Magnolia auction, 1996, 97:A and vigoro #12290, gift Charles Snyers, Karl-Marx Allee, Berlin, |
| 264 | | 16042 | 4 | Sorbus hybrida | x | 1 | 16 | sny | | | |
| 264 | * | 10243 | 4 | Sorbus japonica | x | 1 | 10 | wld | | | |
| 264 | | 15235 | 4 | Sorbus latifolia | x | 1 | 15 | sny | | | gift #12291, Charles Snyers, Botanic Garden Berlin-Da |
| 264 | | 14446 | 4 | Sorbus pallescens | x | 1 | 14 | wld | | | |
| 264 | | 15200 | 4 | Sorbus pallescens | x | 1 | 15 | wld | | | |
| 264 | * | 14190 | 4 | Sorbus thibetica | x | 1 | 16 | wld | | | |
| 265 | * | 89060 | 4 | Acer maximowiczianum | x | 1 | 89 | ddh | ? | V | syn.nikoense, 101102:beautiful pink-scarlet colour this |
| 265 | | 14373 | 4 | Carya ovata | x | 1 | 14 | wld | | V | |
| 265 | | 04035 | 4 | Ginkgo biloba 'Autumn Gold' | x | 1 | 04 | vpl | B- | | 1005: new lvs frozen on small plant, 101006: not yet c |
| 265 | | 04301 | 4 | Maackia hupehensis | x | 1 | 04 | div | | | (syn. chinensis), 5741b, origin unknown, could be from |
| 265 | | 84576 | 4 | Malus sargentii | x | 1 | 84 | hil | A | T | 97: no stock here !! 031113: a lot of stock, removed m |
| 265 | | 99217 | 4 | Malus sargentii | x | 1 | 00 | pds | | | sd from Hkrd 84340 |
| 265 | | 13195 | 4 | Phellodendron amurense var. sachalinense | x | 1 | 13 | wld | | | |
| 265 | | 89007 | 4 | Photinia villosa | x | 1 | 89 | ddh | | | Gift from Dominique Duhaut, |
| 265 | | 04043 | 4 | Platanus orientalis 'Minaret' | x | 1 | 04 | vpl | | | 1003: massive fruiting |
| 265 | | 16235 | 4 | Prunus 'Hanagasa' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), matsumae, |
| 265 | | 18218 | 4 | Prunus incisa 'Midori' | x | 1 | 18 | pds | | | cttg #13741 of HKRD #92598 |
| 265 | | 83568 | 4 | Prunus 'Kanzan' | x | 1 | 87 | esv | A | | not P.rufa, Possibly 'Spire', 99:determined as 'Kanzan' |
| 265 | | 16234 | 4 | Prunus sargentii 'Jacqueline' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 265 | | 13119 | 4 | Prunus serotina subsp. capuli | x | 1 | 13 | wld | ? | ? | |
| 265 | | 16231 | 4 | Prunus 'Shizuka' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), = 'Fragrant |
| 265 | ** | 83118 | 4 | Prunus verecunda 'Autumn Glory' | x | 2 | 87 | hil | A | | 991013:superb wine colour, 101017: waaw, 1204: not |
| 266 | | 16169 | 3 | Glyptostrobus pensilis | x | 1 | 16 | dcl | | | #12872, gift Antoon De Clercq, 161024: interesting br |
| 266 | | 11348 | 4 | Malus hupehensis 'Fox's Pride' | x | 1 | 14 | dev | | | gift Damien Devos, DO NOT PROPAGATE, could als |
| 266 | | 02533 | 4 | Styphnolobium japonicum 'Regent' | x | 1 | 03 | div | | | BDB #25930, 02: source Arbor NV, 0309: removed jut |
| 267 | | 98313 | 4 | Malus 'Evereste' | x | 1 | 99 | esv | | | 031106: spectacular with hundreds of attractive apples |
| 267 | | 83143 | 4 | Malus 'Golden Hornet' | x | 1 | 87 | hil | A | | 020627: apparently some major branches have been re |
| 267 | | 83115 | 4 | Malus hupehensis | x | 1 | 84 | hil | C | | 031106: good autumn colour |
| 267 | | 84574 | 4 | Malus hupehensis | x | 1 | 87 | hil | C | ? | 02: calyx too long, too many styles |
| 267 | | 18195 | 4 | Malus prattii | x | 1 | 18 | pds | | | sd. #13706 by Sam from Howick Arboretum |
| 267 | | 14141 | 4 | Malus sp. | x | 1 | 14 | wld | | | ? |
| 267 | | 84706 | 4 | Malus transitoria | x | 1 | 87 | spi | C | ? | is identical to 84577, 1209: Piet de Jong thinks this is t |
| 267 | | 83161 | 4 | Malus tschonoskii | x | 1 | 87 | hil | A | T | 020415: lvs not lobed, check later on long branches; 02 |
| 267 | | AA342 | 4 | Quercus palustris | x | 1 | 50 | spo | | | probably spontaneous in old Douglas avenue, set free i |
| 268 | | 01102 | 4 | Acer mandshuricum | x | 1 | 18 | dcl | | V | gift Antoon Declercq, 0204: leader killed by spring fros |
| 268 | | 17001 | 4 | Acer rubrum 'Morgan' | x | 1 | 17 | dbr | | | gift IDS Council meeting @AW 22 Oct 2016, |
| 268 | | 11055 | 4 | Magnolia (acuminata x 'Miss Honeybee') | x | 1 | 11 | ver | | K | graft #9902 of our #98055-B, not very interesting I tho |
| 268 | * | 95014 | 4 | Magnolia 'Anilou' (acuminata x 'Elisabeth') | x | 1 | 95 | pds | | | */Sd.#4088, Of 2 seeds by August Kehr, 010509:pl-b fl |
| 268 | | 08250 | 4 | Magnolia 'Goldfinch' ('Miss Honeybee' x denudata) | x | 1 | 10 | rut | | | 160421: floriferous, not bad but very pale (KC) |
| 268 | | 17287 | 3 | Magnolia 'Honey Tulip' | x | 1 | 17 | div | | | #13831, bought at Floralux, 1707: from 4 to status 3 |
| 268 | | 18196 | 4 | Magnolia 'Joli Pompon' ('David Clulow' x sprengeri v | | | 18 | ver | | | #15062 |
| 268 | | 14282 | 4 | Magnolia 'Judy Zuk' (x brooklynensis hybrid) | x | 1 | 14 | ver | | | gift #10717, Wisley 2001.4776A, |
| 268 | * | 95009 | 4 | Magnolia x loebneri ('Encore' sdlg) | x | 1 | 95 | pds | | V | */ Sd.#4086, from A.Kehr, 98 first flwrg,a stellata rose |
| 268 | | 01225 | 4 | Magnolia 'Maxine Merrill' ('Miss Honeybee' x 'Merrill | | | 06 | rut | | | */030728: second flowering (after planting this year) w |
| 268 | * | 95008 | 4 | Magnolia stellata (Tetraploid) | x | 3 | 95 | pds | | ? | */pl -h is concolor hybrid, Sd.#4078, from.Kehr, 99:nin |
| 268 | | 07188 | 4 | Magnolia 'Suntown' (acuminata x ('Fertile Myrtle' x 'P | | | 09 | rut | | | 110411: not quite bud hardy, flowers damaged on this |
| 268 | | 95001 | 3 | Magnolia ('Woodsman' x 'Lennei' OP) "Wood Len" | x | 1 | 95 | pds | | H | */Sd.#4091, R12-4 Open Pollin. from A.Kehr:for late h |
| 268 | | 07192 | 4 | Magnolia ('Woodsman' x 'Patriot') | x | 1 | 10 | rut | | K | 1104: curious narrow greenish tepals, not worth keepi |
| 268 | | 17344 | 4 | Picea likiangensis | x | 1 | 17 | wld | | | |
| 268 | | 16012 | 4 | Quercus alba | x | 1 | 16 | wld | | | |
| 268 | | 13196 | 4 | Quercus montana | x | 1 | 13 | wld | | | |
| 268 | | 18023 | 4 | Thujopsis dolabrata | x | 1 | 18 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d' |
| 268 | | 18024 | 4 | Thujopsis dolabrata | x | 1 | 18 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d' |
| 268 | | 10187 | 4 | Xanthocyparis nootkatensis | x | 3 | 11 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest, |
| 270 | | AA283 | 4 | Quercus palustris | x | 48 | 33 | div | | | The oaks of Wernerbos were planted in 1933 when the |
| 271 | | 12049 | 4 | Acer obtusifolium | x | 1 | 13 | esv | | | |
| 271 | ** | 91329 | 4 | Aesculus glabra 'Herkenrode' | x | 1 | 93 | waa | | ? | bark is rough ? poss. A.glabra ? purchased as A. sargen |
| 271 | | 02087 | 4 | Azalea 'Favorite' ('Hinodegiri' x kaempferi) | x | 2 | 02 | pds | | | cttg #5352 from Hkrd #73021 |
| 271 | | 73021 | 4 | Azalea 'Favorite' ('Hinodegiri' x kaempferi) | x | 5 | 97 | vpl | B | | 85:B, 97:4/5 pl dry on moving, flwrg, C, st=1, might r |
| 271 | | 98039 | 4 | Azalea 'Pallas' (Ghent) | x | 1 | 01 | vpl | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|---|---|----------|----|-----|----|---|--|
| 271 | | 87235 | 4 | Azalea 'Shin Seikai' (Kurume) | x | 1 | 05 | pds | C | | =Old Ivory', ctg HKRD ? #, 94:1pl.:0, _00:only one p |
| 271 | | 06203 | 4 | Buddleja alternifolia 'Argentea' | x | 1 | 08 | div | | | gift Maurice Vergote via Marc Libert |
| 271 | | 90146 | 4 | Chaenomeles cathayensis | x | 1 | 07 | pds | | | HKR#1449:Sdlg.BJUV, 92/4:good flw, 92:3, 00:down |
| 271 | | 16013 | 4 | Chaenomeles japonica | x | 1 | 16 | wld | | | |
| 271 | | 08146 | 4 | Chaenomeles speciosa 'Yukigoten' | x | 1 | 10 | bul | | | |
| 271 | | 01283 | 4 | Cornus 'Eddie's White Wonder' (florida x nuttallii) | x | 1 | 03 | bul | | | 1302: status 3, 1707: back to status 4 |
| 271 | | 04429 | 4 | Cotinus obovatus | x | 1 | 09 | bul | | | 0808: lvs scorched, infected, falling, what does this pla |
| 271 | | 99120 | 4 | Deutzia taiwanensis | x | 1 | 05 | div | C- | V | gift Michel Boutsen, 09: C-, recovering, 1009: back to |
| 271 | | 02358 | 4 | Dipelta floribunda | x | 1 | 03 | dev | | | scion |
| 271 | | 15272 | 2 | Hydrangea involucrata 'Tokado Yama' | x | 5 | 17 | bul | | | 1504: high and strong plants, 1707: to status 2 because |
| 271 | | 91429 | 3 | Maackia amurensis var. buergeri | x | 1 | 93 | waa | | | 1302: to status 3, big wound at base |
| 271 | | 92731 | 4 | Ostrya virginiana | x | 1 | 93 | waa | | | BDB #25879, 95: poss.hit by spring frost,=1 dry wood |
| 271 | | 09181 | 4 | Philadelphus scaber | x | 1 | 09 | wld | | | |
| 271 | | 09125 | 3 | Rhododendron 'Jack Skelton' ('Dr. Stocker' x 'M. L. S | | | 09 | pds | B+ | | cttg. #7569 of HKRD #79014, 0909: status 3, dry |
| 271 | * | 97111 | 4 | Rhododendron 'Lavender Girl' (fortunei x 'L. Grey Eg | | | 97 | pds | A+ | | cttg.#4497 fr.76066, 0305: spectacular flowering, 1305 |
| 271 | | 98074 | 4 | Rhododendron 'Lavender Girl' (fortunei x 'L. Grey Eg | | | 98 | pds | A+ | | Cttg 4797 from Hkrd #76066, 0305: spectacular flower |
| 271 | | 98069 | 4 | Rhododendron 'Mrs Charles E. Pearson' (Coombe Ro | | | 98 | pds | A+ | | Cttg 4770 from Hkrd #76072 |
| 271 | * | 77204 | 4 | Rhododendron 'Seven Stars' ('Loderi Sir Joseph Hook | | | 96 | hil | A | | 150430: * confirmed |
| 271 | | 02155 | 4 | Rhododendron tashiroi | x | 2 | 02 | pds | | | cttg. #4958 from Hkrd #84652, 0601: 1 plant to status |
| 271 | | 08010 | 4 | Sorbus decora | x | 1 | 08 | wld | | | |
| 271 | | 09035 | 4 | Sorbus scalaris | x | 1 | 10 | pav | | | |
| 271 | | 09036 | 4 | Sorbus scalaris | x | 1 | 10 | pav | | | |
| 271 | | 09037 | 4 | Sorbus scalaris | x | 1 | 10 | pav | | | |
| 271 | * | 91528 | 4 | Ulmus lamellosa | x | 1 | 93 | waa | V | | 161021: excellent autumn colour |
| 272 | | 04335 | 3 | Azalea 'Daviesii' (Ghent) | x | 9 | 17 | dcl | | | 11:8/12 left, 1611: lost there in 522, try to recover as m |
| 272 | | 14019 | 4 | Celtis koraiensis | x | 1 | 14 | wld | | | |
| 272 | | 03117 | 4 | Cotinus coggygia 'Royal Purple' | x | 1 | 06 | dev | | | 0608: lvs rather small |
| 272 | * | 93164 | 4 | Magnolia (obovata x tripetala) (Pruhonice) | x | 2 | 93 | pds | H | | */SD #2109 Pruhonice,see my notes of visit on 880917 |
| 272 | | 12208 | 4 | Physocarpus amurensis | x | 1 | 12 | pds | | | cttg #9701 BDB trip Ruhr, BG Bochum, May 2007, |
| 272 | * | 98395 | 4 | Prunus 'Shirotae' | x | 1 | 00 | pav | V | | 020823: looks good but not perfectly happy, only praisi |
| 272 | | 99163 | 4 | Rhododendron 'Gladys' (campylocarpum x fortunei) | x | 1 | 00 | pds | A | | Cttg 4952 from Hkr 77145, 0608: many of upper lvs y |
| 272 | | 99164 | 4 | Rhododendron 'Gladys Rose' (campylocarpum x fortu | | | 00 | pds | A | | Cttg 4933 from Hkr 77146, 0608: upper lvs scorched |
| 272 | | 02154 | 3 | Rhododendron mucronulatum (Hillier's good form) | x | 1 | 02 | pds | C+ | | cttg #5311 from Hkrd #76061/6, 0911:and good autum |
| 272 | | 05272 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forr | | | 12 | bul | A | | 1203: one plant added (other was there since 2008), |
| 272 | | 05367 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forr | | | 08 | bul | A | | added to 80007 specimen in 272 to make group of 3 |
| 272 | ** | 80007 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forr | | | 97 | dho | B | | 020823: I agree with **! 0403: had to cut a lot of dead |
| 272 | | 98399 | 4 | Sorbus aucuparia 'Sheerwater Seedling' | x | 1 | 00 | pav | | | 0107:damaged on 1/3 of perimeter at base, 060802: ear |
| 272 | | 15079 | 4 | Sorbus keissleri | x | 1 | 15 | wld | | | |
| 272 | | 98334 | 4 | Sorbus minima | x | 1 | 00 | esv | V | | 0506: petiole too long, needs verification, close to S. in |
| 272 | * | 98336 | 4 | Sorbus rockii 'Pink Pearl' | x | 1 | 00 | esv | | | 0610: checked by De Langhe, but no definite outcome, |
| 273 | | 15080 | 3 | Acer pycnanthum | x | 1 | 15 | wld | | | |
| 273 | * | 93163 | 4 | Magnolia (obovata x tripetala) (Pruhonice) | x | 2 | 93 | pds | H | | */SD #2108 Pruhonice,see my notes of visit on 880917 |
| 273 | | 98393 | 3 | Nothofagus antarctica | x | 1 | 00 | pav | | | 051206: good autumn colour, 1707: status 3, less vigou |
| 273 | | 03023 | 4 | Nyssa sinensis 'Jim Russell' | x | 5 | 03 | ver | | | */graft #6683 from Hkrd #92007, grafted on N. sylvatic |
| 273 | | 14020 | 4 | Pyrus sp. | x | 1 | 14 | wld | | | |
| 273 | | 03253 | 4 | Rhododendron 'Harkwood Premiere' (yakushmanum | | | 08 | div | A- | | gift John Gallagher |
| 273 | o | 02129 | 4 | Rhododendron 'Harvest Moon' ('Mrs L. Smith' x camp | | | 06 | pds | B+ | | layer from Hkrd #77153 |
| 273 | | 11295 | 3 | Rhododendron 'High Summer' ('Mrs J.G. Millais' x In | | | 18 | div | | | gift David Millais |
| 273 | | 02256 | 4 | Rhododendron minus var. chapmanii | x | 1 | 02 | pds | B+ | | cttg 4745 from Hkrd #76013, 0605: pruned back severe |
| 273 | | 10226 | 4 | Rhododendron 'Mrs T.H. Lowinsky' | x | 1 | 10 | pds | A+ | | layer #9810 of HKRD #82328, 1509: removed almost |
| 273 | | 15265 | 4 | Sorbus 'Leonard Messel' | x | 1 | 17 | bul | | | gift Bulk |
| 273 | | 15297 | 4 | Sorbus rutilans | x | 1 | 15 | wld | | | |
| 273 | | 15298 | 4 | Sorbus sp. | x | 1 | 15 | wld | | | ? |
| 273 | | 91515 | 4 | Tilia cordata 'Winter Orange' | x | 1 | 91 | waa | | | */97/09/03: already very defoliated see photo, never ha |
| 274 | o | 01177 | 4 | Acer x hillieri 'Summergold' | x | 1 | 06 | esv | V | | 02: unhealthy appearance, to status 3, 0408: yellow in s |
| 274 | | 17318 | 4 | Acer sterculiaceum subsp. franchetti | x | 1 | 17 | wld | | | |
| 274 | | 77225 | 4 | Azalea 'Koster's Brilliant Red' (Mollis) | x | 1 | 97 | hil | A | | "very close to type R.japonicum", difficult salmon col |
| 274 | | 83293 | 4 | Azalea 'Pallas' (Ghent) | x | 3 | 14 | hil | A | | 10: mother plant plus 5 layers (layers can also be of #8 |
| 274 | | 01077 | 3 | Betula alleghaniensis | x | 1 | 01 | wld | | | |
| 274 | | 03278 | 4 | Betula utilis 'Trinity College' | x | 1 | 05 | mal | | | 03: gift James Harris as B. utilis jacquemontii 'Trinity |
| 274 | | 15173 | 4 | Hamamelis x intermedia 'Feuerzauber' | x | 1 | 15 | div | | | #12764, Chris Lane, Witch Hazel Nursery, |
| 274 | | 15175 | 4 | Hamamelis x intermedia 'Frederic' | x | 1 | 15 | div | | | #12767, Chris Lane, Witch Hazel Nursery, 161021: ex |
| 274 | | 15174 | 4 | Hamamelis 'Rochester' | x | 1 | 15 | div | | | #12765, Chris Lane, Witch Hazel Nursery, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|------------------------------------|--------------------------------|----------|----|-----|-----|---|--|
| 274 | | 06006 | 4 | Physocarpus opulifolius | x | 3 | 06 | pds | | | cttg. #7787 from HKRD #00281 |
| 274 | | 01108 | 4 | Rhododendron 'Matador' | (griersonianum x strigillosum) | | 01 | pds | B+ | | Cttg Hkrd 5316 from 81110, 1504: not Rhododendron' |
| 274 | * | 93030 | 4 | Zelkova serrata | x | 1 | 93 | wld | | | |
| 275 | | 86372 | 4 | Azalea 'Hollandia' | (Mollis) | x | 1 | 97 | esv | ? | |
| 275 | | 07244 | 4 | Azalea 'Robin Hill Gillie' | x | 1 | 10 | div | | | gift Kevin Hughes, Japanese evergreen Azalea, Americ |
| 275 | | 18025 | 4 | Betula utilis 'White House Farm' | x | 1 | 18 | ver | | | gift #14190 as var. prattii |
| 275 | | 14143 | 4 | Carya tomentosa | x | 1 | 14 | wld | | | |
| 275 | | 18219 | 4 | Cotinus 'Peter's Purple' | ('Grace' x obovatus) | x | 1 | 18 | div | | #13828, gift Chris Lane, is 'Grace' backcrossed with ob |
| 275 | | 91401 | 4 | Fagus lucida | x | 1 | 93 | waa | V | | BDB #30152 |
| 275 | | 98008 | 4 | Fagus orientalis | x | 1 | 98 | wld | V | | |
| 275 | | 12411 | 2 | Magnolia officinalis var. biloba | x | 1 | 12 | pds | | | sd. #9555, S Sichuan, along road Ebian-Emei, circa 11 |
| 275 | * | 85274 | 4 | Rhododendron 'Laetevirens' | (minus Carolinianum Gr) | | 97 | ggd | B | | syn 'Wilsonii Gr'; 0403: very good dense evergreen shr |
| 275 | | 83139 | 4 | Spiraea x cinerea 'Grefsheim' | (cana x hypericifolia) | x | 97 | hil | A | | 97:one plant has stayed in loc B, 030418: nice plant, fu |
| 275 | | 04222 | 2 | Tilia chinensis | x | 1 | 06 | pav | | | 0909: status 2, dry |
| 276 | | 98239 | 4 | Acer rubrum 'Tilford' | x | 1 | 00 | esv | | | 0111:no autumn colour! Wat is the idea of this cultivar |
| 276 | | 91332 | 4 | Alnus viridis subsp. fruticosa | x | 1 | 93 | waa | V | | */97:seems right (according to visiting members of the |
| 276 | | 17006 | 4 | Azalea 'Balzac' | (Knap Hill) | x | 5 | 17 | pds | | cttgs #13672 of Azalea 'Balzac' (Knap Hill) - 74139-hil |
| 276 | | 17463 | 4 | Azalea 'Bouquet de Flore' | (Ghent) | x | 3 | 17 | pds | | 3 layers of #86500 |
| 276 | | 86500 | 4 | Azalea 'Bouquet de Flore' | (Ghent) | x | 1 | 17 | vpl | A | 17: big move from C (was there since 1986), and three |
| 276 | | 07242 | 4 | Azalea 'Gwendolyn' | x | 1 | 10 | div | | | gift Kevin Hughes, Japanese evergreen Azalea, Americ |
| 276 | | 77226 | 4 | Azalea 'Narcissiflora' | (Ghent) | x | 4 | 97 | hil | A | moved to 276 in 1997 and divided into 4 new plants, is |
| 276 | | 08591 | 4 | Azalea 'Persil' | (Knap Hill) | x | 3 | 10 | bul | | 1709: from 3 to status 4 |
| 276 | | 84942 | 4 | Betula medwediewii | x | 1 | 95 | esv | A | V | second of original 84173 accession, moved in 1995 to |
| 276 | | 12338 | 4 | Betula utilis aff. | x | 1 | 12 | wld | | ? | |
| 276 | * | 91761 | 4 | Fraxinus angustifolia 'Raywood' | x | 1 | 91 | vpl | T | | BDB #25900, Verif.KR, _010107 colouring well this |
| 276 | | 07132 | 4 | Maackia amurensis | x | 1 | 07 | spo | | | prop #9072, found in p45, prob. spo sdlg from 2 or else |
| 276 | | 93159 | 4 | Photinia villosa f. maximowicziana | x | 1 | 95 | ddh | | | ex HMLRK sd as P. koreana, 95/8:1/3 very dry on mov |
| 276 | | 91483 | 4 | Quercus marilandica | x | 1 | 95 | waa | | | |
| 276 | * | 77085 | 4 | Rhododendron orbiculare (hybrid) | x | 1 | 97 | hil | C | H | |
| 276 | | 02120 | 4 | Rhododendron reticulatum (hybrid) | x | 1 | 02 | pds | C+ | H | cttg #1337 from Hkrd #? 030418: starts to flower, very |
| 276 | | 17288 | 4 | Ribes komarovii | x | 1 | 17 | wld | | | |
| 276 | | 12018 | 4 | Symplocos paniculata | x | 1 | 12 | wld | | | |
| 277 | | 91252 | 3 | Alnus maximowiczii | x | 1 | 02 | mor | T | | gift Morris Arboretum : 89/012 Received from Rik Le |
| 277 | | 18220 | 4 | Alnus serrulata | x | 1 | 18 | wld | | | |
| 277 | | 98119 | 4 | Betula chinensis | x | 2 | 98 | wld | V | | |
| 277 | | 15326 | 4 | Betula ermanii 'Mount Zao Purple' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 277 | * | 96124 | 4 | Betula lenta | x | 1 | 96 | wld | V | | |
| 277 | | 11075 | 4 | Betula szechuanica | x | 1 | 11 | wld | V | | |
| 277 | | 02349 | 4 | Broussonetia papyrifera (male) | x | 1 | 03 | dev | C | | 0405: head dead, not a strong plant here, 0702: head de |
| 277 | | 02313 | 4 | Gleditsia aquatica | x | 1 | 08 | waa | C | | as G. monosperma, 1006: C, 1509: spectacular red thor |
| 277 | | 12376 | 4 | Philadelphus tenuifolius | x | 1 | 12 | wld | | | |
| 277 | | 15334 | 4 | Prunus incisa 'Mikinori' | x | 1 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 277 | | 15335 | 4 | Prunus incisa 'Oshidori' | x | 1 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 277 | | 18129 | 4 | Ptelea trifoliata | x | 1 | 18 | dbf | | | |
| 277 | | 16113 | 4 | Sorbus scalaris | x | 1 | 16 | wld | | | |
| 278 | | 10245 | 3 | Betula globispica | x | 1 | 10 | wld | | | |
| 278 | | 17319 | 4 | Betula insignis aff. | x | 1 | 17 | wld | ? | ? | |
| 278 | | 11099 | 4 | Corylus yunnanensis | x | 1 | 11 | wld | V | | |
| 279 | * | 04089 | 4 | Alnus cordata | x | 1 | 04 | pav | V | | 09: healthy, beautiful plant, 171126: still has all its leav |
| 279 | * | 95061 | 4 | Alnus hirsuta | x | 1 | 94 | wld | V | | |
| 279 | | 00451 | 4 | Amelanchier alnifolia | x | 1 | 02 | esv | | | 040428: big flowers and massive flowering, good plant |
| 279 | | 12378 | 4 | Betula grossa | x | 1 | 12 | wld | | | |
| 279 | | 93017 | 4 | Betula schmidtii | x | 1 | 93 | wld | V | | |
| 279 | | 93006 | 3 | Cornus walteri | x | 2 | 93 | wld | | | |
| 279 | | 11095 | 4 | Corylus fargesii | x | 1 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foster |
| 279 | | 16114 | 4 | Corylus heterophylla | x | 1 | 16 | wld | | | |
| 279 | | 11151 | 4 | Corylus yunnanensis | x | 1 | 11 | wld | | | |
| 279 | | 92520 | 4 | Fagus lucida | x | 1 | 95 | waa | V | | */BDB #30154, 97:one good pl., one average, one yell |
| 279 | | 10246 | 4 | Maclura pomifera ('Cannonball') | sdlg | x | 1 | 10 | div | | sdlg #9506 of tree at Starhill Forest Arboretum (Guy an |
| 279 | | 98514 | 4 | Ostrya japonica | x | 1 | 99 | esv | | | BDB #25880, 99:separated from 98315; 0210: lvs and |
| 279 | * | 91079 | 4 | Quercus x hispanica 'Fulhamensis' | x | 1 | 00 | pav | B | | Evergreen, 93:misery, _01:recovered, neat plant, back t |
| 279 | * | 91474 | 4 | Quercus 'Waasland' (ilex x ?) | x | 1 | 93 | waa | | | */96/1:evergreen more than others, 97:again A, wherea |
| 279 | | 92498 | 4 | Tetradium daniellii | x | 1 | 93 | waa | | | (Euodia henryi), 97:damaged by roe deer; 020904: man |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|----|---|--|
| 281 | * | 91625 | 4 | Acer diabolicum | x | 1 | 93 | waa | | V | 901-88, 94:quite happy, better than pl in 27, 95/8:many |
| 281 | | 07043 | 4 | Buddleja albiflora | x | 1 | 07 | wld | A+ | ? | |
| 281 | | 10228 | 3 | Buddleja sp. | x | 1 | 10 | wld | D | ? | |
| 281 | * | 91650 | 4 | Carya aquatica | x | 1 | 93 | waa | | V | WAA.900-82, 97/9:good elegant plant, NAKED bud li |
| 281 | | 03115 | 4 | Catalpa fargesii f. duclouxii | x | 1 | 06 | dev | A | | 1205: A, better than pl. in 99 (more exposed in that bad |
| 281 | | 91627 | 4 | Celtis sinensis | x | 1 | 93 | waa | | V | (syn. willdenowiana), 330-85,good plant, 96:lost 1995 |
| 281 | | 15177 | 4 | Hamamelis x intermedia 'John' | x | 1 | 15 | div | | | #12776, Chris Lane, Witch Hazel Nursery, |
| 281 | | 15176 | 4 | Hamamelis mollis 'Imperialis' | x | 1 | 15 | div | | | #12769, Chris Lane, Witch Hazel Nursery, |
| 281 | | 92542 | 3 | Hemiptelea davidii | x | 1 | 93 | waa | C | | 0312: many fruits but too late to collect, 1205: C has lo |
| 281 | | 17055 | 4 | Hydrangea arborescens | x | 1 | 17 | pds | | | cttg #14010 by Sam at Maurice Foster |
| 281 | | 15267 | 3 | Hydrangea involucrata (dwarf form) | x | 5 | 16 | bul | | | 1709: from 4 to status 3 |
| 281 | | 01319 | 2 | Hydrangea involucrata 'Hortensis' | x | 6 | 16 | bul | | | 09: 1 left, 1511: recovered well in pON, now 6 plants, |
| 281 | | 15273 | 4 | Hydrangea involucrata 'Viridescens' | x | 4 | 16 | bul | | | (blanc), 1603: only 4/5 found, 1709: 1 status 3 |
| 281 | | 15275 | 4 | Hydrangea involucrata 'Yokudanka' | x | 1 | 17 | bul | | | 1709: 1/2 left |
| 281 | | 11431 | 4 | Hydrangea paniculata 'Ruby' | x | 3 | 14 | div | | | gift Klaas Verboom as 'Angel's Blush', |
| 281 | | 13007 | 4 | Hydrangea serrata 'Mont Aso' | x | 1 | 18 | bul | | | gift Bulk, |
| 281 | * | 91446 | 4 | Paulownia 'Purple Splendour' (tomentosa x fortunei) | x | 1 | 93 | waa | | V | *01:vigorous, suckers from roots, should be pruned, flo |
| 281 | | 12181 | 4 | Philadelphus 'White Rock' | x | 1 | 16 | boc | | | |
| 281 | | 12182 | 4 | Philadelphus 'White Rock' | x | 1 | 16 | boc | | | |
| 281 | | 13216 | 4 | Picea omorika | x | 1 | 14 | wld | | | |
| 281 | | 89021 | 4 | Pinus nigra subsp. pallasiana var. fastigiata | x | 1 | 93 | wld | A | V | |
| 281 | | 13121 | 4 | Quercus x bimundorum 'Crimson Spire' (alba x robur) | x | 1 | 13 | div | | | (alba x robur), TM name, ='Crimschmidt', prop #11581, |
| 281 | | 96136 | 4 | Rhododendron ('Arthur Bedford' sdlg) | x | 1 | 96 | spo | A+ | ? | sd.spontan.(u/Rh.A.Bedford 82307), 160524: impressi |
| 281 | | 09537 | 4 | Rhododendron 'Etta Burrows' (Fusilier Gr x strigillos) | x | 1 | 13 | ggd | A | | |
| 281 | | 00296 | 4 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) | x | 1 | 13 | pds | | | Cttg 4979 from Hkrd 78038, 1210: two plants, two Ge |
| 281 | | 01026 | 3 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) | x | 1 | 01 | pds | B+ | | cttg Hkrd #4979 from, 04: 4/5 left, 1311: 3/5 left, 1503 |
| 281 | | 02157 | 3 | Rhododendron 'Matador' (griersonianum x strigilloso) | x | 1 | 02 | pds | B+ | | cttg. 4941 from Hkrd #81105, 97/11:young shoots burn |
| 281 | | 99162 | 3 | Rhododendron 'Matador' (griersonianum x strigilloso) | x | 1 | 02 | pds | B+ | | Cttg #4924 from HKRD #78062; 030418: first flowers |
| 281 | | 17007 | 4 | Rhododendron minus | x | 3 | 17 | wld | | | |
| 281 | | 09160 | 4 | Rhododendron 'Mrs T.H. Lowinsky' | x | 1 | 09 | pds | A+ | | layer #9810 of HKRD #82328 |
| 281 | | 83760 | 4 | Rhododendron 'Shrimp Girl' (yakushimanum x 'Fabia | x | 1 | 96 | reu | A | | 95:salmon colour, had to move it, clashed with other y |
| 281 | * | 01041 | 4 | Rhododendron 'Taurus' ('J. M. Montague' x strigilloso) | x | 1 | 01 | pds | A+ | | cttg Hkrd # 5610, 030401: will be spectacular! 050412: |
| 281 | | 07078 | 4 | Ribes komarovii | x | 3 | 08 | wld | | | |
| 281 | | 18115 | 4 | Sciadopitys verticillata 'Green Parasol' | x | 1 | 18 | div | | | gift #12784 Dennis from Bethlehem Nursery, USA as e |
| 281 | | 13198 | 4 | Sinojackia rehderiana | x | 1 | 13 | pds | | | cutting #9036, BDB trip Elzas and Vogezen, Jardin bot |
| 281 | | 13197 | 4 | Staphylea trifolia | x | 1 | 17 | wld | | | |
| 281 | | 79141 | 4 | Stephanandra incisa | x | 2 | 18 | wir | A | | were part or group #79097 in Z |
| 281 | | 15299 | 4 | Stewartia malacodendron | x | 1 | 15 | wld | | | |
| 281 | | 15300 | 4 | Stewartia ovata | x | 1 | 15 | wld | | | |
| 282 | | 04282 | 3 | Abies balsamea | x | 1 | 04 | wld | | | |
| 282 | * | 98381 | 4 | x Chitalpa tashkentensis (Catalpa x Chilopsis) | x | 1 | 00 | pav | | V | 981106:still all his lvs, 020823: stil in flower bud, 150 |
| 282 | | 05262 | 4 | Cotinus 'Grace' (coggygria x obovatus) | x | 1 | 07 | bul | | | |
| 282 | | 13217 | 4 | Magnolia officinalis | x | 1 | 13 | wld | | | |
| 282 | * | 92580 | 4 | Malus floribunda | x | 1 | 93 | waa | | T | */020301: leaves appear, 020326: flower buds very red |
| 282 | | 01046 | 4 | Picea rubens | x | 1 | 05 | wld | | V | |
| 282 | | 00295 | 4 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) | x | 1 | 00 | pds | C | | Cttg 4979 from Hkrd 78038, _01:bark split here, in ful |
| 282 | | 82249 | 4 | Rhododendron oreodoxa (hybrid) | x | 1 | 97 | hil | C | H | (85C), 86:A, not 'Carex White' later than oreodoxa's, 1 |
| 282 | | 99153 | 2 | Rhododendron 'Soleil d'Or' | x | 1 | 00 | pds | B+ | | Cttg Hkrd 4554 from 82074, 1412: full of Stephanitis, |
| 283 | | 16170 | 4 | Clerodendrum trichotomum | x | 1 | 16 | div | | | gift Herman Buttiens |
| 283 | | 92398 | 4 | Clethra monostachya | x | 1 | 97 | spi | | V | 0602: severely pruned |
| 283 | | 07028 | 4 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) | x | 1 | 08 | pds | | | prop #8028, cttg. from plant at Wisley |
| 283 | | 95409 | 4 | Euonymus oxyphyllus | x | 2 | 03 | ddh | | | three specimens from lot from D. Duhaut sub #95041, |
| 283 | | 91642 | 4 | Fraxinus velutina | x | 1 | 93 | waa | | V | BDB #29637; 303-87, not F. pennsylvanica vel.; KR52 |
| 283 | * | 91423 | 3 | Juglans microcarpa | x | 1 | 93 | waa | | V | */020818:nuts for first time ?, Stem is deeply furrowed |
| 283 | * | 93055 | 4 | Magnolia salicifolia | x | 2 | 93 | pds | | | */ Sd. #2507,of#74007 ex Hillier's good narrow leaf fo |
| 283 | | 96174 | 4 | Malus 'Herkenrode' | x | 1 | 97 | div | | | Sdlg from M.torringo, gift from NI nurseryman, God o |
| 283 | | 02426 | 4 | Picea martinezii | x | 1 | 09 | wld | | | |
| 283 | | 95383 | 3 | Picea omorika 'Wodan' | x | 1 | 02 | div | | | gift Mr Buchtman (speaker at Ilex symposium, BDB), |
| 283 | | 14144 | 4 | Quercus mongolica aff. | x | 1 | 14 | wld | | ? | |
| 283 | * | 91494 | 4 | Quercus robur 'Atropurpurea' | x | 3 | 93 | waa | | | 1505: a matter of taste, but I believe this group deserve |
| 283 | | 10247 | 3 | Rhododendron amagianum | x | 2 | 10 | div | C+ | | #9653, found in beek, no info on source, a gift from? 0 |
| 283 | | 91587 | 4 | Rhododendron 'Bajazzo' ('Daisy' x 'Oldenburg') | x | 1 | 97 | waa | B+ | | 100520: wonderful flowering |
| 283 | | 16137 | 3 | Rhododendron 'Iviza Philomene' ('Fabia' x 'Bustar') | x | 1 | 16 | pds | | | layers #13674 of HKRD #81235, 1709: from 4 to statu |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|----|-------|---|--|---|----------|----|-----|----|---|--|
| 283 | * | 77109 | 4 | Rhododendron wiltonii | x | 1 * | 97 | hil | A | V | 0206: nice and healthy winter foliage plant, 110416: ve |
| 283 | | 13218 | 4 | Sorbus meliosmifolia | x | 1 | 14 | wld | | | |
| 283 | | 15201 | 4 | Syringa komarowii | x | 1 | 15 | wld | | | |
| 284 | | 15102 | 4 | Azalea 'Homebush' (Knap Hill) | x | 2 | 15 | pds | | | cttg. #11027 of HKRD #76081, 1709: rootstock |
| 284 | | 10248 | 4 | Betula utilis | x | 1 | 10 | wld | | | |
| 284 | | 17345 | 4 | Clethra delavayi | x | 2 | 17 | wld | | | |
| 284 | | 18047 | 4 | Fraxinus 'Charles Bommer' | x | 1 | 18 | ver | | | gift #14414, graft of plant at BOTAN, most prob. a for |
| 284 | | 10263 | 4 | Fraxinus chiisanensis | x | 1 | 13 | wld | | | |
| 284 | | 16014 | 3 | Picea likiangensis var. rubescens | x | 1 | 16 | wld | | | |
| 284 | | 92601 | 4 | Prunus maackii | x | 1 | 93 | waa | | | 020301: buds burst |
| 284 | | 91576 | 4 | Rhododendron 'Barmstedt' ('Sammetglut' x yakushima) | x | 1 | 97 | waa | A | | 12: no flowers this year, good compact yak hybrid (PdS) |
| 284 | | 04275 | 4 | Syringa pubescens subsp. patula | x | 1 | 04 | wld | | | |
| 284 | | 07046 | 4 | Syringa reticulata subsp. amurensis | x | 1 | 07 | wld | C | | |
| 284 | | 92728 | 4 | Syringa reticulata subsp. pekinensis | x | 1 | 93 | ddh | | | 97/9: cut pl -b, 1/3 left, not very good plants here ! 980 |
| 285 | | 17447 | 4 | Acer pentaphyllum | x | 1 | 17 | wld | ? | V | |
| 285 | | 00482 | 4 | Clethra alnifolia 'Hokie Pink' | x | 1 | 03 | bul | | | |
| 285 | | 17320 | 4 | Clethra sp. | x | 1 | 17 | wld | ? | ? | |
| 285 | ** | 92507 | 4 | Euonymus hamiltonianus subsp. sieboldianus | x | 2 ** | 92 | waa | | | 95:2/3 survv. , 97/10/26:wonderful autumn colour to th |
| 285 | | 92504 | 4 | Euonymus maackii | x | 2 | 93 | waa | ? | | */ 1/3 pl (east) is different, possibly ssp siebold. like 92 |
| 285 | | 03235 | 4 | Picea schrenkiana | x | 1 | 05 | wld | V | | |
| 285 | | 04170 | 3 | Quercus pontica | x | 1 | 14 | pav | | | 1609: st.3 |
| 285 | | 91588 | 4 | Rhododendron 'Brickdust' (williamsianum x Dido Gr. | x | 1 | 97 | waa | B | | 1302: remains status 3, dead wood, 1609: back to st.4 |
| 285 | | 91582 | 4 | Rhododendron 'Kalinka' ['Morgenrot' x ('Mars' x yak. | x | 1 | 97 | waa | A+ | | |
| 285 | | 02159 | 4 | Rhododendron kiusianum 'Komu Kulshan' x 3 | x | 3 | 02 | pds | A+ | | */cttg. #5272 from plant in Poly Hill Arboretum, 04: m |
| 285 | | 91645 | 4 | Tilia cordata 'Winter Orange' x 1 | x | 1 | 93 | waa | | | 97/7: lvs yellowish, spotted, not happy, 011007: good yell |
| 286 | ** | 91042 | 4 | Alnus x spaethii (japonica x subcordata) x 1 ** | x | 1 ** | 93 | pav | V | | BDB #30105, damaged by deers!, 94:recov., 0602: tw |
| 286 | | 12340 | 4 | Betula ermanii | x | 1 | 12 | wld | | | |
| 286 | | 91349 | 4 | Betula platyphylla | x | 1 | 93 | waa | V | | BDB#25042, (mandshurica), 010415: early in leaf, nor |
| 286 | * | 92086 | 4 | Carpinus tschonoskii | x | 3 * | 93 | wld | V | | |
| 286 | | 97089 | 4 | Clethra alnifolia | x | 2 | 10 | wld | T | | |
| 286 | | 00481 | 4 | Clethra alnifolia 'Creel's Callico' x 1 | x | 1 | 03 | bul | | | |
| 286 | | 00403 | 4 | Clethra alnifolia 'Ruby Spice' x 1 | x | 1 | 01 | spi | | | excellent evaluation in Dendroflora 2007:51, 021212: 1 |
| 286 | * | 89300 | 4 | Clethra fargesii | x | 1 * | 02 | spi | ? | T | 91/4:B-, poss.Lancaster collection, gift from Spinners |
| 286 | | 97027 | 4 | Clethra tomentosa | x | 3 | 97 | pds | B- | | layers of 83297, 0602: is growing big, 1006: B-, but wi |
| 286 | | 12339 | 4 | Gleditsia triacanthos | x | 1 | 12 | wld | | | |
| 286 | | 17346 | 4 | Picea likiangensis | x | 1 | 17 | wld | | | |
| 286 | * | 80107 | 4 | Rhododendron hyperythrum | x | 1 * | 97 | hil | A | | 97/6: very dry after being moved during dry spring, hyp |
| 286 | | 91583 | 4 | Rhododendron 'Lamentosa' ('Humboldt' x yakushiman) | x | 1 | 97 | waa | A+ | | 030319: somewhat chlorotic, 1205: now healthy, holds |
| 286 | * | 99157 | 4 | Symplocos paniculata | x | 1 * | 02 | wld | | | |
| 287 | ** | 92414 | 4 | Acer rubrum 'October Glory' x 2 ** | x | 2 ** | 93 | waa | V | | */96/10: wind damage, 96/10: pruned all three pl, reducin |
| 287 | | 01087 | 4 | Azalea cv. x 2 | x | 2 | 01 | pds | ? | | cttg from an unknown Hkrd plant |
| 287 | | 11074 | 4 | Betula grossa | x | 1 | 11 | wld | | | |
| 287 | | 96282 | 4 | Cercis canadensis 'Forest Pansy' x 1 | x | 1 | 01 | div | | | gift visitors Dutch Nursery group Boskoop, 1007: next |
| 287 | | 13199 | 3 | Fraxinus quadrangulata | x | 1 | 13 | pds | | | sd #8073, BDB trip Illinois, sd. West Cotton Hill Park, |
| 287 | * | 92321 | 4 | Gleditsia sinensis | x | 1 * | 95 | nie | C | | 96/6: C ?spring frost/winter -12°, same as 92322 even |
| 287 | | 10249 | 4 | Maclura pomifera ('Cannonball' sdlg) x 1 | x | 1 | 10 | div | | | sdlg #9506 of tree at Starhill Forest Arboretum (Guy an |
| 287 | | 95032 | 4 | Populus simonii 'Fastigiata' x 1 | x | 1 | 95 | pds | C | | */BDB #25827, Cttg.#2484, clct Hort.Roumanie by E. |
| 287 | | 95382 | 4 | Taxus baccata 'Pirate' x 1 | x | 1 | 01 | div | | | gift Mr. Buchtman |
| 287 | | 95381 | 4 | Taxus x media 'Nixe' x 1 | x | 1 | 01 | div | | | gift Mr Buchtman |
| 288 | | 13122 | 4 | Carya cordiformis | x | 1 | 13 | wld | | | |
| 288 | | 18158 | 4 | Fagus engleriana | x | 1 | 18 | div | | | #13923, gift Brian Humphrey, ex Wilson introduction |
| 288 | | 91430 | 4 | Maclura pomifera (male) x 1 | x | 1 | 93 | waa | C | | 97: found one new base shoot growing from rotten base, |
| 288 | | 16065 | 4 | Picea orientalis | x | 1 | 16 | wld | | | |
| 288 | | 07105 | 4 | Sorbus needhamii | x | 1 | 07 | wld | V | | |
| 289 | * | 91004 | 4 | Acer cappadocicum subsp. lobelii | x | 1 * | 93 | pav | V | | 02: older bark split of 20cm at 0,5m, 0404: removed st |
| 289 | | 89041 | 4 | Acer monspessulanum | x | 3 | 89 | ddh | A | V | sdlg.Dom.Duhaut,,ex BOKRIJK sd, 96/11/13:d=best a |
| 289 | | 04011 | 4 | Acer rubrum 'October Glory' x 1 | x | 1 | 04 | vpl | | | 041031: looks very much like October Glory, 061115:v |
| 289 | * | 91025 | 4 | Aesculus indica | x | 1 * | 93 | pav | T | | */990606: beautiful flowering on healthy plant, 010606: |
| 289 | * | 92045 | 2 | Betula costata | x | 1 * | 93 | wld | V | | |
| 289 | | 04148 | 3 | Betula glandulosa | x | 1 | 09 | pav | | | received as B. glandulata, name does not exist, 1709: fr |
| 289 | | 04493 | 2 | Betula pumila | x | 1 | 09 | wld | | | |
| 289 | | 03092 | 3 | Betula pumila | x | 3 | 03 | pds | V | | Cttg #5458 from HKRD #91347, 0606: 2 plants head d |
| 289 | | 92299 | 3 | Betula utilis | x | 1 | 93 | wld | V | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|----|-----|----|---|--|
| 289 | | 98257 | 4 | Betula utilis var. jacquemontii 'Doorenbos' | x | 1 | 99 | esv | | V | edge of street! |
| 289 | | 98258 | 4 | Betula utilis var. jacquemontii 'Doorenbos' | x | 1 | 99 | esv | | V | edge of street!, rcvd as Betula utilis var. jacquemontii |
| 289 | * | 98259 | 4 | Betula utilis 'Werrington' | x | 1 | 99 | esv | | ? | edge of street!, 0806: looks more like B. ermanii says |
| 289 | | 17191 | 4 | Carpinus japonica | x | 1 | 17 | wld | | | |
| 289 | | 16138 | 4 | Carpinus kawakamii | x | 1 | 16 | wld | | | |
| 289 | | 91652 | 4 | Carpinus shensiensis | x | 1 | 93 | waa | | C | */BDB #25882, 426-82, not C.shensiensis, 0809; verifie |
| 289 | | 17321 | 4 | Carpinus stipulata | x | 1 | 17 | wld | | | |
| 289 | | 91362 | 4 | Carpinus turczaninowii | x | 1 | 93 | waa | | T | not C.shensiensis |
| 289 | | 95027 | 4 | Cornus amomum | x | 2 | 96 | pds | | | *Sd.#3248, from Morris Arb. Ind. Sem 199, 1 94: two vigo |
| 289 | | 13164 | 4 | Corylus americana | x | 1 | 13 | wld | | V | |
| 289 | | 05076 | 4 | Corylus chinensis | x | 1 | 07 | div | | V | gift Jacky Pousse as C. fargesii |
| 289 | | 13124 | 3 | Corylus ferox var. tibetica | x | 1 | 13 | wld | | | |
| 289 | | 17347 | 4 | Corylus heterophylla | x | 1 | 17 | wld | | | |
| 289 | | 91640 | 4 | Corylus heterophylla var. sutchensis | x | 1 | 93 | waa | | | */063-87, 97: status 3, one main br. dead, spring frost ? |
| 289 | | 91403 | 4 | Fagus engleriana | x | 1 | 94 | waa | C | V | */BDB #30155, 97/4/26: completely frosted, too early i |
| 289 | | 91061 | 4 | Fraxinus sieboldiana (mariesii) | x | 1 | 95 | pav | | V | the chinese F. sieboldiana, 040517: massive flowering, |
| 289 | | 07104 | 4 | Ilex x attenuata (cassine x opaca) | x | 5 | 07 | pds | | | cttg. #7375 of Hkrd #92755 (not I. cassine), planted the |
| 289 | | 91737 | 4 | Picea crassifolia | x | 1 | 93 | waa | C | V | */BDB #30702, 980-85 KR, ex Cashmir?, 94: dry, miser |
| 289 | | 91464 | 4 | Prunus padus var. pubescens | x | 1 | 93 | waa | | ? | */94/2/10: in leaf + flwrg., 97: not much pubescent?; 02/ |
| 289 | | 91470 | 3 | Quercus fabri | x | 1 | 93 | waa | C | | */BDB#33179, 96: like Q. aliena but more healthy, 0305 |
| 289 | | 92627 | 4 | Quercus x hispanica 'Wageningen' | x | 1 | 92 | waa | | | 97: B. lv. brown although hanging onto br., 0603: lvs sta |
| 289 | | 91114 | 4 | Quercus x libanerris (libani x cerris) | x | 1 | 95 | pds | | | sd.#1723 ex-Trompenburg, "Should be true from Sd." s |
| 289 | * | 00218 | 4 | Quercus rubra Aurea Group | x | 1 | 00 | spo | | | sd of 69008, spontaneous, 0111: great reddish autumn |
| 289 | | 95279 | 3 | Sorbaria sorbifolia var. stellipila | x | 4 | 95 | wld | C- | | |
| 289 | | 98325 | 4 | Sorbus aucuparia var. edulis 'Rossica Major' | x | 1 | 99 | esv | | | 0602: good fastigate habit |
| 289 | | 98333 | 3 | Sorbus lancifolia | x | 1 | 00 | esv | | | |
| 289 | | 15301 | 4 | Sorbus megalocarpa | x | 1 | 15 | wld | | ? | |
| 289 | | 98335 | 4 | Sorbus mougeotii | x | 1 | 99 | esv | | V | 0602: big wounds in main stem, caterpillar?, (distinct fr |
| 289 | | 83282 | 4 | Spiraea trichocarpa | x | 1 | 97 | hil | A | | 92: very invasive!!! __02: in corner of fence, outside of |
| 289 | | 89051 | 3 | Syringa reflexa | x | 1 | 95 | ddh | C | | */90: these 3 better than previous from DDH, 0409: pl-a |
| 289 | | AA278 | 4 | Tilia x europaea | x | 1 | ?? | div | A | V | 04: accessed single Lime tree in 289, 2 others outside f |
| 289 | | 13123 | 4 | Torreya californica | x | 1 | 13 | pds | | | ('Spreadeagle' sdlg), sd. #10735 of HKRD #83185 |
| 289 | | 99216 | 4 | Tripterygium wilfordii | x | 2 | 06 | wld | | | |
| 289 | | 10188 | 4 | Xanthocyparis nootkatensis | x | 3 | 11 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest, |
| 289 | | 12341 | 4 | Xanthocyparis nootkatensis | x | 1 | 12 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest, |
| 290 | | 11250 | 4 | Abelia x grandiflora (chinensis x uniflora) | x | 1 | 11 | rob | | | |
| 290 | | 11251 | 4 | Abelia x grandiflora (chinensis x uniflora) | x | 1 | 11 | rob | | | |
| 290 | | 12130 | 4 | Abelia x grandiflora 'Confetti' | x | 1 | 12 | boc | | | |
| 290 | | 12132 | 4 | Abelia x grandiflora 'Confetti' | x | 1 | 12 | boc | | | |
| 290 | | 18088 | 4 | Abelia serrata | x | 1 | 18 | pds | | | =Diabelia, cttg #12805, DK, National Arboretum Hors |
| 290 | | 12015 | 4 | Acer sempervirens | x | 1 | 12 | wld | B- | V | |
| 290 | | 11254 | 4 | Ceanothus thyrsiflorus var. repens | x | 1 | 11 | rob | | | |
| 290 | | 11252 | 4 | Choisya 'Aztec Pearl' (arizonica x ternata) | x | 1 | 11 | rob | | | |
| 290 | | 11253 | 4 | Choisya 'Aztec Pearl' (arizonica x ternata) | x | 1 | 11 | rob | | | |
| 290 | | 13492 | 4 | Cistus x hybridus (populifolius x salviifolius) | x | 3 | 13 | pds | | | as C. x corbariensis, cttgs of C. x hybridus (populifolius |
| 290 | | 11243 | 4 | Clematis armandii | x | 1 | 11 | rob | D | | 1205: D, 1311: status 3 (from 1), 140310: wonderful af |
| 290 | | 14021 | 4 | Daphne x transatlantica 'Eternal Fragrance' | x | 1 | 14 | dcl | | | gift #12571 from Antoon De Clercq |
| 290 | | 12156 | 4 | Ficus carica 'Brown Turkey' | x | 1 | 12 | boc | | | |
| 290 | | 12146 | 4 | Ficus carica 'Leon De Vos' | x | 1 | 12 | boc | | | their selection, |
| 290 | | 11236 | 4 | Nandina domestica | x | 1 | 11 | rob | | | |
| 290 | | 11238 | 4 | Nandina domestica | x | 1 | 11 | rob | | | |
| 290 | | 11239 | 4 | Nandina domestica | x | 1 | 11 | rob | | | 1401: very attractive in fruit, all three plants |
| 290 | | 14474 | 4 | Nandina domestica 'Filamentosa' | x | 1 | 15 | div | | | Duchy of Cornwall, under Romneya |
| 290 | * | 12523 | 4 | Rosa 'Bobby James' | x | 1 | 12 | cas | | | 150617: excellent flowering |
| 290 | | 12522 | 4 | Rosa 'John Davis' | x | 1 | 12 | cas | | | |
| 290 | | 11319 | 4 | Vitis 'Roland' | x | 1 | 11 | boc | | | |
| 290 | * | 08377 | 4 | Wisteria floribunda 'Lawrence' | x | 1 | 11 | rug | | V | gift Marc Libert (sn), graft Carlos Verhelst, 150511: ve |
| 290 | | 08369 | 4 | Wisteria floribunda f. multijuga | x | 1 | 11 | rug | | | (syn. 'Macrobotrys'), gift Marc Libert (ML028) as 'Six |
| 290 | | 16244 | 4 | Wisteria floribunda 'White Delite' | x | 1 | 17 | rug | | | gift Marc Libert, |
| 290 | | 08361 | 4 | Wisteria 'Lavender Lace' | x | 1 | 11 | rug | | | gift Marc Libert (ML053), graft Carlos Verhelst, ex Co |
| 290 | | 08362 | 3 | Wisteria 'Lavender Lace' | x | 1 | 11 | rug | | | gift Marc Libert (ML053), graft Carlos Verhelst, ex Co |
| 291 | | 12154 | 4 | Abeliophyllum distichum Roseum Group | x | 1 | 12 | boc | | | 150311: good flowering, not very visible but delicate |
| 291 | | 11228 | 2 | Actinidia arguta 'Issai' | x | 1 | 11 | boc | | | 1509: always partly dieback |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|---|---|--|
| 291 | | 17341 | 4 | Actinidia arguta 'Issai' | x | 1 | 17 | div | | | bought by Sam at Tuincentrum Thielemans |
| 291 | | 11229 | 4 | Actinidia arguta 'Weiki' | x | 1 | 11 | boc | | | |
| 291 | | 11320 | 4 | Akebia longeraemosa | x | 1 | 11 | rug | | | from garden De Costerstraat, probably gift from Marc |
| 291 | | 11044 | 4 | Azalea 'Noordtiamum' | x | 2 | 11 | pds | | | closely related to mucronatum, layers #9814 of HKRD |
| 291 | | 11231 | 3 | Caryopteris x clandonensis 'Heavenly Blue' | x | 1 | 11 | boc | D | | 1203: to status 1, D or worse |
| 291 | | 11232 | 4 | Caryopteris x clandonensis 'Heavenly Blue' | x | 1 | 11 | boc | D | | 1203: D and status 1 maximum! |
| 291 | | 11233 | 3 | Caryopteris x clandonensis 'Heavenly Blue' | x | 1 | 11 | boc | | | |
| 291 | | 11234 | 4 | Caryopteris x clandonensis 'Heavenly Blue' | x | 1 | 11 | div | D | | 1203: D and status 1 maximum! |
| 291 | | 11284 | 4 | Caryopteris x clandonensis 'Heavenly Blue' | x | 1 | 11 | div | D | | 1203: to status 1, D or worse |
| 291 | | 14475 | 3 | Chaenomeles speciosa 'Yukigoten' | x | 1 | 15 | div | | | Duchy of Cornwall, |
| 291 | | 12127 | 4 | Cistus x lenis 'Grayswood Pink' | x | 1 | 12 | boc | | | |
| 291 | | 12128 | 4 | Cistus x lenis 'Grayswood Pink' | x | 1 | 12 | boc | | | |
| 291 | | 13534 | 4 | Clematis campaniflora | x | 1 | 13 | div | | | gift Françoise Salomon |
| 291 | | 12306 | 2 | Euonymus cornutus | x | 1 | 14 | wld | | | |
| 291 | | 02498 | 2 | Euonymus nanus var. turkestanicus | x | 1 | 14 | div | | | 02: source Philippe Deprez, 0705: to status 3, not a ver |
| 291 | | 04437 | 4 | Euonymus obovatus | x | 1 | 14 | bul | | | |
| 291 | | 12133 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) | x | 1 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 291 | | 12134 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) | x | 1 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 291 | | 12135 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) | x | 1 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 291 | | 13286 | 3 | Hoheria angustifolia | x | 1 | 13 | div | D | | prop #12597, gift J.-L. Dantec |
| 291 | | 12519 | 4 | Hoheria sexstylosa | x | 1 | 12 | div | D | | prop #12121 from Vasterival, 130527: D, but coming b |
| 291 | | 11220 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 11 | boc | | | |
| 291 | | 11221 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 11 | boc | | | |
| 291 | | 06233 | 4 | Lagerstroemia x egolfii 'Muskogee' | x | 1 | 13 | div | D | | gift Etienne Dehout (Ecole Hort. Tournai), 09:C, 11:D, |
| 291 | | 11109 | 4 | Mahonia x savilliana (gracilipes x eurybracteata) | x | 1 | 11 | div | | | prop #9699, plants 2007 BDB trip Ruhr, gift Gunther |
| 291 | | 11112 | 4 | Maytenus boaria | x | 1 | 11 | pds | D | | layer #7329 of HKRD #84341, 1203: D and status 1, w |
| 291 | | 11241 | 4 | Rosa 'Climbing Schneewittchen' | x | 1 | 11 | rob | | | |
| 291 | | 11279 | 4 | Rosa 'Guirlande d'Amour' | x | 1 | 11 | div | | | 175-200cm, white, Floralux |
| 291 | | 12329 | 4 | Rosa 'Medusa' | x | 1 | 12 | len | | | ™ name = 'Nouasa', 1804: not in 294 anymore but in 2 |
| 291 | | 14476 | 4 | Rosmarinus officinalis Prostratus Group | x | 1 | 15 | div | | | Duchy of Cornwall, |
| 291 | | 08588 | 4 | Wisteria brachybotrys 'Howick' (YK581) | x | 1 | 11 | rug | | | gift Marc Libert (ML062), graft Carlos Verhelst, ex Ch |
| 291 | | 08371 | 4 | Wisteria brachybotrys 'Showa Beni' | x | 1 | 11 | rug | | | gift Marc Libert (ML080), graft Carlos Verhelst, ex Vi |
| 291 | | 08372 | 4 | Wisteria brachybotrys 'Showa Beni' | x | 1 | 11 | rug | | | gift Marc Libert (ML080), graft Carlos Verhelst, ex Vi |
| 291 | | 08374 | 4 | Wisteria 'Burford' | x | 1 | 11 | rug | | | gift Marc Libert (ML085), graft Carlos Verhelst |
| 291 | | 16248 | 4 | Wisteria 'Caroline' | x | 1 | 17 | rug | | | gift Marc Libert, the correct one |
| 291 | | 08355 | 4 | Wisteria cv. | x | 1 | 11 | rug | ? | | gift Marc Libert (ML050), graft Carlos Verhelst, ex M. |
| 291 | | 08381 | 4 | Wisteria floribunda 'Alba' | x | 1 | 11 | rug | | | gift Marc Libert (sn) as Wisteria floribunda 'Shiro Nod |
| 291 | | 08382 | 4 | Wisteria floribunda 'Alba' | x | 1 | 11 | rug | | | gift Marc Libert (sn) as Wisteria floribunda 'Shiro Nod |
| 291 | | 08367 | 4 | Wisteria floribunda 'Kimono' | x | 1 | 11 | rug | | | (syn. W. floribunda 'White with Blue Eye'), gift Marc L |
| 291 | | 08368 | 4 | Wisteria floribunda 'Kimono' | x | 1 | 11 | rug | | | (syn. W. floribunda 'White with Blue Eye'), gift Marc L |
| 291 | | 08370 | 4 | Wisteria floribunda f. multijuga | x | 1 | 11 | rug | | | (syn. 'Macrobotrys'), gift Marc Libert (ML028) as 'Six |
| 291 | | 08365 | 4 | Wisteria floribunda 'Violacea Plena' | x | 1 | 11 | rug | | | = 'Yae Kokuryu', gift Marc Libert (ML001), graft Carlo |
| 291 | | 08385 | 4 | Wisteria sinensis 'Amethyst' | x | 1 | 11 | rug | V | | gift Marc Libert (sn), graft Carlos Verhelst, 180825: ex |
| 291 | | 16245 | 4 | Wisteria 'Texas Purple' | x | 1 | 17 | rug | | | gift Marc Libert, |
| 291 | | 08360 | 4 | Wisteria x valderi 'Murasaki-kapitan' | x | 1 | 11 | rug | V | | (brachyb. x florib.), gift Marc Libert (ML077), graft Ca |
| 291 | | 06155 | 4 | Zelkova serrata 'Iruma Sango' | x | 1 | 12 | bul | | | |
| 292 | * | AA280 | 4 | Acer pseudoplatanus 'Leopoldii' | x | 1 | ?? | div | | | garden of Molenhof, BDB #17026, 1007: professionally |
| 292 | | 12155 | 1 | Clematis 'Arabella' | x | 1 | 13 | boc | | | Integrifolia Group, 1507: dead in just a few weeks time |
| 292 | | 10150 | 4 | Clematis macropetala | x | 1 | 10 | div | | | Floralux |
| 292 | * | 08614 | 4 | Cornus kousa 'Eurostar' | x | 1 | 11 | ver | | | gift #8513 at my request, |
| 292 | | 10145 | 4 | Deutzia x hybrida 'Magicien' (longifolia x discolor) | x | 1 | 10 | pds | | | Cttg #8145 POTAG |
| 292 | | 11445 | 4 | Helwingia chinensis | x | 1 | 11 | rug | | | gift Marc Libert (2001.2121), from Jacky Pousse |
| 292 | | 15082 | 4 | Holboellia angustifolia subsp. angustifolia | x | 1 | 15 | wld | | | |
| 292 | | 10148 | 4 | Hydrangea anomala subsp. petiolaris | x | 1 | 10 | div | | | Floralux |
| 292 | * | 08583 | 4 | Hydrangea arborescens subsp. radiata 'Samantha' | x | 1 | 11 | rug | | | gift Marc Libert, 1307: much better than Anabelle |
| 292 | | 08152 | 4 | Hydrangea aspera 'Sam Mc. Donald' | x | 1 | 10 | bul | | | |
| 292 | | 09016 | 4 | Hydrangea macrophylla 'Izu-no-hana' | x | 1 | 10 | esv | | | |
| 292 | | 10439 | 4 | Hydrangea macrophylla 'Lilacina' | x | 1 | 10 | pds | ? | | cttg of #00615 |
| 292 | | 10146 | 3 | Hydrangea paniculata 'Athena' | x | 1 | 10 | pds | | | cttg. #9054 of HKRD #00270 |
| 292 | | 08590 | 4 | Hydrangea paniculata 'Early Sensation' | x | 1 | 10 | bul | | | = 'Bulk' |
| 292 | | 10438 | 4 | Hydrangea serrata 'Bluebird' | x | 1 | 10 | pds | | | cttg of #80058, 140601: perfect flowering after this mil |
| 292 | | 14319 | 4 | Juglans regia | x | 1 | 14 | ver | | | #11625, Koen oo Liesbeth, 1205 (in pON): st. 2 snail a |
| 292 | | 16066 | 3 | Lonicera acuminata | x | 1 | 16 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|----|-----|---|---|--|
| 292 | | 15352 | 4 | Lonicera caerulea var. kamtschatica | x | 2 | 15 | klm | | | gift Abraham Rammeloo |
| 292 | | 11240 | 4 | Nandina domestica | x | 1 | 10 | div | | | Floralux |
| 292 | | 17169 | 4 | Philadelphus 'Belle Etoile' | x | 1 | 17 | div | | | Cherry Tree Arboretum |
| 292 | | 17265 | 4 | Rhododendron cinnabarinum subsp. xanthocodon | x | 1 | 17 | wld | | ? | |
| 292 | | 13353 | 3 | Rhododendron cv. | x | 1 | 13 | div | | ? | prop #12594, gift J.-L. Dantec, to be indentified, one of |
| 292 | | 17266 | 2 | Rhododendron periclymenoides | x | 1 | 17 | wld | | | |
| 292 | | 15355 | 4 | Ribes nigrum 'Titania' | x | 1 | 15 | div | | | bought in Sint-Joris-Weert |
| 292 | | 11364 | 4 | Ribes rubrum 'Jonkheer van Tets' | x | 1 | 11 | div | | | Floralux, |
| 292 | | 12442 | 4 | Ribes rubrum 'Werdavia' | x | 1 | 12 | div | | | Floralux, |
| 292 | | 15438 | 4 | Ribes speciosum | x | 1 | 15 | div | | ? | bought at Floralux I believe, |
| 292 | | 10149 | 4 | Rosa 'Guirlande d'Amour' | x | 1 | 10 | div | | | 175-200cm, white, Floralux |
| 292 | | 15232 | 4 | Rubus idaeus 'Golden Everest' | x | 1 | 15 | div | | | Floralux |
| 292 | | 11365 | 4 | Rubus idaeus 'Heritage' | x | 1 | 11 | div | | ? | Floralux, two names on label (also 'Zeva Herbsternte'), |
| 292 | | 10099 | 4 | Rubus idaeus 'Malling Promise' | x | 1 | 10 | div | | | Floralux |
| 292 | | 12441 | 3 | Rubus idaeus 'Malling Promise' | x | 1 | 12 | div | | | Floralux |
| 292 | | 08161 | 4 | Schizophragma hydrangeoides 'Iwa Garami' | x | 1 | 10 | bul | | | |
| 292 | | 17267 | 4 | Stewartia malacodendron | x | 1 | 17 | wld | | | |
| 292 | | 10270 | 4 | Syringa pubescens subsp. microphylla 'Superba' | x | 1 | 10 | dev | | | gift Damien Devos |
| 292 | | 10100 | 4 | Vitis vinifera 'Chasselas' | x | 1 | 10 | div | | | Floralux, 1605: many young lvs with brown spots, dise |
| 292 | | 10275 | 4 | Wisteria x valderi 'Murasaki-kapitan' | x | 1 | 10 | ver | | | */(brachyb. x florib.), ML158, rcvd as 'Ikojama Fuji', = |
| 293 | | 98116 | 4 | Camellia x williamsii 'Donation' | x | 1 | 12 | pds | C | | Cttg #4777 from Hkrd, 1203: heavily touched by cold |
| 293 | | 11082 | 4 | Chaenomeles cathayensis | x | 1 | 11 | pds | | | prop #9344 by CC, from 90045, 1403: huge amount of |
| 293 | | 14145 | 4 | Deutzia x rosea 'Campanulata' | x | 1 | 14 | div | | | #11205, from Francine Riez |
| 293 | | 05113 | 3 | Holodiscus discolor | x | 1 | 14 | div | | | Van Bauwel, 060629: flowering, 1008: unattractive bro |
| 293 | | 11078 | 4 | Kolkwitzia amabilis | x | 1 | 11 | wld | | | |
| 293 | | 13165 | 4 | Ligustrum sinense | x | 1 | 13 | wld | C | | |
| 293 | | 10450 | 4 | Osmanthus x burkwoodii (delavayi x decorus) | x | 11 | 10 | div | B | | mixed source, 3 or 4 biggest from Devos others via Fle |
| 293 | | 11085 | 4 | Philadelphus tenuifolius | x | 1 | 11 | wld | | | |
| 293 | | 16230 | 4 | Prunus 'Beni-tamanishiki' | x | 1 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), matsumae, |
| 293 | | 13558 | 4 | Xanthoceras sorbifolium | x | 1 | 16 | dev | V | | via Grégory le Grelle, was #13491 |
| 294 | | 12147 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) | x | 1 | 12 | boc | | | as Senecio, |
| 294 | | 12148 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) | x | 1 | 12 | boc | | | as Senecio, |
| 294 | | 12149 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) | x | 1 | 12 | boc | | | as Senecio, |
| 294 | | 11091 | 4 | Buddleja lindleyana | x | 1 | 11 | pds | D | | cttg. #9727 of HKRD #05239, 1007: status 2, too tende |
| 294 | | 15277 | 4 | Buddleja loricata | x | 3 | 15 | bul | | ? | |
| 294 | | 11285 | 4 | Caryopteris x clandonensis 'White Surprise' | x | 1 | 11 | div | D | | 1203: D, maybe E after cold winter, 1206: 1/3 coming |
| 294 | | 06147 | 4 | Hydrangea anomala | x | 1 | 11 | bul | V | | 1305: not Schizophragma corylifolium as per invoice, |
| 294 | | 11286 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 11 | div | | | |
| 294 | | 11287 | 4 | Hydrangea paniculata 'Bobo' | x | 1 | 11 | div | | | |
| 294 | | 12511 | 4 | Ilex perado subsp. azorica | x | 1 | 12 | div | ? | V | gift #12592 from J.-L. Dantec as I. perado latifolia (sic) |
| 294 | | 09018 | 4 | Itea ilicifolia | x | 1 | 18 | esv | C | | 1203: B, maybe worse, 1206: C, but coming back now, |
| 294 | | 11110 | 4 | Mahonia x savilliana (gracilipes x eurybracteata) | x | 1 | 11 | div | | | prop #9699, plants 2007 BDB trip Ruhr, gift Gunther |
| 294 | * | 14353 | 4 | Prunus mume 'Beni-Chidori' | x | 1 | 14 | rob | | | 180213: deserves a * |
| 294 | | 11167 | 4 | Rosa moyesii | x | 1 | 11 | div | | | prop #10728, gift Maurice Foster via PdS, Second gen |
| 294 | | 11168 | 4 | Rosa moyesii | x | 1 | 11 | div | | | prop #10728, gift Maurice Foster via PdS, Second gen |
| 294 | | 12321 | 4 | Rosa xanthina f. hugonis | x | 2 | 12 | len | ? | | 1305: one plant suffering, |
| 294 | | 11219 | 4 | Rubus henryi | x | 1 | 11 | div | V | | gift Françoise Salomon as var. bambusarum but lvs are |
| 294 | | 11111 | 4 | Spiraea japonica | x | 3 | 11 | wld | | V | |
| 294 | | 12512 | 4 | Viburnum cinnamomifolium | x | 1 | 12 | div | ? | | gift #12116 from Martine Lemmonier, 1704: seems qui |
| 294 | | 11288 | 4 | Vitex agnus-castus 'Alba' | x | 2 | 11 | div | | | |
| 294 | | 11289 | 4 | Vitex agnus-castus 'Alba' | x | 2 | 11 | div | | | |
| 294 | | 08363 | 4 | Wisteria brachybotrys 'Okayama' | x | 1 | 11 | rug | | | gift Marc Libert (ML055), graft Carlos Verhelst, ex Fo |
| 294 | | 08364 | 4 | Wisteria brachybotrys 'Okayama' | x | 1 | 11 | rug | V | | gift Marc Libert (ML055), graft Carlos Verhelst, ex Fo |
| 294 | | 08356 | 4 | Wisteria floribunda 'Beni Fuji' | x | 1 | 11 | rug | | | gift Marc Libert (ML061), graft Carlos Verhelst, ex K |
| 294 | | 08357 | 4 | Wisteria floribunda 'Beni Fuji' | x | 1 | 11 | rug | | | gift Marc Libert (ML061), graft Carlos Verhelst, ex K |
| 294 | | 08379 | 4 | Wisteria floribunda 'Rosea' | x | 1 | 11 | rug | V | | = 'Honbeni', gift Marc Libert (sn), graft Carlos Verhelst |
| 294 | | 08380 | 4 | Wisteria floribunda 'Rosea' | x | 1 | 11 | rug | | | = 'Honbeni', gift Marc Libert (sn), graft Carlos Verhelst |
| 294 | * | 08375 | 4 | Wisteria frutescens 'Longwood Purple' | x | 1 | 11 | rug | | | gift Marc Libert (ML068), graft Carlos Verhelst, ex Ch |
| 294 | * | 08376 | 4 | Wisteria frutescens 'Longwood Purple' | x | 1 | 11 | rug | | | gift Marc Libert (ML068), graft Carlos Verhelst, ex Ch |
| 294 | | 16243 | 4 | Wisteria macrostachya | x | 1 | 17 | rug | | | gift Marc Libert, ML248, seedling of 'Peter's Pink' |
| 294 | | 12537 | 4 | Wisteria macrostachya 'Aunt Dee' | x | 1 | 12 | rug | | | gift Marc Libert, RUG, 1605: prob. better regarded as a |
| 294 | | 16246 | 4 | Wisteria macrostachya 'Bayou Two o'Clock' | x | 1 | 17 | rug | | | gift Marc Libert, |
| 294 | | 12536 | 4 | Wisteria macrostachya 'Blue Moon' | x | 1 | 12 | rug | | | gift Marc Libert, RUG, 1605: prob. better regarded as a |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|--|---|----------|----|-----|---|---|--|
| 294 | | 16242 | 4 | Wisteria macrostachya 'Peter's Pink' | | x 1 | 17 | rug | | | gift Marc Libert, ML247 |
| 294 | | 08384 | 4 | Wisteria x valderi 'Eranthema' | | x 1 | 11 | rug | | V | (brachyb. x florib.), gift Marc Libert (ML 060), graft C |
| 295 | | 15202 | 4 | Berberis wilsoniae | | x 3 | 15 | wld | | | |
| 295 | | 02354 | 3 | Cercis siliquastrum 'Alba' | | x 1 | 13 | dev | | | 09: remains status 3 |
| 295 | | 14447 | 4 | Cotoneaster moupinensis | | x 3 | 14 | wld | | V | |
| 295 | | 13093 | 4 | Hydrangea arborescens subsp. radiata | | x 1 | 13 | wld | | V | |
| 295 | | 15236 | 4 | Hypericum frondosum 'Buttercup' | | x 2 | 15 | pds | | | cttg. #12510 of HKRD #98531 (or are these the two ori |
| 295 | | 11080 | 2 | Philadelphus 'Falconeri' | | x 1 | 11 | pds | | | cttg. #9700 BDB trip Ruhr, BG Bochum, |
| 295 | | 12241 | 2 | Philadelphus schrenkii var. jackii | | x 2 | 12 | wld | | | |
| 295 | | 12244 | 4 | Philadelphus tenuifolius | | x 1 | 12 | wld | | | |
| 295 | | 13094 | 4 | Philadelphus tenuifolius | | x 2 | 13 | wld | | | |
| 295 | | 12220 | 4 | Prunus incisa 'Pink Ballerina' | | x 1 | 12 | div | | | gift #10969, Maurice Foster, on its own roots |
| 295 | | 15419 | 4 | Rhododendron 'Crane' (keiskei 'Yaku Fairy' x racemos | | | 15 | ggd | | | |
| 295 | | 15420 | 4 | Rhododendron 'Egret' (campylogynum x racemosum ' | | | 15 | ggd | | | |
| 295 | | 17227 | 2 | Rhododendron griffithianum | | x 1 | 17 | div | | ? | Gift Minier, 1706: st.2 after bad spring frost of last Apr |
| 295 | | 15423 | 4 | Rhododendron quinquefolium | | x 3 | 15 | ggd | | ? | |
| 297 | | 12521 | 4 | Acer longipes subsp. catalpifolium | | x 1 | 12 | div | | | pl #12119 from Cedric Basset via Vasterival, |
| 297 | | 17268 | 4 | Camellia japonica 'Berenice Boddy' | | x 1 | 17 | pds | | | cttg #8477 of HKRD #83651 |
| 297 | | 14473 | 4 | Daphne odora 'Aureomarginata' | | x 1 | 16 | div | | | Duchy of Cornwall, 160108: starts to flower |
| 297 | | 16176 | 4 | Daphne odora 'Aureomarginata' | | x 2 | 16 | rob | | | |
| 297 | | 15361 | 2 | Edgeworthia chrysantha 'Grandiflora' | | x 1 | 16 | rug | | | gift Marc Libert, very big plant, 1706: main plant st.2 b |
| 297 | | 17223 | 4 | Hydrangea macrophylla 'Lilacina' | | x 1 | 17 | pds | | ? | layer #14006 of HKRD #00615 |
| 297 | | 08594 | 4 | Hydrangea paniculata 'Wim's Red' | | x 1 | 11 | opr | | | gift Oprins, their introduction, named after Wim Rutten |
| 297 | | 14388 | 4 | Ilex aquifolium 'Bacciflava' | | x 3 | 14 | vpl | | | 1801: 3/6 cut |
| 297 | | 18235 | 4 | Itea virginica | | x 4 | 18 | wld | | | |
| 297 | | 15262 | 4 | Magnolia macrophylla var. dealbata | | x 1 | 15 | div | | ? | */#12602, gift E. de la Fonchais (from Jean Pascal Chat |
| 297 | | 18048 | 4 | Magnolia x thompsoniana 'Olmenhof' | | x 1 | 18 | ver | | | gift #14020 |
| 297 | | 16177 | 4 | Prunus incisa 'Kojo-no-mai' | | x 2 | 16 | rob | | | both sides of bus parking |
| 297 | | 16139 | 4 | Rhododendron fortunei | | x 1 | 16 | div | | | gift Colasse, in vitro prop by Jérôme, no further info |
| 297 | | 15237 | 4 | Rhododendron 'Shamrock' (keiskei x hanceanum) x 4 | | | 15 | pds | | | cttg. #9716 of HKRD #83583, 1511: one plant added |
| 297 | | 18116 | 4 | Sciadopitys verticillata 'Cynthia Waxman' | | x 1 | 18 | div | | | gift #12780 Dennis from Bethlehem Nursery, USA as e |
| 297 | | 18117 | 4 | Sciadopitys verticillata 'Ossorio Gold' | | x 1 | 18 | div | | | gift #12782 Dennis from Bethlehem Nursery, USA as e |
| 297 | | 18118 | 4 | Sciadopitys verticillata 'Tsai Cheng' | | x 1 | 18 | div | | | gift #12783 Dennis from Bethlehem Nursery, USA as e |
| 297 | | 18119 | 4 | Sciadopitys verticillata 'Wintergreen' | | x 1 | 18 | div | | | gift #12779 Dennis from Bethlehem Nursery, USA as e |
| 297 | | 18120 | 4 | Sciadopitys verticillata 'Yellow Dream' | | x 1 | 18 | div | | | gift #12781 Dennis from Bethlehem Nursery, USA as e |
| 298 | | 12451 | 4 | Acer metcalfii | | x 1 | 12 | div | | V | gift IDS 60th anniversary, from Lawrence Banks, Allan |
| 298 | | 16205 | 4 | Aucuba japonica 'Rozannie' | | x 1 | 16 | rob | | | |
| 298 | | 14226 | 4 | Azalea 'Homebush' (Knap Hill) | | x 3 | 14 | pds | | | cttg. #11027 of HKRD #76081, |
| 298 | | 14258 | 4 | Betula ermanii | | x 1 | 14 | wld | | | |
| 298 | | 09437 | 4 | Cercidiphyllum japonicum 'Boyd's Dwarf' | | x 1 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 298 | | 09438 | 4 | Cercidiphyllum japonicum 'Boyd's Dwarf' | | x 1 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 298 | | 09439 | 4 | Cercidiphyllum japonicum 'Boyd's Dwarf' | | x 1 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 298 | | 07137 | 4 | Chionanthus retusus | | x 1 | 18 | pds | | | #5728, Sd Arnold Arboretum, 1712: big move from gar |
| 298 | | 12120 | 4 | Enkianthus campanulatus | | x 1 | 12 | boc | | | not E. perulatus as per invoice |
| 298 | | 12121 | 4 | Enkianthus campanulatus | | x 1 | 12 | boc | | | not E. perulatus as per invoice |
| 298 | | 12123 | 4 | Enkianthus campanulatus | | x 1 | 12 | boc | | | not E. perulatus as per invoice |
| 298 | | 12124 | 4 | Enkianthus campanulatus | | x 1 | 12 | boc | | | not E. perulatus as per invoice |
| 298 | | 12125 | 4 | Enkianthus campanulatus | | x 1 | 12 | boc | | | not E. perulatus as per invoice |
| 298 | | 17269 | 4 | Euonymus macropterus | | x 1 | 17 | wld | | | |
| 298 | | 18089 | 4 | Eurya japonica | | x 1 | 18 | pds | | | cttg. #8474 of HKRD #86275 |
| 298 | | 11306 | 4 | Helwingia sp. | | x 1 | 16 | rug | | | gift HBUG opening arboretum, no name and no nr, stol |
| 298 | | 12136 | 4 | Hydrangea arborescens 'Invincibelle Spirit' | | x 1 | 15 | boc | | | |
| 298 | | 12137 | 4 | Hydrangea arborescens 'Invincibelle Spirit' | | x 1 | 15 | boc | | | |
| 298 | | 12138 | 4 | Hydrangea arborescens 'Invincibelle Spirit' | | x 1 | 15 | boc | | | |
| 298 | | 12504 | 4 | Hydrangea arborescens 'Invincibelle Spirit' | | x 4 | 15 | div | | | prop #11652, gift Jan Liekens as "Pink Anabelle" |
| 298 | | 11178 | 4 | Hydrangea seemannii | | x 1 | 11 | pds | | C | cutting #9413 Christophe Crock from Kew #1974.2943 |
| 298 | | 15148 | 4 | Photinia davidiana | | x 3 | 15 | wld | | | |
| 298 | | 12209 | 4 | Physocarpus amurensis | | x 3 | 12 | pds | | | cttg #9701 BDB trip Ruhr, BG Bochum, May 2007, |
| 298 | | 08157 | 4 | Pieris japonica 'Blush' | | x 1 | 12 | bul | | | |
| 298 | | 10413 | 4 | Rhododendron 'Glenna' ('Hotei' x 'One Thousand Butt | | | 13 | ggd | | | |
| 298 | | 14511 | 4 | Stephanandra tanakae | | x 3 | 15 | rob | | | |
| 298 | | 14228 | 4 | Viburnum orientale | | x 1 | 14 | wld | | | |
| 298 | | 11114 | 2 | Viburnum sargentii 'Onondaga' | | x 1 | 11 | pds | | | layer #9156 of HKRD #89264, 1507: lvs eaten again, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Location and by Name

| Loc | E | Numb | S | NAME | x | Quantity | DP | Src | H | V | DATA |
|-----|---|-------|---|---|---|----------|----|-----|---|---|--|
| 299 | | 07197 | 4 | Acer x conspicuum 'Phoenix' | x | 1 | 12 | bul | | | (davidii x pensylvanicum), 1402: pruned very hard, by |
| 299 | | 16067 | 4 | Acer pentaphyllum | x | 1 | 16 | div | ? | V | gift #14360, from Faith Douglas (Thorp Perrow), 1606: |
| 299 | | 18221 | 4 | Acer pentaphyllum | x | 1 | 18 | wld | ? | | |
| 299 | | 15323 | 4 | Acer tegmentosum 'Joe Witt' | x | 1 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 299 | | 17348 | 4 | Aucuba himalaica var. dolichophylla | x | 1 | 17 | rug | | | gift #13791 Marc Libert, HBUG, 2011.3064 as A. japo |
| 299 | | 16204 | 4 | Aucuba japonica 'Rozannie' | x | 3 | 16 | rob | | | |
| 299 | | 16136 | 4 | Berberis kawakamii | x | 3 | 16 | wld | | V | |
| 299 | | 08273 | 4 | Camellia 'Cornish Spring' (japonica x cuspidata) | x | 1 | 12 | tre | | | |
| 299 | | 08179 | 4 | Camellia japonica 'Margaret Davis' | x | 1 | 13 | bur | | | 1503: flowers very susceptible to even light frost (turni |
| 299 | | 12543 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') | x | 1 | 13 | rob | | | PBR='Londaz', |
| 299 | | 13125 | 4 | Cotoneaster ambiguus | x | 1 | 13 | wld | | | |
| 299 | | 13090 | 4 | Cotoneaster horizontalis aff. | x | 4 | 13 | wld | | ? | |
| 299 | | 14179 | 4 | Cotoneaster rehderi | x | 1 | 14 | wld | | | |
| 299 | | 12164 | 4 | Deutzia x hybrida 'Mont Rose' | x | 1 | 12 | boc | | | |
| 299 | | 12165 | 4 | Deutzia x hybrida 'Mont Rose' | x | 1 | 12 | boc | | | |
| 299 | | 12166 | 4 | Deutzia x hybrida 'Mont Rose' | x | 1 | 12 | boc | | | |
| 299 | | 12167 | 4 | Deutzia x hybrida 'Mont Rose' | x | 1 | 12 | boc | | | |
| 299 | | 12168 | 4 | Deutzia x hybrida 'Mont Rose' | x | 1 | 12 | boc | | | |
| 299 | | 12169 | 4 | Deutzia scabra 'Pride of Rochester' | x | 1 | 12 | boc | | | |
| 299 | | 12170 | 4 | Deutzia scabra 'Pride of Rochester' | x | 1 | 12 | boc | | | |
| 299 | | 12171 | 4 | Deutzia scabra 'Pride of Rochester' | x | 1 | 12 | boc | | | |
| 299 | | 12172 | 4 | Deutzia scabra 'Pride of Rochester' | x | 1 | 12 | boc | | | |
| 299 | | 12173 | 4 | Deutzia scabra 'Pride of Rochester' | x | 1 | 12 | boc | | | |
| 299 | | 09420 | 4 | Elaeagnus umbellata | x | 1 | 12 | div | | | bought by Christophe at Ashwood Nurseries |
| 299 | | 12458 | 4 | Fothergilla gardenii 'Suzanne' | x | 3 | 14 | bul | | | |
| 299 | | 17349 | 4 | Fothergilla x intermedia 'Mount Airy' | x | 1 | 17 | pds | | | cttg. #11036 of HKRD #01305 |
| 299 | | 14227 | 3 | Hydrangea arborescens subsp. radiata | x | 3 | 14 | wld | | | |
| 299 | | 17224 | 4 | Hydrangea macrophylla 'Lilacina' | x | 1 | 17 | pds | | ? | layer #14006 of HKRD #00615 |
| 299 | | 12158 | 4 | Hydrangea paniculata 'Sundae Fraise' | x | 1 | 12 | boc | | | |
| 299 | | 12159 | 4 | Hydrangea paniculata 'Sundae Fraise' | x | 1 | 12 | boc | | | |
| 299 | | 12160 | 4 | Hydrangea paniculata 'Sundae Fraise' | x | 1 | 12 | boc | | | |
| 299 | | 16179 | 4 | Hydrangea paniculata 'Sundae Fraise' | x | 3 | 16 | rob | | | |
| 299 | | 16180 | 4 | Hydrangea paniculata 'Sundae Fraise' | x | 3 | 16 | rob | | | |
| 299 | | 15104 | 4 | Ilex opaca | x | 3 | 15 | wld | | V | |
| 299 | | 16140 | 4 | Maddenia himalaica | x | 1 | 16 | wld | | | |
| 299 | | 12342 | 4 | Magnolia officinalis var. biloba | x | 1 | 12 | pds | | | sd. #9555, S Sichuan, along road Ebian-Emei, circa 11 |
| 299 | | 17192 | 4 | Philadelphus sp. | x | 3 | 17 | wld | | ? | |
| 299 | | 15149 | 4 | Photinia davidiana | x | 2 | 15 | wld | | | |
| 299 | | 00728 | 4 | Pinus sylvestris | x | 1 | 00 | spo | | V | spo in that location I guess |
| 299 | | 16178 | 4 | Prunus incisa 'Kojo-no-mai' | x | 2 | 16 | rob | | | |
| 299 | | 18049 | 4 | Rhamnus alaternus 'Argenteovariegata' | x | 1 | 18 | div | | | gift #13937 Brian Humphrey, |
| 299 | | 13319 | 4 | Rhododendron 'Loch Faskally' | x | 1 | 15 | ggd | | | (2000/14B PW x SAPPH) |
| 299 | | 13320 | 4 | Rhododendron 'Loch Faskally' | x | 1 | 15 | ggd | | | (2000/14B PW x SAPPH) |
| 299 | | 13321 | 4 | Rhododendron 'Loch Faskally' | x | 1 | 15 | ggd | | | (2000/14B PW x SAPPH) |
| 299 | | 14448 | 4 | Rhododendron Vanessa Group (griersonianum x 'Soul | | | 14 | pds | | | layer #12544 of HKRD #78121 |
| 299 | | 15121 | 4 | Ruscus aculeatus | x | 2 | 16 | rug | | | gift Marc Libert, 2 seedlings of 'Sparkler' collected at H |
| 299 | | 13359 | 3 | Sarcococca confusa | x | 18 | 13 | pds | B | | #10147 ctggs from #6655 a Bokrijk plant, 1406: 19/20, |
| 299 | | 16268 | 4 | Sarcococca hookeriana var. humilis | x | 90 | 16 | pds | | | three groups, div of 91780 in bed 2 |
| 299 | | 17461 | 4 | Sorbus wilsoniana aff. | x | 1 | 17 | div | | ? | gift #15555 Olaf Schachtschneider (more info in mail 1 |
| 299 | | 12190 | 3 | Spiraea sp. | x | 1 | 12 | wld | | ? | |
| 299 | | 16068 | 4 | Stewartia serrata | x | 3 | 16 | pds | | | sdlg #14402 of HKRD #92286 |
| 299 | | 14178 | 4 | Thujopsis dolabrata var. hondae | x | 1 | 14 | wld | | | |
| 299 | | 14283 | 4 | Viburnum betulifolium | x | 1 | 14 | wld | | | |
| 299 | | 18222 | 4 | Viburnum japonicum | x | 1 | 18 | pds | ? | | cttg #13771 Arboretum Het Leen #4199 |
| 299 | | 14284 | 4 | Viburnum orientale | x | 3 | 14 | wld | | | |
| 299 | | 93038 | 4 | Weigela florida | x | 1 | 17 | wld | | V | |
| 299 | | 12217 | 3 | Weigela japonica | x | 1 | 12 | wld | | V | |