

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|-----|---|--|
| 17541 | 4 | Abelia chinensis x 1 | 291 | 19 | div | | | against E wall, from garden Lieve Vereecke |
| 11250 | 4 | Abelia x grandiflora (chinensis x uniflora) x 1 | 290 | 11 | rob | | | |
| 11251 | 4 | Abelia x grandiflora (chinensis x uniflora) x 1 | 290 | 11 | rob | | | |
| 12130 | 4 | Abelia x grandiflora 'Confetti' x 1 | 290 | 12 | boc | | | |
| 12131 | 4 | Abelia x grandiflora 'Confetti' x 1 | 290 | 12 | boc | | | |
| 18088 | 4 | Abelia serrata x 1 | 290 | 18 | pds | | | =Diabelia, ctg #12805, DK, National Arboretum Hor |
| 12154 | 4 | Abeliophyllum distichum Roseum Group x 1 | 291 | 12 | boc | V | | 150311: good flowering, not very visible but delicate |
| 03074 | 4 | Abies amabilis x 3 | 117 | 03 | pds | V | | Hkrd sd 3200 from Schuhmacher, Mass USA, |
| 04329 | 4 | Abies balsamea x 2 | 176 | 04 | pds | V | | BDB #30752, was listed as fraseri, but this is balsame |
| 05003 | 4 | Abies balsamea x 1 | 171 | 05 | pds | V | | sd #3201 from Schuhmacher Seed, Mass, _ 0603: upp |
| 99039 | 4 | Abies balsamea x 1 | 113 | 03 | wld | V | | |
| 09205 | 4 | Abies balsamea var. phanerolepis x 1 | 117 | 12 | wld | V | | |
| 95415 | 4 | Abies x borisii-regis x 1 * | 204 | 06 | wld | V | | |
| 98173 | 4 | Abies cephalonica (hybrid) x 2 | 118 | 98 | div | H | | */BDB 30726, Cl.Anthoine thinks not cephalonica, S |
| 03125 | 4 | Abies chensiensis x 1 | 113 | 08 | wld | V | | |
| 91553 | 4 | Abies chensiensis subsp. salouenensis x 3 | 118 | 95 | waa | C V | | */K.R."could be var. ernestii" but Keith only saw ver |
| 88094 | 4 | Abies cilicica x 1 | 117 | 91 | ter | V | | Sd. hybr.? lvs=35-45mm long !! Gift from Van Dievo |
| 16133 | 3 | Abies cilicica subsp. cilicica x 1 | 203 | 16 | wld | C | | |
| 14315 | 4 | Abies cilicica subsp. isaurica x 1 | 175 | 14 | wld | | | |
| 16132 | 3 | Abies cilicica subsp. isaurica x 1 | 201 | 16 | wld | | | |
| 91535 | 4 | Abies concolor x 1 * | 114 | 95 | waa | T | | BDB #30720, as var. lowiana, but this var. within nat |
| | 6 | Abies delavayi var. forrestii=>A. forrestii x 0 | | | | | | |
| 16103 | 1 | Abies densa x 1 | 113 | 16 | wld | V | | |
| 94006 | 4 | Abies durangensis x 3 * | 172 | 94 | wld | A V | | |
| 20035 | 4 | Abies durangensis var. coahuilensis x 1 | 168 | 20 | div | ? | | gift #13929, Brian Humphrey, ex Keith Rushforth, so |
| | 6 | Abies ernestii =>A. recurvata var. ernestii x 0 | | | | | | |
| 91538 | 4 | Abies fabri x 1 | 114 | 95 | waa | C V | | 97:C new growth from spring frost, 0409: best of the l |
| 91539 | 4 | Abies fabri x 1 | 114 | 95 | waa | C V | | Not A.fargesii faxoniana K.R. Checked by Keith Rush |
| 91541 | 4 | Abies fabri subsp. minensis x 1 | 114 | 95 | waa | C V | | Not A.fargesii faxoniana K.R. from Chinese Ac.of For |
| 91544 | 4 | Abies firma x 1 | 117 | 97 | waa | V | | */BDB #30725, WC. Kyoto, WAA 228-87, 01:one g |
| 20186 | 4 | Abies forrestii x 1 | 117 | 20 | wld | | | |
| 91745 | 4 | Abies forrestii agg. x 1 | 116 | 93 | waa | V | | */980-85 KR , 97/11:misery status 1, 0109;back to st |
| 10162 | 4 | Abies holophylla x 1 | 178 | 10 | wld | C | | |
| 12206 | 4 | Abies holophylla x 1 | 119 | 12 | wld | | | |
| 14436 | 4 | Abies holophylla x 1 | 182 | 14 | wld | | | |
| 91550 | 4 | Abies holophylla x 3 * | 118 | 95 | waa | V | | KR thinks possibly A. holophylla , wld from Chinese |
| 94014 | 4 | Abies holophylla x 1 | 116 | 96 | pds | V | | Sd HKR#Chollipo 1989/183 |
| 16027 | 4 | Abies homolepis x 1 | 112 | 16 | wld | | | |
| 16028 | 4 | Abies homolepis x 1 | 113 | 16 | wld | | | |
| 09206 | 3 | Abies kawakamii x 1 * | 203 | 14 | wld | V | | |
| 17209 | 4 | Abies kawakamii x 1 | 118 | 17 | wld | | | |
| 09098 | 4 | Abies koreana x 1 | 116 | 09 | wld | | | |
| 03226 | 4 | Abies lasiocarpa x 1 | 213 | 10 | nie | | | wld collected? |
| 18013 | 4 | Abies lasiocarpa x 1 | 203 | 18 | wld | | | |
| 18016 | 3 | Abies lasiocarpa x 1 | 213 | 18 | wld | | | |
| 03227 | 2 | Abies lasiocarpa var. arizonica x 1 | 208 | 05 | wld | V | | |
| | 6 | Abies lowiana =>A. concolor subsp. lowiana x 0 | | | | | | |
| 20023 | 4 | Abies mariesii x 1 | 117 | 20 | wld | | | |
| | 6 | Abies marocana =>A. pinsapo var. marocana x 0 | | | | | | |
| | 6 | Abies mexicana=>A. religiosa subsp. mexicana x 0 | | | | | | |
| | 6 | Abies nobilis =>A. procera x 0 | | | | | | |
| 03124 | 4 | Abies nordmanniana x 1 | 121 | 05 | wld | V | | |
| 14307 | 4 | Abies nordmanniana subsp. nordmanniana x 1 | 133 | 14 | wld | | | |
| 92853 | 4 | Abies numidica x 1 | 173 | 06 | nie | V | | 0409: is the wild form of numidica and not the cultiva |
| 92855 | 4 | Abies numidica x 1 | 173 | 06 | nie | V | | 031229: still not growing although 2003 was a good |
| 88089 | 4 | Abies numidica aff. x 1 | 117 | 91 | ter | C C | | */frm.sd.cllct.USA,Schumacher Mass, Gift from Van |
| | 6 | Abies pectinata =>A. alba x 0 | | | | | | |
| 04490 | 4 | Abies pindrow x 1 | 171 | 11 | wld | A V | | |
| 04507 | 3 | Abies pindrow x 1 | 154 | 09 | wld | V | | |
| 04511 | 4 | Abies pindrow x 1 | 117 | 11 | wld | A V | | |
| 91658 | 4 | Abies pinsapo var. marocana aff. x 1 | 209 | 91 | waa | V | | Sd Arboretum des Barres, marocana aff., see plantcol |
| 08222 | 4 | Abies pinsapo var. pinsapo x 1 ** | 204 | 14 | wld | | | |
| 91777 | 4 | Abies procera x 1 | 118 | 96 | div | V | | 95:no label, possib.from WAA 1991, is procera thinks |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 19050 | 4 | Abies recurvata x 1 | 118 | 19 | wld | | | |
| 91560 | 4 | Abies recurvata x 1 | 120 | 95 | waa | | V | see Note u/91558, Chinese, Cl.Anthoine thinks this is |
| 03223 | 4 | Abies recurvata var. ernestii x 1 * | 171 | 06 | wld | | V | |
| 92847 | 4 | Abies recurvata var. ernestii x 1 | 120 | 97 | nie | | V | */Cl. Anthoine thinks that this is chensiensis not recur |
| 94057 | 4 | Abies recurvata var. ernestii x 1 o | 112 | 96 | wld | C | V | |
| 04328 | 4 | Abies sachalinensis x 3 | 118 | 04 | pds | C | V | */sd. #3199, ex SCHUMACHER Mass., 0409: not sac |
| 05004 | 4 | Abies sachalinensis x 1 | 153 | 05 | pds | C | V | sd. #3199, ex SCHUMACHER Mass., plants in 117 a |
| 05005 | 4 | Abies sachalinensis x 1 | 172 | 05 | pds | C | V | sd. #3199, ex SCHUMACHER Mass., plants in 117 a |
| 09086 | 4 | Abies sachalinensis x 1 | 114 | 09 | pds | | | sd. #3199, ex SCHUMACHER Mass., |
| 94314 | 3 | Abies sachalinensis x 1 | 118 | 94 | wld | C | V | |
| 17211 | 4 | Abies sp. x 1 | 118 | 17 | wld | | ? | |
| 19336 | 4 | Abies sp. x 1 | 114 | 19 | wld | | ? | |
| 09207 | 2 | Abies spectabilis x 1 | 118 | 15 | wld | | V | |
| 14168 | 4 | Abies veitchii x 1 | 171 | 14 | wld | | | |
| 91562 | 4 | Abies veitchii x 1 * | 115 | 96 | waa | | V | BDB #30723, syn. nikkoensis, 97/7:good growth, con |
| 14245 | 4 | Abies veitchii aff. x 1 | 134 | 18 | wld | | V | |
| 97050 | 4 | Abies vejarii subsp. mexicana x 2 | 120 | 97 | wld | | V | |
| | 6 | Acanthopanax =>Eleutherococcus, Gamblea x 0 | | | | | | |
| 20222 | 4 | Acer acuminatum aff. x 1 | 119 | 20 | wld | | ? | |
| 20225 | 4 | Acer acuminatum aff. x 1 | 162 | 20 | wld | | ? | |
| 12259 | 4 | Acer argutum x 1 | 141 | 12 | wld | | | |
| 13020 | 4 | Acer argutum x 1 | 120 | 13 | wld | | | |
| 88201 | 4 | Acer buergerianum x 1 * | 253 | 93 | esv | C | V | */95:cut back by autumn/spring frost, 98:good foliage |
| 98189 | 4 | Acer buergerianum x 1 | 251 | 99 | esv | | V | */99:head possibly killed by autumn frost of 1998, 99 |
| 97140 | 4 | Acer buergerianum 'Hime-kaede' x 1 * | 251 | 00 | esv | | | 041123: good yellow autumn colour, 061125:once ag |
| 91307 | 4 | Acer caesium subsp. giraldii x 1 | 236 | 93 | waa | | V | BDB#35442, 97:C+ after -13°C this past winter, 02: to |
| 15220 | 4 | Acer calcaratum x 1 | 162 | 15 | ver | ? | V | #12874, graft of our Acer calcaratum - 05187-waa-16 |
| 88203 | 4 | Acer campestre 'Elsrijk' x 1 | 223 | 88 | esv | | | on avenue Philippe, 041122: nice late yellow orange c |
| 91308 | 4 | Acer campestre 'Nanum' x 1 * | 223 | 92 | waa | | | 99:early in leaf, neat little thing, |
| 86186 | 4 | Acer campestre 'Schwerinii' x 1 | 223 | 87 | esv | A | | |
| 90018 | 4 | Acer capillipes x 1 | 116 | 91 | div | | V | sdl. by J.G. Halfants, gift 12/89, 171107: good pale a |
| 96068 | 4 | Acer capillipes x 3 | 122 | 96 | vpl | | V | 061117:good pale yellow on this good year |
| 04320 | 4 | Acer cappadocicum x 1 | 223 | 04 | wld | | V | |
| 12042 | 3 | Acer cappadocicum 'De Oirsprong' x 1 | 263 | 16 | esv | | | |
| 20064 | 4 | Acer cappadocicum subsp. lobelii x 1 | 261 | 20 | wld | | | |
| 20071 | 4 | Acer cappadocicum subsp. lobelii x 1 | 289 | 20 | wld | | | |
| 20072 | 4 | Acer cappadocicum subsp. lobelii x 1 | 289 | 20 | wld | | | |
| 91004 | 4 | Acer cappadocicum subsp. lobelii x 1 * | 289 | 93 | pav | | V | 02: older bark split of 20cm at 0,5m, 0404: removed s |
| 17342 | 2 | Acer cappadocicum subsp. sinicum x 1 | 223 | 17 | wld | | | |
| 05090 | 4 | Acer carpinifolium x 1 | 142 | 05 | div | | | no data, was in p45 |
| 91003 | 4 | Acer carpinifolium x 1 * | 211 | 94 | pav | | V | |
| 92393 | 4 | Acer carpinifolium x 1 | 225 | 94 | waa | | V | */95:2 pl. very dry, top cut away , 97/9/25:suffering fr |
| 16158 | 4 | Acer caudatifolium x 1 | 118 | 16 | wld | | | |
| 16159 | 4 | Acer caudatifolium x 1 | 118 | 16 | wld | | | |
| 16160 | 4 | Acer caudatifolium x 1 | 118 | 16 | wld | | | |
| 17443 | 4 | Acer caudatifolium x 1 | 163 | 17 | wld | ? | V | |
| 18207 | 4 | Acer caudatifolium x 1 | 120 | 18 | wld | | | |
| 02166 | 4 | Acer circinatum x 1 | 143 | 02 | spo | | V | spontaneous sdlg under Hkrd #80079, 0809: thin leav |
| 97002 | 4 | Acer circinatum 'Monroe' x 1 | 143 | 97 | har | | C | 97:C+, |
| 19341 | 4 | Acer circinatum 'Pacific Fire' x 1 | 143 | 19 | div | | | prop #13794, Dick van der Maat, |
| 19352 | 4 | Acer circinatum 'Pacific Fire' x 1 | 281 | 19 | div | | | prop #13794, Dick van der Maat, |
| 12371 | 3 | Acer cissifolium x 1 | 152 | 12 | wld | | V | |
| 14176 | 2 | Acer cissifolium x 1 | 251 | 14 | wld | | | |
| 92170 | 4 | Acer cissifolium x 1 | 136 | 93 | spi | | V | leaves are very serrate, should be more entire for henr |
| 07196 | 4 | Acer x conspicuum 'Candy Stripe' x 1 | 113 | 09 | bul | | | (davidii x pensylvanicum) |
| 07197 | 2 | Acer x conspicuum 'Phoenix' x 1 | 299 | 12 | bul | | | (davidii x pensylvanicum), 1402: pruned very hard, b |
| 86191 | 4 | Acer x coriaceum (monspessulanum x opalus subsp. obtu | 223 | 88 | esv | A | V | */90:slowly settling, shrub, then suddenly in 91:vig.gr |
| 10179 | 4 | Acer crataegifolium x 1 | 136 | 14 | wld | | V | |
| 13015 | 4 | Acer crataegifolium x 1 | 113 | 13 | wld | | V | |
| 94311 | 4 | Acer crataegifolium x 2 * | 112 | 95 | wld | | V | |
| 17332 | 4 | Acer davidii x 1 | 117 | 17 | wld | | | |
| 18215 | 4 | Acer davidii x 1 | 183 | 18 | wld | | | |
| 02344 | 4 | Acer davidii subsp. grosseri 'Leiden' x 1 | 130 | 04 | pav | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 92411 | 4 | Acer davidii (hybrid) x 3 * | 147 | 94 | waa | C | H | */ pl-a hybrid with capillipes?, 96:2/3 frozen,new sho |
| 93061 | 4 | Acer davidii 'Serpentine' x 2 * | 120 | 94 | waa | | | hybrid with pectinatum (Maple Soc Newsletter 18(2): |
| 18076 | 4 | Acer diabolicum x 1 | 133 | 18 | wld | | | |
| 18085 | 4 | Acer diabolicum x 1 | 223 | 18 | wld | | | |
| 91625 | 4 | Acer diabolicum x 1 * | 281 | 93 | waa | V | | 901-88, 94:quite happy, better than pl in 27, 95/8:man |
| 12369 | 4 | Acer distylum x 1 | 130 | 12 | pds | | | OP sd #9914 from HKRD #99220 |
| 13018 | 4 | Acer distylum x 1 | 121 | 13 | wld | | | |
| | 6 | Acer divergens =>A. cappadocicum subsp. divergens x 0 | | | | | | |
| 06230 | 4 | Acer elegantulum x 1 | 163 | 08 | div | A | V | */gift Anne Leitner and BDB (from Zundert), check I |
| 20192 | 4 | Acer elegantulum aff. x 1 | 166 | 20 | div | | | #14445, HJM-15069, sd., gift Scott McMahan, more i |
| 13150 | 4 | Acer forrestii x 1 | 113 | 13 | wld | | V | |
| 13154 | 3 | Acer forrestii x 1 | 120 | 13 | wld | | | |
| 17304 | 4 | Acer forrestii x 1 | 114 | 17 | wld | | ? | |
| 17429 | 4 | Acer forrestii x 1 | 119 | 17 | wld | | V | |
| 92412 | 4 | Acer forrestii x 1 | 143 | 94 | waa | A | V | */97/3/9:in leaf, very early, resisted frost later on, 00/ |
| | 6 | Acer franchetii =>A. sterculiaceum franchetii x 0 | | | | | | |
| | 6 | Acer ginn. var. aidzuense =>A. tataricum subsp. aidz. x 0 | | | | | | |
| | 6 | Acer ginnala =>A. tataricum subsp. ginnala x 0 | | | | | | |
| | 6 | Acer giraldii =>A. caesium subsp. Giraldii x 0 | | | | | | |
| | 6 | Acer glabrum f. trisectum=>A. glabrum x 0 | | | | | | |
| 15103 | 4 | Acer griseum x 1 | 236 | 17 | spo | | | sdlg of HKRD #86195, in small island plot |
| 96069 | 4 | Acer griseum x 2 | 151 | 96 | vpl | | | 1108: one plant status 3, will go, two others healthy, 1 |
| 98179 | 4 | Acer (griseum x maximowiczianum) x 1 | 141 | 97 | ddh | | K | sdlg from D.Duhaut, variable lot,this 1/6 pl., 061117: |
| | 6 | Acer grosseri =>A. davidii subsp. grosseri x 0 | | | | | | |
| 13151 | 4 | Acer henryi x 1 | 114 | 13 | wld | | | |
| | 6 | Acer hersii =>A. davidii subsp. Grosseri x 0 | | | | | | |
| 01177 | 4 | Acer x hillieri 'Summergold' x 1 | 274 | 06 | esv | | V | (miyabei x cappadocicum 'Aureum'), 02: unhealthy ap |
| 16030 | 4 | Acer japonicum x 1 | 139 | 16 | wld | | | |
| 94307 | 4 | Acer japonicum x 1 | 141 | 99 | wld | | V | |
| 98195 | 4 | Acer japonicum x 1 | 143 | 00 | esv | | | 010422:young growth frosted! 131123: outstanding lo |
| 02536 | 4 | Acer japonicum 'Aconitifolium' x 1 | 143 | 03 | div | | | 02: source Arbor NV, 021219: slightly pruned, bleedi |
| 92397 | 4 | Acer japonicum 'Aconitifolium' x 2 ** | 143 | 92 | waa | | | 00:scale insects massively on pl. -a, not on pl -e, 0809 |
| 92399 | 4 | Acer japonicum 'Aconitifolium' x 1 | 141 | 93 | waa | | | 991013: quite miserable, has long history of spring fr |
| 91312 | 4 | Acer japonicum 'Attaryi' x 1 * | 141 | 93 | waa | | | 96 : always as good, 010422:frosted young growth! 0 |
| 98196 | 4 | Acer japonicum 'Dissectum' x 1 | 147 | 00 | esv | | | 0107:burned by hot sun!, |
| 19209 | 4 | Acer japonicum 'Indian Summer' x 1 | 143 | 19 | div | | | prop #14432, Dick Van der Maat Japanese Maple Nur |
| 01178 | 3 | Acer japonicum 'Taki no gawa' x 1 | 141 | 14 | esv | | | */061112:yellow aut. col, not as per 84104-esv-64, b |
| 19342 | 4 | Acer japonicum 'Vitifolium' x 1 | 143 | 19 | div | | | prop #13795, Dick van der Maat, |
| 98198 | 4 | Acer japonicum 'Vitifolium' x 1 | 149 | 00 | esv | | | 191014: excellent autumn colour |
| 10207 | 4 | Acer laxiflorum x 1 | 113 | 10 | wld | | V | |
| 12366 | 4 | Acer laxiflorum x 1 | 120 | 12 | wld | | | |
| 12367 | 4 | Acer laxiflorum x 1 | 120 | 12 | wld | | | |
| | 6 | Acer leucoderme =>A. saccharum subsp. Leucoderme x 0 | | | | | | |
| 12521 | 4 | Acer longipes subsp. catalpifolium x 1 | 297 | 12 | div | | | behind bonsai tent; pl #12119 from Cedric Basset via |
| 83469 | 4 | Acer macrophyllum x 1 * | 216 | 86 | esv | A | V | 180831: Calvatia gigantea: giant pufball / 1904: lots o |
| 01102 | 4 | Acer mandshuricum x 1 | 279 | 19 | dcl | | V | gift Antoon Declercq, 0204: leader killed by spring fr |
| 98199 | 4 | Acer mandshuricum x 1 * | 142 | 00 | esv | | V | */ originally 3 plants split other two to n°, 00 top of le |
| 98485 | 4 | Acer mandshuricum x 1 | 143 | 01 | cec | | | gift B. Choteau, 001014:both plants are superb autum |
| 98486 | 4 | Acer mandshuricum x 1 * | 142 | 01 | cec | | | gift B. Choteau, 030918: amazing red autumn colour, |
| 17439 | 4 | Acer maximowiczianum x 1 | 142 | 17 | div | | | #13722, gift Piet de Jong at NDV-KVBC meeting, |
| 89060 | 3 | Acer maximowiczianum x 1 * | 265 | 89 | ddh | ? | V | syn.nikoense, 101102:beautiful pink-scarlet colour thi |
| 19073 | 4 | Acer maximowiczii x 1 | 155 | 19 | wld | | ? | |
| 08389 | 4 | Acer micranthum x 1 | 141 | 12 | esv | | V | |
| 08390 | 4 | Acer micranthum x 1 | 136 | 10 | esv | | V | |
| 88037 | 4 | Acer miyabei (hybrid) x 1 | 223 | 88 | pds | H | | my #0029, from tree at Bergius Bot.Garden Stockholm |
| 89041 | 4 | Acer monspessulanum x 3 | 289 | 89 | ddh | A | V | sdlg.Dom.Duhaut,,ex BOKRIJK sd, 96/11/13:d=best |
| 89396 | 4 | Acer monspessulanum subsp. turcomanicum x 1 | 223 | 90 | esv | | ? | 1109: doubt on turcomanicum |
| 12047 | 4 | Acer morifolium x 1 | 118 | 13 | esv | H | | 1910: seems to be a hybrid, can go in due course (Dan |
| 17431 | 4 | Acer morifolium x 1 | 120 | 17 | div | | | #13676, gift Sylvain Meyer, from UBC BG Vancouve |
| 98202 | 4 | Acer negundo var. violaceum x 1 | 251 | 99 | esv | | V | 1804: flowers with long yellow crinkled pistils |
| 12048 | 4 | Acer negundo 'Winter Lightning' x 1 | 195 | 13 | esv | | | 180930: good early aut. Colour, pale luminous yellow |
| | 6 | Acer nikoense =>Acer maximowiczianum x 0 | | | | | | |
| 87012 | 3 | Acer nipponicum x 1 * | 216 | 97 | pds | A | V | BDB #34708, HKR #813,ex Zuidepark,Den Haag , 9 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|---|
| 12049 | 4 | Acer obtusifolium x 1 | 271 | 13 | esv | | | |
| 06231 | 4 | Acer oliverianum x 1 | 112 | 09 | div | A | V | */gift Anne Leitner and BDB (from Zundert), check I |
| 13083 | 4 | Acer oliverianum x 1 | 167 | 13 | wld | ? | V | |
| 14219 | 4 | Acer oliverianum x 1 | 162 | 14 | wld | | V | |
| 17208 | 4 | Acer oliverianum subsp. formosanum x 1 | 114 | 17 | wld | ? | V | |
| 17215 | 4 | Acer oliverianum subsp. formosanum x 1 | 149 | 17 | wld | ? | V | |
| 18037 | 4 | Acer oliverianum subsp. formosanum x 1 | 162 | 18 | wld | | V | |
| 87320 | 4 | Acer opalus subsp. obtusatum x 1 * | 216 | 91 | pds | A | V | HKR#341 1 ex Kew #111-671102, 98:good autumn |
| 94305 | 4 | Acer palmatum subsp. amoenum x 1 * | 113 | 95 | wld | | | |
| 94306 | 4 | Acer palmatum subsp. amoenum x 1 * | 113 | 95 | wld | | V | |
| 01179 | 4 | Acer palmatum 'Atrolineare' x 1 | 145 | 02 | esv | | | Linearilobum - red, 1810: from 3 back to status 4 |
| 12052 | 2 | Acer palmatum 'Autumn Fire' x 1 | 111 | 13 | esv | | | Dissectum - green, 1507: lots of dead wood, to status |
| 04425 | 4 | Acer palmatum 'Bloodgood' x 1 | 136 | 06 | bul | ? | | Atropurpureum Gr., 1106: check ID, Douglas Justice t |
| 84458 | 4 | Acer palmatum 'Burgundy Lace' x 1 * | 112 | 03 | esv | A | | Matsumurae - red, 021219: not pruned after moving t |
| 98208 | 4 | Acer palmatum 'Burgundy Lace' x 1 | 145 | 00 | esv | | | Matsumurae - red, |
| 92993 | 4 | Acer palmatum 'Butterfly' x 1 | 116 | 07 | div | | | Matsumurae - variegated, was group of 2 sub #92687, |
| 12057 | 4 | Acer palmatum 'Chikuma-no' x 1 | 145 | 13 | esv | | | Amoenum - red, |
| 04318 | 4 | Acer palmatum 'Chishio' x 1 | 136 | 04 | pds | ? | | Palmatum - green, Cttg #5372 from HKRD #84675, 0 |
| 05244 | 4 | Acer palmatum 'Crimson Queen' x 1 | 147 | 08 | bul | | | Dissectum - red, |
| 11103 | 4 | Acer palmatum 'Dentelle de Binche' x 1 | 136 | 14 | dcl | | | Dissectum, gift Antoon De Clercq at my request, 1410 |
| 17003 | 4 | Acer palmatum 'Dentelle de Binche' x 1 | 111 | 17 | cec | | | Dissectum, gift Benoit Choteau (CECE) #13829, |
| 12059 | 4 | Acer palmatum 'Diana' x 1 | 149 | 15 | esv | | | Dwarf - green, 1811: from 3 back to status 4 |
| 05109 | 4 | Acer palmatum 'Dissectum' x 1 | 177 | 07 | div | | | Van Bauwel, 1109: main stem wounded, beware for st |
| 98215 | 4 | Acer palmatum 'Dissectum' x 2 | 111 | 00 | esv | | | 99:1/3 is dead damp winter and spring frost, |
| 13047 | 4 | Acer palmatum 'Dissectum Rubrifolium' x 1 | 111 | 13 | div | | | dissectum - red, prop #11188, Dick van der Maat, 191 |
| 19210 | 4 | Acer palmatum 'Elegans' x 1 | 146 | 19 | div | | | Matsumurae - green, prop #13736, Dick Van der Maa |
| 05248 | 4 | Acer palmatum 'Emerald Lace' x 1 * | 113 | 17 | bul | | | Dissectum - green, 061124: elegant plant, deeply cut 1 |
| 12060 | 4 | Acer palmatum 'Emperor 1' x 1 | 145 | 13 | esv | | | Amoenum - red, = 'Wolff?', = 'Red Emperor?', |
| 12061 | 4 | Acer palmatum 'Fall's Fire' x 1 | 145 | 13 | esv | | | Palmatum - green, |
| 01259 | 4 | Acer palmatum 'Filigree' x 1 | 145 | 04 | bul | | | Dissectum - variegated, 1108: back to status 4 (IL), |
| 12089 | 4 | Acer palmatum 'Firecracker' x 1 | 111 | 13 | esv | | | |
| 83485 | 4 | Acer palmatum 'Flavescens' x 1 * | 147 | 07 | esv | A | | Dissectum - green, 0611: big move from 54, 1509: ne |
| 05110 | 4 | Acer palmatum 'Garnet' x 1 | 177 | 07 | div | | | Dissectum - red, Van Bauwel, 1705: from 4 to status |
| 98217 | 4 | Acer palmatum 'Garnet' x 1 | 111 | 00 | esv | | | Dissectum - red, 040503: outstanding colour |
| 14483 | 4 | Acer palmatum 'Geisha Gone Wild' x 1 | 145 | 20 | div | | | bought by Christophe at Celles |
| 12062 | 4 | Acer palmatum 'Gentaku' x 1 | 136 | 13 | esv | | | |
| 12063 | 4 | Acer palmatum 'Goshiki-kotohime' x 1 | 149 | 16 | esv | | | Dwarf - variegated, 1407: makes me think of Shishiga |
| 05249 | 4 | Acer palmatum 'Goshiki-shidare' x 1 o | 149 | 14 | bul | | | Dissectum - variegated, 1404: back to status 4, |
| 05250 | 4 | Acer palmatum 'Green Mist' x 1 | 111 | 08 | bul | | | Dissectum - green, |
| 12064 | 4 | Acer palmatum 'Green Trompenburg' x 1 | 145 | 13 | esv | | | Matsumurae - green, |
| 12065 | 4 | Acer palmatum 'Haibara' x 1 | 149 | 13 | esv | | | |
| 12066 | 4 | Acer palmatum 'Harusame' x 1 | 149 | 13 | esv | | | Palmatum - green, but variegated acc. to text and PF, |
| 12067 | 4 | Acer palmatum 'Hino-tori-nishiki' x 1 | 145 | 16 | esv | | | Palmatum - green, 190328: starts flowering + leafing |
| 97150 | 4 | Acer palmatum 'Hogyoku' x 1 | 113 | 00 | esv | | | Amoenum - green, 0808: some dead wood, but ok, 17 |
| 12068 | 4 | Acer palmatum 'Hosoba-koshimino' x 1 | 148 | 13 | esv | | | rcvd as Hosoba-koshimono, but mostly found as Hoso |
| 05251 | 4 | Acer palmatum 'Ichigyoji' x 1 | 147 | 08 | bul | | | Amoenum - green, |
| 12069 | 4 | Acer palmatum 'Inazuma' x 1 | 148 | 13 | esv | | | Matsumurae - red, |
| 12070 | 2 | Acer palmatum 'Julian' x 1 | 111 | 13 | esv | | | is this 'Pendulum Julian' (dissectum)?, 1910: st.2, had |
| 01183 | 4 | Acer palmatum 'Kagiri-nishiki' x 1 | 147 | 04 | esv | | | Palmatum - variegated, |
| 97005 | 4 | Acer palmatum 'Katsura' x 3 * | 113 | 00 | har | | V | Palmatum - green, 99/3 moved the three plants from |
| 12072 | 4 | Acer palmatum 'Kinky Krinkle' x 1 | 148 | 13 | esv | | | Palmatum - green, rcvd as 'Krazy Krinkle but name no |
| 84116 | 4 | Acer palmatum 'Kinran' x 1 | 149 | 07 | esv | A | | Matsumurae - red, 0611: big move from 54 |
| 12071 | 4 | Acer palmatum 'Kiyohime' x 1 * | 149 | 16 | esv | | | Dwarf - green, 1407: nice plant with small dark green |
| 18131 | 4 | Acer palmatum 'Korean Gem' x 1 | 145 | 20 | dbr | | | syn. Koreanum, Palmatum - green, name changed to a |
| 98218 | 4 | Acer palmatum 'Korean Gem' x 1 * | 145 | 00 | esv | | | syn. Koreanum, Palmatum - green, 0410: half of the 1 |
| 96036 | 4 | Acer palmatum 'Koto-no-ito' x 1 * | 116 | 97 | div | | | Linearilobum - green, gift Mr.Van Esdael,98:several b |
| 96037 | 4 | Acer palmatum 'Koto-no-ito' x 1 * | 113 | 06 | div | | | Linearilobum - green, gift Mr.Van Esdael, 191111: w |
| 12073 | 4 | Acer palmatum 'Lemon Lime Lace' x 1 | 111 | 16 | esv | | | Dissectum - green, 1407: to 111 or there around, with |
| 98219 | 4 | Acer palmatum 'Linearilobum' x 1 | 136 | 09 | esv | | | Linearilobum - green, 0706: cut one branch that was r |
| 13046 | 4 | Acer palmatum 'Lionheart' x 1 | 111 | 13 | div | | | dissectum - red, prop #11189, Dick van der Maat, 150 |
| 97153 | 4 | Acer palmatum 'Mirte' x 1 | 113 | 98 | esv | | | Palmatum - green, 17: very dissapointing aut. Colour |
| 12075 | 3 | Acer palmatum 'Nathan' x 1 | 145 | 16 | esv | | | Matsumurae - red, 1407: remains status 3 |
| 98224 | 4 | Acer palmatum 'Orangeola' x 3 ** | 112 | 00 | esv | | | Dissectum - red, 131113: amazing autumn colour, late |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 05254 | 3 | Acer palmatum 'Ornatum' x 1 | 147 | 08 | bul | ? | | Dissectum - red, 1005: to status 2, is this frost? |
| 83499 | 4 | Acer palmatum 'Ornatum' x 1 | 149 | 07 | esv | B | | Dissectum - red, 0611: big move from 54, 0709: statu |
| 08062 | 4 | Acer palmatum ('Osakazuki' sdlg) ('Osakazuki' sdlg) x 1 | 188 | 08 | pds | X | | sdlg #9097 of HKRD #81285, 131227: late yellow re |
| 07056 | 2 | Acer palmatum subsp. palmatum x 1 | 178 | 07 | spo | | | */prop #7388, sdlg from 82342, spontaneous at foot o |
| 91108 | 4 | Acer palmatum subsp. palmatum x 1 * | 126 | 91 | pds | A | T | */possibly sd from HKR#017,ex-Wakehurst a big vig |
| 06225 | 4 | Acer palmatum 'Pevé Dave' x 1 | 147 | 10 | div | | | Linearilobum - red, gift Vergeldt who selected and na |
| 12077 | 4 | Acer palmatum 'Red Cloud' x 1 | 117 | 16 | esv | | | Linearilobum - red, 1407: plant near koto-no-ito? |
| 01260 | 4 | Acer palmatum 'Red Dragon' x 1 | 136 | 09 | bul | | | Dissectum - red, |
| 05256 | 4 | Acer palmatum 'Red Filigree Lace' x 1 * | 111 | 14 | bul | | | Dissectum - red, |
| 12078 | 4 | Acer palmatum 'Red Flame' x 1 | 145 | 13 | esv | | | |
| 05257 | 4 | Acer palmatum 'Red Pygmy' x 1 | 149 | 08 | bul | | | Linearilobum - red, |
| 12079 | 4 | Acer palmatum 'Rokugatsu-en-nishiki' x 1 | 143 | 13 | esv | | | Palmatum - variegated, 1408: ugly, variegated thing, |
| 98226 | 4 | Acer palmatum 'Samidare' x 1 * | 113 | 00 | esv | | | Amoenum - green, 061115:outstanding aut.col, deep |
| 08145 | 4 | Acer palmatum 'Sango-kaku' x 1 | 149 | 10 | bul | | | Palmatum - green, |
| 13050 | 4 | Acer palmatum 'Sango-kaku' x 1 | 145 | 13 | div | | | Palmatum - green, prop #11191, Dick van der Maat, |
| 12080 | 4 | Acer palmatum 'Sawa-chidori' x 1 | 145 | 13 | esv | | | Matsumurae - variegated, |
| 97007 | 4 | Acer palmatum 'Seiryu' x 3 * | 113 | 00 | har | | | Dissectum - green, 97/7: superb after bad spring frost |
| 08144 | 4 | Acer palmatum 'Seiun-kaku' x 1 | 145 | 13 | div | | | Palmatum - green, from Maillot Bonsai in France |
| 12081 | 4 | Acer palmatum 'Seiun-kaku' x 1 | 148 | 13 | esv | | | Palmatum - green, 141120: cut leaf, good late autumn |
| 98227 | 4 | Acer palmatum 'Sherwood Flame' x 1 | 112 | 11 | esv | | | Matsumurae - red, 0109:some dead wood and leader 1 |
| 84124 | 4 | Acer palmatum 'Shinonome' x 1 | 147 | 01 | esv | A | | Matsumurae - red, 92:nearly dead, 94:still there, 95:m |
| 96118 | 4 | Acer palmatum 'Shishigashira' x 1 | 149 | 14 | waa | | | Palmatum - green, second pl. f/93115/WAA split off f |
| 05258 | 4 | Acer palmatum 'Shojo-shidare' x 1 | 112 | 10 | bul | | | Dissectum - red, |
| 12085 | 4 | Acer palmatum 'Sister Ghost' x 1 | 146 | 16 | esv | | | Matsumurae - variegated, 1407: deeply cut and varieg |
| 12084 | 4 | Acer palmatum 'Spring Delight' x 1 | 149 | 15 | esv | | | Dissectum - green, |
| 01261 | 4 | Acer palmatum 'Stella Rossa' x 1 | 145 | 07 | bul | | | Dissectum - red, |
| 01185 | 4 | Acer palmatum 'Suminagashi' x 1 * | 147 | 04 | esv | | | Matsumurae - red, 02: 1/3 dead, 04: 2 plants split see |
| 98229 | 4 | Acer palmatum 'Suminagashi' x 1 * | 145 | 00 | esv | | | Matsumurae - red, 1711: nice crimson red autumn col |
| 19212 | 4 | Acer palmatum 'Tamukeyama' x 1 | 147 | 19 | div | ? | | Dissectum - red, prop #14434 as Beni-Hagoromo, Dic |
| 93073 | 4 | Acer palmatum 'Tana' x 1 | 147 | 93 | waa | | | Amoenum - green, Only one pl..not 3 as invoice ?? po |
| 98230 | 4 | Acer palmatum 'Tatsuta' x 1 | 147 | 00 | esv | | | Amoenum - green, 0811: disapointing aut col; brown |
| 01186 | 4 | Acer palmatum 'Tatsuta-gawa' x 1 * | 147 | 04 | esv | | | Amoenum - green, |
| 88225 | 4 | Acer palmatum 'Tschigumo' x 1 | 136 | 96 | esv | | | Palmatum - green, 041123: nice autumn colour |
| 00201 | 4 | Acer palmatum 'Utsu-semi' x 1 ** | 147 | 01 | esv | | | Amoenum - green, 0611: label cord grown in trunk, 1 |
| 11304 | 4 | Acer palmatum 'Vasterival' x 1 | 111 | 12 | dcl | | | gift Antoon De Clercq opening Arboretum |
| 98231 | 4 | Acer palmatum 'Villa Taranto' x 1 * | 147 | 00 | esv | | | Linearilobum - green, |
| 89400 | 4 | Acer palmatum 'Volubile' x 1 ** | 116 | 91 | esv | | | Palmatum - green, 98:late colouring like 'Seiryu' , 991 |
| 05259 | 4 | Acer palmatum 'Waterfall' x 1 | 113 | 08 | bul | | | Dissectum - green, |
| 83512 | 4 | Acer palmatum 'Waterfall' x 1 * | 112 | 07 | esv | A | | Dissectum - green, 0611: big move from 54, 1706: ba |
| 12087 | 4 | Acer palmatum 'Westonbirt Orange' x 1 | 143 | 13 | esv | | | Amoenum - green, |
| 12086 | 4 | Acer palmatum 'Winter Flame' x 1 | 113 | 16 | esv | | | Palmatum - green, 1407: somewhat upright |
| 97165 | 4 | Acer palmatum 'Yugure' x 1 * | 145 | 02 | esv | | | Palmatum - red, 081102: good deep golden aut col, n |
| 19036 | 4 | Acer paxii x 1 | 168 | 19 | bot | ? | | #14523, Raf Lenaerts, 200225: still green and all its le |
| 20193 | 4 | Acer paxii x 1 | 166 | 20 | wld | | | |
| 12088 | 4 | Acer pectinatum 'Mozart' x 1 | 118 | 13 | esv | | | 1910: this is a forrestii selection, not a pectinatum s.s. |
| 01050 | 4 | Acer pensylvanicum x 1 | 120 | 01 | wld | | V | |
| 03103 | 4 | Acer pensylvanicum x 3 | 120 | 03 | wld | | | |
| 07136 | 4 | Acer pensylvanicum x 1 | 181 | 07 | wld | | V | |
| 08063 | 4 | Acer pensylvanicum (sldg) x 1 | 113 | 08 | spo | ? | | spo sdlg #9099, check ID |
| 99038 | 4 | Acer pensylvanicum x 1 | 120 | 01 | wld | | V | |
| 14129 | 3 | Acer pentaphyllum x 1 | 120 | 14 | wld | ? | | |
| 17254 | 4 | Acer pentaphyllum x 1 | 162 | 17 | wld | ? | V | |
| 18221 | 3 | Acer pentaphyllum x 1 | 299 | 18 | wld | ? | | |
| 83470 | 4 | Acer pictum subsp. mono x 1 | 115 | 97 | esv | A | | slow ! 97:moved out of view in 202, recoverd well, bi |
| 92302 | 4 | Acer pictum subsp. mono x 1 * | 212 | 94 | wld | | V | |
| 02289 | 3 | Acer pictum subsp. okamotoanum x 1 | 223 | 03 | waa | | V | */has this combination been made sub pictum?, 06102 |
| 87073 | 4 | Acer platanoides 'Dissectum' x 1 * | 263 | 87 | pds | A | T | HKR.sdlg ex-Winkworth, See photo's, 99: Verify : co |
| 08387 | 4 | Acer x pseudoheldreichii (heldreichii x pseudoplatanus) x | 178 | 10 | esv | | H | rcvd as (griseum x pseudoplatanus), 1007: nice, under |
| AA2804 | 4 | Acer pseudoplatanus 'Leopoldii' x 1 * | 292 | ?? | div | | | BDB #17026, garden of Molenhof, 1007: professional |
| 07021 | 4 | Acer pseudosieboldianum x 1 | 143 | 07 | wld | | V | |
| 08033 | 4 | Acer pseudosieboldianum x 1 | 141 | 08 | wld | | V | |
| 08035 | 3 | Acer pseudosieboldianum x 1 | 141 | 08 | wld | | V | |
| 08036 | 4 | Acer pseudosieboldianum x 1 | 141 | 08 | wld | | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 08038 | 3 | Acer pseudosieboldianum x 1 | 141 | 08 | wld | | V | |
| 95065 | 4 | Acer pseudosieboldianum x 1 ** | 112 | 95 | wld | | V | |
| 91664 | 4 | Acer pseudosieboldianum subsp. takesimense x 1 ** | 141 | 93 | waa | | V | */WAA/005-87, 95/8: 30% dieback which I cleared; |
| 02540 | 4 | Acer pubipalmatum x 1 | 141 | 04 | div | | | 02: gift Etienne Dehout (Ecole Hort. Tournai), from s |
| 02290 | 4 | Acer pycnanthum x 1 | 262 | 03 | waa | | | 03: lost its head, 0807: lvs small, not variegated, thus |
| 15080 | 4 | Acer pycnanthum x 1 | 273 | 15 | wld | | | |
| 15081 | 4 | Acer pycnanthum x 1 | 261 | 15 | wld | | | |
| 14250 | 4 | Acer robustum x 1 | 149 | 14 | wld | | C | |
| 16154 | 4 | Acer rubescens x 1 | 116 | 16 | wld | | | |
| 16155 | 4 | Acer rubescens x 1 | 116 | 16 | wld | | V | |
| 94163 | 4 | Acer rubrum x 1 * | 149 | 94 | mal | | | */0010:no autumn colour !!! not 'Schlesingeri', 01 pal |
| 17001 | 4 | Acer rubrum 'Morgan' x 1 | 178 | 19 | dbr | | | gift IDS Council meeting @AW 22 Oct 2016, 1903: b |
| 02109 | 4 | Acer rubrum 'October Glory' x 1 | 261 | 03 | pav | | | */leave lower branches; 041122: good autumn colour, |
| 04011 | 4 | Acer rubrum 'October Glory' x 1 | 248 | 04 | vpl | | | 041031: looks very much like October Glory, 061115: |
| 84151 | 4 | Acer rubrum 'October Glory' x 1 * | 112 | 86 | esv | A | | 88:best colouring of all Acer rubrum, 021009: long fis |
| 92414 | 4 | Acer rubrum 'October Glory' x 2 ** | 287 | 93 | waa | | V | */96/10:wind damage, 96/10:pruned all three pl, reduc |
| 15231 | 4 | Acer rubrum 'Sartori' x 1 | 223 | 15 | dcl | | | #14129, gift Antoon De Clercq |
| 97216 | 4 | Acer rubrum 'Schlesingeri' x 1 | 179 | 06 | cec | | | Gift CECE, Mr Choteau, 00:suffering, stressed by so |
| 04017 | 4 | Acer rubrum 'Tilford' x 1 | 245 | 04 | vpl | | | BDB #34250 |
| 98239 | 4 | Acer rubrum 'Tilford' x 1 | 276 | 00 | esv | | | 0111:no autumn colour! Wat is the idea of this cultiva |
| 12230 | 4 | Acer rufinerve x 1 | 120 | 12 | wld | | | |
| 12234 | 4 | Acer rufinerve x 1 | 181 | 12 | wld | | | |
| 13016 | 4 | Acer rufinerve x 1 | 118 | 13 | wld | | | |
| 15280 | 4 | Acer rufinerve x 1 | 113 | 15 | wld | | | |
| 18035 | 4 | Acer rufinerve x 1 | 148 | 18 | wld | | | |
| 96022 | 4 | Acer rufinerve x 3 | 113 | 96 | wld | | V | |
| 97171 | 4 | Acer saccharum 'Brocade' x 1 * | 216 | 98 | esv | | | 101029:good aut col this year, warm beige yellow, 14 |
| 19084 | 4 | Acer saccharum subsp. leucoderme x 1 | 216 | 19 | wld | | | |
| | 6 | Acer semenowii =>A. tataricum subsp. semenowii x 0 | | | | | | |
| 12015 | 4 | Acer sempervirens x 1 * | 290 | 12 | wld | B | V | |
| 15283 | 4 | Acer shirasawanum x 1 | 139 | 15 | wld | | | |
| 15284 | 4 | Acer shirasawanum x 1 | 139 | 15 | wld | | C | |
| 15285 | 4 | Acer shirasawanum x 1 | 139 | 15 | wld | | | |
| 98240 | 4 | Acer shirasawanum x 1 | 139 | 00 | esv | | | |
| 15287 | 3 | Acer shirasawanum aff. x 1 | 143 | 15 | wld | | ? | |
| 83462 | 4 | Acer shirasawanum 'Aureum' x 1 | 141 | 14 | esv | A | | 91:misery,in shade, 92:moved to 35 and recovered, 1 |
| 98241 | 4 | Acer shirasawanum 'Aureum' x 1 | 141 | 00 | esv | | | 00: afex rare scale insects but one larvae of Lady Bug |
| 18019 | 4 | Acer shirasawanum ('Aureum' sdlg) x 1 | 236 | 18 | spo | | | spo sdlg #13240 under Acer shirasawanum 'Aureum' - |
| 98197 | 4 | Acer shirasawanum 'Ezo-no-momiji' x 1 | 141 | 00 | esv | | | */99:no aut colour, 0309: a lot of dead wood, pruned, |
| 92418 | 4 | Acer shirasawanum (hybrid) x 1 ** | 131 | 93 | waa | H | | */991111:yellow pale colour, not bad for a shirasawan |
| 98242 | 4 | Acer shirasawanum 'Microphyllum' x 1 | 141 | 00 | esv | | | |
| 01188 | 4 | Acer shirasawanum 'Susanne' x 1 | 141 | 04 | esv | | | 1409: several twigs in top of plant defoliated at apex a |
| 97164 | 4 | Acer shirasawanum 'Yasemin' x 1 ** | 145 | 98 | esv | | | */Esveld says this is a shirasawanum CV, _01very da |
| 02541 | 4 | Acer sieboldianum x 1 | 141 | 04 | div | | V | */02: gift Etienne Dehout (Ecole Hort. Tournai), from |
| 12038 | 4 | Acer sieboldianum x 1 | 140 | 12 | wld | | ? | |
| 12243 | 4 | Acer sieboldianum x 1 | 143 | 12 | wld | | | |
| 99006 | 4 | Acer sieboldianum 'Isis' x 1 * | 141 | 02 | esv | | | 131113: good shape (domed), good aut.col., 1409: on |
| 20190 | 4 | Acer sieboldianum 'Maat' x 1 | 139 | 20 | div | | | #15293 Dick Van Der Maat: Japanese Maple Nursery |
| 92421 | 4 | Acer sieboldianum 'Miyama Nishiki' x 1 * | 143 | 93 | waa | | | 97:A, 99:1/3 surv, 01:last pl -b very frosted, status 1, |
| 99007 | 4 | Acer sieboldianum 'Miyama Nishiki' x 1 | 141 | 02 | esv | | | 061117:pale beige pink aut. col., 141120: is this the s |
| 20189 | 4 | Acer sieboldianum f. pilosum x 1 | 139 | 20 | div | | | #15292, Dick Van Der Maat: Japanese Maple Nursery |
| 14529 | 4 | Acer sikkimense var. serrulatum x 1 | 162 | 16 | div | | V | gift Koen Van Poucke |
| 15064 | 4 | Acer spicatum x 1 | 120 | 15 | wld | | | |
| 20118 | 4 | Acer spicatum x 3 | 146 | 20 | wld | | | |
| 11184 | 4 | Acer stachyophyllum subsp. betulifolium x 1 | 127 | 11 | wld | | V | |
| 00404 | 4 | Acer sterculiaceum subsp. franchetti x 1 | 136 | 03 | spi | | V | 0706: attractive plant, 0809: basal wound recovered w |
| 11429 | 4 | Acer sterculiaceum subsp. franchetti x 1 | 135 | 14 | esv | ? | V | gift from Cor Van Gelderen, |
| 17310 | 4 | Acer sterculiaceum subsp. franchetti x 1 | 165 | 17 | wld | | V | |
| 17318 | 4 | Acer sterculiaceum subsp. franchetti x 1 | 274 | 17 | wld | | | |
| 18079 | 4 | Acer sterculiaceum subsp. franchetti x 1 | 181 | 18 | wld | | V | |
| | 6 | Acer takesimense =>A. pseudosieboldianum takesimense | | | | | | |
| | 6 | Acer taronense =>A. pectinatum subsp. taronense x 0 | | | | | | |
| 09112 | 4 | Acer tataricum subsp. semenowii x 1 | 251 | 09 | wld | | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|---|
| 02122 | 4 | Acer tegmentosum x 1 | 120 | 04 | wld | | V | |
| 89131 | 4 | Acer tegmentosum x 1 | 232 | 19 | waa | | V | de Jong:"is whiter in winter than A.pensylv." 94:dry, |
| 15323 | 4 | Acer tegmentosum 'Joe Witt' x 1 | 299 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 11297 | 4 | Acer tenellum x 1 | 223 | 16 | div | | | gift Piet de Jong, opening of Arboretum, 1605: back t |
| | 6 | Acer tetramerum => Acer stachyophyllum x | | | | | | |
| | 6 | Acer trautvetteri =>A. heldreichii subsp. trautv. x 0 | | | | | | |
| 98249 | 4 | Acer triflorum x 1 * | 142 | 00 | esv | | V | 1810: great orange colour, 200225: flowers visible: so |
| 97162 | 4 | Acer 'Trompenburg' (palatum x shirasawanum) x 1 * | 145 | 98 | esv | | | Matsumurae - red, 001112: of course good autumn co |
| 01269 | 4 | Acer tschonoskii subsp. koreanum x 1 | 113 | 02 | bul | | V | 061014:early, soft pink autumn colour,_ |
| 11428 | 4 | Acer tsinglingense x 1 | 114 | 14 | div | | ? | gift Maple Society / Piet de Jong during Symposium a |
| | 6 | Acer turkestanicum =>A. platanoides subsp. turkes. x 0 | | | | | | |
| 06050 | 4 | Acer velutinum x 1 | 192 | 07 | pds | | V | BD sd #6624 hort BG Tbilissi! |
| 07014 | 4 | Acer velutinum x 1 | 182 | 07 | pds | | V | sd #6624 hort BG Tbilissi!, 1312: later colouring than |
| 15324 | 4 | Acer 'White Tigress'(tegmentosum hybrid) x 1 | 120 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), tegmentos |
| 12253 | 4 | Acer wilsonii x 1 | 162 | 12 | rug | A | V | */prop #9923, gift Marc Libert as A. kweilinese, MF |
| 15113 | 4 | Acer wilsonii x 1 | 163 | 15 | wld | | V | |
| 15114 | 4 | Acer wilsonii x 1 | 171 | 15 | wld | | V | |
| 17186 | 4 | Acer wilsonii x 1 | 153 | 17 | wld | | V | |
| 11228 | 4 | Actinidia arguta 'Issai' x 1 | 291 | 11 | boc | | | 1509: always partly dieback, 1805: from st 2 back to s |
| 17341 | 4 | Actinidia arguta 'Issai' x 1 | 291 | 17 | div | | | bought by Sam at Tuincentrum Thielemans |
| 11229 | 4 | Actinidia arguta 'Weiki' x 1 | 291 | 11 | boc | | | |
| 13027 | 2 | Actinidia sp. x 1 | 172 | 13 | wld | | ? | |
| | 6 | Aesculus arguta =>A. glabra var. arguta x 0 | | | | | | |
| 89079 | 4 | Aesculus x arnoldiana (glabra x A. x hybrida) x 1 * | 213 | 89 | waa | | | 011007:good red colour on some early colouring leav |
| 96250 | 4 | Aesculus x bushii (glabra x pavia) x 1 | 214 | 01 | pav | | | 0107:status 2, problems on transplanting!, 180426: go |
| 13173 | 4 | Aesculus californica x 1 | 188 | 15 | wld | | | |
| 17201 | 3 | Aesculus californica x 1 | 274 | 20 | pav | | | gift Pavia, |
| 20130 | 4 | Aesculus 'Cantonspark' x 1 | 267 | 20 | div | | | */gift #13871 from Gerard van Buiten, 1961RD349, s |
| | 6 | Aesculus discolor =>A. pavia x 0 | | | | | | |
| 12004 | 4 | Aesculus flava x 1 | 183 | 12 | wld | | | |
| 12448 | 4 | Aesculus glabra x 1 | 210 | 15 | wld | | | |
| 91329 | 4 | Aesculus glabra 'Herkenrode' x 1 ** | 271 | 93 | waa | | | bark is rough ? poss. A.glabra ? purchased as A. sarge |
| 19001 | 4 | Aesculus glabra 'October Red' x 1 | 248 | 19 | pav | | | |
| 91025 | 4 | Aesculus indica x 1 * | 289 | 93 | pav | T | | */990606:beautiful flowering on healthy plant, 01060 |
| 84160 | 4 | Aesculus x mutabilis aff. x 1 * | 213 | 86 | esv | A | ? | 97:too small for flava, could be A. mutabilis group (D |
| 96264 | 3 | Aesculus x mutabilis 'Penduliflora' x 1 | 245 | 08 | pav | | | (pavia x sylvatica), 0606: lvs scorched, 1809: again da |
| 03221 | 3 | Aesculus x neglecta (flava x sylvatica) x 1 | 175 | 10 | pav | B | | 0705: wood breaks easily in heavy wind, 0903: damag |
| 02113 | 4 | Aesculus x neglecta 'Autumn Fire' x 1 * | 214 | 04 | pav | | | 101005: outstanding early autumn colour, scarlet, 160 |
| | 6 | Aesculus octandra =>A. flava x 0 | | | | | | |
| 09161 | 3 | Aesculus parviflora x 1 | 176 | 09 | wld | | | |
| 10449 | 4 | Aesculus parviflora x 9 | 185 | 11 | opr | | | size 100/120, to hide ugly corner in former 190s, 110 |
| 96252 | 3 | Aesculus pavia 'Atrosanguinea' x 1 | 133 | 10 | pav | | | 1508: very dry |
| 03222 | 4 | Aesculus pavia 'Splendens' x 1 | 137 | 05 | pav | | V | 141001: not very splendens, no autumn colour, lvs dr |
| | 6 | Aesculus x plantierensis =>A. x carnea 'Plant.' x 0 | | | | | | |
| | 6 | Aesculus splendens =>A. pavia x 0 | | | | | | |
| 20095 | 4 | Aesculus sylvatica x 1 | 215 | 20 | wld | | | |
| 10064 | 4 | Aesculus wilsonii x 1 * | 168 | 10 | wld | A | V | |
| 10080 | 4 | Aesculus wilsonii x 1 | 181 | 10 | wld | A | V | |
| 04081 | 4 | Ailanthus altissima x 1 * | 140 | 04 | pav | | | BDB #30736 |
| 11202 | 3 | Ailanthus vilmosiniana x 1 | 155 | 11 | wld | C | | |
| 11320 | 4 | Akebia longeracemosa x 1 | 291 | 11 | rug | | | from garden De Costerstraat, probably gift from Marc |
| 04089 | 4 | Alnus cordata x 1 * | 279 | 04 | pav | | V | 09: healthy, beautiful plant, 171126: still has all its lea |
| 96290 | 4 | Alnus crispa x 1 | 193 | 07 | wld | | V | |
| 19295 | 4 | Alnus firma x 1 | 256 | 19 | wld | | | |
| 20070 | 4 | Alnus hirsuta x 1 | 278 | 20 | div | | | #15325, Alnus study day, gift BDB, via Gerbert Klein |
| 95061 | 4 | Alnus hirsuta x 1 * | 279 | 94 | wld | | V | |
| 94310 | 4 | Alnus japonica x 1 * | 247 | 95 | wld | | V | |
| | 6 | Alnus mandschurica =>A. hirsuta var. mandschurica. x 0 | | | | | | |
| | 6 | Alnus pendula =>A. cremastogyne var. multinervis x 0 | | | | | | |
| 12409 | 4 | Alnus rhombifolia x 1 | 254 | 12 | wld | | V | |
| 18193 | 4 | Alnus serrulata x 1 | 248 | 18 | wld | | | |
| 18209 | 4 | Alnus serrulata x 1 | 161 | 18 | wld | | | |
| 18220 | 4 | Alnus serrulata x 1 | 277 | 18 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|------------------|
| 91042 | 4 | Alnus x spaethii (japonica x subcordata) x 1 ** | 286 | 93 | pav | V | BDB #30105, damaged by deers!, 94:recov., 0602: t | |
| 98114 | 4 | Alnus subcordata x 1 * | 256 | 98 | wld | V | | |
| 12309 | 4 | Alnus viridis subsp. fruticosa x 1 | 132 | 12 | wld | | | |
| 91332 | 4 | Alnus viridis subsp. fruticosa x 1 | 276 | 93 | waa | V | */97:seems right (according to visiting members of th | |
| 00451 | 4 | Amelanchier alnifolia x 1 | 279 | 02 | esv | | 040428: big flowers and massive flowering, good pla | |
| 92440 | 4 | Amelanchier wiegandii x 1 | 133 | 95 | waa | ? | Montreal, | |
| 12331 | 4 | Ampelopsis japonica x 3 | 175 | 12 | div | | #9077, rcvd as A. serianifolia; gift Anne Leitner, sd. | |
| 19293 | 4 | Aphananthe aspera x 1 | 247 | 19 | wld | | | |
| 19037 | 4 | Aralia parasitica x 1 | 236 | 19 | div | | gift #15147 Vert'Tige as Pentapanax parasiticus (= sy | |
| 09051 | 4 | Asimina triloba x 1 | 212 | 09 | pds | | sd. #7700 from RUG Botanic Garden, W19790897 | |
| 90152 | 2 | Asimina triloba x 1 * | 212 | 94 | fli | | sdlg. fr.BJUV, gift K.Flink, 0107:lower br. brocken in | |
| 90153 | 4 | Asimina triloba x 1 * | 212 | 94 | fli | | sdlg. fr.BJUV, gift K.Flink, 97/8:happy good growth | |
| 17348 | 4 | Aucuba himalaica var. dolichophylla x 1 | 299 | 17 | rug | | gift #13791 Marc Libert, HBUG, 2011.3064 as A. jap | |
| 16204 | 4 | Aucuba japonica 'Rozannie' x 3 | 299 | 16 | rob | | 190410: one plant st.2 as hit by frost, but 2 others perf | |
| 16205 | 4 | Aucuba japonica 'Rozannie' x 1 | 298 | 16 | rob | | | |
| 17006 | 4 | Azalea 'Balzac' (Knap Hill) x 5 | 276 | 17 | pds | | cttgs #13672 of Azalea 'Balzac' (Knap Hill) - 74139-h | |
| 01024 | 4 | Azalea 'Beethoven' (Vuyk) x 11 | 146 | 01 | pds | | cttg Hkrd #5351 from 74148, 04: 11/12 left | |
| 07243 | 4 | Azalea 'Betty Anne Voss' x 1 | 275 | 10 | div | | gift Kevin Hughes, Japanese evergreen Azalea, Ameri | |
| 17463 | 2 | Azalea 'Bouquet de Flore' (Ghent) x 3 | 276 | 17 | pds | | 3 layers of #86500, 1909: st.2 after drought and heat | |
| 86500 | 3 | Azalea 'Bouquet de Flore' (Ghent) x 1 | 276 | 17 | vpl | A | 17: big move from C (was there since 1986), and thre | |
| 09135 | 2 | Azalea 'Briarcliffe' (Amoena) x 1 | 272 | 20 | pds | | cttg. #7592, Morris Arboretum, Philadelphia, 84.168- | |
| 04335 | 3 | Azalea 'Daviesii' (Ghent) x 9 | 272 | 17 | dcl | | 11:8/12 left, 1611: lost there in 522, try to recover as | |
| 04336 | 3 | Azalea 'Daviesii' (Ghent) x 12 | 245 | 10 | dcl | | 0807: mildew, seem very susceptible, 1207: 12/13 | |
| 00578 | 4 | Azalea 'Dominico Scassi' (Ghent) x 1 | 242 | 14 | div | | bought at Beervelde from Cesar De Keiser, at BDB st | |
| 02087 | 4 | Azalea 'Favorite' ('Hinodegiri' x kaempferi) x 2 | 271 | 02 | pds | | cttg #5352 from Hkrd #73021 | |
| 73021 | 4 | Azalea 'Favorite' ('Hinodegiri' x kaempferi) x 5 | 271 | 97 | vpl | B | 85:B, 97:4/5 pl dry on moving, flwrg, C, st=1, might | |
| 07242 | 4 | Azalea 'Gwenda' x 1 | 276 | 10 | div | | gift Kevin Hughes, Japanese evergreen Azalea, Ameri | |
| 01031 | 4 | Azalea 'Hatsugiri' (Kurume) x 6 | 120 | 01 | pds | | cttg Hkrd #4528 from 77239 | |
| 04343 | 3 | Azalea 'Hinomayo' (Kurume) x 3 | 241 | 09 | vpl | | to fill group in 241, 1008: 3/5 left, drought, 1302: bac | |
| 04509 | 4 | Azalea 'Hinomayo' (Kurume) x 2 | 119 | 09 | vpl | | 1109: only one plant status 4, 13: 3/5 left, 1405; 2 left | |
| 77241 | 4 | Azalea 'Hinomayo' (Kurume) x 1 | 241 | 03 | hil | A | 03: moved with 2 layers to 241, was in P since 1977, | |
| 86372 | 4 | Azalea 'Hollandia' (Mollis) x 1 | 275 | 97 | esv | ? | | |
| 14226 | 4 | Azalea 'Homebush' (Knap Hill) x 1 | 298 | 14 | pds | | cttg. #11027 of HKRD #76081, 1909: one plant dead | |
| 15102 | 4 | Azalea 'Homebush' (Knap Hill) x 2 | 284 | 15 | pds | | cttg. #11027 of HKRD #76081, 1709: rootstock | |
| 19038 | 4 | Azalea 'John Cairns' (kaempferi) x 1 | 271 | 19 | pds | | layer #14411 of HKRD #87039 | |
| 77225 | 4 | Azalea 'Koster's Brilliant Red' (Mollis) x 1 | 274 | 97 | hil | A | "very close to type R.japonicum" , difficult salmon co | |
| 77226 | 4 | Azalea 'Narcissiflora' (Ghent) x 4 | 276 | 97 | hil | A | moved to 276 in 1997 and divided into 4 new plants, i | |
| 11044 | 4 | Azalea 'Noordtanium' x 2 | 291 | 11 | pds | | closely related to mucronatum, layers #9814 of HKR | |
| 83293 | 4 | Azalea 'Pallas' (Ghent) x 3 | 274 | 14 | hil | A | 10: mother plant plus 5 layers (layers can also be of # | |
| 98039 | 4 | Azalea 'Pallas' (Ghent) x 1 | 271 | 01 | vpl | | | |
| 08169 | 4 | Azalea 'Persil' (Knap Hill) x 2 | 242 | 15 | bul | | 1411: 3/4 left, 1909: 2/4 left, 2002: one plant st.2 | |
| 08591 | 4 | Azalea 'Persil' (Knap Hill) x 3 | 276 | 10 | bul | | 1709: from 3 to status 4 | |
| 96055 | 3 | Azalea 'Persil' (Knap Hill) x 1 | 245 | 06 | vpl | | 0805:12/15 left, 0909: 2 left !! 2002: only one plant le | |
| 07069 | 4 | Azalea 'Purple Triumph' (Vuyk) x 6 | 120 | 07 | pds | | cttg @7377of Hkrd #77249 | |
| 07244 | 4 | Azalea 'Robin Hill Gillie' x 1 | 275 | 10 | div | | gift Kevin Hughes, Japanese evergreen Azalea, Ameri | |
| 00324 | 4 | Azalea 'Schneeglantz' x 5 | 143 | 00 | pds | | Cttg 5343 from Hkrd 86392 | |
| 17248 | 4 | Azalea 'Shin Seikai' (Kurume) x 3 | 119 | 17 | pds | | = 'Old Ivory', cttg. #12515 of HKRD #87235 | |
| 87235 | 4 | Azalea 'Shin Seikai' (Kurume) x 1 | 271 | 05 | pds | C | = 'Old Ivory', cttg HKRD ? #, 94:1pl.:0, _00:only one | |
| 12270 | 3 | Berberis amurensis x 1 | 176 | 12 | div | | prop #10620, gift Gunther Diamant (date on label 20- | |
| 16136 | 4 | Berberis kawakamii x 3 | 299 | 16 | wld | V | | |
| 12271 | 4 | Berberis silva-taroucana x 1 | 176 | 12 | div | | prop #10618, gift Gunther Diamant (date on label 20- | |
| 20205 | 4 | Berberis subacuminata x 1 | 299 | 20 | wld | | | |
| 09117 | 3 | Berberis temolaica x 1 | 172 | 09 | wld | A | | |
| 15202 | 4 | Berberis wilsoniae x 3 | 295 | 15 | wld | | | |
| 14170 | 4 | Berchemia scandens x 1 | 173 | 14 | wld | | | |
| 12010 | 4 | Betula albosinensis x 1 | 247 | 12 | wld | | | |
| 12011 | 4 | Betula albosinensis x 1 | 152 | 12 | wld | | | |
| 05192 | 4 | Betula albosinensis 'Bowling Green' x 1 | 246 | 07 | waa | | | |
| 05193 | 3 | Betula albosinensis 'Chinese Garden' x 1 | 246 | 07 | waa | | 190311: lost its head in storm yesterday, 2003: ugly g | |
| 04147 | 4 | Betula albosinensis 'Fascination' x 1 | 244 | 06 | pav | | | |
| 16089 | 4 | Betula albosinensis 'Pink Champagne' x 1 | 244 | 18 | bul | | | |
| 01077 | 3 | Betula alleghaniensis x 1 | 274 | 01 | wld | | | |
| 17049 | 4 | Betula alleghaniensis x 1 | 171 | 17 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|-----|--|
| 88167 | 4 | Betula alleghaniensis x 2 * | 133 | 88 | esv | | V | BDB#25035 + #30755, 0306: one spcm suddenly dea |
| 06005 | 4 | Betula x apoiensis (ermanii x ovalifolia) x 1 | 134 | 06 | pds | | V | BDB #32372, ctg 7395 from prop 6560, Kew 1985 4 |
| 12407 | 4 | Betula browicziana x 1 | 245 | 12 | wld | | | |
| | 6 | Betula caerulea-grandis =>B. x caerulea x 0 | | | | | | |
| 16105 | 4 | Betula chichibuensis x 1 | 132 | 16 | div | | | #11645, Stone Lane Garden, H.P. so should be ok, m |
| 18082 | 1 | Betula chichibuensis x 1 | 192 | 18 | wld | | | |
| 19025 | 1 | Betula chichibuensis x 1 | 279 | 19 | wld | | | |
| 98119 | 4 | Betula chinensis x 2 | 277 | 98 | wld | | V | |
| 00271 | 4 | Betula dahurica x 1 | 132 | 00 | pds | | ? | */BDB #30729, "Ctgg #5877 from Hkrd 89174 (albosi |
| 14531 | 4 | Betula dahurica 'Maurice Foster' x 1 | 246 | 17 | bul | | | |
| 05058 | 4 | Betula ermanii x 1 | 147 | 05 | wld | | V | |
| 10071 | 4 | Betula ermanii x 1 | 243 | 10 | wld | | C | |
| 12340 | 4 | Betula ermanii x 1 | 286 | 12 | wld | | | |
| 14258 | 4 | Betula ermanii x 1 | 298 | 14 | wld | | | |
| 88082 | 4 | Betula ermanii x 1 | 220 | 89 | ter | | C V | */BDB#25040, from.sd.forest cllct.Japan,F.R.I. Ibarak |
| 89526 | 4 | Betula ermanii x 1 | 118 | 92 | wld | | V | |
| 14530 | 4 | Betula ermanii 'Grayswood Hill' x 1 | 132 | 17 | bul | | | |
| 15325 | 4 | Betula ermanii 'Hakkoda Orange' x 1 | 244 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), 1801: bew |
| 15326 | 3 | Betula ermanii 'Mount Zao Purple' x 1 | 277 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), 1807: cater |
| | 6 | Betula fargesii=>B. chinensis x 0 | | | | | | |
| 04148 | 3 | Betula glandulosa x 1 | 289 | 09 | pav | | | received as B. glandulata, name does not exist, 1709: |
| 10245 | 2 | Betula globispica x 1 | 278 | 10 | wld | | | |
| 11073 | 4 | Betula grossa x 1 * | 172 | 11 | wld | | | |
| 12378 | 4 | Betula grossa x 1 | 279 | 12 | wld | | | |
| 88077 | 4 | Betula grossa x 1 | 147 | 93 | ter | | V | frm.sd.cllct.Japan,F.R.I,Ibaraki Gift from Van Dievoe |
| 88078 | 4 | Betula grossa x 1 | 147 | 93 | ter | | V | */frm.sd.cllct.Japan,F.R.I,Ibaraki Gift from Van Diev |
| 91102 | 4 | Betula grossa x 1 * | 131 | 90 | ter | | V | BDB#25033, same as 88077, good aut. colour, 1509: |
| 02525 | 4 | Betula 'Hergest' x 1 | 244 | 04 | div | | | 02: gift IDS, visit to Belgium, from Hergest Croft, 06 |
| 17307 | 4 | Betula insignis aff. x 1 | 133 | 17 | wld | | ? | ? |
| 17319 | 4 | Betula insignis aff. x 1 | 278 | 17 | wld | | ? | ? |
| | 6 | Betula jacquemontii =>B. utilis var.jacquemont. x 0 | | | | | | |
| 08225 | 4 | Betula lenta x 1 | 162 | 07 | spo | | | found in 165, spo sdlg of 92163 I suppose |
| 10208 | 4 | Betula lenta x 1 | 119 | 10 | wld | | | |
| 92163 | 4 | Betula lenta x 2 * | 162 | 92 | pds | | | BDB#25038, Sd.hkr#1653:cllct PdS Bronx B.G., 031 |
| 96124 | 4 | Betula lenta x 1 * | 277 | 96 | wld | | V | |
| | 6 | Betula lutea =>B. alleghaniensis x 0 | | | | | | |
| 92697 | 3 | Betula maximowicziana x 2 * | 133 | 93 | ddh | | V | */BDB#25036, Sd from D.Duhaut, very dry in 133, n |
| 84942 | 4 | Betula medwediewii x 1 | 276 | 95 | esv | | A V | second of original 84173 accession, moved in 1995 t |
| 88173 | 4 | Betula nigra x 1 * | 257 | 88 | esv | | V | BDB#25041 |
| | 6 | Betula occidentalis =>B. fontinalis x 0 | | | | | | |
| 98103 | 3 | Betula ovalifolia x 1 o | 132 | 98 | pds | | V | Ctgg. # 4552 from Hkrd 91355, Hugh McAllister ver |
| | 6 | Betula papyrifera v.hum.=>B. neoalaskana x 0 | | | | | | |
| 08131 | 4 | Betula pendula Laciniata Group x 1 | 176 | 08 | spo | | | prop #8862, spontaneous cut leaved sdlg in p152, 131 |
| | 6 | Betula platyph.v.szechuanica =>B. szechuanica x 0 | | | | | | |
| 91349 | 4 | Betula platyphylla x 1 | 286 | 93 | waa | | V | BDB#25042, (mandshurica), 010415:early in leaf, nor |
| 12277 | 4 | Betula platyphylla var. japonica x 1 | 246 | 12 | wld | | | |
| 88086 | 4 | Betula platyphylla var. japonica x 1 | 147 | 93 | ter | | T | sd.cllct.Japan,F.R.I,Ibaraki Verif.KR,Gift Van Dievoe |
| 95301 | 2 | Betula platyphylla var. japonica x 1 * | 140 | 96 | wld | | V | |
| 17465 | 4 | Betula populifolia x 1 | 140 | 17 | wld | | | |
| 99184 | 4 | Betula populifolia x 1 | 248 | 00 | wld | | V | |
| 02556 | 4 | Betula pubescens x 1 | 167 | 02 | spo | | | spontaneous in that location |
| 03092 | 3 | Betula pumila x 3 | 289 | 03 | pds | | V | Ctgg #5458 from HKRD #91347, 0606: 2 plants head |
| | 6 | Betula resinifera =>B. neoalaskana x 0 | | | | | | |
| 93017 | 4 | Betula schmidtii x 1 | 279 | 93 | wld | | V | |
| 11075 | 4 | Betula szechuanica x 1 | 277 | 11 | wld | | V | |
| 95311 | 4 | Betula szechuanica x 1 * | 203 | 96 | wld | | V | |
| 06015 | 2 | Betula utilis x 1 | 245 | 06 | wld | | C | |
| 10248 | 4 | Betula utilis x 1 | 284 | 10 | wld | | | |
| 14163 | 4 | Betula utilis x 1 | 131 | 14 | wld | | | |
| 92299 | 3 | Betula utilis x 1 | 289 | 93 | wld | | V | |
| 12338 | 3 | Betula utilis aff. x 1 | 276 | 12 | wld | | ? | |
| 98257 | 4 | Betula utilis var. jacquemontii 'Doorenbos' x 1 | 289 | 99 | esv | | V | edge of street! |
| 98258 | 4 | Betula utilis var. jacquemontii 'Doorenbos' x 1 | 289 | 99 | esv | | V | edge of street!, rcvd as Betula utilis var. jacquemontii |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 03278 | 4 | Betula utilis 'Trinity College' x 1 | 274 | 05 | mal | | | 03: gift James Harris as B. utilis jacquemontii 'Trinity |
| 98259 | 4 | Betula utilis 'Werrington' x 1 * | 289 | 99 | esv | | ? | edge of street!, 0806: looks more like B. ermanii says |
| | 6 | Betula verrucosa =>B. pendula x 0 | | | | | | |
| 12147 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) x 1 | 294 | 12 | boc | | | as Senecio, |
| 12148 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) x 1 | 294 | 12 | boc | | | as Senecio, |
| 12149 | 4 | Brachyglottis 'Sunshine' (greyi x compacta?) x 1 | 294 | 12 | boc | | | as Senecio, |
| 02349 | 4 | Broussonetia papyrifera (male) x 1 | 277 | 03 | dev | C | | 0405: head dead, not a strong plant here, 0702: head d |
| 07043 | 4 | Buddleja albiflora x 1 | 281 | 07 | wld | A | ? | |
| 08046 | 4 | Buddleja albiflora x 2 | 175 | 08 | wld | | ? | ? |
| 13157 | 2 | Buddleja albiflora x 2 | 175 | 13 | wld | | | |
| 06203 | 4 | Buddleja alternifolia 'Argentea' x 1 | 271 | 08 | div | | | gift Maurice Vergote via Marc Libert |
| 11091 | 4 | Buddleja lindleyana x 1 | 294 | 11 | pds | D | | cttg. #9727 of HKRD #05239, 1007: status 2, too ten |
| 15277 | 4 | Buddleja loricata x 3 | 294 | 15 | bul | | ? | 190608: good, delicate flowering (some 4s, others 5s) |
| 18261 | 4 | Buddleja 'Morning Mist' (crispa x loricata) x 1 | 291 | 18 | rob | | | = 'Silver Anniversary' |
| 10228 | 3 | Buddleja sp. x 1 | 281 | 10 | wld | D | ? | |
| 05100 | 4 | Callicarpa americana (hybrid) x 4 | 242 | 05 | pds | | ? | sd #6392 Polly Hill Arboretum, in the play pen, may |
| 16240 | 4 | Callicarpa 'Cardinal' x 1 | 155 | 16 | div | | | #13853 as C. dichotoma 'Cardinal', gift Hennebelle, s |
| 06041 | 4 | Callicarpa dichotoma x 3 | 242 | 06 | pds | | | sd #6390, sub 'Alba', but not very white and name not |
| 07135 | 4 | Callicarpa dichotoma x 3 | 137 | 07 | pds | | | sd #6390, sub 'Alba', but not very white and name not |
| 02352 | 4 | Callicarpa kwangtungensis x 1 | 164 | 03 | dev | | | cttg, 030906: flowering! 0603: attacked by roe deer in |
| 20088 | 4 | Callicarpa kwangtungensis x 1 | 137 | 20 | pds | | | cttg #12513 of HKRD #02352, |
| 13175 | 4 | Callicarpa mollis x 1 | 137 | 15 | wld | | | |
| 01119 | 4 | Calocedrus decurrens x 1 | 162 | 03 | wld | A | | |
| 01407 | 4 | Calocedrus decurrens x 1 | 162 | 03 | wld | A | | |
| 16106 | 4 | Calocedrus decurrens x 1 | 149 | 16 | wld | | | |
| 98166 | 4 | Calocedrus decurrens x 2 | 220 | 98 | div | | | */sd by Johnny Verhoeven at Bosveld, _0110:one of th |
| 20188 | 4 | Calycanthus 'Aphrodite' (chinensis x occidentalis) x 1 | 136 | 20 | rut | | | gift #16700 from Magnoliastore |
| 14248 | 4 | Calycanthus floridus x 1 | 136 | 14 | wld | | | |
| 20063 | 4 | Calycanthus floridus x 3 | 242 | 20 | wld | | | |
| 08273 | 4 | Camellia 'Cornish Spring' (japonica x cuspidata) x 1 | 299 | 12 | tre | | | |
| 97130 | 4 | Camellia 'Cornish Spring' (japonica x cuspidata) x 1 * | 163 | 97 | tre | A | | 09: A+ under Pinus, 150324: excellent plant, florifero |
| 10434 | 4 | Camellia japonica 'Adolphe Audusson' x 1 | 174 | 13 | boc | | ? | |
| 17259 | 4 | Camellia japonica 'Berenice Boddy' x 1 | 172 | 20 | pds | | | cttg #8477 of HKRD #83651, 20: moved within locati |
| 17268 | 4 | Camellia japonica 'Berenice Boddy' x 1 | 297 | 17 | pds | | | cttg #8477 of HKRD #83651 |
| 11317 | 4 | Camellia japonica 'Koreas Sol' x 1 | 172 | 18 | wld | | ? | |
| 08274 | 3 | Camellia japonica 'Lavinia Maggi' x 1 | 172 | 13 | tre | | | 1601: st.3 chlorotic |
| 08179 | 4 | Camellia japonica 'Margaret Davis' x 1 | 299 | 13 | bur | | | 1503: flowers very susceptible to even light frost (turn |
| 98116 | 4 | Camellia x williamsii 'Donation' x 1 * | 293 | 12 | pds | C | | */Cttg #4777 from Hkrd, 1203: heavily touched by co |
| 16130 | 4 | Camellia x williamsii 'Empire Rose' x 1 | 174 | 16 | div | C | | #10966, gift John Gallagher, 1006: status 3, hardiness |
| 97131 | 3 | Camellia x williamsii 'Mary Phoebe Taylor' x 1 | 174 | 99 | tre | C | | */9905:moved out of greenhouse to 172, 070304:perf |
| 08181 | 2 | Camellia x williamsii 'Saint Ewe' x 1 * | 172 | 14 | bur | C | | 1004: leader frozen, 120113: big pink flowers, quite i |
| 08183 | 3 | Camellia 'Winton' (cuspidata x saluenensis) x 1 | 172 | 15 | bur | | | 1207: remains status 3, 150324: first flowering, small, |
| 20159 | 4 | Campsis radicans x 1 | 281 | 20 | wld | | | |
| 91356 | 4 | Carpinus betulus 'Columnaris Nana' x 1 ** | 211 | 00 | waa | | | 041113:good aut. colour, still good shape, but fattenin |
| 17282 | 4 | Carpinus betulus 'Rockhampton Red' x 1 | 210 | 17 | pav | | | #13729, gift Dirk Benoit (Pavia), !!! NO PROPAGAT |
| 10082 | 4 | Carpinus caroliniana x 1 | 188 | 10 | wld | | | |
| 13192 | 4 | Carpinus caroliniana x 1 | 178 | 13 | wld | | | |
| 91189 | 4 | Carpinus caroliniana x 1 | 211 | 90 | pds | | | sd.HKR#0012,ex-Bokrijk, 051015 : very good autum |
| 17284 | 4 | Carpinus caroliniana 'Red Fall' x 1 | 214 | 17 | pav | | | #13731, gift Dirk Benoit (Pavia), 1906: not a nice gra |
| 17285 | 2 | Carpinus caroliniana 'Sentinel Dries' x 1 | 214 | 17 | pav | | | #13730, gift Dirk Benoit (Pavia), 1905: st.2, badly hit |
| 95063 | 4 | Carpinus caroliniana subsp. virginiana x 1 * | 211 | 94 | wld | V | | |
| 89103 | 4 | Carpinus cordata x 1 * | 211 | 89 | waa | V | | 89:dry,because of drought+transplanting, 99:fully rec |
| 96270 | 2 | Carpinus cordata x 1 | 211 | 01 | wld | | | |
| 02064 | 4 | Carpinus coreana x 1 | 212 | 02 | wld | V | | |
| 94167 | 4 | Carpinus coreana x 1 | 211 | 96 | mal | | | 061125: very late to colour, still green with some yell |
| 95167 | 4 | Carpinus coreana x 1 | 211 | 98 | div | | | J.A.Smith propagated, purchased at Magnolia Soc. au |
| 99166 | 4 | Carpinus coreana x 1 | 113 | 10 | wld | | | |
| 99167 | 4 | Carpinus coreana x 1 * | 140 | 00 | wld | | | |
| 99168 | 4 | Carpinus coreana x 1 | 212 | 02 | wld | V | | |
| 99252 | 4 | Carpinus coreana x 1 * | 139 | 03 | wld | | | |
| 12201 | 4 | Carpinus eximia x 1 | 211 | 12 | rug | | | gift #11118, Marc Libert, graft by Carlos Verhelst fro |
| 14437 | 4 | Carpinus faginea x 1 | 211 | 14 | rug | | | gift #11122 from Marc Libert, graft by Carlos Verhels |
| 10216 | 4 | Carpinus fangiana x 1 | 163 | 10 | wld | | ? | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|---|
| 15146 | 3 | Carpinus fangiana x 1 | 246 | 15 | wld | | | |
| 15195 | 4 | Carpinus fangiana x 1 | 134 | 15 | wld | | ? | |
| 15294 | 4 | Carpinus fangiana x 1 | 248 | 15 | div | | | Gift #11614 of Arborealis (Micha Wieland), grafted o |
| 20040 | 4 | Carpinus fangiana x 1 | 210 | 20 | div | | | gift #13931 Brian Humphrey, ex Maurice Foster |
| | 6 | Carpinus fargesii =>C.laxifl. var. macrostachya x 0 | | | | | | |
| | 6 | Carpinus hupeana simplicidentata =>C.stipulata x 0 | | | | | | |
| 15116 | 4 | Carpinus japonica x 1 | 212 | 15 | wld | | | |
| 17191 | 4 | Carpinus japonica x 1 | 289 | 17 | wld | | | |
| 90047 | 4 | Carpinus japonica x 1 | 211 | 90 | pds | C | V | BDB #25873, HKRD #0001, ex-Bokrijk 96:lost its he |
| 16127 | 4 | Carpinus kawakamii x 1 | 148 | 16 | wld | | | |
| 16134 | 4 | Carpinus kawakamii x 1 | 211 | 16 | wld | | V | |
| 16135 | 4 | Carpinus kawakamii x 1 | 211 | 16 | wld | | V | |
| 16138 | 4 | Carpinus kawakamii x 1 | 289 | 16 | wld | | | |
| 05073 | 4 | Carpinus kawakamii aff. x 1 | 172 | 07 | div | | ? | gift Jacky Pousse, no info, 0806: omeiensis group?, 1 |
| 10259 | 4 | Carpinus laxiflora x 1 | 211 | 13 | wld | | | |
| 10260 | 4 | Carpinus laxiflora x 1 | 148 | 13 | wld | | | |
| 14080 | 2 | Carpinus laxiflora x 1 | 211 | 14 | wld | | V | |
| 15286 | 4 | Carpinus laxiflora x 1 | 140 | 15 | wld | | | |
| 17283 | 4 | Carpinus orientalis 'Perdika' x 1 | 211 | 17 | wld | | | |
| 91652 | 4 | Carpinus shensiensis x 1 | 289 | 93 | waa | C | | */BDB #25882, 426-82,not C.shensiensis, 0809; verif |
| 92445 | 4 | Carpinus shensiensis x 1 * | 134 | 93 | waa | A | V | */95/8:happy in heat and drought, 96/12:leaves green |
| 20053 | 4 | Carpinus sp. x 1 | 148 | 20 | wld | | ? | |
| 03087 | 4 | Carpinus stipulata x 1 | 153 | 05 | wld | | | |
| 03292 | 4 | Carpinus stipulata x 1 | 210 | 05 | wld | | | |
| 03293 | 4 | Carpinus stipulata x 1 | 149 | 05 | wld | | | |
| 17321 | 4 | Carpinus stipulata x 1 | 289 | 17 | wld | | | |
| 00300 | 4 | Carpinus tschonoskii x 1 | 187 | 07 | wld | | | |
| 01018 | 4 | Carpinus tschonoskii x 1 | 211 | 01 | div | C | V | */BDB #25874, gift C. Adeline as C. fargesiana, large |
| 92085 | 4 | Carpinus tschonoskii x 1 | 211 | 94 | wld | | T | |
| 92086 | 4 | Carpinus tschonoskii x 3 * | 286 | 93 | wld | | V | |
| 99158 | 4 | Carpinus tschonoskii x 3 ** | 140 | 00 | wld | | | |
| 89082 | 4 | Carpinus turczaninovii (pendulous form) x 1 * | 211 | 92 | waa | V | | */BDB #25875, not laxiflora but good pl., good shape |
| 91362 | 4 | Carpinus turczaninovii x 1 | 289 | 93 | waa | T | | not C.shenshiensis |
| 91364 | 4 | Carpinus turczaninovii x 1 | 211 | 95 | waa | | | BDB #25876, WAA.#064-88 |
| 02060 | 4 | Carpinus viminea x 1 | 149 | 02 | ddh | V | | BDB #25868, possibly from same origin as sdlg 5713 |
| 15143 | 4 | Carpinus viminea x 1 | 210 | 15 | wld | | V | |
| 17333 | 4 | Carpinus viminea x 1 | 117 | 17 | wld | | ? | |
| 13108 | 4 | Carya aquatica x 1 | 176 | 13 | wld | | | |
| 14368 | 4 | Carya aquatica x 1 | 219 | 14 | wld | | | |
| 91650 | 4 | Carya aquatica x 1 * | 281 | 93 | waa | V | | WAA.900-82, 97/9:good elegant plant, NAKED bud l |
| 12008 | 4 | Carya cordiformis x 1 | 253 | 12 | wld | | | |
| 13122 | 4 | Carya cordiformis x 1 | 288 | 13 | wld | | | |
| 92696 | 4 | Carya cordiformis x 1 | 208 | 92 | pds | V | | BDB #33374, Sd.HKRD #3196 from seed from Schu |
| 95237 | 4 | Carya glabra x 1 * | 137 | 95 | pds | V | | */BDB #30735, Sd. 2165 from Arnold A., 96:ok, 010 |
| 12021 | 4 | Carya glabra var. megacarpa x 1 | 254 | 12 | wld | | | |
| 12023 | 3 | Carya glabra var. megacarpa x 1 | 193 | 12 | wld | | | |
| 13163 | 4 | Carya glabra var. megacarpa x 1 | 241 | 13 | pds | | | sd. #10778, collected Ron Lance, #08254, NC, Hende |
| 95238 | 4 | Carya glabra var. megacarpa x 1 | 257 | 95 | pds | C | | */Sd. 2165 from Arnold A..poss hbr from the Carya c |
| 97042 | 4 | Carya glabra var. megacarpa x 1 * | 219 | 97 | pds | V | | */sd.#possibly 2165, fr. Arnold arb.2019-0) see also |
| 89104 | 4 | Carya illinoensis x 1 * | 216 | 89 | waa | V | | BDB #34706, 90:Lv.yellowing,brown edges, 97/4:C, |
| 92446 | 4 | Carya illinoensis x 1 | 195 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk |
| 92447 | 4 | Carya illinoensis x 1 | 195 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk |
| 92448 | 4 | Carya illinoensis x 1 | 195 | 94 | waa | | | not very vigorous, 0104:received a hand ful of chalk, |
| 03241 | 4 | Carya myristiciformis x 1 | 191 | 08 | nie | V | | USA, wld collected? 191204: late colouring, much lat |
| 03298 | 4 | Carya myristiciformis x 1 | 218 | 05 | nie | V | | USA, wld collected?, 0606: lvs yellowish and damage |
| 12019 | 4 | Carya myristiciformis x 1 | 140 | 12 | wld | | | |
| 12005 | 4 | Carya ovalis x 1 | 188 | 12 | wld | | | |
| 12006 | 4 | Carya ovalis x 1 | 219 | 12 | wld | | | |
| 12007 | 4 | Carya ovalis x 1 | 140 | 15 | wld | | | |
| 14222 | 4 | Carya ovalis x 1 | 217 | 14 | wld | | | |
| 14131 | 4 | Carya ovata x 1 | 132 | 14 | wld | | V | |
| 14373 | 4 | Carya ovata x 1 | 265 | 14 | wld | | V | |
| 86179 | 4 | Carya ovata x 1 * | 218 | 86 | dbl | A | V | BDB#16428, 99:developing into a super plant, 1110: |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|-----|---|--|
| 91263 | 4 | <i>Carya ovata</i> x 1 | 214 | 91 | pds | | | */sd HKR #2316 ex-Arnold Arb. 98:some leaves with |
| 13160 | 3 | <i>Carya pallida</i> x 1 | 209 | 13 | wld | | V | |
| 14140 | 4 | <i>Carya pallida</i> x 1 | 247 | 14 | wld | | | |
| 12404 | 4 | <i>Carya tomentosa</i> x 1 | 209 | 12 | wld | | | |
| 13159 | 4 | <i>Carya tomentosa</i> x 1 | 178 | 13 | wld | | | |
| 13161 | 3 | <i>Carya tomentosa</i> x 1 | 210 | 13 | wld | | | |
| 14143 | 4 | <i>Carya tomentosa</i> x 1 | 275 | 14 | wld | | | |
| 11232 | 4 | <i>Caryopteris</i> x <i>clandonensis</i> 'Heavenly Blue' x 1 | 291 | 11 | boc | D | | 1203: D and status 1 maximum! |
| 11233 | 4 | <i>Caryopteris</i> x <i>clandonensis</i> 'Heavenly Blue' x 1 | 291 | 11 | boc | | | 1805: from st 3 back to status 4 |
| 11234 | 4 | <i>Caryopteris</i> x <i>clandonensis</i> 'Heavenly Blue' x 1 | 291 | 11 | div | D | | 1203: D and status 1 maximum! |
| 11284 | 4 | <i>Caryopteris</i> x <i>clandonensis</i> 'Heavenly Blue' x 1 | 291 | 11 | div | D | | 1203: to status 1, D or worse |
| 09113 | 4 | <i>Catalpa fargesii</i> x 1 * | 237 | 14 | pds | | | (five lobed !), ctgg. #7533 of HKRD #95035, 0606: g |
| 95035 | 4 | <i>Catalpa fargesii</i> x 1 * | 168 | 95 | pds | D ? | | */(five lobed !), Sd.#3264, ex Chollipo hort., 94/9:go |
| 03115 | 4 | <i>Catalpa fargesii</i> f. <i>duclouxii</i> x 1 | 281 | 06 | dev | A | | 1205: A, better than pl. in 99 (more exposed in that ba |
| 11254 | 4 | <i>Ceanothus thyrsiflorus</i> var. <i>repens</i> x 1 | 290 | 11 | rob | | | |
| | 6 | <i>Cedrela</i> => <i>Toona</i> x 0 | | | | | | |
| 84436 | 4 | <i>Cedrus brevifolia</i> x 1 | 209 | 88 | esv | B | | 92:slow,no vigour in shoot, 99:possibly affected by hi |
| 01069 | 4 | <i>Celtis choseniana</i> x 1 | 242 | 01 | wld | | | |
| 92455 | 4 | <i>Celtis jessoensis</i> x 1 | 242 | 93 | waa | | ? | BDB #34249, bark ridged, similar to <i>C. occidentalis</i> , |
| 10256 | 4 | <i>Celtis koraiensis</i> x 1 | 149 | 13 | wld | | | |
| 14010 | 4 | <i>Celtis koraiensis</i> x 1 | 145 | 14 | wld | | | |
| 14019 | 4 | <i>Celtis koraiensis</i> x 1 | 272 | 14 | wld | | | |
| 17255 | 4 | <i>Celtis koraiensis</i> x 1 | 162 | 17 | wld | | | |
| 10070 | 3 | <i>Celtis laevigata</i> x 1 | 242 | 10 | wld | | | |
| | 6 | <i>Celtis occidentalis</i> var. <i>pumila</i> => <i>C. tenuifolia</i> x | | | | | | |
| 11330 | 4 | <i>Celtis reticulata</i> x 1 | 241 | 20 | wld | | | |
| 07054 | 3 | <i>Celtis sinensis</i> x 1 | 182 | 08 | sny | | | prop #8869, gift Charles Snyers d'Attenhoven, Square |
| 91627 | 4 | <i>Celtis sinensis</i> x 1 | 281 | 93 | waa | V | | (syn. <i>willdenowiana</i>), 330-85,good plant, 96:lost 199 |
| 91340 | 4 | <i>Celtis</i> sp. x 1 | 242 | 02 | waa | | ? | not <i>Aphananthe aspera</i> as per invoice, 02: status 3, ol |
| | 6 | <i>Celtis willdenowiana</i> => <i>C. sinensis</i> x 0 | | | | | | |
| 05362 | 3 | <i>Cephalanthus occidentalis</i> x 1 | 175 | 18 | div | | | gift Etienne Dehout (Ecole Hort. Tournai), 1007 suffe |
| 08289 | 4 | <i>Cephalanthus occidentalis</i> x 5 | 222 | 08 | vpl | | | |
| 17314 | 4 | <i>Cephalanthus occidentalis</i> x 5 | 175 | 17 | wld | | | |
| 20158 | 4 | <i>Cephalanthus occidentalis</i> x 3 | 243 | 20 | wld | | | |
| 84194 | 4 | <i>Cercidiphyllum japonicum</i> (Male) x 1 | 224 | 86 | esv | ? | | Male pl., 190311: flowering starts |
| 84195 | 4 | <i>Cercidiphyllum japonicum</i> x 1 | 224 | 86 | esv | A | | as var. <i>sinense</i> , 90:very dry, 101029:best colouring of |
| 84196 | 4 | <i>Cercidiphyllum japonicum</i> (male) x 1 | 224 | 86 | esv | A | | Male pl., 90:very dry, 9906 status back from 1 to 3, 0 |
| 84198 | 4 | <i>Cercidiphyllum japonicum</i> (female) x 1 | 224 | 86 | esv | A V | | Female, 90:very dry, 1511: not <i>magnificum</i> as per inv |
| 95131 | 4 | <i>Cercidiphyllum japonicum</i> (female) x 1 | 216 | 95 | pds | | | as var. <i>sinense</i> , Sd.2195 ex Morris Arb., PDS clct, 04 |
| 09437 | 4 | <i>Cercidiphyllum japonicum</i> 'Boyd's Dwarf' x 1 | 298 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 09438 | 4 | <i>Cercidiphyllum japonicum</i> 'Boyd's Dwarf' x 1 | 298 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 09439 | 4 | <i>Cercidiphyllum japonicum</i> 'Boyd's Dwarf' x 1 | 298 | 12 | div | | | bought by Christophe at Cotswold Garden Flowers |
| 15327 | 4 | <i>Cercidiphyllum japonicum</i> 'Glowball' x 1 | 221 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 01271 | 4 | <i>Cercidiphyllum japonicum</i> 'Heronwood Globe' x 1 ** | 216 | 02 | bul | | | 0406: young leaves and shoots attractive, purplish ora |
| 18134 | 4 | <i>Cercidiphyllum japonicum</i> 'Heronwood Globe' x 1 | 216 | 20 | dbr | | | |
| 06163 | 4 | <i>Cercidiphyllum japonicum</i> 'Pendulum' x 1 | 216 | 08 | bul | | | not <i>Cercidiphyllum japonicum</i> 'Kruenberg Dwarf' as |
| 96065 | 4 | <i>Cercidiphyllum japonicum</i> 'Pendulum' (male) x 1 | 152 | 96 | vpl | | | 03: male; 0308: almost dead but some buds still alive |
| 96282 | 4 | <i>Cercis canadensis</i> 'Forest Pansy' x 1 | 287 | 01 | div | | | gift visitors Dutch Nursery group Boskoop, 1007: nex |
| 03242 | 4 | <i>Cercis chinensis</i> x 1 | 131 | 05 | nie | | | wld collected in Korea, Pyeongtaek?, but only known |
| 92319 | 3 | <i>Cercis chinensis</i> x 1 * | 221 | 98 | nie | D | | 97:A quite hardy !, 0304: massive flowering, 051028 |
| 02354 | 3 | <i>Cercis siliquastrum</i> 'Alba' x 1 | 295 | 13 | dev | | | 09: remains status 3 |
| 11082 | 4 | <i>Chaenomeles cathayensis</i> x 1 | 293 | 11 | pds | | | prop #9344 by CC, from 90045, 1403: huge amount o |
| 90146 | 4 | <i>Chaenomeles cathayensis</i> x 1 | 271 | 07 | pds | | | HKR#1449:Sdlg.BJUV, 92/4:good flw, 92:3, 00:dow |
| 16013 | 4 | <i>Chaenomeles japonica</i> x 1 | 271 | 16 | wld | | | |
| 20067 | 4 | <i>Chaenomeles speciosa</i> 'Kinshiden' x 1 | 271 | 20 | div | | | #13852, gift Hennebelle, big, white double flowers, |
| 08146 | 4 | <i>Chaenomeles speciosa</i> 'Yukigoten' x 1 | 271 | 10 | bul | | | |
| 14475 | 4 | <i>Chaenomeles speciosa</i> 'Yukigoten' x 1 | 291 | 15 | div | | | Duchy of Cornwall, 1805: from st 3 back to status 4 |
| 13177 | 3 | <i>Chamaecyparis formosensis</i> x 1 | 152 | 15 | wld | | | |
| 14496 | 4 | <i>Chimonanthus nitens</i> x 1 | 172 | 15 | rug | | | gift visit HBUG team 140417, origin unknown, XX0 |
| 04302 | 3 | <i>Chimonanthus praecox</i> x 1 | 172 | 04 | rug | V | | sd 6344 Gent BG RUG, 1402: not <i>C. zhejiangensis</i> , th |
| 20149 | 4 | <i>Chimonanthus praecox</i> x 1 | 172 | 20 | pds | | | sd. #14819 of 'Concolor' at Jardin des plantes Nantes |
| 20227 | 4 | <i>Chimonanthus yunnanensis</i> x 1 | 172 | 20 | pds | | | sd.#14824, Jardin des Plantes Nantes, |
| 07022 | 4 | <i>Chionanthus retusus</i> x 3 | 182 | 07 | pds | | | sd #5188, Mag.Soc Sd.Xch # 109, from Chollipo Arb |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 07137 | 3 | Chionanthus retusus x 1 | 298 | 18 | pds | | | #5728, Sd Arnold Arboretum, 1712: big move from g |
| 20098 | 4 | Chionanthus retusus x 1 | 276 | 20 | wld | | | |
| 20229 | 4 | Chionanthus retusus x 3 | 244 | 20 | pds | | | sdlgs #14005 of HKRD #95077 |
| 95076 | 4 | Chionanthus retusus x 1 | 217 | 00 | pds | | | sd.1673:Hort.Arnold Arb., PdS cll, 00:moved to arbor |
| 92465 | 4 | Chionanthus virginicus x 1 | 217 | 08 | waa | | | 00:unhappy plants, pl a is best, 04: pl-b and pl-c move |
| 94046 | 4 | Chionanthus virginicus 'Groenendaal' x 1 * | 217 | 03 | pds | | | Cttg #2414 ex hkrd 76158, 1908: some dead wood bu |
| 98381 | 4 | x Chitalpa tashkentensis (Catalpa x Chilopsis) x 1 * | 282 | 00 | pav | V | | BDB #32396, 981106:still all his lvs, 020823: stil in f |
| 11252 | 4 | Choisya 'Aztec Pearl' (arizonica x ternata) x 1 | 290 | 11 | rob | | | |
| 11253 | 4 | Choisya 'Aztec Pearl' (arizonica x ternata) x 1 | 290 | 11 | rob | | | |
| 12541 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') x 1 | 236 | 13 | rob | | | PBR='Londaz', |
| 12542 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') x 1 | 236 | 13 | rob | 1 | | PBR='Londaz', |
| 12543 | 4 | Choisya 'White Dazzler' (dumosa x 'Aztec Pearl') x 1 | 299 | 13 | rob | | | PBR='Londaz', |
| 13492 | 4 | Cistus x hybridus (populifolius x salviifolius) x 3 | 290 | 13 | pds | | | as C. x corbariensis, cttgs of C. x hybridus (populifoli |
| 12127 | 4 | Cistus x lenis 'Grayswood Pink' x 1 | 291 | 12 | boc | | | |
| 12128 | 4 | Cistus x lenis 'Grayswood Pink' x 1 | 291 | 12 | boc | | | |
| 04192 | 4 | Cladrastis kentukea x 1 | 176 | 06 | pav | | | 171107: good late aut. Col. (PdS) |
| | 6 | Cladrastis kentukea 'Rosea' => Cladrastis kentukea 'Perki | | | | | | |
| | 6 | Cladrastis lutea => Cladrastis kentukea x | | | | | | |
| 18086 | 4 | Cladrastis platycarpa x 1 | 253 | 18 | dev | | | gift #12947 Damien Devos, from Arnold Arboretum (|
| 12547 | 3 | Cladrastis sinensis x 1 | 188 | 15 | div | | | syn of C. delavayi acc to FOC, Pan-Global Plants, 17 |
| 13541 | 4 | Clematis 'Alba Luxurians' x 1 | 234 | 13 | div | | | Viticella Group, in Ilex |
| 12155 | 3 | Clematis 'Arabella' x 1 | 292 | 13 | boc | | | Integrifolia Group, 1507: dead in just a few weeks tim |
| 13534 | 4 | Clematis campaniflora x 1 | 291 | 13 | div | | | corner frontdoor Koen's house, gift Françoise Salomo |
| 14486 | 4 | Clematis fusca x 1 | 155 | 14 | pds | | | at oak next to Enkianthus campanulatus, sd. #10459 fr |
| 10150 | 4 | Clematis macropetala x 1 | 292 | 10 | div | | | Floralux |
| 12514 | 4 | Clematis montana var. grandiflora x 1 | 236 | 12 | rob | | | 1306: 3/4 left, 1506: only one left; Clematis wilt?, 16 |
| 12516 | 4 | Clematis montana var. grandiflora x 1 | 236 | 14 | rob | | | 1706: from st 3 back to st. 4 |
| 19348 | 4 | Clematoclethra scandens subsp. actinidioides x 1 | 236 | 19 | wld | | | |
| 16170 | 4 | Clerodendrum trichotomum x 1 | 283 | 16 | div | | | gift Herman Buttiens |
| 13104 | 4 | Clethra acuminata x 1 | 146 | 13 | wld | | | |
| 19345 | 4 | Clethra acuminata x 1 | 156 | 19 | wld | | | |
| 19353 | 4 | Clethra acuminata x 1 | 281 | 19 | wld | | | |
| 91292 | 4 | Clethra alnifolia x 1 | 146 | 98 | wld | T | | |
| 97089 | 4 | Clethra alnifolia x 2 | 286 | 10 | wld | T | | |
| 00481 | 4 | Clethra alnifolia 'Creel's Callico' x 1 | 286 | 03 | bul | | | |
| 00482 | 4 | Clethra alnifolia 'Hokie Pink' x 1 | 285 | 03 | bul | | | |
| 98065 | 4 | Clethra alnifolia 'Pink Spires' x 1 | 146 | 04 | pds | | | Cttg 4829 from Hkrd 86247, 0601: to status 1, hit by |
| 00403 | 4 | Clethra alnifolia 'Ruby Spice' x 1 | 286 | 01 | spi | | | excellent evaluation in Dendroflora 2007:51, 021212: |
| 09571 | 3 | Clethra alnifolia 'Sixteen Candles' x 1 | 175 | 13 | ggd | | | 1705: from 4 tot status 3 |
| 13023 | 4 | Clethra barbinervis x 1 | 146 | 13 | wld | V | | |
| 13081 | 4 | Clethra barbinervis x 1 | 165 | 13 | wld | | | |
| 12530 | 4 | Clethra delavayi x 1 | 233 | 12 | div | V | | prop #12120, spo sdlg from Vasterival, 1609: verified |
| 17345 | 4 | Clethra delavayi x 2 | 284 | 17 | wld | | | |
| 19092 | 4 | Clethra delavayi x 1 | 283 | 19 | wld | | | |
| 89300 | 4 | Clethra fargesii x 1 * | 286 | 02 | spi | ? T | | 91/4:B-, poss.Lancaster collection, gift from Spinners |
| 89298 | 3 | Clethra monostachya x 1 | 146 | 04 | spi | T | | 91/4:B-, poss.Lancaster coll, from Spinners P.Chapp |
| 92398 | 4 | Clethra monostachya x 1 | 283 | 97 | spi | V | | 0602: severely pruned |
| 95092 | 3 | Clethra monostachya x 1 | 146 | 04 | pds | | | sd 3379 : IDS Xch. 1992, Fraser Jenkins, 97: 4/5 left, |
| 17315 | 4 | Clethra sp. x 1 | 232 | 17 | wld | ? ? | | |
| 97027 | 4 | Clethra tomentosa x 3 | 286 | 97 | pds | B | | layers of 83297, 0602: is growing big, 1006: B-, but |
| 04013 | 4 | Cornus alba 'Hessei' x 1 | 146 | 09 | vpl | | | = C. sanguinea 'Compressa'? |
| 19211 | 4 | Cornus alternifolia x 1 | 146 | 19 | wld | | | |
| 19224 | 4 | Cornus alternifolia x 1 | 274 | 19 | wld | | | |
| 17052 | 4 | Cornus amomum x 1 | 181 | 17 | wld | | | |
| 95027 | 4 | Cornus amomum x 2 | 289 | 96 | pds | | | *Sd.#3248,from Morris Arb.Ind.Sem199,1 94:two vig |
| | 6 | Cornus angustata => Cornus elliptica x | | | | | | |
| 19343 | 4 | Cornus chinensis x 1 | 146 | 19 | wld | | | |
| 86251 | 4 | Cornus controversa x 1 * | 262 | 87 | esv | ? | | 95:good pl., well established,_011007:superb aut.col, |
| 05199 | 4 | Cornus controversa 'Candlelight' x 1 | 147 | 07 | waa | | | name? |
| 08269 | 4 | Cornus 'Dorothy' (florida x nuttallii) x 1 | 145 | 10 | div | | | 1406: status 3, not resistant to anthracnosis |
| 01283 | 4 | Cornus 'Eddie's White Wonder' (florida x nuttallii) x 1 | 271 | 03 | bul | | | 1302: status 3, 1707: back to status 4 |
| 02076 | 4 | Cornus elliptica x 1 | 155 | 02 | pds | | | cttg #5777 from Hkrd #98101 |
| 98101 | 4 | Cornus elliptica x 1 | 187 | 07 | pds | B | | */Cttg. # 4773 from Hkrd 92203; 030209: perfectly h |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 14361 | 4 | Cornus excelsa x 1 | 172 | 14 | wld | | | |
| 11331 | 4 | Cornus florida x 1 | 113 | 20 | wld | | | |
| 90225 | 4 | Cornus florida x 1 | 187 | 07 | wld | | | |
| 91112 | 3 | Cornus florida (Longwood seed) x 3 * | 112 | 91 | pds | | | */Sd#1641, PdS collectd. Longwood Gard.on good sp |
| 91119 | 4 | Cornus florida (Longwood seed) x 2 | 117 | 91 | pds | | | */Sd#1641, PdS collectd. Longwood Gard.on good sp |
| 92470 | 4 | Cornus florida 'Cherokee Princess' x 1 | 145 | 93 | waa | | | 94:2pl.of 3, 96:1 poss. survives , 0111: Only survivor |
| 92472 | 3 | Cornus florida 'G.H. Ford' x 1 | 146 | 94 | waa | | | */94:broken at graft, hit by tractor, layered, may reco |
| | 6 | Cornus florida var. pringlei =>Cornus florida subsp. urbin | | | | | | |
| 93080 | 3 | Cornus florida 'Purple Glory' x 1 * | 145 | 94 | waa | | | 95:1/3 dead, 96:1/3 survives, 01:compact plant, good |
| 92473 | 4 | Cornus florida 'Rainbow' x 1 | 148 | 92 | waa | | | Yellow variegated!! 94:2pl.of 3 survive, 08: 1 cut, 1 r |
| 01279 | 4 | Cornus florida 'Royal Red' x 1 | 154 | 02 | bul | | | |
| 09191 | 3 | Cornus florida f. rubra x 1 | 146 | 10 | div | | | gift Bernard de la Rochefoucauld owner of Les Grand |
| 13105 | 2 | Cornus florida subsp. urbiniana x 1 | 154 | 13 | dcl | | | prop #12569, gift Antoon De Clercq as C. pringlei, 16 |
| 01280 | 1 | Cornus florida 'Xanthocarpa' x 1 | 154 | 02 | bul | | | or f. xanthocarpa, 0603: heavily hit by roe deer in 200 |
| 09600 | 4 | Cornus hongkongensis x 1 * | 164 | 12 | div | ? | | pépinère Le Try, 1401: good evergreen, 1405: first ti |
| 17441 | 4 | Cornus kousa (yellow fruit sdg) x 1 | 146 | 17 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 18106 | 4 | Cornus kousa (yellow fruit sdg) x 3 | 146 | 18 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 18107 | 4 | Cornus kousa (yellow fruit sdg) x 1 | 155 | 18 | pds | | | seed #11246, Botanischer Garten Solingen, Germany, |
| 00489 | 4 | Cornus kousa 'Bonfire' x 1 | 146 | 01 | bul | | | 061117:indeed good aut. col., |
| 01287 | 4 | Cornus kousa 'China Girl' x 1 * | 155 | 02 | bul | | | bought as 'Madame Butterfly', 0906: probably error, is |
| 92477 | 4 | Cornus kousa var. chinensis x 2 | 146 | 92 | waa | | | 1008: 1 status 1, 3/4 of plant dead, Cornus are sufferi |
| 93084 | 4 | Cornus kousa var. chinensis x 3 | 145 | 93 | waa | | | */seems to be 4 not 3 pl., _00:many scale insects, mas |
| 92200 | 4 | Cornus kousa var. chinensis 'Spinners' x 1 | 144 | 93 | spi | | | |
| 98487 | 4 | Cornus kousa var. chinensis 'Wieting's Select' x 1 * | 144 | 00 | div | | | Selected for autumn colour, gift from Herlinde De Jae |
| 03274 | 4 | Cornus kousa var. chinensis 'Wisley Queen' x 1 ** | 146 | 06 | wis | | | 031022: gift Colin Crosbie & David Jewell (RHS Wis |
| 05201 | 4 | Cornus kousa 'Ed Mezitt' x 1 | 145 | 07 | waa | | | 0807: seems sensitive to powdery mildew, 1406: won |
| 08614 | 4 | Cornus kousa 'Eurostar' x 1 * | 292 | 11 | ver | | | gift #8513 at my request, |
| 93996 | 4 | Cornus kousa 'Lustgarten Weeping' x 1 | 127 | 94 | waa | | | 02: 1 pl from C. kousa 'Satomi' group (#93086) prove |
| 90136 | 4 | Cornus kousa 'Milky Way' x 1 * | 112 | 91 | pds | | | HKR/1457:cttg.of 84712, "dip" in lvs!, 98:very florife |
| 92479 | 4 | Cornus kousa 'Milky Way' x 1 ** | 142 | 93 | waa | | | */98:good tree form,_060721:pl -c very dry, lvs totall |
| 93086 | 4 | Cornus kousa 'Miss Satomi' x 1 | 127 | 94 | waa | | | 95:2/3 survi., 02: 1/2 is stock C. kousa (see new #939 |
| 00494 | 4 | Cornus kousa 'Rasen' x 1 | 146 | 01 | bul | | | */060605: this looks like a rutgersiensis, but 'Rasen' h |
| 92482 | 4 | Cornus kousa 'Speciosa' x 1 | 148 | 92 | waa | | | 95:1/3 dead, 96:2 pl. very dry, 98:one improved and |
| 01291 | 4 | Cornus kousa 'Steffen' x 1 | 154 | 02 | bul | | | name?, 0603: heavily hit by roe deer in 2005, 1506: g |
| 18191 | 4 | Cornus kousa 'Teutonia' x 1 | 243 | 18 | ver | | | #15055 |
| 00495 | 4 | Cornus kousa 'Tilgates' x 1 | 146 | 01 | bul | | | name? |
| 93087 | 4 | Cornus kousa 'Weaver's Weeping' x 1 | 143 | 93 | waa | C | | 97:last one C+, 0305: what a misery, again C+ I assu |
| 00496 | 4 | Cornus kousa 'White Dusted' x 1 | 146 | 01 | bul | | | 0406: weak plant, 0806: ugly thing |
| 13063 | 2 | Cornus macrophylla aff. x 1 | 215 | 13 | wld | ? | | |
| 98279 | 4 | Cornus mas 'Aurea' x 1 | 144 | 00 | esv | | | 02: flowers at the same time as Cornus mas, 190304: f |
| 15166 | 4 | Cornus 'Norman Hadden' (kousa x capitata) x 1 | 164 | 15 | div | ? | | gift J.-L. Dantec, #12593, |
| 01296 | 4 | Cornus nuttallii 'North Star' x 1 | 155 | 02 | bul | | | 1305: huge flowers |
| 92488 | 3 | Cornus nuttallii 'North Star' x 1 | 142 | 93 | waa | C | | 96:damaged by spring frost, was superb last year, 97:1 |
| 92489 | 4 | Cornus nuttallii 'North Star' x 1 | 144 | 92 | waa | | | 98:was better but hit by caterpillars and scale insects |
| 04015 | 4 | Cornus officinalis x 1 * | 146 | 04 | vpl | | | */BDB #32373, 060327: spectacularly flowering, 070 |
| 00498 | 4 | Cornus 'Ormonde' (florida x nuttallii) x 1 | 145 | 01 | bul | | | 070923:early aut. col., sick?, 1404: healthy and flwrg |
| 00374 | 4 | Cornus 'Porlock' (capitata x kousa) x 1 | 164 | 01 | spi | B | | */02: cord grown in stem near base, 0901: damaged b |
| 19090 | 4 | Cornus quinquenervis x 3 | 274 | 19 | pds | | | cttgs #13772 from Het Leen #8010 as C. paucinervis (|
| 00485 | 4 | Cornus x rutgersensis 'Aurora' x 1 | 143 | 01 | bul | | | @ name = 'Rutban', |
| 98498 | 4 | Cornus x rutgersensis 'Aurora' x 1 | 146 | 00 | dcl | | | @ name = 'Rutban', gift Antoon Declercq |
| 00488 | 4 | Cornus x rutgersensis 'Celestial' x 1 | 143 | 01 | bul | | | @ name = 'Rutdan', rcvd. as 'Galaxy', 160524: spectac |
| 05319 | 4 | Cornus x rutgersensis 'Celestial' x 1 | 177 | 07 | dev | | | @ name = 'Rutdan', 050521 gift as 'Galaxy', 1506: nic |
| 06024 | 4 | Cornus x rutgersensis 'Celestial' x 1 | 154 | 09 | dcl | | | @ name = 'Rutdan', gift Antoon De Clercq as 'Galaxy' |
| 00500 | 4 | Cornus x rutgersensis 'Stardust' x 1 | 141 | 01 | bul | | | @ name = 'Rutfan', 011019:lvs browning, no colour, 0 |
| 11262 | 4 | Cornus sanguinea 'Winter Beauty' x 3 | 232 | 11 | rob | | | |
| 11263 | 4 | Cornus sanguinea 'Winter Beauty' x 10 | 232 | 12 | rob | | | 1501: good for winter interest 17: 2 extra plants |
| 11257 | 4 | Cornus sericea 'Flaviramea' x 3 | 234 | 11 | rob | | | 1501: good for winter interest |
| 08285 | 4 | Cornus sericea 'Kelsey' x 8 | 222 | 08 | vpl | | | |
| 08287 | 4 | Cornus sericea 'Kelsey' x 6 | 222 | 08 | vpl | | | |
| 08288 | 4 | Cornus sericea 'Kelsey' x 5 | 222 | 08 | vpl | | | 0809: 6/7 found |
| 20073 | 4 | Cornus sp. x 1 | 299 | 20 | wld | ? | | |
| 08268 | 4 | Cornus 'Starlight' (kousa x nuttallii) x 1 | 145 | 10 | div | | | = 'KN4-43' |
| 03031 | 4 | Cornus walteri x 1 | 215 | 03 | pds | | | sd #6136 Potager de Wespelaar (Sybille c/maison) #8 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 93006 | 3 | Cornus walteri x 2 | 279 | 93 | wld | | | |
| 93997 | 4 | Cornus walteri x 1 | 143 | 05 | wld | | | |
| 94177 | 4 | Cornus walteri x 1 | 147 | 94 | mal | | | 96:good pl.,much better than all other, |
| 02298 | 4 | Corylopsis glabrescens var. gotoana 'Chollipo' x 1 | 242 | 03 | waa | C | V | */0805: to status 2, pruned, frost damage as with man |
| 00674 | 4 | Corylopsis sinensis x 1 | 187 | 11 | pds | | V | was #00302-B, see there for more info, 1404: few hair |
| 14165 | 4 | Corylopsis sinensis x 1 | 151 | 14 | wld | ? | V | |
| 14169 | 3 | Corylopsis sinensis x 1 | 171 | 14 | wld | ? | V | |
| | 6 | Corylopsis veitchiana =>Corylopsis sinensis x 0 | | | | | | |
| 13164 | 4 | Corylus americana x 1 | 289 | 13 | wld | | V | |
| 00726 | 4 | Corylus avellana x 1 | 161 | ?? | spo | | | |
| 18022 | 2 | Corylus chinensis x 1 | 264 | 18 | ver | | | gift #14195, 1909: st.2, badly damaged by roe deer |
| 18020 | 4 | Corylus columna (Kloon 21) x 1 | 246 | 18 | ver | | | gift #14196 as "Kloon 21", Hungarian selection resem |
| 84223 | 4 | Corylus columna x 1 | 251 | 88 | esv | A | | 89:on very bad soil; 02: flowering very abundant, nice |
| 11092 | 3 | Corylus fargesii x 1 | 188 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foste |
| 11093 | 4 | Corylus fargesii x 1 | 188 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foste |
| 11095 | 4 | Corylus fargesii x 1 | 279 | 11 | ver | | | graft #9895, 29-98 (AA67-35-46) from Maurice Foste |
| 11157 | 4 | Corylus fargesii x 1 | 248 | 11 | mor | | | */gift #10711 Carlos Verhelst, graft of material from |
| 11159 | 4 | Corylus fargesii x 1 | 127 | 11 | mor | | | gift #10709 Carlos Verhelst, graft of material from M |
| 13124 | 3 | Corylus ferox var. tibetica x 1 | 289 | 13 | wld | | | |
| 16166 | 4 | Corylus ferox var. tibetica x 1 | 178 | 16 | wld | | | |
| 16114 | 4 | Corylus heterophylla x 1 | 279 | 16 | wld | | | |
| 17347 | 4 | Corylus heterophylla x 1 | 289 | 17 | wld | | | |
| 91640 | 4 | Corylus heterophylla var. sutchensis x 1 | 289 | 93 | waa | | | */063-87, 97:status 3, one main br. dead, spring frost |
| 11099 | 3 | Corylus yunnanensis x 1 | 278 | 11 | wld | | V | |
| 11151 | 4 | Corylus yunnanensis x 1 | 279 | 11 | wld | | | |
| 19294 | 4 | Corylus yunnanensis x 1 | 248 | 19 | div | | | */Gift #15190, Eike Jablonski Garden Party 2017, fro |
| 00419 | 4 | Cotinus coggygria x 1 | 147 | 03 | esv | | | 030320: unhappy, frost sensitive? 0406: good floweri |
| 03117 | 4 | Cotinus coggygria 'Royal Purple' x 1 | 272 | 06 | dev | | | 0608: lvs rather small |
| 11276 | 4 | Cotinus coggygria 'Royal Purple' x 1 | 237 | 11 | rob | | | 1305: one plant status 2, is that frost? 1309: 2/3 left, t |
| 07027 | 3 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) x 1 | 182 | 07 | pds | | | prop #8028, ctg. from plant at Wisley, 0906: to status |
| 07028 | 4 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) x 1 | 283 | 08 | pds | | | prop #8028, ctg. from plant at Wisley |
| 07029 | 3 | Cotinus 'Dummer Hybrid nr 5' (coggygria x obovatus) x 1 | 182 | 07 | pds | | | prop #8028, ctg. from plant at Wisley, 1402: has a bi |
| 05262 | 4 | Cotinus 'Grace' (coggygria x obovatus) x 1 | 282 | 07 | bul | | | |
| 04429 | 4 | Cotinus obovatus x 1 | 271 | 09 | bul | | V | 0808: lvs scorched, infected, falling, what does this pl |
| 19085 | 4 | Cotinus obovatus 'Tulsa Lady' x 1 | 241 | 19 | div | | | gift #13827, Chris Lane |
| 18219 | 3 | Cotinus 'Peter's Purple' ('Grace' x obovatus) x 1 | 275 | 18 | div | | | #13828, gift Chris Lane, is 'Grace' backcrossed with o |
| 13125 | 4 | Cotoneaster ambiguus x 1 | 299 | 13 | wld | | | |
| 14434 | 4 | Cotoneaster ambiguus x 1 | 173 | 14 | wld | | V | |
| 20074 | 4 | Cotoneaster hjelmqvistii x 1 | 299 | 20 | div | | | #16802, gift Peter Linder, Li 2015-193, |
| 13090 | 4 | Cotoneaster horizontalis aff. x 4 | 299 | 13 | wld | | ? | |
| 11035 | 4 | Cotoneaster kerstani x 1 | 233 | 11 | pds | | | cttg. #8657, Halle Bot Garden BDB trip may 2005, ve |
| 14435 | 4 | Cotoneaster moupinensis x 1 | 173 | 14 | wld | | V | |
| 14447 | 4 | Cotoneaster moupinensis x 3 | 295 | 14 | wld | | V | |
| 11310 | 4 | Cotoneaster neo-antoninae x 1 | 232 | 14 | hts | | | gift Hof ter Saksen opening Arboretum, #6222*A, gar |
| 17521 | 4 | Cotoneaster ogisui x 1 | 297 | 19 | wld | | | |
| 14179 | 4 | Cotoneaster rehderi x 1 | 299 | 14 | wld | | | |
| 14433 | 4 | Cotoneaster rehderi x 1 | 173 | 14 | wld | | V | |
| 15295 | 4 | Crataegus chungtienensis aff. x 1 | 261 | 15 | wld | | ? | |
| 16041 | 4 | Crataegus chungtienensis aff. x 1 | 261 | 16 | wld | | ? | |
| 20065 | 4 | Crataegus coccinea x 1 | 261 | 20 | wld | | | |
| 08019 | 4 | Crataegus crus-galli x 1 | 262 | 10 | pav | | V | 140916: wonderful in fruit and good healthy foliage, |
| 12221 | 4 | Crataegus dahurica x 1 | 261 | 12 | div | | | gift #10967, Maurice Foster, 1707: from 2 back to stat |
| 14083 | 4 | Crataegus kansuensis x 1 | 261 | 14 | wld | | | |
| 14175 | 4 | Crataegus x lavalleei 'Carrierei' x 1 | 223 | 14 | ver | | | prop #12881 |
| 02356 | 4 | Crataegus macracantha x 1 * | 261 | 03 | dev | C | | 0709: deserves a * for its spectacular fruiting, 1710: s |
| 08021 | 4 | Crataegus x persimilis 'Prunifolia Splendens' x 1 | 261 | 10 | pav | V | | rcvd as 'Splendens', 'Prunifolia Splendens' in PF, |
| 08020 | 4 | Crataegus phaenopyrum x 1 | 261 | 10 | pav | V | | 1401: nice, small fruits in late winter, 191017: good s |
| 02519 | 4 | Crataegus songarica x 1 | 264 | 04 | wld | | | |
| 13026 | 4 | Cryptomeria japonica x 1 | 161 | 13 | wld | | | |
| 13075 | 4 | Cunninghamia konishii x 1 | 114 | 13 | div | | | sd. #9790, IS2006-2007, Taiwan Forestry Research In |
| 15192 | 3 | Cunninghamia konishii x 1 | 117 | 15 | div | | | sd. #9790, IS2006-2007, Taiwan Forestry Research In |
| 20093 | 4 | Cupressus duclouxiana aff. x 1 | 178 | 20 | wld | ? | ? | |
| 00254 | 4 | Cupressus gigantea x 3 | 172 | 00 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|---|
| 00255 | 4 | Cupressus gigantea x 1 | 162 | 00 | wld | | | |
| 19056 | 4 | Cupressus gigantea x 1 | 203 | 19 | wld | | | |
| 19060 | 4 | Cupressus gigantea x 1 | 285 | 19 | wld | | | |
| 20036 | 4 | Cupressus gigantea x 1 | 172 | 20 | wld | | | |
| 20231 | 4 | Cupressus gigantea x 1 | 246 | 20 | wld | | | |
| 18314 | 4 | Cytisus scoparius x 1 | 276 | 18 | spo | | | |
| 14473 | 4 | Daphne odora 'Aureomarginata' x 1 | 297 | 16 | div | | | Duchy of Cornwall, 160108: starts to flower |
| 16176 | 4 | Daphne odora 'Aureomarginata' x 2 | 297 | 16 | rob | | | |
| 20002 | 4 | Daphne odora 'Aureomarginata' x 11 | 299 | 20 | pds | | | cttg #13185 and #13879 mixed of HKRD#98118 |
| 20247 | 4 | Daphne odora 'Aureomarginata' x 1 | 290 | 20 | pds | | | cttg #13185 of HKRD #98118 |
| 14021 | 4 | Daphne x transatlantica 'Eternal Fragrance' x 1 | 290 | 14 | dcl | | | gift #12571 from Antoon De Clercq |
| 04430 | 4 | Daphniphyllum macropodum x 1 | 148 | 06 | bul | B | | 1003: status B, was not protected this winter, keep an |
| 06175 | 4 | Daphniphyllum macropodum x 1 | 172 | 11 | klm | | | 150430: seems slow to establish but now good growth |
| 15221 | 4 | Daphniphyllum macropodum x 1 | 162 | 15 | wld | ? | | |
| 04338 | 4 | Davidia involucrata var. vilmoriniana x 1 | 256 | 06 | div | | | 04: from Chen Yi Nursery, China, wld?, 2500m, Catal |
| 05222 | 4 | Davidia involucrata var. vilmoriniana x 1 | 188 | 07 | rug | | | gift Marc libert, seedling of their compact tree, 1705: |
| 91386 | 4 | Davidia involucrata var. vilmoriniana x 1 | 127 | 94 | waa | | | 97/4/20:severely damaged by spring frost, long witho |
| 14016 | 4 | Decaisnea fargesii x 2 | 236 | 14 | wld | | | |
| 19077 | 4 | Decaisnea fargesii x 1 | 174 | 19 | wld | | | |
| 20132 | 4 | Deutzia compacta 'Lavender Time' x 1 | 293 | 20 | div | | | #14385 from Vasterival, |
| 08286 | 4 | Deutzia gracilis x 4 | 222 | 08 | vpl | | | |
| 11269 | 4 | Deutzia gracilis x 3 | 235 | 11 | rob | | | 1806: one plant st.2 |
| 10145 | 4 | Deutzia x hybrida 'Magicien' (longifolia x discolor) x 1 | 292 | 10 | pds | | | Cttg #8145 POTAG |
| 12164 | 4 | Deutzia x hybrida 'Mont Rose' x 1 | 299 | 12 | boc | | | |
| 12165 | 4 | Deutzia x hybrida 'Mont Rose' x 1 | 299 | 12 | boc | | | |
| 12166 | 4 | Deutzia x hybrida 'Mont Rose' x 1 | 299 | 12 | boc | | | |
| 12167 | 4 | Deutzia x hybrida 'Mont Rose' x 1 | 299 | 12 | boc | | | |
| 12168 | 4 | Deutzia x hybrida 'Mont Rose' x 1 | 299 | 12 | boc | | | |
| 08282 | 4 | Deutzia x kalmiiiflora (parviflora x purpurascens x 5 | 222 | 08 | vpl | | | |
| 08279 | 4 | Deutzia x lemoinei (gracilis x parviflora) x 8 | 222 | 08 | vpl | | | |
| 08280 | 4 | Deutzia x lemoinei (gracilis x parviflora) x 8 | 222 | 08 | vpl | | | |
| 12273 | 4 | Deutzia longifolia x 1 | 237 | 12 | wld | | | |
| 20041 | 4 | Deutzia multiradiata x 1 | 299 | 20 | wld | | | |
| 20156 | 4 | Deutzia pulchra x 1 | 272 | 20 | wld | | | |
| 14145 | 4 | Deutzia x rosea 'Campanulata' x 1 | 293 | 14 | div | | | #11205, from Francine Riez |
| 12169 | 4 | Deutzia scabra 'Pride of Rochester' x 1 | 299 | 12 | boc | | | |
| 12170 | 4 | Deutzia scabra 'Pride of Rochester' x 1 | 299 | 12 | boc | | | |
| 12171 | 4 | Deutzia scabra 'Pride of Rochester' x 1 | 299 | 12 | boc | | | |
| 12172 | 4 | Deutzia scabra 'Pride of Rochester' x 1 | 299 | 12 | boc | | | |
| 12173 | 4 | Deutzia scabra 'Pride of Rochester' x 1 | 299 | 12 | boc | | | |
| 20131 | 4 | Deutzia setchuenensis x 1 | 291 | 20 | div | | | #14382 from Vasterival, |
| 11291 | 3 | Deutzia setchuenensis var. corymbiflora x 3 | 235 | 11 | div | | | 1706: from st 4 to st 3, 200220: leafing |
| 99120 | 4 | Deutzia taiwanensis x 1 | 271 | 05 | div | C V | | gift Michel Boutsen, 09: C-, recovering, 1009: back to |
| 08580 | 3 | Diervilla x splendens (lonicera x sessilifolia) x 1 | 222 | 08 | vpl | | | 1602: 1/3 left and not very happy |
| 05013 | 4 | Diospyros lotus x 1 | 235 | 05 | wld | | | |
| 07019 | 4 | Diospyros lotus x 1 | 182 | 07 | spo | | | prop #9124, spo sdlg HKRD, 1706: st.2, badly frozen |
| 18080 | 4 | Diospyros sp. x 1 | 185 | 18 | wld | ? ? | | |
| 14105 | 3 | Diospyros virginiana x 1 | 241 | 14 | wld | C | | |
| 02358 | 4 | Dipelta floribunda x 1 | 271 | 03 | dev | | | 1806: good display |
| 14130 | 3 | Dipteronia sinensis x 1 | 130 | 14 | pds | ? | | = Acer dielsii, fruit #11088, Westonbirt (#210099), C |
| 19078 | 4 | Dipteronia sinensis x 1 | 173 | 19 | div | | | = Acer dielsii, gift #13790 from Wim Peeters, Kapelle |
| 95093 | 4 | Disanthus cercidifolius x 1 | 115 | 95 | pds | C | | cttg 4220 ex 92210, 95:3/6 surv. 3/6 plants lost on mo |
| 14308 | 4 | Distylium racemosum x 1 | 148 | 14 | pds | | | sdlg #10699 of HKRD #98112, |
| 99180 | 4 | Distylium racemosum x 3 | 120 | 00 | ddh | | | sdlg 5714 by D.Duhaut, |
| 15361 | 1 | Edgeworthia chrysantha 'Grandiflora' x 1 | 297 | 16 | rug | | | gift Marc Libert, very big plant, 1706: main plant st.2 |
| | 6 | Elaeagnus x ebbingei =>Elaeagnus x submacrophylla x 0 | | | | | | |
| 20075 | 4 | Elaeagnus latifolia x 1 | 299 | 20 | wld | | | |
| 09420 | 4 | Elaeagnus umbellata x 1 | 299 | 12 | div | | | bought by Christophe at Ashwood Nurseries |
| 18294 | 4 | Eleutherococcus senticosus x 1 | 299 | 20 | div | | | gift Jos Dyck, 1907:found in pON, moved from J to p |
| 20054 | 4 | Emmenopterys henryi x 1 | 148 | 20 | wld | | | |
| 91629 | 4 | Emmenopterys henryi x 1 | 114 | 10 | waa | C | | 944-86, 91/4:D, 92:recover, 95:C-, 97:spring froste |
| 00223 | 4 | Enkianthus campanulatus x 1 * | 189 | 00 | pds | B | | cttg.of 81283/spi, 99:moved to 227, (previously one o |
| 02537 | 4 | Enkianthus campanulatus x 1 * | 146 | 03 | pds | V | | cttg. from HKRD #83429, 060521:flwrg has very sma |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 04298 | 4 | Enkianthus campanulatus x 1 | 188 | 04 | pds | | | sldg 6673 from 83429 on rotting stump, very good aut |
| 08029 | 2 | Enkianthus campanulatus x 1 | 155 | 15 | spo | | | spo sldg #9123, possibly sldgs of #83429, 0903: 1/5 f |
| 08192 | 4 | Enkianthus campanulatus x 1 | 172 | 10 | bur | | | 130607: not perulatus as per invoice (see mail Joke), |
| 12120 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | not E. perulatus as per invoice |
| 12121 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | not E. perulatus as per invoice |
| 12122 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | between Talictrum, not E. perulatus as per invoice |
| 12123 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | not E. perulatus as per invoice |
| 12124 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | not E. perulatus as per invoice |
| 12125 | 4 | Enkianthus campanulatus x 1 | 298 | 12 | boc | | | not E. perulatus as per invoice |
| 14432 | 4 | Enkianthus campanulatus x 1 | 171 | 14 | spo | | | spo sldg #9123, possibly sldg of #83429, |
| 00507 | 4 | Enkianthus campanulatus 'Hollandia' x 1 | 189 | 03 | bul | | | |
| 00508 | 4 | Enkianthus campanulatus var. palibinii x 1 | 189 | 03 | bul | | | 06: very similar to 'Hollandia' 00507, is probably that |
| 10401 | 3 | Enkianthus campanulatus var. palibinii x 1 | 192 | 14 | ggd | | | 1705: from 4 to status 3 |
| 10402 | 3 | Enkianthus campanulatus var. palibinii x 1 | 192 | 14 | ggd | | | 1705: from 4 to status 3 |
| 10403 | 3 | Enkianthus campanulatus var. palibinii x 1 | 192 | 14 | ggd | | | 1706: st.2, hit by frost and scale insects, pruned, 1906 |
| 99241 | 4 | Enkianthus campanulatus var. palibinii x 1 | 189 | 02 | wis | | | 1705: from 4 to status 3, 2003: recovered |
| 08190 | 3 | Enkianthus campanulatus x perulatus) x 1 | 189 | 10 | bur | | H | 130607: not perulatus as per invoice (see mail Joke), |
| 01301 | 3 | Enkianthus campanulatus 'Ruby Glow' x 1 | 189 | 04 | bul | | | 131123: good aut. col. 1705: from 4 to status 3 |
| 00510 | 4 | Enkianthus campanulatus var. sikokianus x 1 | 189 | 01 | bul | | | |
| 11025 | 4 | Enkianthus campanulatus var. sikokianus x 1 | 171 | 14 | ggd | | | |
| 11026 | 4 | Enkianthus campanulatus var. sikokianus x 1 | 171 | 14 | ggd | | | |
| 11027 | 4 | Enkianthus campanulatus var. sikokianus x 1 | 171 | 14 | ggd | | | |
| 00509 | 3 | Enkianthus campanulatus 'Tokyo Masquerade' x 1 | 172 | 19 | bul | | | border 171 |
| 00512 | 4 | Enkianthus campanulatus 'Wallaby' x 1 | 189 | 03 | bul | | | |
| 92858 | 4 | Enkianthus cernuus f. rubens x 1 * | 189 | 03 | pds | | | Sd.#1510 Ex Kyoto BG.#547, 03: moved this plant fr |
| 00513 | 4 | Enkianthus chinensis x 1 | 189 | 03 | bul | | | |
| 93096 | 4 | Enkianthus chinensis x 1 | 189 | 02 | waa | | V | 94:only one left ? 98: pl-b,last,very good autumn colo |
| 99212 | 4 | Enkianthus chinensis x 3 | 189 | 00 | pds | | | ? Cttg 5309 from 85390 or 81282, 1405: not at all like t |
| 03058 | 4 | Enkianthus deflexus (AA) x 1 | 189 | 03 | pds | | | V Cttg 5784 ex Arnold Arboretum, 1106: status 2, scale |
| 09574 | 4 | Enkianthus deflexus x 1 | 167 | 09 | ggd | | | |
| 99214 | 4 | Enkianthus deflexus (AA) x 1 | 189 | 00 | pds | | | Cttg 5784 ex Arnold arboretum on Busey Hill possib |
| 02449 | 4 | Enkianthus perulatus 'J.L. Pennock' x 1 | 188 | 11 | mor | | | from Rik Lewandowski now at Mount Cuba Center, 1 |
| 15199 | 2 | Enkianthus perulatus 'J.L. Pennock' x 1 | 236 | 15 | pds | | | cttg. #9711 of HKRD #02449, 1905: st.2, 2/3 of plant |
| 20010 | 4 | Ercilla spicata x 1 | 292 | 20 | rug | | ? | gift Marc Libert as E. volubilis, HBUG #20102482, fr |
| 20253 | 4 | Erica carnea 'December Red' x 24 | 164 | 20 | vpl | | | |
| 86272 | 4 | Eucommia ulmoides (female) x 1 | 261 | 87 | esv | | A | 96:cut double head, vigorous pl., 0008:seems stressed |
| 88182 | 4 | Eucommia ulmoides (female) x 1 | 216 | 88 | esv | | T | 95/6:fruiting, sterile,no male in area, 90:new growth |
| | 6 | Euodia =>Tetradium x 0 | | | | | | |
| 15191 | 4 | Euonymus alatus x 1 | 115 | 15 | wld | | | |
| 15193 | 4 | Euonymus alatus x 1 | 119 | 15 | wld | | | |
| 93124 | 4 | Euonymus alatus x 2 | 115 | 98 | waa | | | 95:too dry under Larix, 97:1/3 dead, one miserable, |
| 04431 | 4 | Euonymus alatus var. apterus x 1 | 115 | 06 | bul | | | |
| 04432 | 4 | Euonymus alatus var. ciliatodentatus x 1 | 115 | 06 | bul | | | |
| 92502 | 4 | Euonymus alatus 'Compactus' x 1 * | 123 | 97 | waa | | ? | 2/3 survive, good aut.colour; 02: 1/3 survive, 0910: 0 |
| 02303 | 4 | Euonymus alatus 'Rudy Haag' x 1 * | 115 | 03 | waa | | | 171007: excellent compact and colouring plant, deser |
| 02304 | 4 | Euonymus alatus 'Select' x 1 | 115 | 03 | waa | | | 0605: nice plant, somewhat round shape |
| 02305 | 4 | Euonymus alatus 'Timber Creek' x 1 | 115 | 03 | waa | | | |
| 98281 | 4 | Euonymus americanus x 1 * | 127 | 00 | esv | | | 99:beautiful fruits |
| 17434 | 3 | Euonymus atropurpureus x 1 | 127 | 17 | sny | | | #12239, gift Charles Snyers, Starhill Forest Arboretu |
| 93298 | 4 | Euonymus bungeanus x 1 | 115 | 04 | waa | | C | was group of 3, see #93125, 1507: status 3, insects, 1 |
| 01409 | 4 | Euonymus carnosus x 1 | 119 | 03 | pds | | | */gift from Arnold Arboretum (363-81-C) at my requ |
| 06038 | 4 | Euonymus carnosus x 1 | 124 | 06 | pds | | | #6448, gift from Arnold Arboretum (363-81-C) at my |
| 06039 | 4 | Euonymus carnosus x 1 | 136 | 09 | pds | | | #6448, gift from Arnold Arboretum (363-81-C) at my |
| 12306 | 3 | Euonymus cornutus x 1 | 295 | 20 | wld | | | |
| 08108 | 3 | Euonymus cornutus var. quinquecornutus x 1 | 115 | 08 | pds | | | Cttg #4911 of HKRD #87259, 97:seem blocked in the |
| 11087 | 1 | Euonymus cornutus var. quinquecornutus x 1 | 115 | 11 | pds | | | Cttg #4911 of HKRD #87259, 1507: back to status 4 |
| 00514 | 4 | Euonymus 'Den Haag' x 1 | 127 | 03 | bul | | | = E. hamiltonianus 'Den Haag'? = E. hamiltonianus va |
| 02499 | 3 | Euonymus fimbriatus x 1 | 127 | 04 | div | | | 02: source Philippe Deprez |
| 15216 | 4 | Euonymus fimbriatus x 1 | 119 | 15 | div | | | #13723, gift Piet de Jong at NDV-KVBC meeting 20 |
| 04441 | 4 | Euonymus hamiltonianus x 1 | 119 | 06 | bul | | ? | 1109: not trapococcus as per invoice, Bernd Schulz th |
| 08055 | 4 | Euonymus hamiltonianus x 1 | 115 | 08 | wld | | | |
| 11135 | 4 | Euonymus hamiltonianus var. lanceifolius x 1 | 119 | 11 | pds | | | sldg #7896 from Charles Snyers, from plant in Botani |
| 92507 | 4 | Euonymus hamiltonianus subsp. sieboldianus x 2 ** | 285 | 92 | waa | | | 95:2/3 survv. , 97/10/26:wonderful autumn colour to t |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|---|
| 98290 | 4 | Euonymus hamiltonianus 'Winter Glory' x 1 | 119 | 00 | esv | | | 0704: aphids!, status 2, 1507: back to status 4 |
| 93049 | 4 | Euonymus japonicus ('Macrophyllus' sdlg) x 4 | 119 | 03 | pds | B | ? | *#1780 Sd.Xch.Chollipo.Arb:88/027?, 94:3/4, 96:1/ |
| 93129 | 3 | Euonymus kiautschovicus 'Manhattan' x 3 | 117 | 96 | waa | | | 97:B partial defoliation, 97:C+, |
| 18184 | 4 | Euonymus latifolius x 1 | 127 | 18 | wld | | | |
| 92509 | 4 | Euonymus latifolius x 1 ** | 119 | 93 | waa | ? | | 95/9:super seed and colour, 98:"not latifolius thinks P |
| 17430 | 4 | Euonymus maackii x 1 | 119 | 17 | sny | | | #12241, gift Charles Snyers, The Morton Arboretum (|
| 92504 | 4 | Euonymus maackii x 2 | 285 | 93 | waa | ? | | */ 1/3 pl (east) is different, possibly ssp siebold. like 9 |
| 11298 | 4 | Euonymus macropterus x 1 | 119 | 16 | wld | | | |
| 14162 | 4 | Euonymus macropterus x 1 | 127 | 14 | sny | | | gift #8972 from Charles Snyers #2002-00226, Von Gi |
| 15281 | 4 | Euonymus macropterus x 1 | 119 | 15 | wld | | | |
| 17269 | 4 | Euonymus macropterus x 1 | 298 | 17 | wld | | | |
| 17435 | 4 | Euonymus macropterus 'Mount Fuji' x 1 | 127 | 17 | div | | | gift #13725, Piet de Jong at NDV-KVBC meeting, se |
| 02496 | 4 | Euonymus maximowiczianus x 1 | 119 | 04 | div | | | 02: source Philippe Deprez, 1210: early pale aut.colou |
| 12207 | 4 | Euonymus maximowiczianus x 1 | 127 | 12 | wld | V | | |
| 98292 | 4 | Euonymus myrianthus x 1 * | 119 | 08 | esv | | | 981106:wonderful autumn colour on top of shrub ! 99 |
| 02498 | 2 | Euonymus nanus var. turkestanicus x 1 | 295 | 20 | div | | | 02: source Philippe Deprez, 0705: to status 3, not a ve |
| 04437 | 4 | Euonymus obovatus x 1 | 291 | 14 | bul | | | 191008: good autumn colour |
| 10266 | 3 | Euonymus oresbius aff. x 1 | 115 | 13 | wld | ? | | |
| 00378 | 4 | Euonymus oxyphyllus x 1 | 127 | 03 | spi | V | | 0605: flowers green thus sachalinensis HORT. (see B |
| 95409 | 4 | Euonymus oxyphyllus x 2 | 283 | 03 | ddh | | | three specimens from lot from D. Duhaut sub #95041, |
| 98082 | 4 | Euonymus oxyphyllus x 4 | 119 | 98 | ddh | | | Sd DDH, First 4 best, ex Arb. Lenoir sd 1991, (see als |
| 02491 | 4 | Euonymus oxyphyllus 'Waasland' x 1 | 127 | 04 | div | | | 02: source Philippe Deprez; name not registered |
| 04456 | 4 | Euonymus pauciflorus x 1 | 119 | 06 | bul | | | can be treated a subsp. of E. verrucosus, 141107: goo |
| 14213 | 3 | Euonymus phellomanus x 1 | 127 | 14 | wld | | | |
| 92510 | 4 | Euonymus phellomanus x 1 ** | 119 | 93 | waa | T | T | T : 97/9:superb shrubs, covered with fruits, unfortuna |
| 92511 | 4 | Euonymus planipes x 2 | 115 | 95 | waa | | | grafted on E.alatus, 97/8/16:good early fruits, 02: 1/3 |
| 02310 | 4 | Euonymus planipes 'Sancho' x 1 * | 115 | 03 | waa | | | 080829: nice plant, big fruits and early colouring |
| 04439 | 4 | Euonymus quelpaertensis x 1 | 119 | 06 | bul | | | rare species from Korea, resembling bungeanus, 1809 |
| 13077 | 4 | Euonymus sachalinensis Hort. => Euonymus planipes x | 119 | 13 | wld | | | |
| 16057 | 4 | Euonymus semenovii x 1 | 119 | 16 | div | ? | | cttg. #7768 by Charles Snyers from garden Maurice F |
| 07065 | 4 | Euonymus spraguei x 1 | 119 | 07 | pds | C | | cttg. #7776, from garden Richard T. Whiteley, via Ch |
| 02502 | 4 | Euonymus velutinus x 1 | 119 | 04 | div | V | | 02: source Philippe Deprez, 1607: a lot of stock |
| 17436 | 4 | Euonymus verrucosoides x 1 | 127 | 17 | div | | | gift #13724, Piet de Jong at NDV-KVBC meeting, |
| 10173 | 2 | Euptelea pleiosperma x 1 | 126 | 12 | wld | C | V | |
| 12248 | 4 | Euptelea polyandra x 1 | 181 | 12 | wld | | | |
| 18089 | 4 | Eurya japonica x 1 | 298 | 18 | pds | | | cttg. #8474 of HKRD #86275 |
| 17466 | 4 | Exochorda x macrantha 'The Bride' x 1 | 234 | 17 | div | | | |
| 13036 | 3 | Fagus crenata x 1 | 254 | 13 | wld | V | | |
| 94309 | 4 | Fagus crenata x 1 | 138 | 96 | wld | C | | |
| 18155 | 4 | Fagus engleriana x 1 | 208 | 18 | ver | | | graft #12870 of our #83173 |
| 18158 | 4 | Fagus engleriana x 1 | 288 | 18 | div | | | #13923, gift Brian Humphrey, ex Wilson introduction |
| 91403 | 4 | Fagus engleriana x 1 | 289 | 94 | waa | C | V | */BDB #30155, 97/4/26 :completely frosted, too early |
| 02268 | 4 | Fagus grandifolia x 1 | 243 | 02 | wld | V | | |
| 03100 | 4 | Fagus grandifolia x 1 | 244 | 06 | wld | V | | |
| 04281 | 4 | Fagus grandifolia x 1 | 141 | 04 | wld | | | |
| 04287 | 4 | Fagus grandifolia x 1 | 193 | 10 | wld | | | |
| 09171 | 4 | Fagus grandifolia x 1 | 181 | 09 | wld | | | |
| 18007 | 4 | Fagus grandifolia x 1 | 140 | 18 | pds | | | sd #8163, Arnold Arboretum (thus hort.), |
| 94285 | 4 | Fagus grandifolia x 1 | 254 | 00 | div | V | | BDB #30150, very big leaves, unknown origin, from |
| 18036 | 3 | Fagus hayatae x 1 | 155 | 18 | wld | ? | | |
| 13021 | 4 | Fagus japonica x 1 | 153 | 13 | wld | | | |
| 13037 | 2 | Fagus japonica x 1 | 254 | 13 | wld | V | | |
| 19003 | 4 | Fagus longipetiolata x 1 | 256 | 19 | pav | | | |
| 19004 | 4 | Fagus longipetiolata x 1 | 248 | 19 | pav | | | |
| 91401 | 2 | Fagus lucida x 1 | 275 | 93 | waa | B | V | BDB #30152, 190426: badly damaged by late spring f |
| 91655 | 4 | Fagus lucida x 1 | 263 | 94 | waa | | V | BDB #30151, 900-82 |
| 92520 | 4 | Fagus lucida x 1 | 279 | 95 | waa | | V | */BDB #30154, 97:one good pl., one average, one yel |
| 6 | | Fagus multinervis => Fagus engleriana x | | | | | | |
| 04304 | 4 | Fagus orientalis x 1 | 241 | 04 | wld | V | | |
| 07128 | 4 | Fagus orientalis x 1 | 181 | 07 | wld | | | |
| 98008 | 3 | Fagus orientalis x 1 | 275 | 98 | wld | V | | |
| 98009 | 3 | Fagus orientalis x 1 | 253 | 98 | wld | V | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|--------|---|--|-----|----|-----|---|---|---|
| | | 6 Fagus sylv.'Laciniata' =>F.s.f. heterophylla x 0 | | | | | | |
| 98296 | 4 | Fagus sylvatica 'Aspleniifolia' x 1 | 242 | 99 | esv | | | BDB #30147, 0606: not 'Laciniata' as per invoice, pre |
| 08149 | 4 | Fagus sylvatica 'Cochleata' x 1 | 254 | 14 | bul | | | |
| 86278 | 4 | Fagus sylvatica 'Dawyck' x 1 | 212 | 88 | esv | ? | ? | */001112:good autumn colour, |
| 04151 | 4 | Fagus sylvatica 'Dawyck Purple' x 1 | 261 | 06 | pav | | | |
| 04066 | 4 | Fagus sylvatica 'Pendula' x 1 | 263 | 04 | vpl | | | 0408: rather sparsely leaved, not in perfect health, wa |
| 96058 | 4 | Fagus sylvatica 'Purple Fountain' x 1 | 251 | 96 | vpl | | | BDB #30148 |
| 98297 | 4 | Fagus sylvatica 'Quercifolia' x 1 | 255 | 00 | esv | | | |
| 98385 | 4 | Fagus sylvatica 'Rohanii' x 1 | 253 | 00 | pav | | | |
| 12156 | 4 | Ficus carica 'Brown Turkey' x 1 | 290 | 12 | boc | | | |
| 12146 | 4 | Ficus carica 'Leon De Vos' x 1 | 290 | 12 | boc | | | their selection, |
| 01007 | 4 | Fitzroya cupressoides x 1 * | 149 | 04 | wld | A | V | |
| 01008 | 4 | Fitzroya cupressoides x 1 | 149 | 04 | wld | C | V | |
| 01010 | 3 | Fitzroya cupressoides x 1 | 148 | 04 | wld | C | | |
| 02363 | 3 | Fontanesia phillyreoides x 3 | 243 | 10 | dev | | | from seed; 1906: st.3, drought or late frost? |
| 89138 | 4 | Fortunearia sinensis x 1 | 114 | 03 | waa | V | | 0808: this has been a successful big move! |
| 08143 | 4 | Fothergilla gardenii 'Blue Mist' x 1 | 233 | 11 | pds | | | cttg. #7805 from HKRD #03056 |
| 12452 | 3 | Fothergilla gardenii 'Brian Upchurch' x 1 | 176 | 18 | bul | | | 2003: 1/3 left, |
| 12458 | 3 | Fothergilla gardenii 'Suzanne' x 3 | 299 | 14 | bul | | | |
| 12453 | 4 | Fothergilla gardenii 'Zundert' x 2 | 176 | 14 | bul | | | 2003: 2/3 left, |
| 12454 | 4 | Fothergilla x intermedia 'Blue Shadow' x 3 ** | 175 | 14 | bul | | | 1206: good blue, 1306: amazing colour, one plant stat |
| 01305 | 4 | Fothergilla x intermedia 'Mount Airy' x 1 * | 175 | 12 | bul | | | name see HortScience 42(3):473, 081022: wonderful |
| 14032 | 4 | Fothergilla x intermedia 'Mount Airy' x 6 | 164 | 14 | div | | | 1706: 6/7 |
| 15367 | 4 | Fothergilla x intermedia 'Mount Airy' x 3 | 222 | 19 | rob | | | |
| 17349 | 4 | Fothergilla x intermedia 'Mount Airy' x 1 | 299 | 17 | pds | | | cttg. #11036 of HKRD #01305 |
| 12559 | 4 | Fothergilla x intermedia 'Red Licorice' x 1 | 177 | 14 | bul | | | was part of group #12456, |
| 12459 | 4 | Fothergilla x intermedia 'Windy City' x 2 | 177 | 14 | bul | | | 1706: 2/3 left |
| 12460 | 4 | Fothergilla major 'Bulkyard' x 1 | 176 | 20 | bul | | | |
| 00670 | 4 | Frangula alnus x 1 | 162 | 00 | spo | | | |
| 00305 | 4 | Franklinia alatamaha x 1 * | 137 | 00 | pds | | | Cttg 5355 from Hkrd 81284, 141001: is excellent this |
| 00306 | 4 | Franklinia alatamaha x 1 * | 134 | 00 | pds | | | Cttg 5355 from Hkrd 81284, 0912: stem split, had to |
| 04104 | 4 | Fraxinus americana 'Autumn Purple' x 1 * | 243 | 14 | pav | | | 1208: verified to species level, 121004: wonderful dee |
| 16168 | 4 | Fraxinus americana 'Bash Bish Falls' x 1 | 262 | 16 | ver | | | #14133, graft of our #93047 |
| 91126 | 4 | Fraxinus angustifolia x 1 | 241 | 94 | wld | V | | |
| 19086 | 4 | Fraxinus angustifolia 'Raywood' x 1 | 215 | 19 | dbr | | | bigger specimen (16/18cm standard tree) |
| 91761 | 4 | Fraxinus angustifolia 'Raywood' x 1 * | 276 | 91 | vpl | T | | BDB #25900, Verif.KR, _010107 colouring well this |
| 13179 | 4 | Fraxinus anomala x 1 | 188 | 15 | wld | | | |
| 15075 | 2 | Fraxinus baroniana x 1 | 210 | 15 | wld | | | |
| 17054 | 4 | Fraxinus baroniana x 1 | 246 | 17 | wld | | | |
| 17445 | 4 | Fraxinus baroniana x 1 | 241 | 17 | wld | | | |
| 17446 | 4 | Fraxinus baroniana x 1 | 264 | 17 | wld | | | |
| 18047 | 4 | Fraxinus 'Charles Bommer' x 1 | 284 | 18 | ver | | | gift #14414, graft of plant at BOTAN, most prob. a fo |
| 10262 | 2 | Fraxinus chiisanensis x 1 | 217 | 13 | wld | | | |
| 10263 | 4 | Fraxinus chiisanensis x 1 | 284 | 13 | wld | | | |
| 07020 | 3 | Fraxinus chinensis x 1 | 177 | 08 | wld | V | | |
| 09170 | 4 | Fraxinus chinensis x 1 | 254 | 09 | wld | V | | |
| 84641 | 4 | Fraxinus chinensis subsp. rhynchophylla x 1 * | 264 | 87 | dbl | B | V | BDB #29635, 91/10:good early aut.colour, is the 84D |
| 96277 | 3 | Fraxinus chinensis subsp. rhynchophylla x 1 | 264 | 97 | div | V | | */gift from ... 96/10:petiole stays on branchlet after fo |
| AA1892 | | Fraxinus excelsior x 1 | 195 | ?? | div | | | */BDB #29628, 00:received 200 kg of chalk !! 1111: |
| 91412 | 4 | Fraxinus excelsior 'Nana' x 1 | 218 | 94 | waa | V | | 0606: top seemed to be reverting to type, pruned away |
| 91417 | 4 | Fraxinus floribunda x 1 | 218 | 94 | waa | V | | = F. insularis?, = F. floribunda?, 0405: spectacular flo |
| 04246 | 3 | Fraxinus lanuginosa x 1 | 244 | 04 | wld | | | |
| | | 6 Fraxinus mariesii=>F. sieboldiana x 0 | | | | | | |
| 83109 | 4 | Fraxinus ornus x 1 | 264 | 85 | hil | A | V | not F.chinensis rhynchophylla, 0311: had some stock, |
| | | 6 Fraxinus oxycarpa =>F. angustifolia x 0 | | | | | | |
| 18087 | 3 | Fraxinus papillosa x 1 | 261 | 18 | wld | | | |
| 93172 | 3 | Fraxinus paxiana x 1 | 174 | 14 | wld | C | V | |
| 84569 | 3 | Fraxinus pennsylvanica 'Variegata' x 1 * | 217 | 86 | hil | A | V | */BDB #29631, will be more pubesc.on return, 99:alw |
| 04485 | 4 | Fraxinus platypoda x 1 | 217 | 09 | wld | A | V | |
| 84568 | 4 | Fraxinus platypoda x 1 * | 217 | 86 | hil | A | V | */89:good growth warm summ.,90/4:C ex-Fr.platypod |
| 20119 | 4 | Fraxinus profunda x 1 | 179 | 20 | ver | | | gift #14415 from Carlos Verhelst, graft of plant at PE |
| | | 6 Fraxinus pubinervis =>F. sieboldiana x 0 | | | | | | |
| 13199 | 3 | Fraxinus quadrangulata x 1 | 287 | 13 | pds | | | sd #8073, BDB trip Illinois, sd. West Cotton Hill Par |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 83262 | 4 | Fraxinus quadrangulata x 1 * | 217 | 87 | hil | A | V | remarkable shoots, |
| | 6 | Fraxinus retusa var. henryana=>F. floribunda x 0 | | | | | | |
| | 6 | Fraxinus rhynchophylla =>F. chin. subsp. rhynchoph x 0 | | | | | | |
| 00387 | 4 | Fraxinus sieboldiana (longicuspis) x 1 | 217 | 04 | spi | | | 071010: good autumn colour, 111031: but no colour t |
| 13032 | 4 | Fraxinus sieboldiana x 1 | 177 | 13 | wld | | | |
| 19006 | 4 | Fraxinus sieboldiana x 1 | 217 | 19 | pav | | | |
| 19008 | 4 | Fraxinus sieboldiana x 1 | 264 | 19 | pav | | | |
| 84255 | 4 | Fraxinus sieboldiana (mariesii) x 1 * | 264 | 87 | esv | A | V | best in 91/4 frost, Good pl., holds it flowers, dry,into |
| 91061 | 4 | Fraxinus sieboldiana (mariesii) x 1 | 289 | 95 | pav | | V | the chinese F. sieboldiana, 040517: massive flowerin |
| 83289 | 4 | Fraxinus smallii x 1 * | 217 | 86 | hil | A | V | */BDB #7738, 04: always beautiful round compact sh |
| | 6 | Fraxinus sogdiana =>F. angustif. subsp.syria x 0 | | | | | | |
| 13162 | 4 | Fraxinus sp. x 1 | 217 | 13 | wld | | | ? |
| 20096 | 4 | Fraxinus stylosa x 1 | 246 | 20 | wld | | | ? |
| 17202 | 4 | Fraxinus texensis 'Rio Frio' x 1 | 217 | 20 | wld | | | |
| 17203 | 4 | Fraxinus texensis 'Rio Frio' x 1 | 248 | 20 | wld | | | |
| 84570 | 4 | Fraxinus velutina x 1 * | 217 | 86 | hil | A | V | BDB #7722, 90:good pl., |
| 91642 | 4 | Fraxinus velutina x 1 | 283 | 93 | waa | | V | BDB #29637; 303-87, not F. pennsylvanica vel.; KR5 |
| 12503 | 4 | Fraxinus xanthoxyloides x 1 * | 168 | 14 | wld | | V | |
| 98386 | 3 | Ginkgo biloba x 1 | 237 | 00 | pav | | | 141118: excellent autumn colour, all Ginkgo this year |
| 00344 | 4 | Ginkgo biloba 'Autumn Gold' x 1 | 218 | 01 | pav | | | 0307: severely damaged, by mower? 1908: some big |
| 04035 | 4 | Ginkgo biloba 'Autumn Gold' x 1 | 265 | 04 | vpl | B | | 1005: new lvs frozen on small plant, 101006: not yet |
| 02313 | 4 | Gleditsia aquatica x 1 | 277 | 08 | waa | C | V | as G. monosperma, 1006: C, 1509: spectacular red tho |
| 14444 | 1 | Gleditsia caspia x 1 | 246 | 14 | wld | | | |
| 92321 | 4 | Gleditsia sinensis x 1 * | 287 | 95 | nie | C | V | 96/6: C ?spring frost/winter -12°, same as 92322 even |
| 12339 | 4 | Gleditsia triacanthos x 1 | 286 | 12 | wld | | V | |
| 16169 | 3 | Glyptostrobus pensilis x 1 | 266 | 16 | dcl | | | #12872, gift Antoon De Clercq, 161024: interesting b |
| 15115 | 4 | x Gordlinia grandiflora (Franklinia x Gordononia) x 1 | 173 | 15 | div | | ? | */prop #12097, Heritage Seedling Nursery, received 3 |
| 15259 | 2 | x Gordlinia grandiflora (Franklinia x Gordononia) x 1 | 162 | 15 | div | B | | 1702: st.3 lvs touched by frost, B, 1803: again B, may |
| 14166 | 1 | Grewia biloba var. parviflora x 1 | 154 | 14 | wld | | ? | |
| 14167 | 3 | Grewia biloba var. parviflora x 1 | 176 | 14 | wld | | ? | |
| 97207 | 4 | Gymnocladus dioicus x 1 | 223 | 01 | vpl | | | 07: too close to Nyssa and too late to move, wait and |
| 98387 | 4 | Gymnocladus dioicus x 1 | 237 | 00 | pav | | | 0707: lost head in strong wind, 1901: must have flow |
| 88038 | 4 | Halesia carolina x 1 | 207 | 88 | pds | | V | my #0201,cttg.of 74107/B |
| 92032 | 4 | Halesia diptera var. diptera x 1 * | 216 | 93 | pds | | V | ? #2157, ex-Henry Foundation ? 95/5/28:flwrg.late, 9 |
| 03030 | 3 | Halesia diptera var. magniflora x 1 | 209 | 03 | pds | | V | sd. #5987 from Hkrd #94317 in 266, 1905: lots of dea |
| 20147 | 4 | Halesia tetraptera x 1 | 121 | 20 | wld | | | |
| 18006 | 4 | Halesia tetraptera var. monticola 'Arnold Pink' x 1 | 130 | 18 | ver | | | gift #14202, 190429: lots of flowers already |
| 99024 | 4 | Hamamelis 'Doerak' x 1 | 154 | 99 | div | | | */gift Groendecor (exchange), 01:has kept all its leave |
| 18143 | 4 | Hamamelis x intermedia 'Angelly' x 1 | 146 | 18 | div | | | #12772, Chris Lane, Witch Hazel Nursery, |
| 11065 | 4 | Hamamelis x intermedia 'Antoine Kort' x 1 | 233 | 11 | ver | | | prop #7860, graft of HKRD #88010, 11: moved from |
| 02391 | 4 | Hamamelis x intermedia 'Barmstedt Gold' x 1 | 235 | 11 | dev | | | 11: moved from DC37 |
| 15173 | 4 | Hamamelis x intermedia 'Feuerzauber' x 1 | 274 | 15 | div | | | #12764, Chris Lane, Witch Hazel Nursery, |
| 18146 | 4 | Hamamelis x intermedia 'Foxy Lady' x 1 | 151 | 18 | div | | | #12771, Chris Lane, Witch Hazel Nursery, |
| 15175 | 4 | Hamamelis x intermedia 'Frederic' x 1 | 274 | 15 | div | | | #12767, Chris Lane, Witch Hazel Nursery, 161021: e |
| 18144 | 4 | Hamamelis x intermedia 'Glowing Embers' x 1 | 146 | 18 | div | | | #12773, Chris Lane, Witch Hazel Nursery, |
| 15177 | 4 | Hamamelis x intermedia 'John' x 1 | 281 | 15 | div | | | #12776, Chris Lane, Witch Hazel Nursery, |
| 05263 | 4 | Hamamelis x intermedia 'Livia' x 1 | 151 | 07 | bul | | | 170106: flowering started, good flowering but holdin |
| 12462 | 3 | Hamamelis x intermedia 'Orange Peel' x 1 | 152 | 18 | bul | | | 1206: status 2, half dead, beware for stock, 1903: stat |
| 18145 | 4 | Hamamelis x intermedia 'Robert' x 1 | 146 | 18 | div | | | #12775, Chris Lane, Witch Hazel Nursery, 190115: lo |
| 06029 | 4 | Hamamelis x intermedia 'Rubin' x 1 | 151 | 11 | dcl | | | gift Antoon De Clercq, most probably 'Rubin' and not |
| 06023 | 4 | Hamamelis x intermedia 'Sarah' x 1 | 154 | 08 | dcl | | | gift Antoon De Clercq, 0802: petals pale yellow, pinki |
| 03046 | 4 | Hamamelis x intermedia 'Spanish Spider' x 1 | 154 | 09 | klm | | | gift Arboretum Kalmthout, 1401: big flowers, rather s |
| 15176 | 4 | Hamamelis mollis 'Imperialis' x 1 | 281 | 15 | div | | | #12769, Chris Lane, Witch Hazel Nursery, 200116: g |
| 15164 | 4 | Hamamelis mollis 'Wisley Supreme' x 1 | 154 | 15 | div | | | #12774, Chris Lane, Witch Hazel Nursery, 190103: fl |
| 15159 | 4 | Hamamelis ovalis x 1 | 114 | 15 | wld | | | |
| 15167 | 4 | Hamamelis ovalis x 1 | 173 | 15 | wld | | | |
| 15174 | 4 | Hamamelis 'Rochester' (mollis x vernalis) x 1 | 274 | 15 | div | | | #12765, Chris Lane, Witch Hazel Nursery, |
| 01359 | 4 | Hamamelis vernalis 'Quasimodo' x 1 | 154 | 09 | bul | | | 030203: flowering with short orange-red petals like lit |
| 12133 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) x 1 | 291 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 12134 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) x 1 | 291 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 12135 | 4 | Hebe 'Kirkii' (salicifolia x rakaiensis) x 1 | 291 | 12 | boc | B | | 1306: status 3, B, reasonably hardy, |
| 11445 | 4 | Helwingia chinensis x 1 | 292 | 11 | rug | | | gift Marc Libert (2001.2121), from Jacky Pousse |
| 11306 | 4 | Helwingia sp. x 1 | 298 | 16 | rug | | | gift HBUG opening arboretum, no name and no nr, st |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 92542 | 3 | Hemiptelea davidii x 1 | 281 | 93 | waa | C | | 0312: many fruits but too late to collect, 1205: C has 1 |
| 13286 | 4 | Hoheria angustifolia x 1 | 291 | 13 | div | D | V | prop #12597, gift J.-L. Dantec, 1805: from st 3 back t |
| 12519 | 4 | Hoheria sexstylosa x 1 | 291 | 12 | div | D | V | prop #12121 from Vasterival, 130527: D, but coming |
| 15077 | 4 | Holboellia angustifolia subsp. angustifolia x 1 | 236 | 15 | wld | | | |
| 15082 | 4 | Holboellia angustifolia subsp. angustifolia x 1 | 292 | 15 | wld | | | |
| 15144 | 4 | Holboellia angustifolia subsp. angustifolia x 1 | 236 | 15 | wld | | | |
| 05113 | 4 | Holodiscus discolor x 1 | 293 | 14 | div | | | Van Bauwel, 060629: flowering, 1008: unattractive br |
| 91758 | 4 | Hovenia dulcis x 1 | 261 | 92 | pds | | | Sd.#1650 PdS cll. from Morris arb, 91/9:OK, 95:war |
| 06147 | 4 | Hydrangea anomala x 1 | 294 | 11 | bul | V | | 1305: not Schizophragma corylifolium as per invoice, |
| 10148 | 4 | Hydrangea anomala subsp. petiolaris x 1 | 292 | 10 | div | | | Floralux |
| 16241 | 4 | Hydrangea anomala subsp. petiolaris x 3 | 155 | 16 | wld | | | |
| 12211 | 4 | Hydrangea arborescens x 1 | 236 | 12 | wld | | | |
| 12216 | 4 | Hydrangea arborescens x 1 | 236 | 12 | wld | V | | |
| 88435 | 4 | Hydrangea arborescens x 1 | 146 | 00 | dbl | | | gift KLMTH as serrata 'Angustata', moved from 22 to |
| 89237 | 3 | Hydrangea arborescens subsp. discolor 'Sterilis' x 4 | 146 | 16 | spi | V | | arborescens subsp. cinerea acc to internation. Index b |
| 15076 | 4 | Hydrangea arborescens 'Hayes Starburst' x 5 | 234 | 15 | pds | | | cttg #12818 of HKRD #08003, 1706: 5/6 left |
| 12520 | 4 | Hydrangea arborescens 'Incrediball' x 6 | 236 | 12 | div | | | gift #11653 from Jan Liekens as "Strong Annabelle", |
| 12136 | 4 | Hydrangea arborescens 'Invincibelle Spirit' x 1 | 298 | 15 | boc | | | |
| 12137 | 4 | Hydrangea arborescens 'Invincibelle Spirit' x 1 | 298 | 15 | boc | | | |
| 12138 | 4 | Hydrangea arborescens 'Invincibelle Spirit' x 1 | 298 | 15 | boc | | | |
| 12504 | 4 | Hydrangea arborescens 'Invincibelle Spirit' x 4 | 298 | 15 | div | | | prop #11652, gift Jan Liekens as "Pink Anabelle" |
| 13093 | 4 | Hydrangea arborescens subsp. radiata x 1 | 295 | 13 | wld | V | | |
| 14227 | 4 | Hydrangea arborescens subsp. radiata x 3 | 299 | 14 | wld | | | |
| 17055 | 4 | Hydrangea arborescens subsp. radiata x 1 | 281 | 17 | pds | | | cttg #14010 by Sam at Maurice Foster, 1905: this is s |
| 08583 | 4 | Hydrangea arborescens subsp. radiata 'Samantha' x 1 * | 292 | 11 | rug | | | gift Marc Libert, 1307: much better than Anabelle |
| 14215 | 4 | Hydrangea aspera x 1 | 154 | 14 | spo | ? | | spo sdlg #11221 in E, verify ID, |
| 19031 | 2 | Hydrangea aspera x 1 | 122 | 19 | wld | | | |
| 79042 | 4 | Hydrangea aspera 'Macrophylla' x 1 | 119 | 02 | hil | E | | 02: moved from p6 to 119; not 'villosa group' acc. to |
| 09433 | 4 | Hydrangea aspera 'Mauvette' x 1 | 120 | 12 | div | | | bought by Christophe at Penwood nurseries, AR/05/0 |
| 20024 | 4 | Hydrangea aspera 'Mr Buisson' x 1 | 117 | 20 | div | | | gift #14389 from Vasterival, name not found, (2003: |
| 08152 | 4 | Hydrangea aspera 'Sam Mc. Donald' x 1 | 292 | 10 | bul | | | |
| 09042 | 4 | Hydrangea aspera subsp. sargentiana x 1 | 119 | 09 | pds | | | prop #9165, layer of HKRD #98165 |
| 88453 | 3 | Hydrangea aspera subsp. sargentiana x 6 | 119 | 16 | dbl | | | gift KLMTH, 16: moved from 22 (there since 1988) t |
| 20026 | 4 | Hydrangea aspera Villosa Group x 1 | 118 | 20 | div | | | gift #14388 from Vasterival, |
| 15078 | 4 | Hydrangea chinensis x 3 | 236 | 15 | pds | | | cttg #11629 as H. scandens ?, Dantec BDB trip Haut |
| 17249 | 4 | Hydrangea heteromalla x 1 | 119 | 17 | wld | V | | |
| 15256 | 3 | Hydrangea involucrata x 1 | 120 | 15 | div | | | 1108: found in pON without any info, prop #12550 |
| 15266 | 4 | Hydrangea involucrata x 3 | 236 | 17 | bul | | | |
| 15267 | 1 | Hydrangea involucrata (dwarf form) x 2 | 281 | 16 | bul | | | 1709: from 4 to status 3, 1902: st.1, but dead I suppos |
| 01319 | 2 | Hydrangea involucrata 'Hortensis' x 6 | 281 | 16 | bul | | | 09: 1 left, 1511: recovered well in pON, now 6 plants, |
| 15269 | 4 | Hydrangea involucrata 'Multiplex' x 5 | 299 | 19 | bul | | | |
| 15272 | 2 | Hydrangea involucrata 'Tokado Yama' x 5 | 271 | 17 | bul | | | 1504: high and strong plants, 1707: to status 2 becaus |
| 15273 | 2 | Hydrangea involucrata 'Viridescens' x 4 | 281 | 16 | bul | C | | (blanc), 1603: only 4/5 found, 1709: 1 status 3, 19042 |
| 15274 | 3 | Hydrangea involucrata 'Wim Rutten' x 1 | 236 | 17 | bul | | | = Blue Bunny |
| 15275 | 1 | Hydrangea involucrata 'Yokudanka' x 1 | 281 | 17 | bul | C | | 1709: 1/2 left, 190426: severely damaged by late sprin |
| 14017 | 4 | Hydrangea involucrata 'Yoraku' x 1 | 236 | 14 | div | | | rcvd as 'Yohraku-tama', gift #12566 from Dantec & d |
| 15276 | 3 | Hydrangea involucrata 'Yoraku' x 3 | 299 | 19 | bul | | | rcvd as 'Yohraku-tama' |
| 15132 | 4 | Hydrangea macrophylla var. amagiana x 4 | 121 | 15 | div | ? | | prop #12591, Christophe: Tuindagen Beervelde, Van |
| 09016 | 4 | Hydrangea macrophylla 'Izu-no-hana' x 1 | 292 | 10 | esv | | | |
| 14205 | 4 | Hydrangea macrophylla 'Izu-no-hana' x 2 | 120 | 14 | pds | | | cttg. #11021 of HKRD #03261 |
| 10439 | 4 | Hydrangea macrophylla 'Lilacina' x 1 | 292 | 10 | pds | ? | | '=Mariesii Lilacina', cttg of #00615 |
| 17223 | 4 | Hydrangea macrophylla 'Lilacina' x 1 | 297 | 17 | pds | ? | | '=Mariesii Lilacina', layer #14006 of HKRD #00615 |
| 17224 | 4 | Hydrangea macrophylla 'Lilacina' x 1 | 299 | 17 | pds | ? | | '=Mariesii Lilacina', layer #14006 of HKRD #00615 |
| 11290 | 4 | Hydrangea macrophylla 'Mariesii Perfecta' x 3 | 236 | 11 | div | ? | | 1408: not H. serrata 'Grayswood' as per invoice, prob. |
| 87198 | 4 | Hydrangea macrophylla 'Mariesii Perfecta' x 5 | 121 | 05 | vpl | ? | | x serratophylla acc to internation. Index, syn 'Blue Wa |
| 09073 | 4 | Hydrangea macrophylla 'Souvenir du Président Doumer' x 6 | 235 | 11 | pds | ? | | layer #9166 of HKRD #92349, check ID, seems very |
| 00529 | 4 | Hydrangea paniculata x 1 | 118 | 02 | bul | | | (Nat. Arboretum) |
| 10146 | 3 | Hydrangea paniculata 'Athena' x 1 | 292 | 10 | pds | | | cttg. #9054 of HKRD #00270 |
| 14207 | 4 | Hydrangea paniculata 'Athena' x 3 | 121 | 14 | pds | | | cttg. #11050 of HKRD #00270 |
| 11220 | 4 | Hydrangea paniculata 'Bobo' x 1 | 291 | 11 | boc | | | |
| 11221 | 4 | Hydrangea paniculata 'Bobo' x 1 | 291 | 11 | boc | | | |
| 11222 | 4 | Hydrangea paniculata 'Bobo' x 1 | 291 | 11 | boc | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|---|
| 11286 | 4 | Hydrangea paniculata 'Bobo' x 1 | 294 | 11 | div | | | |
| 11287 | 4 | Hydrangea paniculata 'Bobo' x 1 | 294 | 11 | div | | | |
| 12161 | 4 | Hydrangea paniculata 'Bobo' x 1 | 237 | 12 | boc | | | |
| 12162 | 4 | Hydrangea paniculata 'Bobo' x 1 | 237 | 12 | boc | | | |
| 12163 | 4 | Hydrangea paniculata 'Bobo' x 1 | 237 | 12 | boc | | | |
| 93098 | 4 | Hydrangea paniculata 'Brussels' Lace' x 4 | 119 | 93 | waa | T | | Une selection J.de Belder , all 3 identical and Typical, |
| 13283 | 4 | Hydrangea paniculata 'Candlelight' x 3 | 131 | 18 | opr | | | |
| 00269 | 4 | Hydrangea paniculata cv. ('Barbara' sdlg green) x 1 * | 119 | 03 | pds | ? | | */Cttg #5962 from Hmlrk 'Barbara' seedlings by Jelen |
| 92544 | 4 | Hydrangea paniculata cv. 'Floribunda'/'Brussel's L.' x 3 | 119 | 92 | waa | ? | | pl -b is different, has larger sterile flwrs,could be the g |
| 93138 | 4 | Hydrangea paniculata cv. x 1 | 119 | 93 | waa | ? | | not 'Grandiflora', ex 93138-c, dark lvs. compact truss |
| 93998 | 4 | Hydrangea paniculata cv. x 1 | 119 | 97 | waa | ? | ? | not 'Grandiflora' Ex 93138-b; 02: resembles 'Kyush |
| 00530 | 4 | Hydrangea paniculata 'Dharuma' x 1 | 118 | 02 | bul | V | | = 'Daruma Nori Utsugi', |
| 08589 | 4 | Hydrangea paniculata 'Early Sensation' x 1 | 120 | 10 | bul | | | = 'Bulk' |
| 08590 | 4 | Hydrangea paniculata 'Early Sensation' x 1 | 292 | 10 | bul | | | = 'Bulk' |
| 09428 | 4 | Hydrangea paniculata 'Great Star' x 1 | 237 | 12 | div | | | (= 'Le Vasterival'), bought by Christophe at Ashwood |
| 92545 | 4 | Hydrangea paniculata 'Greenspire' x 3 | 120 | 92 | waa | | | 0401: lower branches were rooting, pruned back sever |
| 13535 | 4 | Hydrangea paniculata 'Levana' x 1 | 120 | 20 | klm | | | gift Johan Possemiers, his selection, |
| 11421 | 4 | Hydrangea paniculata 'Magical Flame' x 1 | 132 | 18 | klm | | | |
| 08120 | 4 | Hydrangea paniculata 'Papillon' x 1 | 120 | 08 | rut | | | gift #8990, Wim Rutten, 'Unique' sdlg. |
| 98307 | 4 | Hydrangea paniculata 'Pink Diamond' x 1 | 121 | 00 | esv | | | AGM, = 'Interhydia', 1003: heavily pruned, |
| 08155 | 4 | Hydrangea paniculata 'Pinky-Winky' x 2 | 232 | 12 | bul | | | AGM, = 'Dvppinky', 1106: 1 dead without reason, stra |
| 11260 | 4 | Hydrangea paniculata 'Pinky-Winky' x 1 | 232 | 11 | rob | | | 1806: 2/3 left, 1906: 1/3 left |
| 11261 | 3 | Hydrangea paniculata 'Pinky-Winky' x 3 | 236 | 12 | rob | | | 1706: 3/4 left, from status 4 to st 3 |
| 11440 | 4 | Hydrangea paniculata 'Pinky-Winky' x 1 | 232 | 12 | rob | | | 1801: 2/3 left, 1806: 1/3 left |
| 20293 | 4 | Hydrangea paniculata 'Pinky-Winky' x 5 | 232 | 20 | dbr | | | AGM, = 'Dvppinky', 5 plants added in 232 to fill the g |
| 11431 | 4 | Hydrangea paniculata 'Ruby' x 3 | 281 | 14 | div | | | gift Klaas Verboom as 'Angel's Blush', |
| 20087 | 4 | Hydrangea paniculata 'Ruby' x 1 | 120 | 20 | pds | | | cttg #11051 of HKRD #08351, |
| 12158 | 4 | Hydrangea paniculata 'Sundae Fraise' x 1 | 299 | 12 | boc | | | |
| 12159 | 4 | Hydrangea paniculata 'Sundae Fraise' x 1 | 299 | 12 | boc | | | |
| 12160 | 4 | Hydrangea paniculata 'Sundae Fraise' x 1 | 299 | 12 | boc | | | |
| 16179 | 4 | Hydrangea paniculata 'Sundae Fraise' x 3 | 299 | 16 | rob | | | |
| 16180 | 4 | Hydrangea paniculata 'Sundae Fraise' x 3 | 299 | 16 | rob | | | |
| 98308 | 4 | Hydrangea paniculata 'Tardiva' x 1 | 121 | 00 | esv | ? | | not late at all! similar to neighbour Pink Diamond, 10 |
| 92549 | 4 | Hydrangea paniculata 'Unique' x 2 | 119 | 92 | waa | | | A=C are different from B, 0811: pruned to free Vibur |
| 98143 | 4 | Hydrangea paniculata 'Unique' x 1 | 151 | 98 | pds | | | Cttg.#4239 from 85595, 1005: to status 1, 1009: and |
| 08350 | 4 | Hydrangea paniculata 'Vanille Fraise' x 1 | 237 | 11 | div | | | ™ name = 'Renhy', bought by Christophe in garden cen |
| 14206 | 4 | Hydrangea paniculata subsp. velutina x 1 | 121 | 14 | div | ? | | prop #11219, Hulsdonk, hardy?, found in greenhouse, |
| 92550 | 4 | Hydrangea paniculata 'White Lace' x 2 | 120 | 92 | waa | ? | | pl -c is close to 'Kyushu', 0405: pl-c dead, 1109: 1 stat |
| 92551 | 4 | Hydrangea paniculata 'White Moth' x 8 | 121 | 92 | waa | | | 1003: heavily pruned, 1302: pruned again, the 3 plant |
| 93999 | 4 | Hydrangea paniculata 'White Moth' x 1 | 119 | 97 | waa | ? | | not 'Grandiflora' Ex 93138-a |
| 95226 | 4 | Hydrangea paniculata 'White Moth' x 2 | 121 | 95 | pds | | | cttg.PDS, 1003: heavily pruned, 1302: pruned again, |
| 08593 | 4 | Hydrangea paniculata 'Wim's Red' x 1 | 117 | 11 | opr | | | gift Oprins, their introduction, named after Wim Rutte |
| 08594 | 4 | Hydrangea paniculata 'Wim's Red' x 1 | 297 | 11 | opr | | | gift Oprins, their introduction, named after Wim Rutte |
| 15370 | 4 | Hydrangea paniculata 'Wim's Red' x 3 | 121 | 19 | rob | | | |
| 19468 | 4 | Hydrangea (peruviana x serratifolia) x 1 | 154 | 19 | pds | ? | | cttg #14351, BDB trip March 2014,Tregrehan, 1905: |
| 05267 | 4 | Hydrangea quercifolia 'Alice' x 1 | 131 | 07 | bul | | | |
| 06137 | 4 | Hydrangea quercifolia 'Alison' x 1 | 119 | 08 | bul | | | |
| 04444 | 4 | Hydrangea quercifolia 'Applause' x 1 | 131 | 06 | bul | | | |
| 05114 | 4 | Hydrangea quercifolia 'Sike's Dwarf' x 1 | 120 | 08 | div | | | Van Bauwel |
| 05268 | 4 | Hydrangea quercifolia 'Snow Queen' x 1 | 120 | 08 | bul | | | ™ name = 'Flemygea' |
| 02319 | 4 | Hydrangea quercifolia 'Snowdrift' x 1 | 120 | 03 | waa | ? | | check cv name, 0406: inflorescences too heavy, many |
| 04446 | 4 | Hydrangea quercifolia 'Snowflake' x 1 | 131 | 15 | bul | | | 0605: lvs yellow and curling, touched by herbicide?, 0 |
| 08344 | 4 | Hydrangea quercifolia 'White Prince' x 1 | 119 | 15 | opr | | | 0908: one of the very few remaining quercifolia's in n |
| 11178 | 4 | Hydrangea seemannii x 1 | 298 | 11 | pds | C | | cutting #9413 Christophe Crock from Kew #1974.294 |
| 16228 | 4 | Hydrangea serrata x 8 | 155 | 16 | pds | | | #14545: cuttings of 93271 |
| 18177 | 3 | Hydrangea serrata 'Beni-gaku' x 1 | 119 | 18 | bot | | | #14532, Botanic Treasures Raf Lenaerts, 1809: from |
| 12464 | 4 | Hydrangea serrata 'Beni-yama' x 3 | 120 | 15 | bul | | | |
| 14440 | 4 | Hydrangea serrata 'Besshi-temari' x 1 | 236 | 14 | div | | | gift #11076 from Maurice Foster |
| 11313 | 4 | Hydrangea serrata 'Blue Deckle' x 3 | 118 | 14 | div | | | |
| 10438 | 4 | Hydrangea serrata 'Bluebird' x 1 | 292 | 10 | pds | | | cttg of #80058, 140601: perfect flowering after this m |
| 11315 | 4 | Hydrangea serrata 'Bluebird' x 3 | 117 | 14 | div | | | |
| 12188 | 4 | Hydrangea serrata 'Bluebird' x 5 | 236 | 12 | boc | | | 200220: leafing |
| 17002 | 4 | Hydrangea serrata 'Bluebird' x 50 | 118 | 17 | dbr | | | planted between 118 and 120, only 5 labels, replacem |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|-----|---|---|
| 12482 | 3 | Hydrangea serrata 'Diadem' x 3 | 130 | 15 | bul | | | 1810: status 3, not happy |
| 15003 | 4 | Hydrangea serrata 'Diadem' x 1 | 236 | 15 | pds | | | cttg of HKRD #89239, 1307: status 1, 1411: can stay |
| 17432 | 4 | Hydrangea serrata 'Diadem' x 1 | 120 | 17 | pds | | | #12864, found in pON, cttg or layer of HKRD #8923 |
| 18075 | 3 | Hydrangea serrata 'Diadem' x 1 | 120 | 18 | pds | | | cttgs #11227 of HKRD #89239, 1809: status 3, suffere |
| 12466 | 3 | Hydrangea serrata 'Dolmyf' x 2 o | 118 | 16 | bul | C | | PBR, = Avelroz, 1306: status 2, no success, 1406: 2/3 |
| 11328 | 3 | Hydrangea serrata 'Dwarf White' x 3 | 234 | 11 | div | V | | Koen Van Poucke, 1206: 3+2 plants in fact, 1706: 4/5 |
| 18176 | 4 | Hydrangea serrata 'Fugeshi Hama' x 1 | 119 | 18 | bot | | | #14527, Botanic treasures, Raf Lenaerts, name not fo |
| 11292 | 4 | Hydrangea serrata 'Grayswood' x 3 | 233 | 11 | div | | | subsp. japonica acc to internation index, 1408: not H. |
| 18178 | 3 | Hydrangea serrata 'Grayswood' x 1 | 120 | 18 | bot | | | subsp. japonica acc to internation index, #14537, Bot |
| 12469 | 2 | Hydrangea serrata 'Hakusen' x 2 | 117 | 16 | bul | | | 1206: status 2, 1306: 2/3 left, 1609: only 1 left |
| 18179 | 3 | Hydrangea serrata 'Hatsu-shimo' x 1 | 120 | 18 | bot | | | #14540, Botanic Treasures Raf Lenaerts, 1809: thin + |
| 12470 | 4 | Hydrangea serrata 'Hyuga-konjyo' x 3 | 120 | 15 | bul | | | 1606: wonderful, intense flower colour |
| 11312 | 4 | Hydrangea serrata 'Intermedia' x 3 | 117 | 16 | div | | | |
| 12186 | 4 | Hydrangea serrata 'Intermedia' x 5 | 236 | 12 | boc | | | 200220: leafing, 200326: but now very frozen after a |
| 12472 | 4 | Hydrangea serrata 'Isusai-jaku' x 3 | 119 | 15 | bul | | | |
| 13005 | 4 | Hydrangea serrata 'Isusai-jaku' x 1 | 119 | 15 | bul | | | gift Bulk, |
| 13006 | 4 | Hydrangea serrata 'Kurohime' x 1 | 113 | 15 | bul | | | gift Bulk, |
| 18180 | 4 | Hydrangea serrata 'Maiko' x 1 | 120 | 18 | bot | | | #14526, Botanic Treasures Raf Lenaerts, |
| 18183 | 4 | Hydrangea serrata 'Miranda' x 1 | 121 | 18 | bot | | | #14538, Botanic Treasures Raf Lenaerts, |
| 12475 | 4 | Hydrangea serrata 'Miyama-kuro-hime' x 3 | 114 | 15 | bul | | | 1306: high plants compared to other serrata's in pON |
| 14439 | 4 | Hydrangea serrata 'Miyama-yae-murasaki' x 1 | 236 | 14 | div | | | gift #11075 from Maurice Foster as 'Mik yae murasak |
| 12484 | 2 | Hydrangea serrata 'Mont Aso' x 3 | 117 | 16 | bul | | | 1206: status 2 |
| 13007 | 4 | Hydrangea serrata 'Mont Aso' x 1 | 281 | 18 | bul | | | gift Bulk, |
| 12477 | 3 | Hydrangea serrata 'Murasaki-kobai' x 5 | 121 | 15 | bul | | | 1306: not as dense as other serrata's in pON, 1706: 5/ |
| 12204 | 4 | Hydrangea serrata 'Odoriko-amacha' x 1 | 236 | 12 | div | | | gift #11077 from Maurice Foster |
| 20191 | 4 | Hydrangea serrata 'Odoriko-amacha' x 3 | 148 | 20 | pds | | | cttg. #13964 of HKRD #12204, |
| 18181 | 3 | Hydrangea serrata 'Otsu hime' x 1 | 120 | 18 | bot | | | (= Oto Hime'), #14536, Botanic Treasures Raf Lenaer |
| 12187 | 4 | Hydrangea serrata 'Preziosa' x 5 | 236 | 12 | boc | | | |
| 18182 | 3 | Hydrangea serrata 'Pulchra' x 1 | 120 | 18 | bot | ? | | #14530, Botanic Treasures Raf Lenaerts, VERIFY IN |
| 12479 | 3 | Hydrangea serrata 'Seikai' x 2 | 113 | 15 | bul | | | 1306: one plant status 2, 1406: 2/3, 1806: declining, s |
| 12485 | 3 | Hydrangea serrata var. thunbergii x 2 | 119 | 15 | bul | | | 1809: 2/3 left |
| 12486 | 4 | Hydrangea serrata 'Tiara' x 2 | 118 | 15 | bul | | | 1205:2/3, 1206: status 1, 1507: back to status 4 |
| 13010 | 4 | Hydrangea serrata 'Tiara' x 1 | 118 | 15 | bul | | | gift Bulk, |
| 12487 | 4 | Hydrangea serrata 'Warabe' x 3 | 130 | 15 | bul | | | x serratophylla acc to internation. Index, (when planti |
| 12577 | 4 | Hydrangea serrata 'Warabe' x 1 | 299 | 19 | bul | | | x serratophylla acc to internation. Index, was group of |
| 12481 | 4 | Hydrangea serrata 'Woodlander' x 3 | 131 | 15 | bul | | | |
| | 6 | Hydrangea villosa =>H. aspera Villosa Group x 0 | | | | | | |
| 20187 | 4 | Hydrangea xanthoneura x 1 | 117 | 20 | wld | | | |
| 15236 | 3 | Hypericum frondosum 'Buttercup' x 1 | 295 | 15 | pds | | | = H. uralum?, cttg. #12510 of HKRD #98531 (or are t |
| 20101 | 4 | Hypericum tenuicaule aff. x 2 | 295 | 20 | wld | ? | | |
| 19247 | 4 | Idesia polycarpa x 1 | 169 | 20 | div | | | Emain Sébastien (La Grange aux Erables), female sele |
| 19248 | 4 | Idesia polycarpa x 1 | 169 | 20 | div | | | Emain Sébastien (La Grange aux Erables), male |
| 92760 | 4 | Ilex 'Accent' (integra x pernyi) x 1 | 116 | 94 | vml | | | Male, gift Bokrijk, |
| 98423 | 4 | Ilex 'Accent' (integra x pernyi) x 1 | 153 | 98 | vml | | | Male, Bokrijk 95864, 1210: not the most elegant plant |
| 88419 | 4 | Ilex x altaclerensis 'Belgica' x 1 | 118 | 88 | vml | ? | | BDB #32369, Female, 97:big wound at base, cleane |
| 88423 | 4 | Ilex x altaclerensis 'Belgica Aurea' x 1 ** | 148 | 93 | vml | ? V | | BDB #32374, Female, |
| 95171 | 4 | Ilex x altaclerensis 'Camelliifolia' x 1 | 113 | 95 | vml | | | Female, gift Bokrijk, |
| 92795 | 4 | Ilex x altaclerensis 'Cherryberry' x 1 | 148 | 92 | vml | V | | Female, gift fr.Bokrijk as I. aquifolium 'Cherry Berry' |
| 88365 | 4 | Ilex x altaclerensis 'Golden King' x 1 | 146 | 94 | vml | ? V | | Female |
| 88422 | 4 | Ilex x altaclerensis 'Hendersonii' x 1 * | 118 | 94 | vml | ? | | Female, |
| 88425 | 4 | Ilex x altaclerensis 'Hodginsii' x 1 | 118 | 91 | vml | ? | | Male, |
| 88502 | 4 | Ilex x altaclerensis 'Howick' x 1 | 146 | 94 | vml | V | | Female, 2001: can go, green stock and not very attract |
| 92791 | 4 | Ilex x altaclerensis 'James G. Esson' x 1 ** | 148 | 92 | vml | | | Female, 1010: good fruiting and outstanding form, |
| 92806 | 4 | Ilex x altaclerensis 'Lawsoniana' x 1 | 148 | 92 | vml | V | | Female, 00:many shoots returns to type !! |
| 88418 | 4 | Ilex x altaclerensis 'Moorei' x 1 | 120 | 91 | vml | ? V | | Male, |
| 88368 | 4 | Ilex x altaclerensis 'Purple Shaft' x 1 | 120 | 91 | vml | ? V | | Female, 99:beautiful foliage; |
| 92788 | 4 | Ilex x altaclerensis 'W. J. Bean' x 1 * | 148 | 92 | vml | | | Female, |
| 92821 | 4 | Ilex x altaclerensis 'Wieman's Hedge-row' x 1 | 116 | 94 | vml | | | Male, |
| 88421 | 4 | Ilex x altaclerensis 'Wilsonii' x 1 | 118 | 91 | vml | ? | | Female, Galle says aquifolium 'Wilsonii', but Plant Fi |
| 03026 | 4 | Ilex aquifolium x 1 | 234 | 00 | spo | V | | spontaneous, in feet of Oak, few years old |
| 03027 | 4 | Ilex aquifolium x 1 | 234 | 00 | spo | V | | spontaneous, in feet of Oak, few years old |
| 88383 | 4 | Ilex aquifolium 'Angustimarginata Aurea' x 1 | 148 | 93 | vml | ? | | Male, |
| 88364 | 4 | Ilex aquifolium 'Aurantiaca' x 1 | 149 | 93 | vml | ? V | | Female, orange, apparently not a synonym of Flavesc |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|---|
| 98429 | 4 | Ilex aquifolium 'Aurea Marginata Fructu Lutea' x 1 | 201 | 98 | vml | | | */Bokrijk 98042; 0302: fruits pale orange, not 'luteo'; |
| 92781 | 4 | Ilex aquifolium 'Aurifodina' x 1 | 117 | 94 | vml | | | Female, gift fr.Bokrijk |
| 92782 | 4 | Ilex aquifolium 'Aurifodina' x 1 | 130 | 95 | vml | V | | Female, gift fr.Bokrijk |
| 14388 | 4 | Ilex aquifolium 'Bacciflava' x 3 | 297 | 14 | vpl | | | 1801: 3/6 cut |
| 98418 | 4 | Ilex aquifolium 'Crassifolia' x 1 * | 130 | 98 | vml | V | | Bokrijk 92188; 0705: interesting, 1311: no fruits, mal |
| 88366 | 4 | Ilex aquifolium cv. x 1 | 120 | 91 | vml | ? | V | Male, 021028: error, Donningtonensis has much smal |
| 92800 | 4 | Ilex aquifolium 'Deletta' x 1 | 148 | 92 | vml | | | gift fr.Bokrijk |
| 88355 | 4 | Ilex aquifolium 'Ferox Argentea' x 1 | 146 | 94 | vml | ? | V | Male |
| 88373 | 4 | Ilex aquifolium 'Golden van Tol' x 1 | 118 | 91 | vml | ? | | Female, |
| 98422 | 4 | Ilex aquifolium 'Goldfrucht' x 1 | 146 | 98 | vml | | | Bokrijk 95838, 1401: yellow fruit on the ground, gave |
| 95043 | 4 | Ilex aquifolium 'Green Devil' x 1 | 146 | 00 | div | | | gift from Susyn Andrews 94/10, 04: name not found i |
| 88371 | 4 | Ilex aquifolium 'Green Pillar' x 1 | 148 | 93 | vml | ? | | Female, |
| 84271 | 4 | Ilex aquifolium 'Handsworth New Silver' x 1 * | 118 | 93 | esv | C | V | Female, |
| 92790 | 4 | Ilex aquifolium 'Handsworthensis' x 1 | 148 | 92 | vml | V | | Male, gift fr.Bokrijk |
| 95185 | 3 | Ilex aquifolium 'Harpune' x 1 | 120 | 95 | vml | | | gift Bokrijk, 1809: meager crown, status 3 |
| 88356 | 4 | Ilex aquifolium 'Hastata' x 1 | 118 | 91 | vml | ? | | Male, |
| 98414 | 4 | Ilex aquifolium 'Ingramii' x 1 | 201 | 98 | vml | ? | | (syn. 'Silver Dust'), Male, Bokrijk 8734, very similar, |
| 88381 | 4 | Ilex aquifolium 'J. C. van Tol' x 1 | 120 | 88 | vml | ? | | Female, |
| 98444 | 4 | Ilex aquifolium 'Lewis' x 1 | 153 | 98 | vml | | | Female, Bokrijk 98175 |
| 88375 | 4 | Ilex aquifolium 'Madame Briot' x 1 | 118 | 91 | vml | ? | | Female, |
| 88359 | 4 | Ilex aquifolium 'Oregon' x 1 * | 118 | 91 | vml | ? | | Female, |
| 88385 | 4 | Ilex aquifolium 'Ovata Aurea' x 1 | 167 | 95 | vml | ? | | Male, 1806: not very elegant plant and between two o |
| 88369 | 4 | Ilex aquifolium 'Pendula' x 1 | 130 | 95 | vml | ? | V | Female, 1311: no fruits in this good year! |
| 88374 | 4 | Ilex aquifolium 'Pyramidalis Aureomarginata' x 1 | 120 | 91 | vml | ? | | Female, |
| 92794 | 4 | Ilex aquifolium 'Pyramidalis Fructu Luteo' x 1 | 148 | 92 | vml | V | | Female, yellow fruit, gift fr.Bokrijk |
| 98424 | 4 | Ilex aquifolium 'Repanda' x 1 | 201 | 98 | vml | | | Bokrijk 96008 |
| 88377 | 4 | Ilex aquifolium 'Scotica' x 1 | 118 | 91 | vml | ? | V | BDB #32370, Male, not 'Crispa'; 02:is 'Scotica', femal |
| 98431 | 4 | Ilex aquifolium 'Weeping Golden Milkmaid' x 1 | 201 | 98 | vml | | | Bokrijk 98045 |
| 88382 | 4 | Ilex aquifolium 'Yellow Beam' x 1 | 118 | 91 | vml | ? | | Female, yellow fruit ? 98: Long horizontal branches,p |
| 98425 | 4 | Ilex x aquipernyi 'Wieman's Oriental Queen' x 1 | 206 | 98 | vml | | | Bokrijk 96015 |
| 92829 | 4 | Ilex x aquipernyi 'Wieman's Pacific Queen' x 1 | 118 | 94 | vml | | | Female, gift fr.Bokrijk |
| 98417 | 4 | Ilex x aquipernyi 'Wieman's Pacific Queen' x 1 | 201 | 98 | vml | | | Bokrijk 92187 |
| 07104 | 4 | Ilex x attenuata (cassine x opaca) x 5 | 289 | 07 | pds | | | cttg. #7375 of Hkrd #92755 (not I. cassine), planted t |
| 88513 | 4 | Ilex x attenuata (cassine x opaca) x 1 | 149 | 93 | vml | ? | | male, 01:back to status 4 after wet seasons, 02: was d |
| 92755 | 4 | Ilex x attenuata (cassine x opaca) x 1 | 167 | 95 | vml | | | male, gift fr.Bokrijk, 97:B.C+, 06: verified JDL as I. |
| 88411 | 4 | Ilex x attenuata 'Foster N° 2' x 1 | 118 | 91 | vml | ? | | Female, 97:pruned to help resist wind in that loc. |
| 88393 | 4 | Ilex x attenuata 'Sunny Foster' x 1 * | 167 | 95 | vml | ? | | Female, |
| 95181 | 4 | Ilex x attenuata 'Sunny Foster' x 1 | 130 | 95 | vml | C | | Female, gift Bokrijk, 95/8 defol.,dry, 96:C-, not hardy |
| 98439 | 4 | Ilex x attenuata 'Sunny Foster' x 1 | 130 | 98 | vml | V | | Female, Bokrijk 98079; 030828: lvs falling, new lvs v |
| 98462 | 4 | Ilex x attenuata 'Tanager' x 1 | 203 | 98 | vml | | | Female, Bokrijk 98218 |
| 17183 | 4 | Ilex bioritsensis x 1 | 112 | 17 | wld | | V | |
| 88334 | 4 | Ilex bioritsensis x 1 | 120 | 91 | vml | | V | |
| 07234 | 4 | Ilex brachyphylla x 1 | 146 | 10 | dev | | | gift Damien Devos, (= I. ficoidea var. brachyphylla) |
| 88400 | 4 | Ilex 'Brighter Shines' (cornuta x pernyi) x 1 | 149 | 93 | vml | ? | | Female, female parent is I.c. 'Burfordii' |
| 88412 | 4 | Ilex 'Brilliant' (ciliospinosa x) x 1 | 146 | 94 | vml | ? | | */received as Ilex (TDN 6785193); 030616: good pla |
| 92753 | 4 | Ilex 'Brilliant' (ciliospinosa x) x 1 | 120 | 95 | vml | | | Female, gift fr.Bokrijk, 1809: from 3 back to status 4 |
| 95170 | 4 | Ilex 'Brownell's Special' x 1 | 118 | 95 | vml | | | */gift Bokrijk, |
| 92752 | 4 | Ilex 'China Girl' (rugosa x cornuta) x 1 o | 116 | 94 | vml | | | gift fr.Bokrijk, 0802: ugly thing and very sensitive to |
| 19030 | 4 | Ilex chinensis x 1 | 112 | 19 | bot | | | Raf Lenaerts #14510, |
| 95191 | 4 | Ilex ciliospinosa x 1 | 120 | 95 | vml | V | | gift Bokrijk, 021028: typical says S. Andrews, but did |
| 98441 | 4 | Ilex 'Clusterberry' x 1 * | 151 | 98 | vml | V | | Bokrijk 98081, 99/1:*good lasting compact fruiting |
| 88333 | 4 | Ilex colchica x 1 | 149 | 93 | vml | ? | V | 150601: greenish fruit, thus female (JO) |
| 92783 | 4 | Ilex colchica x 1 | 120 | 98 | vml | V | | gift fr.Bokrijk; 02:fungus on the lvs, 1508: spreading |
| 98453 | 4 | Ilex colchica x 1 | 120 | 98 | vml | V | | Bokrijk 98256, 1508: is spreading |
| 88332 | 4 | Ilex cornuta 'Anicet Delcambre' x 1 | 167 | 95 | vml | ? | V | 97:B,C, not I. fargesii, maybe error with HKRD #927 |
| 88395 | 4 | Ilex (cornuta x ciliospinosa) x 1 * | 149 | 93 | vml | ? | H | 161225: last Ilex to hold its fruits, good plant |
| 88358 | 4 | Ilex cornuta (hybrid) x 1 | 130 | 95 | vml | H | | 021028: rcvd. as Ilex aquifolium 'Brownell's Special', |
| 98447 | 4 | Ilex 'Cousin' (ciliospinosa x rugosa) x 1 | 130 | 98 | vml | | | Bokrijk 98192 |
| 08333 | 4 | Ilex crenata 'Blondie' x 1 | 130 | 11 | opr | | | gift Oprins, their introduction, 13: cut off head, to kee |
| 98090 | 4 | Ilex crenata cv. x 1 | 131 | 11 | vml | ? | | lost label, similar to I.c.'Aurea'? 9910:many fruits, the |
| 99119 | 4 | Ilex crenata cv. x 1 | 149 | 07 | div | ? | | gift from propagator of VML; 0302: nearly completel |
| 08334 | 4 | Ilex crenata 'Dark Green' x 1 | 130 | 11 | opr | | | gift Oprins, their introduction, 1311: fruiting |
| 92764 | 4 | Ilex crenata 'Green Lustre' x 1 | 131 | 11 | vml | | | gift fr.Bokrijk |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|--|
| 92817 | 4 | Ilex crenata 'Hetzii' x 1 | 130 | 10 | vml | | | Female, gift fr.Bokrijk, 1311: no fruits in this good y |
| 88340 | 4 | Ilex crenata 'Ivory Hall' x 1 | 130 | 95 | vml | ? | T | Female, ivory fruit, 95:dry, _01:back to status 4 |
| 08135 | 4 | Ilex crenata 'Jeran' x 1 | 119 | 14 | vml | | | selection by Jef Van Meulder, Female, small dark gre |
| 92769 | 4 | Ilex crenata 'Mariesii' x 1 | 119 | 14 | vml | | | Female, gift fr.Bokrijk |
| 92813 | 4 | Ilex crenata 'Piedmont Pyramidal' x 1 | 130 | 18 | vml | | | Female, gift fr.Bokrijk, 1711: moved within location (|
| 88345 | 4 | Ilex crenata 'Rotundifolia' x 1 | 130 | 95 | vml | ? | | |
| 92819 | 4 | Ilex crenata 'Rotundifolia' x 1 | 130 | 10 | vml | | | gift fr.Bokrijk |
| 92763 | 4 | Ilex crenata 'Sentinel' x 1 | 130 | 95 | vml | | | Female, gift fr.Bokrijk |
| 88346 | 4 | Ilex crenata 'Stokes' x 1 | 119 | 14 | vml | | | Male, |
| 92767 | 4 | Ilex crenata 'Tee Dee' x 1 | 130 | 16 | vml | | | Female, gift fr.Bokrijk, 1311: no fruits in this good y |
| 88350 | 4 | Ilex crenata 'William Jackson' x 1 | 130 | 95 | vml | ? | | 95:dry, 96:0 , 98:recovered from base |
| 92815 | 4 | Ilex crenata 'William Jackson' x 1 | 130 | 95 | vml | | | Male, gift fr.Bokrijk |
| 88348 | 4 | Ilex crenata 'Zwischenahn' x 1 | 149 | 93 | vml | ? | | Female, |
| 92784 | 4 | Ilex 'Drace' (cornuta x pernyi) x 1 | 149 | 92 | vml | | | Female, gift fr.Bokrijk, female parent is I.c. 'Burfordii' |
| 92805 | 4 | Ilex 'Edward Nosal' (pernyi x aquifolium) x 1 | 148 | 92 | vml | | | Male, gift fr.Bokrijk, male parent was I.a. 'Little Bull' |
| 95172 | 4 | Ilex 'Edward Nosal' (pernyi x aquifolium) x 1 | 118 | 95 | vml | | | gift Bokrijk, male parent was I.a. 'Little Bull' |
| 88394 | 4 | Ilex 'Emily Bruner' (cornuta x latifolia) x 1 * | 148 | 93 | vml | ? | V | Female, female parent was I.c. 'Burfordii'; '041122: ve |
| 98437 | 4 | Ilex 'Emily Bruner' (cornuta x latifolia) x 1 | 206 | 98 | vml | | | Bokrijk 98070, female parent was I.c. 'Burfordii'; |
| 17047 | 4 | Ilex fargesii x 3 | 148 | 17 | pds | | V | sd #11637, Howick, acc#2000-1062, SICHT 1784, 200 |
| 19093 | 4 | Ilex fargesii x 3 | 299 | 19 | wld | | | |
| 17276 | 4 | Ilex fargesii x 3 | 146 | 17 | wld | | V | |
| 88247 | 4 | Ilex glabra x 1 | 130 | 05 | pds | ? | V | HKRD #? |
| 92811 | 4 | Ilex glabra 'Nana' x 1 | 112 | 98 | vml | | V | gift fr.Bokrijk, 1703: verified to species level |
| 88402 | 4 | Ilex 'Good Taste' (cornuta x pernyi) x 1 | 130 | 95 | vml | ? | | 95/8: defol. by drought, _01:back to status 4 after wet s |
| 92796 | 4 | Ilex 'Hollowell' (aquifolium x cornuta) x 1 | 112 | 94 | vml | | | Male, gift fr.Bokrijk, 11: probably the only male in th |
| 88398 | 4 | Ilex 'Indian Chief' (cornuta x pernyi) x 1 | 120 | 91 | vml | ? | | Female, female parent is I.c. 'Burfordii' |
| 19035 | 4 | Ilex integra x 1 | 149 | 19 | bot | ? | | #14508, Raf Lenaerts, towards fence |
| 88404 | 4 | Ilex 'Jermyns Dwarf' (pernyi x ?) x 1 | 130 | 95 | vml | ? | | Female, hbrd or sdlg of I.pernyi ? 95/8:lost most of its |
| 88399 | 4 | Ilex 'John T. Morris' (cornuta x pernyi) x 1 | 149 | 93 | vml | ? | | Male, female parent was I.c. 'Burfordii' |
| 05091 | 4 | Ilex x koehneana (aquifolium x latifolia) x 1 | 131 | 05 | spo | | | spo #7845 rooted branches of #85002 |
| 05092 | 4 | Ilex x koehneana (aquifolium x latifolia) x 2 | 175 | 08 | spo | | | spo #7845 rooted branches of #85002, 07: chlorotic, 0 |
| 88405 | 4 | Ilex x koehneana (aquifolium x latifolia) x 1 ** | 118 | 91 | vml | ? | | 97:pruned heavily to promote resistance to wind in th |
| 92797 | 4 | Ilex x koehneana 'Chestnut Leaf' (aquifolium x latifolia) x | 148 | 92 | vml | | | BDB 30741, Female, gift fr.Bokrijk, 1010: excellent |
| 92799 | 4 | Ilex x koehneana 'Chieftain' x 1 | 116 | 94 | vml | | | Male, gift fr.Bokrijk, 0502: big wound in stem at 1m, |
| 88396 | 4 | Ilex x koehneana 'Hohman' x 1 | 118 | 91 | vml | ? | | */Female, |
| 15071 | 4 | Ilex latifolia x 1 | 155 | 15 | wld | ? | ? | |
| 17467 | 3 | Ilex macropoda x 3 | 295 | 17 | div | | | gift Bokrijk: 20110889; Bokrijk, seeds from own plan |
| 93110 | 4 | Ilex macropoda x 1 | 144 | 96 | wld | | ? | |
| 88392 | 4 | Ilex 'Mary Nell' [(cornuta x pernyi) x latifolia] x 1 * | 146 | 94 | vml | ? | V | ("the plastic holly" dixit S. Andrews), 18: deserves a * |
| 95174 | 4 | Ilex 'Mary Nell' [(cornuta x pernyi) x latifolia] x 1 | 120 | 95 | vml | | | gift Bokrijk, |
| 12581 | 4 | Ilex x meserveae 'Blue Angel' (rugosa x aquifolium) x 10 | 297 | 12 | div | | | Female, branches with shade of purple, good compact |
| 88415 | 4 | Ilex x meserveae 'Blue Angel' (rugosa x aquifolium) x 1 * | 130 | 93 | vml | ? | | Female, good compact plant, 9909:pruned and shape |
| 94201 | 4 | Ilex x meserveae 'Blue Angel' (rugosa x aquifolium) x 4 | 146 | 09 | pds | | | Female, Cttg 1454 from HKRD 84006, 0406: pl-a dro |
| 88414 | 4 | Ilex x meserveae 'Blue Prince' (rugosa x aquifolium) x 1 | 130 | 91 | vml | ? | ? | |
| 88417 | 4 | Ilex x meserveae 'Blue Prince' (rugosa x aquifolium) x 1 | 130 | 91 | vml | ? | | uggly plant, leggy, could it be wrong or unhappy ? 99: |
| 88416 | 4 | Ilex x meserveae 'Blue Princess' (rugosa x aquifolium) x 1 | 130 | 91 | vml | ? | ? | 021028: could be Blue Girl ! because leaves are very |
| 88501 | 4 | Ilex x meserveae 'Blue Princess' (rugosa x aquifolium) x 1 | 130 | 91 | vml | | | 021028: is of course the same as 88416 is Blue Girl sa |
| 15104 | 4 | Ilex opaca x 3 | 299 | 15 | wld | | V | |
| 92830 | 4 | Ilex opaca 'Big Mack' x 1 | 205 | 95 | vml | | | Female, gift fr.Bokrijk, 1311: good fruiting |
| 98442 | 4 | Ilex opaca 'Cave Hill No. 1' x 1 | 204 | 98 | vml | | | Female, Bokrijk 98082, 1311: good fruiting |
| 92757 | 4 | Ilex opaca 'Danny Allen' x 1 | 120 | 94 | vml | | | gift fr.Bokrijk, male?, 1311: NOT male, but only few |
| 92745 | 4 | Ilex opaca 'Longwood Gardens' x 1 | 205 | 95 | vml | | | Female, yellow drupes gift fr.Bokrijk, 1311: good fru |
| 92747 | 4 | Ilex opaca 'Red Flush' x 1 | 205 | 95 | vml | | | Female, gift fr.Bokrijk, 1311: good fruiting |
| 88338 | 4 | Ilex pedunculosa x 1 | 167 | 95 | vml | ? | V | Female, 97:B+, some lvs of late growth damaged, 05 |
| 12511 | 4 | Ilex perado subsp. azorica x 1 | 294 | 12 | div | ? | V | gift #12592 from J.-L. Dantec as I. perado latifolia (si |
| 98434 | 4 | Ilex pernyi x 1 | 130 | 98 | vml | | V | Bokrijk 98050, _0110:leaning over, cut back to prom |
| 95178 | 4 | Ilex 'Princess Pat' x 1 | 120 | 95 | vml | | | gift Bokrijk, Jef Van Meulder: 'Da's weer zo'n hybrid |
| 98435 | 4 | Ilex 'Sambeau' x 1 * | 204 | 98 | vml | | | */Bokrijk 98057, 021028: rcvd as Ilex opaca 'Sambea |
| 18154 | 4 | Ilex spinigera x 1 | 201 | 18 | wld | | | |
| 99251 | 4 | Ilex sugerokii x 1 | 146 | 03 | wld | | V | |
| 03104 | 4 | Ilex verticillata x 6 | 179 | 03 | wld | | | |
| 05101 | 4 | Ilex verticillata x 4 | 175 | 14 | wld | | | |
| 11200 | 4 | Ilex verticillata x 4 | 179 | 11 | pds | | | cttg. #9049 of HKRD #03104-A, good fruit-bearing s |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|---|
| 11201 | 4 | Ilex verticillata x 4 | 175 | 14 | wld | | | |
| 17050 | 4 | Ilex verticillata x 1 | 179 | 17 | wld | | | |
| 04460 | 4 | Ilex x wandoensis (cornuta x integra) x 1 | 146 | 06 | div | | | gift J. Pousse, 0608: new growth really purple! |
| 88409 | 4 | Ilex 'William Cowgill' (cornuta x ciliospinosa) x 1 | 118 | 91 | vml | ? | | Female, |
| 98426 | 4 | Ilex 'William Cowgill' (cornuta x ciliospinosa) x 1 | 206 | 98 | vml | | | Bokrijk 96020, 1210: is a grafted plant; had to remov |
| 88327 | 4 | Ilex yunnanensis var. gentilis x 1 * | 167 | 95 | vml | ? | V | 97:B+, 0109:elegant plant, 1605: var. not recognized |
| 08276 | 4 | Illicium anisatum x 1 | 113 | 10 | bur | A | | 1004: perfectly hardy after two bad winters, in pON, 1 |
| 15330 | 4 | Illicium floridanum f. album x 1 | 146 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin) as 'Alba', |
| 09018 | 4 | Itea ilicifolia x 1 | 294 | 18 | esv | C | | 1203: B, maybe worse, 1206: C, but coming back no |
| 08290 | 4 | Itea virginica x 3 | 222 | 08 | vpl | | | 0809:6/7 found, 1008: 3 left, too dry? |
| 08293 | 4 | Itea virginica x 2 | 222 | 08 | vpl | | | 1409: 2/5 left? |
| 08301 | 4 | Itea virginica x 2 | 222 | 08 | vpl | | | 1003: 3/4, 1103: 2/4 |
| 18235 | 4 | Itea virginica x 3 | 297 | 18 | wld | | | |
| 00436 | 4 | Itea virginica 'Henry's Garnet' x 2 | 146 | 03 | esv | | | 07: 2/3 left, 1211: good autumn colour, 131123: outst |
| 19463 | 4 | Itea virginica 'Henry's Garnet' x 36 | 237 | 19 | dbr | | | near Ginkgo at compost stock, only 4 labels |
| 11270 | 4 | Itea virginica 'Little Henry' x 5 | 236 | 11 | rob | | | = 'Sprich', |
| 12377 | 4 | Juglans ailanthifolia x 1 | 178 | 12 | wld | | | |
| 11186 | 3 | Juglans cathayensis x 1 | 182 | 11 | wld | | | |
| 11058 | 4 | Juglans cinerea x 1 | 262 | 11 | pds | | | sd #8185 from Guy Sternberg from a cultivated speci |
| 11067 | 4 | Juglans cinerea x 1 | 185 | 11 | pds | | | BD_35735 / sd #8185 from Guy Sternberg from a cult |
| | 6 | Juglans cordiformis =>J. ailanth. v. cordiformis x 0 | | | | | | |
| 11204 | 4 | Juglans major x 1 | 181 | 11 | pds | | | sd #8153, Arnold 10968-A -big Tr., (mixed with ma |
| 11070 | 4 | Juglans microcarpa x 1 | 178 | 11 | wld | | | |
| 11206 | 4 | Juglans microcarpa x 1 | 181 | 11 | wld | | | |
| 91423 | 3 | Juglans microcarpa x 1 * | 283 | 93 | waa | | V | */020818:nuts for first time ?, Stem is deeply furrowe |
| 07005 | 3 | Juglans nigra 'Laciniata' x 1 * | 185 | 08 | div | | | BDB #32378, Kris Michielsens, 1610: not a big succes |
| 96017 | 4 | Juglans (nigra x major) x 1 * | 210 | 97 | pds | | V | */Sd.4615 fr. Jardin Bot.Liège ! possibly hbrd, _01:ea |
| 14319 | 4 | Juglans regia x 1 | 292 | 14 | ver | | | #11625, Koen oo Liesbeth, 1205 (in pON): st. 2 snail |
| | 6 | Juglans sieboldiana =>J. ailanthifolia x 0 | | | | | | |
| | 6 | Juglans stenocarpa =>J. manschurica x 0 | | | | | | |
| | 6 | Juglans vilmoriniana =>J. x interm. v. vilmoriana x 0 | | | | | | |
| 02512 | 4 | Juniperus chinensis x 1 | 130 | 09 | div | | | 020925: gift visit Bonn Bot. Gard. gardeners, ctg. fro |
| 17339 | 4 | Juniperus recurva aff. x 1 | 172 | 17 | wld | | ? | |
| 20030 | 4 | Juniperus squamata aff. x 1 | 155 | 20 | wld | | ? | |
| 13082 | 2 | Juniperus virginiana x 1 | 166 | 13 | wld | | | |
| 14216 | 4 | Kalmia angustifolia f. rubra x 1 | 161 | 14 | pds | | V | cttg. #9719 of HKRD #84279 |
| 20003 | 4 | Kalmia latifolia x 2 | 156 | 20 | pds | | | sdlgs #8427 of Vordenstein White Form (see photo 2 |
| 09122 | 3 | Kalmia latifolia cv. x 1 | 162 | 09 | pds | | ? | unknown Kalmia from loc 4 |
| 03021 | 4 | Kalmia latifolia f. myrtifolia x 3 | 148 | 04 | bio | | | #4874, gift bio plant, microprop from my plant #8237 |
| 04342 | 4 | Kalmia latifolia 'Olympic Fire' x 2 | 147 | 05 | vpl | | | to fill group in 147 |
| 85024 | 2 | Kalmia latifolia 'Olympic Fire' x 1 | 168 | 07 | vml | A | | 92:ok, 07: to status 1, 1007: back to status 3, 1902: st. |
| 96200 | 4 | Kalmia latifolia 'Olympic Fire' x 4 | 147 | 01 | div | | | gift from Bioplant , _0111:only 5/7 doing well, 02: tw |
| 99110 | 4 | Kalmia latifolia 'Ostbo Red' x 1 | 148 | 03 | bul | | | very similar to 'Olympic Fire' in 147 |
| 96190 | 4 | Kalmia latifolia 'Pink Charm' x 5 | 118 | 01 | div | | | gift from Bioplant, 16: this group of 'Pink Charm' ver |
| 96288 | 4 | Kalmia latifolia 'Pink Charm' x 1 | 118 | 05 | div | | | gift from Bioplant , _was in group of 96200 Olympic |
| 96220 | 4 | Kalmia latifolia 'Pink Frost' x 6 | 151 | 01 | div | | | gift from Bioplant , very burnt by strong sun and war |
| 96210 | 4 | Kalmia latifolia 'Silver Dollar' x 4 | 120 | 01 | div | | | gift from Bioplant, 02: one dead, 11: another one dead |
| | 6 | Kalopanax pictus => Kalopanax septemlobus x | | | | | | |
| 08031 | 4 | Kalopanax septemlobus x 1 | 188 | 08 | spo | | | spo sdlg #9808 |
| 10075 | 4 | Kalopanax septemlobus x 1 | 171 | 10 | spo | | | prop #10687, found in pON, had no label, but is in fa |
| 13035 | 4 | Kalopanax septemlobus x 1 | 188 | 13 | wld | | ? | |
| 13085 | 4 | Koelreuteria bipinnata x 1 | 210 | 13 | pds | | V | sd. #9988, Morris Arboretum, collected by PdS, 1808 |
| 00537 | 4 | Koelreuteria paniculata x 1 * | 210 | 01 | bul | | | 0108:flowering, and at last a happy koelreuteria, on th |
| 11078 | 4 | Kolkwitzia amabilis x 1 | 293 | 11 | wld | | | |
| 11265 | 4 | Kolkwitzia amabilis 'Pink Cloud' x 1 | 237 | 11 | rob | | | |
| 11266 | 4 | Kolkwitzia amabilis 'Pink Cloud' x 1 | 237 | 11 | rob | | | |
| 11267 | 4 | Kolkwitzia amabilis 'Pink Cloud' x 1 | 237 | 11 | rob | | | |
| 06233 | 4 | Lagerstroemia x egolfii 'Muskogee' x 1 | 291 | 13 | div | D | | gift Etienne Dehout (Ecole Hort. Tournai), 09:C, 11: |
| | 6 | Larix europaea =>Larix decidua x 0 | | | | | | |
| 05231 | 4 | Larix gmelinii x 1 | 188 | 07 | klm | A | V | as Larix cajanderi N form of L. gmelinii, mostly not r |
| 05232 | 4 | Larix gmelinii x 1 | 135 | 07 | klm | | V | BDB #30732, as Larix cajanderi N form of L. gmelini |
| | 6 | Larix leptolepis =>Larix kaempferi x 0 | | | | | | |
| | 6 | x Ledodendron 'Arctic Tern' =>Rh. 'Arctic Tern' x 0 | | | | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|-----|---|--|
| 6 | | Ledum columbianum =>Rh. x columbianum x 0 | | | | | | |
| 6 | | Ledum glandulosum =>Rh. neoglandulosum x 0 | | | | | | |
| 6 | | Ledum groenlandicum =>Rh. groenlandicum x 0 | | | | | | |
| 6 | | Ledum macrophyllum =>Rh. tolmachevii x 0 | | | | | | |
| 6 | | Ledum nipponicum =>Rh. diversipilosum x 0 | | | | | | |
| 6 | | Ledum palustre var. hypoleucum =>Rh. hypoleucum x 0 | | | | | | |
| 6 | | Ledum palustre =>Rh. tomentosum x 0 | | | | | | |
| 10241 | 4 | Leitneria floridana x 1 | 183 | 10 | div | | | */sucker #9505, gift Anne Leitner, female, 1007 seem |
| 15425 | 4 | Leitneria floridana x 1 | 183 | 19 | div | | | bought at Courson by Christophe from Adeline |
| 6 | | Libocedrus decurrens =>Calocedrus decurrens x 0 | | | | | | |
| 20055 | 4 | Ligustrum compactum x 1 | 149 | 20 | wld | | | |
| 98491 | 4 | Ligustrum japonicum 'Korean Dwarf' x 2 o | 149 | 00 | rut | C | | gift from Wim Rutten and Dutch Nursery group, graft |
| 13165 | 4 | Ligustrum sinense x 1 | 293 | 13 | wld | C | | |
| 14101 | 4 | Lindera angustifolia (salicifolia) x 1 | 143 | 14 | div | | | gift #9971 from Carla Theune, Leiden 1999.8249, as |
| 14102 | 4 | Lindera angustifolia (salicifolia) x 1 | 164 | 14 | div | | | gift #9971 from Carla Theune, Leiden 1999.8249, as |
| 14138 | 4 | Lindera angustifolia (salicifolia) x 1 | 174 | 14 | mor | | | gift #12096, Morris Arboretum as L. salicifolia (#200 |
| 92151 | 4 | Lindera angustifolia x 1 | 143 | 98 | pds | A | | */sd. Cll.by Pds at Arnold Arboretum, 98:moved to ar |
| 92228 | 4 | Lindera benzoin x 2 | 127 | 02 | spi | | | 95:1/3 died, 02: moved from 2 to the group in 127 to |
| 95084 | 4 | Lindera benzoin x 2 * | 127 | 95 | wld | A | | |
| 13080 | 4 | Lindera erythrocarpa x 1 | 143 | 13 | wld | | | |
| 96146 | 4 | Lindera erythrocarpa x 3 * | 143 | 96 | wld | A | | |
| 00274 | 4 | Lindera obtusiloba x 1 ** | 143 | 00 | wld | | | |
| 03105 | 4 | Lindera obtusiloba x 1 | 143 | 06 | wld | | | |
| 15217 | 4 | Lindera obtusiloba x 1 | 143 | 15 | wld | | | |
| 99035 | 4 | Lindera praecox x 1 | 143 | 99 | rug | | | gift from Marc Libert, 9908:suffering from drought, 1 |
| 12396 | 4 | Lindera triloba x 1 | 143 | 16 | div | D | | sd. #9970 gift Dan Hinkley, 1402: moved back to p45 |
| 14134 | 4 | Lindera triloba x 1 | 162 | 14 | wld | ? | | |
| 00335 | 4 | Liquidambar acalycina x 1 | 237 | 00 | pav | | | 0111:dark lvs for long,only starting to colour |
| 98310 | 4 | Liquidambar formosana Monticola Group x 1 * | 237 | 00 | esv | | | 121122: superb autumn colour |
| 99230 | 4 | Liquidambar orientalis x 1 | 222 | 99 | cec | | | gift Choteau, 061105:poor aut. col. (pale yellow) |
| 18010 | 4 | Liquidambar orientalis 'M. Foster' x 1 | 177 | 18 | bot | | | prop #14505, Raf Lenaerts, 1807: st.2 in summer dro |
| 91107 | 4 | Liquidambar styraciflua 'Aurea' x 1 | 219 | 90 | esv | ? | | ? Second pl.of 3 (see 89412) |
| 07200 | 4 | Liquidambar styraciflua 'Aurora' x 1 ** | 188 | 08 | bul | ? | | ? 081022: deep dark burgundy autumn colour, 0911: is |
| 89415 | 4 | Liquidambar styraciflua 'Gum Ball' x 1 | 221 | 90 | esv | | | */(syn.'Globe'), 90:0, 1/3 found along edge of pond in |
| 8306A | 4 | Liquidambar styraciflua 'Lane Roberts' x 1 ** | 221 | 90 | hil | A T | | */one of three plants of a gr.of 3 under #83071, 9811 |
| 98312 | 4 | Liquidambar styraciflua 'Palo Alto' x 1 * | 237 | 00 | esv | | | 031104: relatively good and late colour, was not spect |
| 08394 | 4 | Liquidambar styraciflua 'Slender Silhouette' x 1 | 237 | 10 | div | | | BDB #32386, gift visit Dreisvogt and friends, from nu |
| 04047 | 4 | Liquidambar styraciflua 'Worplesdon' x 1 | 246 | 04 | vpl | | | |
| 04448 | 4 | Liriodendron 'Chapel Hill' (chinense x tulipifera) x 1 * | 137 | 05 | bul | | | BDB #30734, 070527:flwrg, dark colour, on young pl |
| 05233 | 4 | Liriodendron 'Chapel Hill' (chinense x tulipifera) x 1 | 188 | 07 | div | | | BD_35737 / gift visit Boskoop nursery men |
| 90002 | 4 | Liriodendron chinense x 1 | 253 | 90 | dbl | V | | */90:dry,KLMT sd:89/1410 98:some yellowish lvs, an |
| 13115 | 4 | Liriodendron tulipifera x 1 | 222 | 13 | wld | | | |
| 84290 | 4 | Liriodendron tulipifera 'Aureomarginatum' x 1 | 257 | 87 | esv | A | | BDB #30753, 020626: is flowering, 1808: has lost 2/ |
| 17340 | 4 | Lithocarpus henryi aff. x 1 | 172 | 17 | wld | ? | ? | |
| 12330 | 4 | Litsea kingii x 1 | 163 | 12 | wld | ? | V | |
| 16163 | 3 | Litsea moupinensis var. szechuanica x 1 | 143 | 16 | wld | | | |
| 16164 | 4 | Litsea moupinensis var. szechuanica x 1 | 162 | 16 | wld | | | |
| 17440 | 4 | Litsea moupinensis var. szechuanica x 1 | 143 | 17 | wld | | | |
| 16060 | 4 | Lonicera acuminata x 1 | 148 | 16 | wld | | | |
| 16066 | 4 | Lonicera acuminata x 1 | 292 | 16 | wld | | | |
| 15352 | 4 | Lonicera caerulea var. kamtschatica x 2 | 292 | 15 | klm | | | gift Abraham Rammeloo |
| 15353 | 4 | Lonicera caerulea var. kamtschatica x 2 | 155 | 16 | klm | | | gift Abraham Rammeloo |
| 07132 | 4 | Maackia amurensis x 1 | 276 | 07 | spo | | | prop #9072, found in p45, prob. spo sdlg from 2 or el |
| 99171 | 4 | Maackia amurensis x 1 | 153 | 03 | pds | | | Sd unknow origin |
| 91429 | 3 | Maackia amurensis var. buergeri x 1 | 271 | 93 | waa | | | 1302: to status 3, big wound at base |
| 00543 | 4 | Maackia hupehensis x 1 | 114 | 03 | bul | | | (syn. chinensis), 0808: beautiful bark, grows extremel |
| 04301 | 4 | Maackia hupehensis x 1 | 265 | 04 | div | | | (syn. chinensis), 5741b, origin unknown, could be fro |
| 08050 | 4 | Maackia hupehensis x 1 | 188 | 08 | div | | | (syn. chinensis), 5741b, origin unknown, could be fro |
| 91430 | 4 | Maclura pomifera (male) x 1 | 288 | 93 | waa | C | | 97:found one new base shoot growing from rotten bas |
| 10246 | 4 | Maclura pomifera ('Cannonball' sdlg) x 1 | 279 | 10 | div | | | sdlg #9506 of tree at Starhill Forest Arboretum (Guy a |
| 10249 | 4 | Maclura pomifera ('Cannonball' sdlg) x 1 | 287 | 10 | div | | | sdlg #9506 of tree at Starhill Forest Arboretum (Guy a |
| 16140 | 4 | Maddenia himalaica x 1 | 299 | 16 | wld | | | |
| 17286 | 4 | Maddenia hypoleuca x 1 | 236 | 17 | wld | V | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|--|
| 01207 | 3 | Magnolia 'Aashild Kalleberg' (tripetala x sieboldii) x 1 | 202 | 02 | rut | | | */0405: big leaves, outer tepals bending completely, tr |
| 20228 | 4 | Magnolia acuminata x 1 | 184 | 20 | wld | | | |
| 16236 | 4 | Magnolia acuminata 'Blue Opal' x 1 | 213 | 20 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 95011 | 4 | Magnolia (acuminata x cylindrica) x 1 * | 131 | 96 | pds | K | | */ BDB #30758, Sd.#4092 by August Kehr, _ 97:-a h |
| 11055 | 4 | Magnolia (acuminata x 'Miss Honeybee') x 1 | 268 | 11 | ver | K | | */graft #9902 of our #98055-B, not very interesting I t |
| 96087 | 4 | Magnolia (acuminata x 'Norman Gould') x 2 | 130 | 96 | pds | K | | */BDB #30757, Sd.#4084, A.Kehr crossed for late har |
| 87053 | 4 | Magnolia acuminata 'Seiju' x 1 * | 219 | 88 | eis | ? | | BDB #32385, 9908:loosing some inner lvs from drou |
| 92251 | 4 | Magnolia acuminata var. subcordata x 1 * | 213 | 93 | spi | | | BDB #34254, 99:many small bark splits at the base, _ |
| 04323 | 4 | Magnolia acuminata var. subcordata 'Brenda' x 1 | 120 | 04 | pds | | | cttg. #7208 from HKRD #02423, 1109: has a big wou |
| 08257 | 4 | Magnolia acuminata var. subcordata 'Mister Yellowjacket' | 218 | 12 | rut | | | |
| 06110 | 4 | Magnolia 'Advance' ('Burgundy' x 'Vulcan') x 1 | 191 | 09 | rut | | | 1105: status 2, dry and lvs shriveled, 1406: back to sta |
| 17497 | 4 | Magnolia 'A. E. Bold' ('Black Tulip' x 'J.C. Williams') x 1 | 181 | 19 | div | | | gift Michael Gottschalk |
| 19083 | 4 | Magnolia 'Ann' (stellata x liliiflora 'Nigra') x 1 | 212 | 19 | pds | | | cttg.#8488 of HKRD #87142 |
| 15169 | 3 | Magnolia 'Anne Rosse' (denudata x sargentiana var. robus | 206 | 15 | ver | | | #12877, graft of our Magnolia 'Anne Rosse' (denud. x |
| 18150 | 4 | Magnolia 'Ann's Delight' ('Vulcan' x 'Apollo' ?) x 1 | 174 | 18 | ver | | | #14212, "improved 'Vulcan'", |
| 03195 | 4 | Magnolia 'Apollo' (liliiflora 'Nigra' x campbellii 'Lanarth') | 155 | 05 | rut | | | 200316: wonderful dark flowers |
| 05276 | 3 | Magnolia 'Apricot Brandy' (acuminata x sprengeri) x 1 | 209 | 07 | rut | | | 1104: interesting flower colour, 1704: very floriferous |
| 04368 | 4 | Magnolia 'Athene' ('Lennei Alba' x 'Mark Jury') x 1 | 216 | 06 | rut | | | 200324: flowers reasonably well after night frost |
| 09007 | 4 | Magnolia ('Athene' x 'Vulcan') x 1 | 161 | 09 | div | K | | sdlg. #8915, gift Michael Gottschalk, his cross, #1249 |
| 94119 | 4 | Magnolia 'Atlas' ('Mark Jury' x 'Lennei') x 1 | 174 | 94 | spi | | | 050411: very good flowering this year, mostly 9 petal |
| 09005 | 4 | Magnolia ('Atlas' x 'J.C. Williams') x 1 | 161 | 09 | div | K | | sdlg. #8917, gift Michael Gottschalk, his cross, #1327 |
| 92991 | 4 | Magnolia 'Betty' (liliiflora 'Nigra' x stellata 'Rosea') x 1 | 212 | 00 | pds | | | cttg # 1473, ex-HKRD 84704, |
| 18149 | 4 | Magnolia 'Big Ben' (cylindrica x 'Vulcan') x 1 | 173 | 18 | ver | | | #14213, gift Carlos Verhelst |
| 98502 | 3 | Magnolia 'Big Dude' (sprengeri sprengeri x 'Picture') x 1 | 209 | 00 | div | | | unknown source, 0403: error, Big Dude instead of Ful |
| 19339 | 4 | Magnolia biondii x 1 | 132 | 19 | wld | | | |
| 99236 | 4 | Magnolia biondii x 1 | 203 | 01 | wis | V | | */gift from Allan Coombes, 070301: one flower, seem |
| 90033 | 4 | Magnolia 'Bjuv' (cylindrica x) x 1 | 204 | 90 | pds | V | | Cttg #1414 .fr.Bjuv pl.,received as cylindrica "the real |
| 02412 | 4 | Magnolia 'Black Tulip' ('Vulcan' x 'Iolanthe') x 1 * | 164 | 03 | div | | | 020505: gift from Jim Gardiner, 140325: excellent pla |
| 04371 | 4 | Magnolia 'Black Tulip' ('Vulcan' x 'Iolanthe') x 1 | 133 | 07 | rut | | | 1004: 1 flower |
| 09003 | 4 | Magnolia ('Black Tulip' x 'Vulcan') x 1 | 167 | 09 | div | K | | sdlg. #8918, gift Michael Gottschalk, his cross, #1549 |
| 09151 | 4 | Magnolia 'Brixton Belle' ('Sweet Simplicity' x 'Black Tuli | 164 | 10 | div | | | */from Vance Hooper through Vergeldt, for trial and r |
| 18043 | 4 | Magnolia 'Brixton Belle' ('Sweet Simplicity' x 'Black Tuli | 216 | 18 | ver | | | #14016, graft from our #09151, 190311: starts floweri |
| 95205 | 4 | Magnolia (x brooklynensis x acuminata) x 1 * | 151 | 95 | pds | K | | */Sd.#1744, from SdXch.Mag.Soc 1988, 02: nice abo |
| 18190 | 4 | Magnolia x brooklynensis 'Black Beauty' x 1 | 218 | 18 | ver | | | #14214 |
| 85090 | 4 | Magnolia x brooklynensis 'Evamaria' x 1 * | 213 | 87 | eis | A | | (acuminata x liliiflora), 15: blocks the view on Wada's |
| 92239 | 4 | Magnolia x brooklynensis 'Evamaria' x 1 * | 146 | 94 | spi | | | 170425: only sl. damaged by devastating frost, prob. |
| 85058 | 4 | Magnolia x brooklynensis 'Woodsman' x 1 * | 213 | 87 | eis | A | | (acuminata x liliiflora) |
| 87054 | 4 | Magnolia x brooklynensis 'Yellow Bird' (acuminata x 'Ev | 216 | 88 | eis | ? | | 02: older big bark splits and wound in fork at 60cm |
| 99044 | 4 | Magnolia 'Butterflies' (acuminata x denudata 'Sawada's Cr | 127 | 02 | rut | | | 040422: first flower, gappy, I don't like it, 060426: go |
| 91237 | 4 | Magnolia 'Caerhays Belle' (sargentiana x sprengeri) x 1 * | 167 | 94 | eis | | | 0801: sl. damaged during thinning of pine wood, 090 |
| 12423 | 4 | Magnolia cavaleriei var. platypetala x 1 * | 168 | 14 | wld | | | |
| 96167 | 3 | Magnolia 'Cecil Nice' (denudata x sargent.) x 1 | 201 | 97 | div | | | purchased at Magnolia auction, 1996, 98:one of two s |
| 20152 | 4 | Magnolia 'Cerise' (cylindrica x 'Vulcan') x 1 | 178 | 20 | bot | | | #15300, Raf Lenaerts, selection Ian Baldick |
| 20199 | 4 | Magnolia 'Charisma' (J.C.Williams' x 'Vulcan') x 1 | 171 | 20 | rut | | | prop #16695, |
| 84545 | 3 | Magnolia 'Charles Coates' (sieboldii x tripetala) x 1 * | 202 | 86 | hil | A | | 0302: many rubbing branches causing sometimes maj |
| 09152 | 3 | Magnolia 'Cleopatra' ('Sweet Simplicity' x 'Black Tulip') x | 174 | 12 | div | | | from Vance Hooper through Vergeldt, for trial and re |
| 15374 | 4 | Magnolia conifera var. chingii x 1 | 168 | 19 | bot | ? | | (Manglietia), Botanic Treasures (Raf Lenaerts), from |
| 13031 | 4 | Magnolia 'Coral Lake' ('Legend' x 'Butterflies') x 1 | 208 | 13 | ver | | | gift #11110 |
| | | 6 Magnolia cordata =>M. acuminata v. subcordata x 0 | | | | | | |
| 89472 | 4 | Magnolia cylindrica x 1 | 203 | 94 | wld | | | |
| 89473 | 4 | Magnolia cylindrica x 1 | 134 | 92 | wld | V | | |
| 92021 | 4 | Magnolia cylindrica (Arnold 652-90) x 1 * | 203 | 94 | arn | V | | */ "not M. amoena" says someone, from Arnold Arbor |
| 03198 | 4 | Magnolia 'Daisy Diva' ('Diva' x 'Lennei Alba') x 1 | 154 | 05 | rut | | | |
| 02202 | 4 | Magnolia 'Daphne' ('Miss Honeybee' x 'Gold Crown') x 1 | 154 | 08 | rut | | | 0402: severe damaged by rabbit, 1108:very pale/chlor |
| 03218 | 4 | Magnolia 'Daphne' ('Miss Honeybee' x 'Gold Crown') x 1 | 137 | 05 | rut | | | gift Wim Rutten, 0805: top of almost all branches dea |
| 98821 | 3 | Magnolia ('David Clulow' x sprengeri var. elongata) x 1 | 188 | 06 | pds | K | | from #98137-C, see there for more info, 1610: once a |
| 98822 | 3 | Magnolia ('David Clulow' x sprengeri var. elongata) x 1 | 192 | 06 | pds | K | | from #98137-E, see there for more info, 1705: from 4 |
| 90014 | 4 | Magnolia dawsoniana x 1 | 174 | 92 | rut | V | | */Rutten sdlg.fr.Amer.Mag.sd.exch. , 97/4/23:lvs total |
| 18042 | 3 | Magnolia dawsoniana 'Clarke' x 1 | 201 | 18 | ver | | | gift #14019 |
| 85085 | 3 | Magnolia dawsoniana 'Strybing' x 1 | 201 | 87 | eis | A | ? | */91/4:D,could be stock !! 96/10:plenty Armillaria aro |
| 02219 | 4 | Magnolia dawsoniana 'Valley Splendour' x 1 | 154 | 03 | rut | | | 0709:bamboo badly placed, ringed by roe deer, status |
| 04412 | 4 | Magnolia dawsoniana 'Valley Splendour' x 1 | 161 | 06 | rut | | | 200228: good, attractive flowering, |
| 92835 | 3 | Magnolia 'Daybreak' ('Woodsman' x 'Tina Durio') x 1 * | 208 | 92 | div | | | gift from A. Kehr to B.Dendr.S on our visit to his ho |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|-----|---|--|
| 02251 | 4 | Magnolia decudua x 1 | 163 | 02 | rut | A | | (Manglietia), 0904:perfectly hardy, came through -15° |
| 92002 | 4 | Magnolia 'Deep Purple Dream' (LA 45) x 1 | 252 | 94 | eis | | | (den.pink form x liliifl.) Hybridized by Prof J.McDani |
| 93020 | 3 | Magnolia denudata x 1 | 210 | 93 | pds | T | | Sd.CLP.90/122, Hort.ex Arb., 97/3/27 : flwrg OK Ty |
| 89281 | 4 | Magnolia denudata (late form) x 1 | 210 | 92 | spi | | | 02: many older and recent bark splits, 200324: flower |
| 92553 | 4 | Magnolia denudata 'Purpurascens' x 1 | 148 | 93 | waa | ? | | */Not M. acuminata 'Purpurea' as per invoice, Identifi |
| 16167 | 3 | Magnolia denudata 'Sleeping Beauty' x 1 | 209 | 16 | div | | | #10964, gift John Gallagher, (late flowering denudata |
| | 6 | Magnolia dianica => Magnolia laevifolia x 0 | | | | | | |
| 95050 | 4 | Magnolia 'Dude's Brother' (sprengeri sprengeri x 'Picture') | 253 | 96 | pds | | | cttg.#... fr.90164 fr.Savage R14-5 cttg 4118, 00:flwrg |
| 99046 | 4 | Magnolia 'Eleanor May' (soulangeana x campbellii 'Lanart | 206 | 99 | rut | | | 070312: good dark flowers, a bit cup and saucer, early |
| 85094 | 4 | Magnolia 'Elizabeth' (acuminata x denudata) x 1 * | 213 | 86 | eis | | | |
| 15375 | 4 | Magnolia ernstii x 1 | 168 | 20 | bot | ? | | (Michelia), Botanic Treasures (Raf Lenaerts), from W |
| 07085 | 3 | Magnolia 'Felix Jury' ('Atlas' x 'Vulcan') x 1 | 172 | 09 | rut | | | gift Catharien Rutten, 100427: flowering, 1108: remain |
| 01216 | 4 | Magnolia 'Flamingo' (acuminata x sprengeri) x 1 | 115 | 03 | rut | | | 180424: vigorous tree, first two flowers (PdS) |
| 16109 | 4 | Magnolia fordiana aff. x 1 | 162 | 16 | div | ? | | (Manglietia), prop #11601, purchased at Hulsdonk by |
| 85079 | 4 | Magnolia 'Forrest's Pink' x 1 * | 210 | 87 | eis | A T | | (?Diva Hbrd thinks K.Flink) ,clearly not a denudata, |
| 98501 | 4 | Magnolia 'Frank Gladney' (Gresham) x 1 | 174 | 00 | div | | | gift Jancel, Dir. J.B.Nantes, 060429: not much of an i |
| 04379 | 4 | Magnolia 'Frank's Masterpiece' ('Deep Purple Dream' x 'P | 162 | 08 | rut | | | 06: roe deer damage, 11: really ugly habit this taxon, |
| 14164 | 4 | Magnolia fraseri x 1 | 141 | 14 | wld | | | |
| 14280 | 4 | Magnolia fraseri x 1 | 203 | 14 | pds | | | sd. #9225, cross 06/35, 060512, 93251 x 93251, selfe |
| 93251 | 4 | Magnolia fraseri x 1 * | 123 | 95 | wld | V | | |
| 01002 | 4 | Magnolia fraseri var. pyramidata x 1 | 163 | 02 | wld | | | |
| 06001 | 3 | Magnolia ('Galaxy' x 'Caerhays Surprise') x 1 | 146 | 06 | pds | K | | */sd. #7675 from cross 02/009, #91146 x 90076, 100 |
| 09058 | 4 | Magnolia ('Galaxy' x 'Caerhays Surprise') x 1 | 182 | 09 | pds | K | | sd. #7676 from cross 02/008, #91146 x 90076, 1705: |
| 10105 | 4 | Magnolia 'Genie' (x soulangeana x liliiflora) x 1 | 210 | 12 | rut | | | gift Vergeldt, 160414: is good this year, floriferous an |
| 01128 | 4 | Magnolia 'Ghislaine' ('Galaxy' x 'Purple Breeze') x 1 | 173 | 01 | pds | K | | */sd from 5543 Cross 96/031 : 89480 x 84323, 06112 |
| 07086 | 4 | Magnolia 'Ghost Ship' x 1 | 193 | 08 | rut | | | gift Catharien Rutten, 110501: not a denudata, much t |
| 11142 | 3 | Magnolia globosa x 1 | 153 | 11 | ver | | | gift #10715, graft of our #87090, 1703: status 3 |
| 14276 | 3 | Magnolia globosa x 1 | 138 | 14 | ver | | | gift #10715, graft of our #87090, 1805: first flowering |
| 15257 | 3 | Magnolia globosa x 1 | 154 | 15 | pds | | | sd. #8099 from HKRD #87090, 1006: lvs scorched, st |
| 95384 | 4 | Magnolia 'Gold Star' ('Miss Honeybee' x stellata 'Rubra') | 204 | 98 | rut | | | gift Mr Rutten, |
| 06117 | 4 | Magnolia 'Golden Joy' ('Yellow Bird' x brooklynensis) x 1 | 258 | 08 | rut | | | 130510: is good yellow this year, 18: good yellow aga |
| 08249 | 3 | Magnolia 'Golden Rain' (acuminata x 'Norman Gould') x | 258 | 13 | rut | | | |
| 01219 | 4 | Magnolia 'Golden Sun' (acuminata x denudata) x 1 | 138 | 03 | rut | | | 090416: more yellow than Yellow Garland, flowers s |
| 08250 | 4 | Magnolia 'Goldfinch' ('Miss Honeybee' x denudata) x 1 | 268 | 10 | rut | | | 160421: floriferous, not bad but very pale (KC) |
| 01081 | 4 | Magnolia grandiflora x 1 | 201 | 01 | pds | | | Cttg f5788 rom Hkrd # 74004, 200228: branches torn |
| 02086 | 4 | Magnolia grandiflora x 1 | 138 | 02 | pds | | | cttg ex Hkrd #74004, 1501: good, dark indumentum, |
| 07047 | 4 | Magnolia grandiflora x 1 | 201 | 07 | pds | | | prop #7225, Cttg Hkrd 74004, 200228: branches torn |
| 17468 | 1 | Magnolia grandiflora 'Black Stem' x 1 | 204 | 19 | div | | | gift Bokrijk, 1993-0855, Jacques Vandooren, Kumtic |
| 96158 | 4 | Magnolia grandiflora 'Bracken's Brown Beauty' x 1 | 206 | 98 | div | | | BDB #31175, 96:gift from August Kehr 030204: mai |
| 95160 | 4 | Magnolia grandiflora 'Brown Velvet' x 1 * | 141 | 98 | div | | | BDB #31173, J.A.Smith prop., purchased at Magnoli |
| 05302 | 4 | Magnolia grandiflora 'Kay Parris' x 1 | 181 | 08 | rut | B | | 080201: youngest leaf frost damage, 1204: B-, |
| 08262 | 4 | Magnolia grandiflora 'Rosemoor' x 1 | 175 | 10 | rut | B | | 1202: sl. damage after cold winter on younger lvs, 13 |
| 95378 | 4 | Magnolia grandiflora 'Saint George' x 1 | 201 | 96 | div | | | gift from Nl.Keuringskomitee on their visit 11.9.95, 0 |
| 96178 | 4 | Magnolia grandiflora 'Samuel Sommer' x 1 | 201 | 98 | rut | B | | BDB #31174, gift from Rutten, 99/1:new growth hit b |
| 05037 | 4 | Magnolia 'Green Snow' (('Woodsman' x 'Lennei') x 'Elisab | 216 | 05 | pds | | | cttg. # 7613 from HKRD #95404 |
| 14532 | 4 | Magnolia 'Heaven Scent' (veitchii x liliiflora) x 1 | 216 | 17 | bul | | | 200312: closed flowers |
| 09142 | 4 | Magnolia 'Honey Belle' ('Miss Honeybee' x 'Ballerina') x | 213 | 12 | rut | | | 1404: not much Buergeria in here (PdS)!, 1504: good |
| 17287 | 3 | Magnolia 'Honey Tulip' x 1 | 268 | 17 | div | | | #13831, bought at Floralux, 1707: from 4 to status 3 |
| 87308 | 3 | Magnolia 'Hot Lips' (mollicomata x) x 1 | 206 | 97 | pds | | | mollicomata x sprengeri or x soulangeana?, cttg.#903, |
| 84301 | 3 | Magnolia 'Hot Pants' x 1 | 206 | 86 | esv | C | | */sold by Esveld as mollicomata ! 94/4:one small flwr |
| 17337 | 4 | Magnolia insignis x 1 | 161 | 17 | pds | ? | | (Manglietia), sd #11618 from Dick Figlar, sec-ID MG |
| 20226 | 4 | Magnolia insignis x 1 | 168 | 20 | bot | | | (Manglietia), #14134, gift Raf Lenaerts, to test: possib |
| 89218 | 4 | Magnolia 'Iolanthe' ('Lennei' x 'Mark Jury') x 1 | 162 | 96 | spi | | | 95:spring frosted again in 24, 96:moved to a more pro |
| 07083 | 4 | Magnolia 'James Comber' x 1 | 168 | 08 | rut | | | */gift Catharien Rutten, rcvd. as 'James James Comber |
| 91238 | 4 | Magnolia 'Jersey Belle' (sinensis x wilsonii) x 1 | 167 | 94 | eis | A | | 94:herbicide damage ! _01:from status 1 to 3, 0706: b |
| 90082 | 4 | Magnolia 'JG 11' (Gresham) x 1 * | 216 | 92 | eis | | | huge white flowers ! Good tree form, floriferous*, pro |
| 18196 | 4 | Magnolia 'Joli Pompon' ('David Clulow' x sprengeri var. e | 268 | 18 | ver | | | #15062 |
| 12333 | 2 | Magnolia 'Judy Zuk' (x brooklynensis hybrid) x 1 | 218 | 12 | ver | | | not a brooklynensis but acuminata x (acuminata x (lili |
| 14282 | 4 | Magnolia 'Judy Zuk' (x brooklynensis hybrid) x 1 | 268 | 14 | ver | | | gift #10717, Wisley 2001.4776A, |
| 17494 | 4 | Magnolia 'Katja Landler' ('Purple Planets' x 'J.C.Williams' | 181 | 19 | div | | | gift Michael Gottschalk |
| 90108 | 4 | Magnolia x kewensis 'Iufer' x 1 * | 203 | 93 | eis | | | */96/8:very dry , 98:very yellow, suddenly ! 99/3: not |
| 92555 | 4 | Magnolia x kewensis 'Parsons Clone' x 1 * | 204 | 93 | waa | ? | | 94:6-7 petals, a M. kobus ? or wrong CV or not a stell |
| 84691 | 4 | Magnolia x kewensis 'Wada's Memory' x 1 ** | 213 | 86 | spi | A | | 111101: some flowers, 200326: somewhat frosted flo |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|-----|---|
| 95138 | 4 | Magnolia kobus var. borealis x 1 * | 131 | 96 | wld | | | |
| 99069 | 4 | Magnolia kobus 'Edward A. Kehr' x 1 | 155 | 02 | rut | | | syn 'Octopus', rcvd as stellata 'Edward E. Kehr' |
| 14065 | 4 | Magnolia kobus 'Isis' x 1 | 203 | 15 | div | | | gift Gerbert Klein Wassink, fastigiate selection from |
| 92571 | 4 | Magnolia kobus 'Janaki Ammal' x 1 | 152 | 95 | waa | | | 97:damaged by roe deer ! _01:back from 2 to status 4, |
| 96008 | 4 | Magnolia kobus 'Janaki Ammal' x 1 | 204 | 00 | pds | | V | Cttg.4486 fr.92571, 070927: beautiful red seeds |
| 84331 | 4 | Magnolia kobus 'Norman Gould' x 1 * | 203 | 84 | esv | | A | 0410: a lot of dead wood, reduced evaluation to 1 *, 1 |
| 11140 | 4 | Magnolia kobus 'Pseudokobus' x 1 | 203 | 11 | ver | | | gift #10714 as pseudokobus 'Abe et Akasawa' but thes |
| 07169 | 4 | Magnolia laevifolia ("arborescent") x 1 | 167 | 10 | div | | B ? | */gift Carol Gurney via Kevin Hughes; this is 'Velvet |
| 17384 | 4 | Magnolia laevifolia (ex Kunming) x 1 | 120 | 19 | bot | | | Raf Lenaerts, from Patrick Belleck, slightly undulate l |
| 16086 | 3 | Magnolia laevifolia 'Gail's Favourite' x 1 | 185 | 19 | bul | | | 1906: 1/3rd of plant is dry, st.3 |
| 17336 | 4 | Magnolia (laevifolia x maudiae) x 1 | 162 | 17 | pds | | K | */sd #11548 from Bill Smith Virginia, laevifolia is see |
| 17343 | 4 | Magnolia (laevifolia x maudiae) x 1 | 236 | 17 | pds | | K | sd #11548 from Bill Smith Virginia, laevifolia is seed |
| 18112 | 3 | Magnolia (laevifolia x maudiae) x 1 | 167 | 18 | pds | | K | sd #11548 from Bill Smith Virginia, laevifolia is seed |
| 04418 | 4 | Magnolia laevifolia 'Summer Snowflake' x 1 | 151 | 06 | rut | | B | 09: hardy, is A+ after -15°c, 1304: status 3, some dea |
| 11053 | 2 | Magnolia 'Lanhydrock' (sprengeri 'Diva' seedling) x 1 | 171 | 11 | ver | | | graft #9899 of our #00390 I suppose, 1705: frost dam |
| 99051 | 4 | Magnolia 'Laura Saylor' ('Sawada's Pink' x 'Diva') x 1 | 217 | 02 | rut | | | rcvd as 'Laura'; 00:could be stock , lateral br taking ov |
| 95298 | 4 | Magnolia 'Leda' (campbellii Alba Gr. X 'Pegasus') x 1 | 163 | 96 | rut | | | graft fr.84302, by Rutten, 99:healthy, vigorous, 03: n |
| 12272 | 4 | Magnolia 'Lemon Star' (acuminata x 'Norman Gould') x 1 | 204 | 12 | ver | | | prop #11106 |
| 96010 | 4 | Magnolia 'Lileny' (liliiflora x 'Lennei') x 1 | 212 | 99 | pds | | | Cttg.4492 fr. 92243 , 99:first flowering |
| 08246 | 4 | Magnolia liliiflora 'Chinese Form' x 1 | 212 | 13 | rut | | | name?, 1609: beware for stock (not kobus!), 1703: ba |
| 00464 | 4 | Magnolia liliiflora 'Gracilis' x 1 | 212 | 02 | rut | | | 1408: good second flowering, flowers alright after fro |
| 14438 | 2 | Magnolia liliiflora 'Lyons' x 1 | 212 | 14 | rut | | | prop #11609, 1609: st.2, not doing well and beware o |
| 95009 | 4 | Magnolia x loebneri ('Encore' sdlg) x 1 * | 268 | 95 | pds | | V | */ Sd.#4086, from A.Kehr, 98 first flwrg,a stellata ros |
| 86310 | 4 | Magnolia x loebneri 'Ballerina' x 1 | 204 | 87 | esv | | ? | 91/4:spring frost, 1004: ideally would be cut, is too ta |
| 98473 | 4 | Magnolia x loebneri 'Donna' x 1 | 204 | 99 | rut | | | 98:defoliated by slugs, |
| 06121 | 4 | Magnolia x loebneri 'Encore' x 1 | 204 | 08 | rut | | | 0802: incredible all these flower buds! |
| 80064 | 4 | Magnolia x loebneri 'Leonard Messel' x 1 ** | 262 | 86 | hil | | A V | 94:always lovely, 04: and flowers very frost resistant, |
| 84681 | 4 | Magnolia x loebneri 'Leonard Messel' x 1 ** | 204 | 86 | spi | | B T | superb flwrg, hardy, longlasting flw._01:lost one big |
| 92556 | 4 | Magnolia x loebneri 'Leonard Messel' x 3 | 148 | 93 | waa | | | 99: moved from 147 to 148 to make way for new path |
| 01224 | 4 | Magnolia x loebneri 'Lesley Jane' x 1 | 205 | 03 | rut | | | 091111: excellent late deep yellow aut. col., 160113: f |
| 06217 | 4 | Magnolia x loebneri 'Mag's Pirouette' x 1 | 188 | 09 | ver | | | |
| 97184 | 4 | Magnolia x loebneri 'Mag's Pirouette' x 1 ** | 204 | 99 | rut | | | ('Ballerina' seedling) |
| 03129 | 4 | Magnolia x loebneri 'Merrill' x 1 | 204 | 05 | dev | | ? | 0703:seems to have too many tepals for Merrill |
| 91239 | 4 | Magnolia x loebneri 'Powder Puff' x 1 | 130 | 95 | eis | | ? | 0104:frosted, new shoots from close to base but proba |
| 92004 | 4 | Magnolia x loebneri 'Powder Puff' x 1 * | 151 | 95 | eis | | | 1304: is indeed a good selection |
| 99022 | 4 | Magnolia x loebneri 'Powder Puff' x 1 | 204 | 00 | pds | | | Cttg 4731Hkrd |
| 97181 | 4 | Magnolia x loebneri 'Raspberry Fun' x 1 | 203 | 02 | rut | | | |
| 08040 | 4 | Magnolia x loebneri 'Snowdrift' x 1 | 188 | 08 | pds | | | c ttg #7608 of HKRD #84320 |
| 90096 | 4 | Magnolia x loebneri 'Spring Snow' x 1 ** | 205 | 92 | eis | | | lovely colour, slightly greenish, 1004: continuously fl |
| 04390 | 4 | Magnolia 'Lois' (acuminata x (acuminata x denudata)) x 1 | 258 | 06 | rut | | | 070417: surely not the most yellow Magnolia, but not |
| 12410 | 3 | Magnolia macrophylla x 1 | 261 | 12 | wld | | | |
| 13214 | 4 | Magnolia macrophylla x 1 | 241 | 13 | pds | | | sd. #8158 of HKRD #00275, 190603: gigantic flower |
| 18210 | 4 | Magnolia macrophylla x 1 | 166 | 18 | wld | | | |
| 20013 | 4 | Magnolia macrophylla x 1 | 201 | 20 | wld | | | |
| 20200 | 4 | Magnolia macrophylla x 1 | 196 | 20 | wld | | | |
| 94249 | 4 | Magnolia macrophylla x 1 | 163 | 08 | pds | | | */sd. #1636,sd.Henry Found. 95:too much shade ? 96: |
| 94340 | 4 | Magnolia macrophylla x 1 | 235 | 11 | pds | | | BDB#35440, big move from 163, was #94249-a, see t |
| 96001 | 4 | Magnolia macrophylla x 1 | 139 | 06 | pds | | | Sd.#2131 fr.Henry Foundation,PA, 97:one sdlg left, _ |
| 95240 | 4 | Magnolia macrophylla subsp. ashei x 1 * | 135 | 95 | pds | | ? | Sd. #1636 from Henry Found.,Penn see photo 870924 |
| 15381 | 4 | Magnolia macrophylla subsp. ashei x virginiana) x 1 | 202 | 19 | bot | | K | Botanic Treasures (Raf Lenaerts), |
| 15262 | 4 | Magnolia macrophylla var. dealbata x 1 | 297 | 15 | div | | ? | */#12602, gift E. de la Fonchais (from Jean Pascal Ch |
| 84307 | 3 | Magnolia 'Manchu Fan' ('Lennei Alba' x veitchii) x 1 | 209 | 86 | esv | | B | */95:previously damaged, frost ? probably spring frost |
| 00360 | 4 | Magnolia ('Manchu Fan' x 'Leda') x 1 | 258 | 00 | pds | | K | */sd 5560 from Cross 96/064; 03: plants nice upright |
| 05287 | 4 | Magnolia 'March Til Frost' ((liliiflora x cylindrica) x 'Rub | 187 | 08 | rut | | | 1405: status 2, slugs, 1909: flowering, 191126: still v |
| 01375 | 4 | Magnolia 'Marguerite' ('Anne Rosse' x 'Purple Breeze') x | 174 | 02 | pds | | K | */BDB #30744, propagat 5556 : Cross 96/055 on 850 |
| 12436 | 4 | Magnolia martini x 1 | 166 | 15 | rut | | ? | (Michelia), |
| 04393 | 3 | Magnolia 'Marwood Spring' (sprengeri x) x 1 | 171 | 07 | rut | | ? | 1109: Carlos says there are 2 clones, one wrong via L |
| 84689 | 4 | Magnolia 'Maryland' (grandiflora x virginiana) x 1 | 201 | 88 | spi | | D | BDB #32380, (85:D) much more hardy than M. grand |
| 07171 | 4 | Magnolia maudiae x 1 | 161 | 11 | div | | C | (Michelia), gift Carol Gurney via Kevin Hughes; 100 |
| 01225 | 4 | Magnolia 'Maxine Merrill' ('Miss Honeybee' x 'Merrill') x | 268 | 06 | rut | | | */030728: second flowering (after planting this year) |
| 05281 | 4 | Magnolia ('Miss Honeybee' x sargentiana var. robusta) x 1 | 191 | 09 | rut | | K | 160421: not bad, big flowers, late, pink with a touch o |
| 04395 | 3 | Magnolia 'Nimbus' (obovata x virginiana) x 1 | 152 | 09 | rut | | | 1301: remains status 3, difficult plants |
| 92574 | 4 | Magnolia 'Nimbus' (obovata x virginiana) x 1 * | 119 | 93 | waa | | B | */981110:has reached 4 m high, very vigorous here, st |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|---|
| 93013 | 4 | Magnolia obovata (Pruhonice) x 1 | 173 | 93 | pd | | | */ Sd.#2110, fr.Pruhonice pl.880917 see my notes tha |
| 93163 | 4 | Magnolia (obovata x tripetala) (Pruhonice) x 2 * | 273 | 93 | pd | H | | */SD #2108 Pruhonice,see my notes of visit on 88091 |
| 93164 | 4 | Magnolia (obovata x tripetala) (Pruhonice) x 2 * | 272 | 93 | pd | H | | */SD #2109 Pruhonice,see my notes of visit on 88091 |
| 13213 | 1 | Magnolia officinalis x 1 | 201 | 13 | div | | | sd. #9841 via Francine Riez, Shanghai BG, IS2007 #1 |
| 13217 | 4 | Magnolia officinalis x 1 | 282 | 13 | wld | | | |
| 99223 | 4 | Magnolia officinalis x 4 | 174 | 01 | wld | | | |
| 99280 | 4 | Magnolia officinalis x 1 | 173 | 01 | wld | | | |
| 12342 | 4 | Magnolia officinalis var. biloba x 1 | 299 | 12 | pd | B | | sd. #9555, S Sichuan, along road Ebian-Emei, circa 1 |
| 91224 | 4 | Magnolia officinalis var. biloba x 1 | 131 | 91 | pd | T | | BDB #30730, sd #1502 from sd LUSHAN B.G, 97/4/ |
| 92104 | 4 | Magnolia ((officinalis x obovata) x tripetala) x 4 * | 119 | 92 | pd | H | | */ BDB #30756,Sd.#1739,ex-TMS.Sd.Ex.88#33, "F1 |
| 03207 | 3 | Magnolia 'Peachy' (acum. 'Fertile Myrtle' x 'Diva') x 1 | 208 | 05 | rut | | | */1006: excellent upright regular shape, 110410: inter |
| 85087 | 3 | Magnolia 'Pegasus' (cylindrica x denudata) x 1 * | 203 | 87 | eis | A | T | */tree form,but seed very different from others in sam |
| 84308 | 3 | Magnolia 'Peppermint Stick' (liliiflora x veitchii) x 1 | 209 | 86 | esv | B | T | 90/4:C , 97/5/20 spring frost, 97/8:many frostedbran |
| 90187 | 4 | Magnolia 'Petit Chicon' (acuminata x denudata) (Bjuv 163 | 123 | 92 | pd | A | | BDB #31718, ctg #1400 ex Bjuv#1636, has three lo |
| 01228 | 2 | Magnolia 'Pickard's Firefly' x 1 | 251 | 02 | rut | | | |
| 14279 | 3 | Magnolia 'Pickard's Garnet' x 1 | 195 | 14 | pd | | | cttg. #7819 from HKRD #85088 |
| 85088 | 3 | Magnolia 'Pickard's Garnet' x 1 * | 206 | 88 | eis | A | V | not M.Spreng.'Th.Messel' as per invoice ! 1705: from |
| 85083 | 4 | Magnolia 'Pickard's Opal' x 1 * | 252 | 87 | eis | A | ? | not 'Maime', 91/4+deer+frost, to ground, ?stock 95:su |
| 86147 | 4 | Magnolia 'Pickard's Schmetterling' x 1 ** | 252 | 87 | eis | ? | V | 90:defol/dry, 95:super flwrg, like a sprengeri diva hbr |
| 18045 | 4 | Magnolia 'Pickard's Snow Queen' x 1 | 251 | 18 | ver | | | #14015, graft from our #85055 |
| 85055 | 3 | Magnolia 'Pickard's Snow Queen' x 1 ** | 252 | 87 | eis | C | | 97:vigorous plant, tree like, should be pruned !! 98:pr |
| 09006 | 4 | Magnolia ('Pink Cecil Nice' x 'Vulcan') x 1 | 161 | 09 | div | | K | sdlg. #8924, gift Michael Gottschalk, his cross, #1849 |
| 11169 | 3 | Magnolia 'Pink Petticoats' (globosa x wilsonii?) x 1 | 151 | 11 | div | | | prop #10725, gift Maurice Foster via PdS, garden see |
| 84317 | 4 | Magnolia 'Pinkie' (liliiflora 'Refloresc.' x stellata 'Rosea') | 212 | 87 | esv | A | | |
| 09153 | 4 | Magnolia 'Plum Pudding' ('Genie' x 'Sir Harold Hillier') x | 164 | 12 | div | | | from Vance Hooper through Vergeldt, for trial and re |
| 15385 | 4 | Magnolia 'Porcelain Dove' (globosa x virginiana australis) | 168 | 19 | bot | | | Botanic Treasures (Raf Lenaerts), |
| 18044 | 4 | Magnolia 'Premier Cru' (robusta 'Blood Moon' x sprengeri | 216 | 18 | ver | | | gift #14017, 200228: very early, flowers damaged by |
| 97183 | 4 | Magnolia x proctoriana 'Gloster form' x 1 | 203 | 00 | rut | ? | | 1004: disappointing, could eventually go..., 1406: loo |
| 06126 | 4 | Magnolia x proctoriana 'Robert's Dream' x 1 | 181 | 08 | rut | | | */natural hybrid found in Japan by Yamaguchi, named |
| 04402 | 4 | Magnolia 'Purple Breeze' (sargentiana hybrid ?) x 1 | 154 | 07 | rut | | | 1803: probably 15 years old, vigorous upright, 8 m hi |
| 84323 | 3 | Magnolia 'Purple Breeze' (sargentiana hybrid ?) x 1 * | 206 | 86 | esv | B | | */95/3: first massive flwrg, good flwrs deep pink-purp |
| 04255 | 4 | Magnolia ('Purple Breeze' sdlg) x 1 | 179 | 04 | pd | ? | | sd. #6346, 0406: leaves flabby, 170327: first flowerin |
| 08261 | 4 | Magnolia 'Purple Globe' (liliiflora 'Nigra' x veitchii) x 1 | 178 | 10 | rut | | | 1402: back to status 4 (from 3), 140324: name better t |
| 11148 | 3 | Magnolia 'Purple Star' (Bjuv' x 'Purple Breeze') x 1 | 208 | 11 | ver | | | gift #10719, graft of our #02552, 1705: from 4 to stat |
| 03006 | 4 | Magnolia 'Randy' (liliiflora 'Nigra' x stellata 'Rosea') x 1 | 212 | 03 | pd | ? | | cttg. #5783, possibly from HKRD #97009, 0511: big |
| 97009 | 4 | Magnolia 'Randy' (liliiflora 'Nigra' x stellata 'Rosea') x 1 | 212 | 98 | div | | | gift from Dennis H. Jones (TMS), more narrow and p |
| 85070 | 3 | Magnolia 'Raspberry Ice' (Gresham) x 1 | 208 | 87 | eis | A | | flwrs very similar to Heaven Scent! 02: many older ba |
| 18156 | 3 | Magnolia 'Raspberry Ripple' x 1 | 216 | 18 | ver | | | #14219, |
| 12268 | 4 | Magnolia 'Red as Red' ('Pickard's Ruby' x 'Vulcan') x 1 | 174 | 12 | ver | | | #11105, 1504: not very special (KC), 1507: nice burg |
| 20154 | 4 | Magnolia 'Red Lion' (campbellii x liliiflora) x 1 | 210 | 20 | ver | | | gift #15064, Carlos Verhelst |
| 83632 | 4 | Magnolia 'Ricki' (liliiflora 'Nigra' x stellata 'Rosea') x 1 | 212 | 86 | gro | A | | 200326: brown after frost |
| 20201 | 4 | Magnolia 'Rose Marie' ('Pink Surprise' x 'Daybreak') x 1 | 202 | 20 | rut | | | prop #16697, |
| 85062 | 4 | Magnolia 'Royal Crown' (liliiflora x veitchii) x 1 * | 207 | 87 | eis | A | T | */99:many rotten and frozen flower buds this year, 02: |
| 07187 | 4 | Magnolia 'Ruth' (campbellii 'Lanarth' x liliiflora) x 1 | 188 | 09 | rut | | | 160428: interesting parentage but nothing special this |
| 14173 | 3 | Magnolia salicifolia x 1 | 204 | 14 | wld | | | |
| 92140 | 4 | Magnolia salicifolia x 1 | 174 | 92 | pd | | | */BDB #30746, Sdlg from ? 74007/25 , 98:first massi |
| 93055 | 4 | Magnolia salicifolia x 2 * | 283 | 93 | pd | | | */ Sd. .#2507,of#74007 ex Hillier's good narrow leaf f |
| 92081 | 4 | Magnolia salicifolia 'Concolor' x 1 * | 122 | 92 | pd | | | cttg #1438, ex Bjuv #5018,from Karl Flink, very little |
| 16216 | 4 | Magnolia salicifolia 'Rosea' x 1 | 204 | 19 | div | | | Frank Sadrin |
| 95157 | 4 | Magnolia 'Sangreal' (soulangeana x) x 1 | 252 | 97 | div | | | J.A.Smith prop purchased at Magnolia Soc. auction, |
| 91227 | 2 | Magnolia sargentiana 'Chyverton Pale f.' x 1 | 171 | 92 | eis | | | 1108: to status 3, thin leaved, 1705: frozen leaves, 20 |
| 01237 | 3 | Magnolia sargentiana var. robusta x 1 | 207 | 02 | rut | | | */02: leader lost by frost, 0406: leader broke off, leave |
| 89475 | 4 | Magnolia 'Serene' (liliiflora x 'Mark Jury') x 1 | 208 | 95 | pd | C | | cttg... fr.85092, 97: frozen to ground, new shoot latera |
| 92575 | 4 | Magnolia 'Serene' (liliiflora x 'Mark Jury') x 2 * | 148 | 93 | waa | T | | 95:only two pl.left, third may be lost in p25, 00:one of |
| 08207 | 4 | Magnolia 'Shirazz' (denudata x 'Vulcan') x 1 * | 164 | 10 | bur | | | 140325: this plant better than the one in 258, protecti |
| 08209 | 4 | Magnolia 'Shirazz' (denudata x 'Vulcan') x 1 | 258 | 10 | bur | | | 140324: dark, compact flowers, standing out from a di |
| 00444 | 3 | Magnolia sieboldii x 1 | 186 | 03 | wld | | | |
| 13079 | 3 | Magnolia sieboldii x 2 | 133 | 13 | wld | | | |
| 17507 | 4 | Magnolia sieboldii x 1 | 171 | 19 | bot | | | Raf Lenaerts, ex Cholipo, called 'Cholipo Form', 190 |
| 17546 | 4 | Magnolia sieboldii x 1 | 119 | 19 | wld | | | |
| 92119 | 4 | Magnolia sieboldii x 1 | 119 | 92 | pd | | | Sd.#1279: TMS SdXch .1987/23, 25sd, see also 9209 |
| 94248 | 3 | Magnolia sieboldii x 1 | 164 | 94 | pd | | | #3012,TMS SdXch..Wld.cllct. 95:2/3 left, 97/8 secon |
| 17505 | 1 | Magnolia sieboldii 'Colossus' x 1 | 173 | 19 | bot | | | Raf Lenaerts, hexaploid, 1912: seems dead |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|---|
| 17281 | 4 | Magnolia (sieboldii 'Colossus' x grandiflora 'Kay Parris') | 201 | 17 | div | | K | #10807, gift Michael Gottschalk, Ledvina cross, #CD |
| 15386 | 4 | Magnolia (sieboldii 'Colossus' x insignis) x 1 | 189 | 19 | bot | | K | Botanic Treasures (Raf Lenaerts), Bokrijk #2012.024 |
| 05279 | 3 | Magnolia (sieboldii 'Genesis' x virginiana) x 1 | 152 | 07 | rut | | K | 1301: to status 3, head dead |
| 06168 | 4 | Magnolia (sieboldii 'Genesis' x virginiana) x 1 | 139 | 08 | rut | | K | 07: super plant, upright, virginiana like, needs good p |
| 89195 | 2 | Magnolia sieboldii 'Lolita' x 1 * | 119 | 93 | pds | | | */cttg #0037 fr. 83691/R-REU, 95:small flwr,no int |
| 08256 | 3 | Magnolia sieboldii 'Michiko Renge' x 1 | 152 | 12 | rut | | | double form, 1006: snails!, 1304: status 3 instead of 2 |
| 92110 | 3 | Magnolia sieboldii (Tetraploid) x 5 | 119 | 92 | pds | | K | *Sd.#1746 Colchicine ind.by KEHR a total of 25 seed |
| 93208 | 4 | Magnolia sieboldii (Tetraploid) x 2 | 140 | 93 | pds | | K | */sd fr.#1746 1988/37 TMS SdXch. by August KEH |
| 20150 | 4 | Magnolia sinensis x 1 | 173 | 20 | pds | | ? | sd. #13679, Ray Wood, Yorkshire, 2005-3574, plante |
| 15388 | 4 | Magnolia sinostellata x 1 | 204 | 19 | bot | | ? | */Botanic Treasures (Raf Lenaerts) as M. sinostellata, |
| 90173 | 4 | Magnolia x soulangeana 'Big Pink' x 1 | 210 | 93 | wav | | ? | */ this plant less vigorous than his cttg ofspring, but th |
| 84615 | 4 | Magnolia x soulangeana 'Brozzonii' x 1 * | 208 | 86 | hil | A | | 90/4:C, 20: grafts to De Bock, |
| 92563 | 4 | Magnolia x soulangeana 'Dorsopurpurea' x 1 * | 126 | 93 | waa | V | | 98/4/25 to 5/12 late flwrg, a lot of liliiflora in this pla |
| 84684 | 4 | Magnolia x soulangeana 'Lennei Alba' x 1 | 208 | 97 | spi | A | | 0406: unhappy and a lot of dead wood, to status 3, 07 |
| 84309 | 2 | Magnolia x soulangeana 'Picture' x 1 | 210 | 86 | esv | A | | 99:always one of the first to flower, but not this year: |
| 86151 | 4 | Magnolia x soulangeana 'Picture Superba' x 1 | 210 | 88 | eis | ? | | 05: problem with name and not very interesting, may |
| 86311 | 3 | Magnolia x soulangeana 'Speciosa' x 1 | 210 | 93 | esv | ? | | 00:very pale in bud, Verify, 020219: two flowers visi |
| 83188 | 4 | Magnolia x soulangeana 'Verbanica' x 1 * | 210 | 87 | hil | A | ? | 'Rustica Rubra?', previously named 'Triumphans', 050 |
| 85069 | 4 | Magnolia x soulangeana 'White Giant' x 1 * | 210 | 87 | eis | A | | formerly 'Picture White Giant' |
| 15396 | 4 | Magnolia sp. (Arven 009) x 1 | 167 | 19 | bot | | ? | Botanic Treasures (Raf Lenaerts), Arven 009, from M |
| 15403 | 4 | Magnolia sp. (Arven 011) x 1 | 168 | 19 | bot | | ? | Botanic Treasures (Raf Lenaerts), Arven 011 |
| 90115 | 4 | Magnolia 'Spectrum' (liliiflora 'Nigra' x sprengeri 'Diva') x | 207 | 99 | eis | V | | 99:moved away from yellows ! 02: many spontaneous |
| 01244 | 3 | Magnolia sprengeri x 1 | 209 | 03 | rut | | | */1103: touched by frost, more sensitive than wonderf |
| 01213 | 4 | Magnolia sprengeri 'Burncoose' x 1 | 124 | 03 | rut | | | */140320: strange sight, first flowers were somewhat s |
| 10102 | 3 | Magnolia sprengeri 'Dark Diva' x 1 | 209 | 12 | rut | | | */170321: there is a touch of orange in these flowers a |
| 09029 | 3 | Magnolia sprengeri 'Diva' x 1 | 209 | 12 | bur | | | */Charles Williams (Caerhays-Burncoose) did mentio |
| 91235 | 3 | Magnolia sprengeri var. elongata x 1 | 204 | 93 | eis | V | | */grafted plant, 96:first flower only 9 tepals,(this was |
| 01064 | 4 | Magnolia (sprengeri var. elongata x 'Pegasus') x 1 * | 132 | 01 | pds | K | | */sd 5539 from Cross 96/025 on 82163, 040401: first |
| 84329 | 4 | Magnolia sprengeri var. sprengeri x 1 ** | 207 | 86 | esv | A | V | */91:ringed by rabbits, good flwrg fl:17.3.90,super pe |
| 85053 | 4 | Magnolia sprengeri var. sprengeri x 1 * | 216 | 86 | eis | A | | */91/4:Brk.Split, 50% of base damaged, 99:a few mo |
| 02415 | 3 | Magnolia stellata x 1 | 130 | 05 | wld | | | |
| 05043 | 4 | Magnolia stellata x 1 * | 130 | 05 | wld | | | |
| 07030 | 4 | Magnolia stellata x 1 | 182 | 07 | wld | | ? | |
| 93025 | 4 | Magnolia stellata (mini flowers) x 1 o | 120 | 94 | wld | | | |
| 02222 | 4 | Magnolia stellata 'Alixeed' x 1 | 205 | 03 | rut | | | 0608: very big wound near base, mower (Stefan on ho |
| 85078 | 4 | Magnolia stellata 'Centennial' x 1 ** | 203 | 87 | eis | A | | previously 'Harvard Centennial', 99/3/18: most advanc |
| 89109 | 4 | Magnolia stellata 'Chrysanthemiflora' x 1 | 203 | 89 | waa | | | 95: not very vigorous/healthy charming flwr., 99:has g |
| 90016 | 4 | Magnolia stellata 'Chrysanthemiflora' x 1 * | 204 | 93 | rut | | | 95: not very vigorous/healthy, but charming flwr., Rutt |
| 86143 | 4 | Magnolia stellata 'Dr. Massey' x 1 | 205 | 86 | eis | ? | | 97: modest, tabular shaped pl., small pink flwrs on to |
| 90098 | 4 | Magnolia stellata 'Jane Platt' x 1 * | 204 | 92 | eis | | | 97/3/27 : one of the best pink stellata, somewhat like ' |
| 01241 | 4 | Magnolia stellata 'Keiskei Plena' x 1 | 204 | 03 | rut | | | |
| 93139 | 4 | Magnolia stellata 'Kikuzaki' x 1 | 203 | 94 | waa | ? | | */97/3 : disappointing, a small stellata with short sepal |
| 96007 | 4 | Magnolia stellata 'Kikuzaki' x 1 | 204 | 98 | pds | ? | | Cttg.#4489 fr.93139, 0503: young flower buds sl. pin |
| 85077 | 4 | Magnolia stellata 'King Rosea' x 1 | 203 | 87 | eis | A | | |
| 87057 | 4 | Magnolia stellata 'Rosea' (best clone) x 1 ** | 204 | 88 | eis | ? | | */97:not stellata 'Rosea, not flwrg, possibly stock , lat |
| 84332 | 4 | Magnolia stellata 'Royal Star' x 1 * | 204 | 86 | esv | A | | |
| 84680 | 4 | Magnolia stellata 'Royal Star' x 1 | 155 | 87 | spi | A | | |
| 03209 | 4 | Magnolia stellata 'Shi Banchi Rosea' x 1 | 204 | 05 | rut | | | |
| 95008 | 4 | Magnolia stellata (Tetraploid) x 3 * | 268 | 95 | pds | ? | | */pl -h is concolor hybrid, Sd.#4078, from.kehr, 99:ni |
| 99232 | 4 | Magnolia 'Suishoren' (Nakamura 8) x 1 | 163 | 02 | div | | | gift Groendekor,grafts of my dying plant by Carlos Ve |
| 85056 | 4 | Magnolia 'Sulphur Cockatoo' ('L. Alba' x veitchii) x 1 | 208 | 87 | eis | A | | 90/4: C+, 99:flwrg see photo, 0409: leaves yellowish, |
| 14309 | 4 | Magnolia 'Summer Solstice' (globosa x obovata) x 1 | 156 | 14 | rut | | | 140605: excellent plant, will deserve a * if it proves g |
| 90118 | 3 | Magnolia 'Sundance' (acuminata x denudata) x 1 | 218 | 92 | eis | V | | 1908: not fully happy, st.3 |
| 04409 | 4 | Magnolia 'Sunsation' ('Woodsmen' x 'Elizabeth') x 1 * | 179 | 10 | rut | | | 070417: interesting, not too pale and purplish of Woo |
| 07188 | 4 | Magnolia 'Suntown' (acuminata x ('Fertile Myrtle' x 'Pictu | 268 | 09 | rut | | | 110411: not quite bud hardy, flowers damaged on this |
| 83633 | 4 | Magnolia 'Susan' (liliifl. 'Nigra' x stellata 'Rosea') x 1 * | 212 | 86 | gro | A | T | 200326: brown after frost |
| 15290 | 4 | Magnolia 'Sweet Rose' ('Sweet Simplicity' x 'Black Tulip') | 178 | 15 | div | | | #11584, gift Carlos Verhelst & Antoon De Clercq, 17 |
| 07189 | 4 | Magnolia 'Sweet Valentine' ('Sweet Simplicity' x 'Black T | 188 | 09 | rut | | | 1106: conspicuous upright habit, 160428: good parent |
| 15171 | 4 | Magnolia 'Sweetheart' ('Diva' x sargentiana robusta) x 1 | 216 | 15 | ver | | | #12876, 190311: very dark closed flowers, 200320: g |
| 86569 | 4 | Magnolia x thompsoniana (virginiana x tripetala) x 1 | 201 | 88 | pds | | | cttg 82164; 030203: leggy plant, weeping branches, p |
| 09138 | 4 | Magnolia x thompsoniana 'Cairn Croft' x 1 | 138 | 12 | rut | | | see Arnoldia 65(1):10-12, 09: slug damage |
| 06216 | 4 | Magnolia x thompsoniana 'Olmenhof' x 1 | 202 | 09 | ver | | | 1307: roe deer damage at lower branches, otherwise o |
| 18048 | 4 | Magnolia x thompsoniana 'Olmenhof' x 1 | 297 | 18 | ver | | | gift #14020 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|-----|---|--|
| 85063 | 4 | Magnolia 'Tiffany' (Gresham) x 1 | 209 | 87 | eis | C | | 89:dry,dirty pink, 90/4:C, 1807: some dead wood, pro |
| 85051 | 3 | Magnolia 'Tina Durio' (veitchii x 'Lennei Alb.') x 1 * | 208 | 86 | eis | A | | 90/4:C+, 91:vigorous, 1705: from 4 to status 3 (frost) |
| 09059 | 3 | Magnolia ('Tina Durio' x 'Iolanthe' sdlg) x 1 | 182 | 09 | pds | ? | | sd. #7680 from HKRD #95047-b, OP, 1108: staked, |
| 09060 | 4 | Magnolia ('Tina Durio' x 'Iolanthe' sdlg) x 1 | 182 | 09 | pds | ? | | sd. #7680 from HKRD #95047-b, OP, 1007 last it's le |
| 87092 | 2 | Magnolia tripetala x 1 | 202 | 88 | hil | A | | */98: rose coloured fruits; 020808: large frost wound!, |
| 91148 | 4 | Magnolia tripetala x 1 | 148 | 91 | pds | C | | sd #1209,ex-Loutrier 65,BXL; 021028: two branches |
| 93183 | 3 | Magnolia tripetala x 3 * | 141 | 93 | pds | | | */Sd.#2127 fr.Flora Bot Gar. Köln, Vigorous young p |
| 08243 | 4 | Magnolia tripetala 'Bloomfield' x 1 | 201 | 12 | rut | | | 1608: this vigorous cv is most probably hybrid (with |
| 86572 | 4 | Magnolia virginiana x 1 | 201 | 95 | pds | | | */cttg 82165?, 97:could be that plant without label ag |
| 92720 | 3 | Magnolia virginiana x 1 | 201 | 95 | vml | T | | ex-Bokrijk plant, 1707: remains st.3 |
| 92723 | 3 | Magnolia virginiana x 1 | 201 | 95 | vml | T | | ex-Bokrijk plant |
| 92724 | 4 | Magnolia virginiana x 1 | 201 | 95 | vml | T | | ex-Bokrijk plant |
| 01065 | 4 | Magnolia virginiana var. australis x 1 * | 202 | 01 | pds | | | cttg 5774 from unknown Hkrd pl ! 05: is indeed a goo |
| 05020 | 4 | Magnolia virginiana var. australis x 1 * | 206 | 05 | pds | A V | | */sd. #6441, sd from Magn.Soc.Sd.Exch 2001, from |
| 10110 | 4 | Magnolia virginiana var. australis 'Northern Belle' x 1 | 138 | 12 | rut | | | 1203: good evergreen after cold winter, 20: good upri |
| 04416 | 3 | Magnolia virginiana var. australis 'Satellite' x 1 * | 138 | 09 | rut | | | 060302: seems good evergreen, 1107: has the largest f |
| 97186 | 4 | Magnolia virginiana 'Havener' x 1 | 201 | 00 | rut | | | |
| 14137 | 4 | Magnolia (virginiana x insignis) x 1 | 174 | 14 | vml | K | | #12787, gift Jef Van Meulder, Bokrijk, 20120302, in |
| 10118 | 4 | Magnolia virginiana 'Moonglow' x 1 | 138 | 12 | rut | | | ™ name = 'Jim Wilson', revd as 'Wilson' |
| 06169 | 4 | Magnolia virginiana 'Pink Halo' x 1 | 203 | 08 | rut | | | |
| 12440 | 4 | Magnolia virginiana 'Tensaw' x 1 | 155 | 19 | rut | | | |
| 15406 | 4 | Magnolia (virginiana x tripetala 'Bloomfield') x 1 | 201 | 19 | bot | K | | Botanic Treasures (Raf Lenaerts), #20120689 |
| 94121 | 4 | Magnolia 'Vulcan' (liliiflora hybrid x 'Lanarth') x 1 | 164 | 94 | spi | | | */01: very vigorous growth (new shoots of 1 m), 0703 |
| | 6 | Magnolia x watsonii =>M. x wieseneri x 0 | | | | | | |
| 02191 | 4 | Magnolia ('White Giant' x 'Leda') x 1 | 121 | 02 | pds | K | | sd #5559 from cross 96/060 by PdS, 200324: nice wh |
| 90196 | 4 | Magnolia 'White Mystery' x 1 * | 119 | 91 | pds | A | | */ BDB #30754, cttg #1413 ex Bjuv, 95/6:pruned loo |
| 15074 | 3 | Magnolia x wieseneri (obovata x sieboldii) x 1 | 203 | 15 | pds | | | sd. #12558 of Magnolia x wieseneri (Tetraploid) (Keh |
| 18208 | 4 | Magnolia x wieseneri (obovata x sieboldii) x 1 | 127 | 18 | pds | | | sd. #12558 of Magnolia x wieseneri (Tetraploid) (Keh |
| 92247 | 2 | Magnolia x wieseneri (obovata x sieboldii) x 1 * | 202 | 93 | spi | | | */98:superb, healthy and flowering with beautiful pin |
| 15407 | 3 | Magnolia 'William Watson' (wieseneri x obovata) x 1 | 203 | 19 | bot | | | Botanic Treasures (Raf Lenaerts), 1901: not dead, fou |
| 14430 | 1 | Magnolia wilsonii x 1 | 133 | 14 | pds | | | sd #6637 from Hergest Croft 1521 (top of Park Wood |
| 19051 | 4 | Magnolia wilsonii x 1 | 118 | 19 | pds | | | sd.#13798, gift Dan Hinkley, seed of his "ex Cangsha |
| 19052 | 4 | Magnolia wilsonii x 1 | 127 | 19 | pds | | | sd.#13798, gift Dan Hinkley, seed of his "ex Cangsha |
| 20223 | 4 | Magnolia wilsonii x 1 | 119 | 20 | pds | | | sd.#13798, gift Dan Hinkley, seed of his "ex Cangsha |
| 89086 | 2 | Magnolia wilsonii x 1 * | 119 | 93 | waa | | | Not sinensis as per invoice ! 01:still scale insectes afte |
| 95080 | 3 | Magnolia wilsonii x 1 | 127 | 95 | pds | D | | */ sd.#3238: Mag.Soc 91/15, as M. globosa_ 97:good |
| 09065 | 3 | Magnolia 'Wim Rutten' ('Forrest's Pink' x 'Marillyn') x 1 | 185 | 09 | pds | K | | cttg. #7362 of Hkrd #98132-C, 1705: from 4 to status |
| 90090 | 4 | Magnolia 'Winelight' (JG 15, Gresham) x 1 | 216 | 92 | eis | | | fl. are pink + white, 98:very late flowering **, 99:late |
| 92578 | 3 | Magnolia 'Winelight' (JG 15, Gresham) x 1 | 209 | 93 | waa | | | 1705: from 4 to status 3 (frost) |
| 95001 | 3 | Magnolia ('Woodsmen' x 'Lennei' OP) "Wood Len" x 1 | 268 | 95 | pds | H | | */Sd.#4091, R12-4 Open Pollin. from A.Kehr:for late |
| 07192 | 4 | Magnolia ('Woodsmen' x 'Patriot') x 1 | 268 | 10 | rut | K | | 1104: curious narrow greenish tepals , not worth keep |
| 15372 | 4 | Magnolia ('Yellow Bird' x 'White Rose') x 1 | 204 | 19 | bot | K | | Botanic Treasures (Raf Lenaerts), |
| 91236 | 4 | Magnolia 'Yellow Fever' (acuminata x denudata) x 1 | 218 | 92 | eis | V | | BDB #32384, 060424: is good this year, but everythin |
| 04372 | 4 | Magnolia 'Yellow Garland' (acuminata x denudata) x 1 | 171 | 12 | rut | C | | ERROR, is not M. sargentiana 'Broadleas'! 1704: coul |
| 90168 | 4 | Magnolia 'Yellow Lantern' ('Miss Honeybee' x 'Big Pink') | 218 | 93 | wav | V | | SAVAGE R13-#6 Propag.+ descr. by Ph.Savage,mult |
| 07089 | 4 | Magnolia 'Yuchelia' ('Miss Honeybee' x figo) x 1 | 181 | 08 | rut | ? | | gift Catharient Rutten, 150604: very late flowering and |
| 17516 | 4 | Magnolia 'Yuchelia' ('Miss Honeybee' x figo) x 1 | 183 | 19 | bot | | | Raf Lenaerts |
| 04459 | 3 | Magnolia zenii x 1 | 203 | 14 | dcl | | | graft from my gift (a cttg) to Het Leen from HKRD #8 |
| 08043 | 4 | Magnolia zenii x 1 | 209 | 08 | pds | | | sd. #6440 from Magn.Soc.Sd.Exch 2001, from Cholli |
| 07117 | 4 | Magnolia zenii (hybrid) x 1 | 178 | 07 | pds | H | | */OP sdlg #7834, gift John Gallagher, 1007 back to s |
| 19298 | 4 | Mahonia acanthifolia x 1 | 297 | 19 | div | | | */Gift #15187, Eike Jablonski Garden Party 2017, rec |
| 13001 | 4 | Mahonia nervosa x 7 | 171 | 15 | pds | | | prop #10111, seed Scottisch Rock Garden Club #238 |
| 14136 | 4 | Mahonia nervosa x 3 | 154 | 14 | wld | | | |
| 11109 | 4 | Mahonia x savilliana (gracilipes x eurybracteata) x 1 | 291 | 11 | div | | | prop #9699, plants 2007 BDB trip Ruhr, gift Gunther |
| 11110 | 4 | Mahonia x savilliana (gracilipes x eurybracteata) x 1 | 294 | 11 | div | | | prop #9699, plants 2007 BDB trip Ruhr, gift Gunther |
| 15260 | 4 | Mallotus japonicus x 1 | 163 | 15 | div | ? | | #12888, gift Dutch Dendrological Society in 2012, ke |
| 98313 | 4 | Malus 'Evereste' x 1 | 267 | 99 | esv | | | 031106: spectacular with hundreds of attractive apple |
| 92580 | 4 | Malus floribunda x 1 * | 282 | 93 | waa | T | | */020301: leaves appear, 020326: flower buds very re |
| 96174 | 4 | Malus 'Herkenrode' x 1 | 283 | 97 | div | | | */Sdlg from M.torringo, gift from NI nurseryman, Go |
| 84574 | 4 | Malus hupehensis x 1 | 267 | 87 | hil | C ? | | 02: calyx too long, too many styles |
| 92581 | 4 | Malus hupehensis x 1 | 113 | 92 | waa | | | 0808: very irregular crown, pruned high |
| 92712 | 4 | Malus hupehensis x 5 | 251 | 94 | ddh | | | sdlg by D.Duhaut, 1405: heavily infested, many lvs (p |
| 11348 | 4 | Malus hupehensis 'Fox's Pride' x 1 | 266 | 14 | dev | | | gift Damien Devos, DO NOT PROPAGATE, could al |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|---|
| 04496 | 4 | Malus kansuensis x 1 | 241 | 07 | wld | | | |
| 18195 | 4 | Malus prattii x 1 | 267 | 18 | pds | | | sd. #13706 by Sam from Howick Arboretum |
| 84340 | 4 | Malus sargentii x 1 * | 202 | 84 | esv | A | T | 0302: shaved, was becoming very wide |
| 84576 | 4 | Malus sargentii x 1 | 265 | 84 | hil | A | T | 97 : no stock here !! 031113: a lot of stock, removed |
| 99217 | 4 | Malus sargentii x 1 | 265 | 00 | pds | | | sd from Hkrd 84340 |
| 14141 | 4 | Malus sp. x 1 | 267 | 14 | wld | | ? | |
| 10186 | 4 | Malus 'Spring Memories' x 1 | 244 | 10 | wis | | | */prop #9928, gift Colin Crosbie, brown lvd sdlg of |
| 10185 | 4 | Malus toringoides x 1 | 244 | 10 | wld | | | |
| 83161 | 4 | Malus tschonoskii x 1 | 267 | 87 | hil | A | T | 020415: lvs not lobed, check later on long branches; 0 |
| 83143 | 4 | Malus x zumi 'Golden Hornet' x 1 | 267 | 87 | hil | A | | BDB #32393, 020627: apparently some major branch |
| 11112 | 4 | Maytenus boaria x 1 | 291 | 11 | pds | D | | layer #7329 of HKRD #84341, 1203: D and status 1, |
| 18077 | 2 | Meliosma cuneifolia x 1 | 162 | 18 | div | | | gift #12907 from Gerbert Klein Wassink, nurseryman |
| 14506 | 4 | Meliosma dilleniiifolia var. tenuis x 1 | 162 | 18 | div | ? | | name not found, pépinière du Vent Val |
| 20120 | 4 | Meliosma flexuosa x 1 | 173 | 20 | div | | | gift #15020 from Vasterival as M. pendens = syn. |
| 11432 | 3 | Meliosma veitchiorum x 1 | 188 | 15 | div | | | gift Klaas Verboom, 1705: from 4 to status 3 |
| 13029 | 4 | Meliosma veitchiorum x 1 | 173 | 13 | div | | | Gift of Arborealis (Micha Wieland), grown from seed |
| 13490 | 2 | Meliiodendron xylocarpum x 1 | 140 | 18 | div | ? | | gift Botanica, 1904: coming back from base, probably |
| 18142 | 4 | Meliiodendron xylocarpum (Tregye clone) x 1 | 131 | 18 | div | ? | | #13939, gift Brian Humphrey, |
| 15026 | 4 | Menziesia ciliicalyx 'Honshu Blue' x 1 | 154 | 17 | ggd | ? | | |
| 15027 | 4 | Menziesia ciliicalyx 'Honshu Blue' x 1 | 154 | 17 | ggd | ? | | |
| 15028 | 4 | Menziesia ciliicalyx 'Honshu Blue' x 1 | 154 | 17 | ggd | ? | | |
| 15029 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | 171 | 17 | ggd | ? | | |
| 15030 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | 171 | 17 | ggd | ? | | |
| 15031 | 4 | Menziesia ciliicalyx 'Plum Drops' x 1 | 171 | 17 | ggd | ? | | |
| 09577 | 4 | Menziesia ciliicalyx var. purpurea x 1 * | 154 | 13 | ggd | | | 180506: beautiful flowering |
| 15032 | 4 | Menziesia ciliicalyx 'Ylva' x 1 | 171 | 17 | ggd | ? | | |
| 15034 | 4 | Menziesia ciliicalyx 'Ylva' x 1 | 171 | 17 | ggd | ? | | |
| 98827 | 4 | Menziesia pentandra x 1 | 154 | 14 | pds | | | was #98060-D, see there for more information, |
| 84828 | 4 | Metasequoia glyptostroboides x 1 | 215 | 84 | vpl | A | | BDB#16458 , 96/8:130cm, 081107: good colouring |
| 94234 | 4 | Metasequoia glyptostroboides x 1 | 215 | 94 | pds | | | Prob.sd #3226 ex Arnold Arb., _0111:good autumn c |
| 91563 | 4 | Metasequoia glyptostroboides 'Waasland' x 1 | 215 | 91 | waa | | | BDB #32382, |
| 09137 | 4 | 6 Michelia yunnanensis =>Magnolia laevifolia x 0 | | | | | | |
| 09137 | 4 | Microbiota decussata x 3 | 172 | 14 | esv | | | 1702: 2/5 plants in roots of Larix died from drought i |
| 08037 | 4 | Morus sp. x 1 | 178 | 08 | wld | | ? | |
| 08281 | 4 | Myrica gale x 5 | 222 | 08 | vpl | | | next to Liq. orientalis |
| 08296 | 4 | Myrica gale x 2 | 222 | 08 | vpl | | | under Alchemilla mollis, 1705: 2/3 left |
| 08297 | 4 | Myrica gale x 1 | 222 | 08 | vpl | | | left of 'Sheffield Park', 1705: 1/3 left |
| 08298 | 4 | Myrica gale x 5 | 222 | 08 | vpl | | | under Sedum, border of pond, 11: 6/7, 15: 5/7 left, 17 |
| 08299 | 4 | Myrica gale x 3 | 222 | 08 | vpl | | | in Thalictrum group |
| 90220 | 4 | Myrica gale x 4 * | 221 | 91 | pds | V | | cttg.#969 fr. 84547, good ground cover, along this ba |
| 11236 | 4 | Nandina domestica x 1 | 290 | 11 | rob | | | |
| 11238 | 4 | Nandina domestica x 1 | 290 | 11 | rob | | | |
| 11239 | 4 | Nandina domestica x 1 | 290 | 11 | rob | | | 1401: very attractive in fruit, all three plants |
| 11240 | 4 | Nandina domestica x 1 | 292 | 10 | div | | | Floralux |
| 14474 | 4 | Nandina domestica 'Filamentosa' x 1 | 290 | 15 | div | | | Duchy of Cornwall, under Romneya |
| 02093 | 4 | Neoshirakia japonica x 1 | 136 | 10 | wld | | | |
| 04324 | 4 | Neoshirakia japonica x 2 | 136 | 04 | pds | | | (Sapium); sd from Hkrd 82172, 0406: pl-e dead, 2 oth |
| 99193 | 4 | Neoshirakia japonica x 3 * | 136 | 01 | wld | | | |
| 19457 | 4 | Nothofagus cavaleriei x 1 | 236 | 19 | div | | | #15444, gift Elisabeth Ryelandt (from Raf Lenaerts): f |
| 20059 | 4 | Nothofagus antarctica x 1 | 236 | 20 | dbr | | | |
| 20060 | 4 | Nothofagus antarctica x 1 | 236 | 20 | dbr | | | |
| 20061 | 4 | Nothofagus antarctica x 1 | 236 | 20 | dbr | | | |
| 08218 | 4 | Nothofagus betuloides x 1 | 193 | 15 | bur | B | | 09:A, 1006: but less happy now, 1211: status 2, not a |
| 06142 | 4 | Nothofagus dombeyi x 1 | 167 | 08 | bul | C | | */0811: perfectly green and healthy, 0904: B after col |
| 03244 | 3 | Nothofagus obliqua x 1 | 184 | 05 | wld | | | |
| 00408 | 4 | Nyssa aquatica x 1 | 219 | 01 | spi | | | 0104:leader killed by frost, 1210: never a good aut.col |
| 18194 | 4 | Nyssa sinensis 'Heddon Flame' x 1 | 263 | 18 | ver | | | #15066, 18: colours with 'Jim Russell' and is as good |
| 03023 | 3 | Nyssa sinensis 'Jim Russell' x 4 | 273 | 03 | ver | | | */graft #6683 from Hkrd #92007, grafted on N. sylvat |
| 92007 | 4 | Nyssa sinensis 'Jim Russell' x 1 ** | 263 | 92 | rus | | | */ex- Fromefield Nursery, 94:vig., 97:pruned top late |
| 82344 | 4 | Nyssa sylvatica x 1 | 221 | 88 | wir | A | | BDB#35323, 1710: lots of fruits, 20181017: normally |
| 00548 | 4 | Nyssa sylvatica 'Autumn Cascades' x 1 | 256 | 01 | bul | | | 0107:leader lost in wind, 031107: uninteresting habit |
| 98314 | 4 | Nyssa sylvatica 'Autumn Cascades' x 1 | 222 | 02 | esv | | | 0308: lost its head, 0410: all, very brittle, branches an |
| 17317 | 4 | Nyssa sylvatica 'Herkenrode' x 1 | 258 | 17 | ver | | | gift #14222, graft of our #71002 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 14174 | 4 | Nyssa sylvatica 'Red Rage' x 1 | 220 | 14 | ver | | | */prop #12885, 150608: good reddish new growth, 16 |
| 84626 | 4 | Nyssa sylvatica 'Sheffield Park' x 1 ** | 222 | 91 | hil | D | | 85:D, 031108: no good aut.col. this year: lvs brown, d |
| 00552 | 4 | Nyssa sylvatica var. ursina x 1 | 219 | 03 | bul | | | 0308: lost its head, 061126:still green shiny lvs, with |
| 17168 | 4 | Nyssa sylvatica 'Wildfire' x 1 | 247 | 20 | div | | | Cherry Tree Arboretum |
| 00551 | 4 | Nyssa sylvatica 'Wisley Bonfire' x 1 | 223 | 02 | bul | | | |
| 03273 | 1 | Orixa japonica x 1 | 172 | 12 | mei | V | | Gift Dirk De Meyere, Meise: 10001059- origin unkno |
| 10450 | 4 | Osmanthus x burkwoodii (delavayi x decorus) x 11 | 293 | 10 | div | B | | mixed source, 3 or 4 biggest from Devos others via Fl |
| 99194 | 4 | Osmanthus x burkwoodii (delavayi x decorus) x 4 ** | 133 | 00 | pds | V | | Cttg 5441 from 75127 |
| 02370 | 4 | Osmanthus decorus x 1 | 112 | 03 | dev | ? V | | |
| 15194 | 4 | Osmanthus serrulatus x 1 | 133 | 15 | pds | | | cttg. #9065 of HKRD #83236 |
| 19355 | 4 | Osteomeles schweriniae var. microphylla x 1 | 294 | 19 | wld | | | |
| 07016 | 4 | Ostrya carpinifolia x 1 | 177 | 07 | wld | | | |
| 07017 | 4 | Ostrya carpinifolia x 1 | 177 | 07 | wld | | | |
| 06204 | 4 | Ostrya japonica x 1 | 185 | 09 | div | | | Hulsdonk via Marc Libert, 0707: forced leader, 0807: |
| 98315 | 4 | Ostrya japonica x 1 | 113 | 99 | esv | V | | BDB #25862, |
| 98514 | 4 | Ostrya japonica x 1 | 279 | 99 | esv | | | BDB #25880, 99:separated from 98315; 0210: lvs an |
| 14082 | 4 | Ostrya virginiana x 1 | 241 | 14 | wld | | | |
| 18217 | 4 | Ostrya virginiana x 1 | 246 | 18 | wld | | | |
| 92731 | 4 | Ostrya virginiana x 1 | 271 | 93 | waa | | | BDB #25879, 95: poss.hit by spring frost,=1 dry woo |
| 95058 | 4 | Ostrya virginiana x 3 * | 113 | 95 | wld | A V | | |
| 04504 | 3 | Oxydendrum arboreum x 1 | 172 | 04 | spo | | | spo sdlg in that location! 1705: from 4 to status 3: fro |
| 00399 | 4 | Oxydendrum arboreum 'Chameleon' x 1 | 126 | 06 | spi | | | 0406: no leader, 0808: healthy plant, should be propa |
| 13555 | 4 | Paeonia delavayi x 4 | 155 | 13 | pds | | | sd #10271 (Riez), was perennial #2907 |
| 19042 | 4 | Paeonia delavayi x 1 | 298 | 19 | pds | | | sd #10158 (Riez), |
| 10529 | 4 | Paeonia rockii cv. x 1 | 234 | 10 | div | ? V | | was perennial #2451, bought by Daphne during visit t |
| 01004 | 4 | Parrotia persica x 1 | 220 | 01 | wld | | | |
| 15198 | 4 | Parrotia persica x 1 | 219 | 15 | div | | | #12596, gift J.-L. Dantec, 17: not very pendula, but D |
| 19009 | 4 | Parrotia persica 'Bella' x 1 | 222 | 19 | pav | | | |
| 06145 | 4 | Parrotia persica 'Felicie' x 1 ** | 237 | 08 | bul | | | (Bulk selection of DDH seed), 0905: to status 1, frost |
| 06146 | 4 | Parrotia persica 'Jodrell Bank' x 1 * | 220 | 08 | bul | | | 0606: small leaves, 130925: good autumn colour and |
| 92588 | 4 | Parrotia persica 'Vanessa' x 1 | 148 | 92 | waa | ? V | | */ BDB #32375, 980702:end of shoots reddish-purple |
| 07241 | 4 | Parrotia subaequalis x 1 | 114 | 10 | wld | A | | |
| 02372 | 4 | Parrotiopsis jacquemontiana x 1 | 114 | 03 | dev | C | | 1702: remains status 3, not much growth, 1806: back t |
| 12506 | 3 | Parthenocissus henryana x 1 | 236 | 12 | rob | D | | 1406: back to status 4, from 1, 160504: young shoots |
| 03245 | 4 | Paulownia elongata x 1 | 236 | 05 | wld | | | |
| 91446 | 4 | Paulownia 'Purple Splendour' (tomentosa x fortunei) x 1 | 281 | 93 | waa | V | | *01:vigorous, suckers from roots, should be pruned, fl |
| 10067 | 3 | Phellodendron amurense var. sachalinense x 1 | 194 | 10 | wld | B | | |
| 13195 | 4 | Phellodendron amurense var. sachalinense x 1 | 265 | 13 | wld | | | |
| 05068 | 3 | Phellodendron japonicum x 1 | 178 | 07 | div | | | gift Françoise Salomon, from tree in Hof ter Saksen, 1 |
| 88095 | 4 | Phellodendron lavalleyi x 1 * | 261 | 88 | ter | ? V | | not chinensis?=Lavalleyi, Gift from Van Dievoet, Terv |
| 11258 | 4 | Philadelphus 'Beauclerk' x 2 | 237 | 11 | rob | | | 1703: 2/3 left? |
| 11259 | 4 | Philadelphus 'Beauclerk' x 1 | 237 | 11 | rob | | | 1707: 1/2 left |
| 17169 | 4 | Philadelphus 'Belle Etoile' x 1 | 292 | 17 | div | | | Cherry Tree Arboretum |
| 12179 | 4 | Philadelphus 'Bouquet Blanc' x 1 | 236 | 12 | boc | | | |
| 12180 | 4 | Philadelphus 'Bouquet Blanc' x 1 | 236 | 12 | boc | | | |
| 12184 | 4 | Philadelphus 'Bouquet Blanc' x 1 | 236 | 12 | boc | | | |
| 11080 | 4 | Philadelphus 'Falconeri' x 1 | 295 | 11 | pds | | | cttg. #9700 BDB trip Ruhr, BG Bochum, 1805: from |
| 11275 | 4 | Philadelphus 'Lemoinei' x 2 | 232 | 11 | rob | | | 11: 4/6, 1203: 2/6 |
| 11256 | 4 | Philadelphus 'Manteau d'Hermine' x 4 | 237 | 11 | rob | | | 1409: 4/5 |
| 09181 | 4 | Philadelphus scaber x 1 | 271 | 09 | wld | | | |
| 12241 | 4 | Philadelphus schrenkii var. jackii x 2 | 295 | 12 | wld | | | |
| 17192 | 4 | Philadelphus sp. x 3 | 299 | 17 | wld | | | ? |
| 20153 | 4 | Philadelphus sp. x 3 | 179 | 20 | wld | | | ? |
| 20157 | 4 | Philadelphus sp. x 3 | 272 | 20 | wld | | | ? |
| 11085 | 4 | Philadelphus tenuifolius x 1 | 293 | 11 | wld | | | |
| 12244 | 4 | Philadelphus tenuifolius x 1 | 295 | 12 | wld | | | |
| 12376 | 4 | Philadelphus tenuifolius x 1 | 277 | 12 | wld | | | |
| 13094 | 4 | Philadelphus tenuifolius x 2 | 295 | 13 | wld | | | |
| 12181 | 4 | Philadelphus 'White Rock' x 1 | 281 | 16 | boc | | | |
| 10079 | 4 | Photinia davidiana x 1 | 174 | 10 | wld | V | | |
| 10181 | 4 | Photinia davidiana x 1 | 173 | 10 | wld | V | | |
| 15148 | 4 | Photinia davidiana x 3 | 298 | 15 | wld | | | |
| 15149 | 4 | Photinia davidiana x 2 | 299 | 15 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 16131 | 4 | Photinia davidiana x 1 | 174 | 16 | wld | | | |
| | 6 | Photinia koreana => Photinia villosa f. maximowicziana x | | | | | | |
| 19292 | 4 | Photinia villosa x 1 | 244 | 19 | div | | | Gift #13228 from Maurice Foster, sdlg from a red flo |
| 89007 | 4 | Photinia villosa x 1 | 265 | 89 | ddh | | | Gift from Dominique Duhaut, |
| 89046 | 4 | Photinia villosa x 2 | 263 | 89 | ddh | | | received from DDH, (from ESV) for deposit in arbor |
| 99218 | 4 | Photinia villosa x 1 | 263 | 00 | wld | | | |
| 00554 | 4 | Photinia villosa f. maximowicziana x 1 | 263 | 02 | bul | | | 02: changed 'Maximowicziana' to forma, 051206: inte |
| 93159 | 4 | Photinia villosa f. maximowicziana x 1 | 276 | 95 | ddh | | | ex HMLRK sd as P. koreana, 95/8:1/3 very dry on mo |
| 12208 | 4 | Physocarpus amurensis x 1 | 272 | 12 | pds | | | cttg #9701 BDB trip Ruhr, BG Bochum, May 2007, |
| 12209 | 4 | Physocarpus amurensis x 3 | 298 | 12 | pds | | | cttg #9701 BDB trip Ruhr, BG Bochum, May 2007, |
| 06006 | 4 | Physocarpus opulifolius x 3 | 274 | 06 | pds | | | cttg. #7787 from HKRD #00281 |
| 11264 | 4 | Physocarpus opulifolius 'Diabolo' x 5 | 237 | 11 | rob | | | |
| | 6 | Picea albertiana =>P.glauca var. albertiana x 0 | | | | | | |
| | 6 | Picea bicolor =>P. alcoquiana x 0 | | | | | | |
| 16090 | 4 | Picea breweriana x 1 | 178 | 18 | bul | | | |
| 91737 | 4 | Picea crassifolia x 1 | 289 | 93 | waa | C | V | */BDB #30702, 980-85 KR,ex Cashmir?, 94:dry,mise |
| 94061 | 2 | Picea engelmannii subsp. mexicana x 1 | 112 | 96 | wld | A | V | |
| 95356 | 2 | Picea engelmannii subsp. mexicana x 1 | 112 | 96 | wld | | V | |
| 95357 | 2 | Picea engelmannii subsp. mexicana x 1 | 112 | 96 | wld | | V | |
| | 6 | Picea koraiensis =>P. koyamai x 0 | | | | | | |
| 14247 | 4 | Picea likiangensis x 1 | 118 | 14 | wld | | V | |
| 17344 | 4 | Picea likiangensis x 1 | 268 | 17 | wld | | | |
| 17346 | 4 | Picea likiangensis x 1 | 286 | 17 | wld | | | |
| 16014 | 3 | Picea likiangensis var. rubescens x 1 | 284 | 16 | wld | | | |
| 02426 | 4 | Picea martinezii x 1 | 283 | 09 | wld | | | |
| 96021 | 4 | Picea martinezii x 2 ** | 121 | 97 | wld | A | V | |
| 14249 | 4 | Picea morrisonicola x 1 | 149 | 14 | wld | | V | |
| 12400 | 4 | Picea omorika x 1 | 151 | 12 | wld | | V | |
| 13216 | 4 | Picea omorika x 1 | 281 | 14 | wld | | | |
| 95383 | 2 | Picea omorika 'Wodan' x 1 | 283 | 02 | div | | | gift Mr Buchtman (speaker at Ilex symposium, BDB), |
| 16065 | 4 | Picea orientalis x 1 | 288 | 16 | wld | | | |
| 01046 | 4 | Picea rubens x 1 | 282 | 05 | wld | | V | |
| 03235 | 4 | Picea schrenkiana x 1 | 285 | 05 | wld | | V | |
| 91572 | 4 | Picea wilsonii x 1 | 112 | 94 | waa | | V | BDB #30699, see plantcol sub #2918, (his 2919 was i |
| 99082 | 4 | Picrasma quassioides x 1 | 136 | 03 | div | | | |
| 08157 | 4 | Pieris japonica 'Blush' x 1 | 298 | 12 | bul | | | |
| | 6 | Pieris taiwanensis => P. japonica x 0 | | | | | | |
| 04257 | 4 | Pinus armandii x 1 | 154 | 04 | wld | | V | |
| 02514 | 3 | Pinus bungeana x 1 | 174 | 04 | wld | | V | |
| 83005 | 4 | Pinus cembra x 1 | 208 | 88 | vpl | A | V | |
| 84439 | 4 | Pinus cembra 'Compacta Glauca' x 1 | 208 | 88 | esv | | A | |
| 14256 | 4 | Pinus densiflora x 1 | 216 | 14 | wld | | | |
| 18011 | 4 | Pinus densiflora x 1 | 178 | 18 | wld | | | |
| | 6 | Pinus griffithii =>P. wallichiana x 0 | | | | | | |
| 84735 | 4 | Pinus jeffreyi x 1 | 209 | 88 | div | C | V | */BDB #25935, sensitive to spring frosts ? 99: very ye |
| 14254 | 4 | Pinus koraiensis x 1 | 207 | 14 | wld | | | |
| 18021 | 4 | Pinus koraiensis x 1 | 247 | 18 | wld | | | |
| | 6 | Pinus laricio =>P.nigra var. maritima x 0 | | | | | | |
| | 6 | Pinus maritima =>P. pinaster x 0 | | | | | | |
| 09211 | 4 | Pinus massoniana x 1 | 168 | 10 | wld | | V | |
| 14171 | 4 | Pinus morrisonicola x 1 | 176 | 14 | wld | ? | V | |
| 18111 | 2 | Pinus morrisonicola x 1 | 166 | 18 | wld | ? | V | |
| 07305 | 4 | Pinus nigra subsp. laricio x 142 | 190 | 07 | div | | V | 100 Pines planted in the 190's, from Op de Beeck as ' |
| AA1724 | 4 | Pinus nigra subsp. laricio x 1 | 172 | 59 | div | A | | BDB #25934, Not sure about date planted |
| | 6 | Pinus nigra var.laricio=>P.n.v. maritima x 0 | | | | | | |
| 89021 | 4 | Pinus nigra subsp. pallasiana var. fastigiata x 1 | 281 | 93 | wld | A | V | |
| 20039 | 4 | Pinus parviflora x 1 | 204 | 20 | wld | | | |
| 13368 | 4 | Pinus pinea x 1 | 209 | 15 | div | ? | | gift garden party, |
| 13369 | 4 | Pinus pinea x 1 | 202 | 15 | div | ? | | gift garden party, |
| 00728 | 4 | Pinus sylvestris x 1 | 299 | 00 | spo | | V | spo in that location I guess |
| 09212 | 4 | Pinus taeda x 1 | 182 | 10 | wld | | V | |
| 12332 | 4 | Pinus taiwanensis x 1 | 209 | 12 | wld | ? | V | |
| 04502 | 4 | Pinus thunbergii x 1 | 171 | 06 | wld | | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|--|
| 19034 | 4 | Pittosporum daphniphyloides x 1 | 148 | 19 | bot | ? | | #14516, Raf Lenaerts, behind Quercus |
| 12549 | 4 | Pittosporum patulum x 1 | 299 | 19 | div | | | Pan-Global Plants, |
| | 6 | Platanus x acerifolia =>P. x hispanica x 0 | | | | | | |
| 04043 | 4 | Platanus orientalis 'Minaret' x 1 | 265 | 04 | vpl | | | 1003: massive fruiting, 1902: again massive fruiting, I |
| 04160 | 4 | Platanus orientalis 'Minaret' x 1 | 175 | 06 | pav | | | BDB #30750, 1705: frozen leaves |
| 20038 | 4 | Platycarya strobilacea x 1 | 193 | 20 | vml | ? | | gift #15181, Bokrijk, 2009-1051, The Daegu Arboret |
| 17334 | 4 | Platyclusus orientalis x 1 | 152 | 17 | wld | | | |
| 02374 | 4 | Podocarpus nivalis 'Rockery Gem' x 1 * | 172 | 10 | dev | | | cttg |
| | 6 | Populus x euroamericana =>P. x canadensis x 0 | | | | | | |
| 95376 | 4 | Populus koreana x 1 o | 248 | 97 | sny | B | V | */ needs humidity, otherwise leggy, winter cttg by Ch |
| 01141 | 4 | Populus lasiocarpa x 1 | 148 | 03 | cec | | | */BDB #30722 gift Benoit Choteau, also to Meise and |
| | 6 | Populus marilandica =>P.x canadensis 'Marilan. x 0 | | | | | | |
| 95032 | 4 | Populus simonii 'Fastigiata' x 1 | 287 | 95 | pds | C | | */BDB #25827, Cttg.#2484,cllct Hort.Roumanie by E |
| | 6 | Populus tacamahaca =>P. balsamifera x 0 | | | | | | |
| 92593 | 4 | Populus tremula 'Erecta' x 1 | 151 | 93 | waa | | | |
| 18151 | 4 | Populus tremula 'Gigas' x 1 | 175 | 18 | ver | | | #14226, from Horsholm via Peter Hoffmann |
| 03282 | 4 | Populus wilsonii x 1 | 177 | 10 | div | D | | gift Gidy van Vugt, Nederl. Dendr. Ver., small graft, |
| | 6 | Prunus amygdalus =>P. dulcis x 0 | | | | | | |
| 98317 | 4 | Prunus avium 'Plena' x 1 | 149 | 00 | esv | | | BDB #30742, grafted on 'Colt' (sic), |
| 16230 | 4 | Prunus 'Beni-tamanishiki' (Sato-zakura Group) x 1 | 293 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), matsumae, |
| 18157 | 4 | Prunus 'Catherine' ('Autumnalis Rosea' x ?) x 1 | 237 | 18 | div | | | #13914, gift Chris Lane, 191108: flowering pinkish w |
| 17305 | 4 | Prunus 'Collingwood Ingram' x 1 | 130 | 17 | ver | | | gift #14227 |
| 18282 | 4 | Prunus 'Collingwood Ingram' x 1 | 236 | 18 | klm | | | gift BDB Board meeting at Wespelaar, 1907: in nurse |
| | 6 | Prunus conradinae => P. hirtipes x 0 | | | | | | |
| 92596 | 3 | Prunus x gondouinii 'Schnee' x 3 | 242 | 93 | waa | | | BDB #32387, (P.avium x cerasus) 020823: several lvs |
| 16235 | 4 | Prunus 'Hanagasa' (Sato-zakura Group) x 1 | 265 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), matsumae, |
| 02521 | 4 | Prunus incisa 'Fujimae' x 1 | 133 | 04 | div | V | | 02: gift Maurice Foster (nr. 2601 or 2607) as 'Fujima', |
| 16177 | 4 | Prunus incisa 'Kojo-no-mai' x 2 | 297 | 16 | rob | | | both sides of bus parking |
| 16178 | 4 | Prunus incisa 'Kojo-no-mai' x 2 | 299 | 16 | rob | | | |
| 18218 | 4 | Prunus incisa 'Midori' x 1 | 265 | 18 | pds | | | cttg #13741 of HKRD #92598 |
| 19088 | 4 | Prunus incisa 'Midori' x 1 | 241 | 19 | pds | | | cttg #13741 of HKRD #92598, 1903: pin oak crown f |
| 15334 | 4 | Prunus incisa 'Mikiori' x 1 | 277 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), 1804: verif |
| 15335 | 4 | Prunus incisa 'Oshidori' x 1 | 277 | 16 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), |
| 12220 | 4 | Prunus incisa 'Pink Ballerina' x 1 | 295 | 12 | div | | | next to bonsai tent; gift #10969, Maurice Foster, on it |
| 83568 | 4 | Prunus 'Kanzan' x 1 | 265 | 87 | esv | A | | not P.rufa, Possibly 'Spire', 99:determined as 'Kanzan |
| | 6 | Prunus kurilensis =>P. nipponica var.kurilensis x 0 | | | | | | |
| 18188 | 4 | Prunus 'Kursar' (campanulata x nipponica var. kurilensis) | 204 | 18 | ver | | | #15067; graft of our 92732, 200312: flowering |
| 03014 | 4 | Prunus lusitanica x 1 | 146 | 03 | spo | | | sdlg. |
| 92844 | 4 | Prunus maackii x 1 | 147 | 94 | nie | | | BDB #30740, 98:small fungus (Hypholoma fascicular |
| 14353 | 4 | Prunus mume 'Beni-Chidori' x 1 * | 294 | 14 | rob | | | 180213: deserves a *, 190115: flowering started! |
| 12373 | 2 | Prunus napaulensis aff. x 1 | 189 | 12 | wld | C | | |
| 92737 | 4 | Prunus 'Okame' (campanulata x incisa) x 1 ** | 119 | 93 | waa | | | */C.Ingram selection; 020212: flowers, 5 incised petal |
| 09115 | 4 | Prunus padus var. commutata x 1 | 181 | 09 | pds | | | cttg. #7515 HKRD #84647, 200220: leaves out |
| 94030 | 4 | Prunus padus var. commutata x 1 | 188 | 94 | wld | | | |
| 94334 | 4 | Prunus padus var. commutata x 1 | 188 | 94 | wld | | | |
| 91464 | 4 | Prunus padus var. pubescens x 1 | 289 | 93 | waa | ? | | */94/2/10:in leaf + flwrg., 97:not much pubescent?; 0 |
| 92995 | 4 | Prunus 'Pandora' x 1 * | 121 | 92 | waa | | | not P. Pandora, possibly rootstock, from 92611, 0103 |
| 18084 | 4 | Prunus sargentii x 1 | 195 | 18 | wld | | | |
| 14177 | 4 | Prunus sargentii 'Charles Sargent' x 1 | 253 | 14 | ver | | | prop #12886, 18/3/30: not leafing yet |
| 16234 | 4 | Prunus sargentii 'Jacqueline' x 1 | 265 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), 190329: g |
| 13119 | 4 | Prunus serotina subsp. capuli x 1 | 265 | 13 | wld | ? | ? | |
| 98395 | 4 | Prunus 'Shirotae' x 1 * | 272 | 00 | pav | V | | */020823: looks good but not perfectly happy, only pr |
| 16231 | 4 | Prunus 'Shizuka' ('Erecta' x 'Amayadori') x 1 | 265 | 18 | div | | | Un Jardin au Mont-Blanc (Franck Sadrin), = 'Fragrant |
| 09034 | 4 | Prunus 'The Bride' ('Pandora' x incisa) x 1 * | 114 | 09 | pav | V | | 160406: deserves a star, 1905: sdlg of 'Pandora' proba |
| 83118 | 4 | Prunus verecunda 'Autumn Glory' x 2 ** | 265 | 87 | hil | A | | 991013:superb wine colour, 101017: waaw, 1204: not |
| | 6 | Prunus vilmoriana =>P. scopulorum x 0 | | | | | | |
| 93171 | 4 | Pseudolarix amabilis x 1 * | 209 | 93 | pds | T | | Sd #1225 from 1986 , KLMTH, 9907:good shoots aft |
| 98110 | 4 | Pseudolarix amabilis x 1 | 220 | 98 | pds | | | Sd #; 021011: no colour yet, 1111: brown, only one b |
| | 6 | Pseudotsuga douglasii =>P. menziesii x 0 | | | | | | |
| 06237 | 4 | Pseudotsuga menziesii x 50 | 190 | 06 | div | | | 50 Douglas planted in the 190's; 09: I guess this is the |
| 94010 | 4 | Pseudotsuga menziesii var. glauca x 3 | 174 | 94 | wld | A | T | |
| 14172 | 4 | Pseudotsuga sinensis x 1 | 179 | 14 | wld | ? | | |
| 14314 | 4 | Pseudotsuga sinensis x 1 | 173 | 14 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 18009 | 4 | Pseudotsuga sinensis x 1 | 167 | 18 | wld | | ? | |
| 18129 | 4 | Ptelea trifoliata x 1 | 277 | 18 | dbr | | | |
| 05322 | 4 | Pterocarya rhoifolia x 1 * | 177 | 07 | dev | | V | 050521 gift, 061203:scales falling off from buds, 170 |
| 17438 | 4 | Pterocarya stenoptera 'Fern Leaf' x 1 | 139 | 17 | div | | | #13896, gift Herman Buttiens, VVPV & groenverant |
| 14253 | 4 | Pterostyrax corymbosus x 1 | 151 | 14 | wld | | V | |
| 95062 | 4 | Pterostyrax corymbosus x 1 | 126 | 95 | pds | | V | cttg. 88153, 98:dry in its early lvs, not larger terminal |
| 95143 | 4 | Pterostyrax corymbosus x 1 | 151 | 95 | pds | | V | BDB #35434, cttg.#4551 ex HKRD 88153, 97:1/3 le |
| 12399 | 4 | Pterostyrax hispidus x 1 | 144 | 12 | wld | | V | |
| 93168 | 4 | Pterostyrax (hispidus x corymbosus) x 1 | 121 | 93 | pds | | H | */BDB #30727, Sd.#2561 from Arnold Arb.; 021028: |
| 07003 | 4 | Pterostyrax psilophyllus x 1 | 163 | 07 | wld | A | V | |
| 19458 | 4 | Pterostyrax psilophyllus var. leveillei x 1 | 236 | 19 | wld | | | |
| 04495 | 4 | Pyrus betulifolia x 1 | 242 | 07 | wld | | V | |
| 92729 | 4 | Pyrus betulifolia x 1 | 119 | 93 | waa | | | 01:; bark split at one m high, good autumn colour, pos |
| 08071 | 4 | Pyrus elaeagnifolia x 1 | 257 | 10 | wld | | | |
| 92616 | 4 | Pyrus pyraeaster x 1 | 152 | 93 | waa | | | BDB #30737, 020315: only upper part of tree will flo |
| 05122 | 4 | Pyrus pyrifolia x 1 | 176 | 07 | dcl | | | gift Antoon De Clercq as Nashi-peer, 1711: ugly, Pyr |
| 14020 | 4 | Pyrus sp. x 1 | 273 | 14 | wld | | | |
| 19010 | 4 | Quercus acerifolia x 1 | 248 | 19 | pav | | | |
| 20097 | 4 | Quercus acerifolia x 1 | 256 | 20 | pav | | | #15263 |
| 88154 | 4 | Quercus acutissima x 1 * | 127 | 92 | esv | | | BDB #33329, 0909: good plant |
| 89250 | 4 | Quercus acutissima x 1 | 146 | 93 | spi | | | BDB #30708, 061126: no aut. colour, lvs go from gre |
| 94284 | 4 | Quercus acutissima x 1 * | 192 | 07 | wld | | | |
| 10201 | 4 | Quercus agrifolia x 1 | 167 | 10 | wld | D | V | |
| 14012 | 3 | Quercus agrifolia x 1 | 162 | 14 | wld | | | |
| 14014 | 4 | Quercus agrifolia x 1 | 185 | 14 | wld | | | |
| 16012 | 4 | Quercus alba x 1 | 268 | 16 | wld | | | |
| 17262 | 4 | Quercus alba x 1 | 185 | 17 | wld | | | |
| 18046 | 4 | Quercus alba x 1 | 257 | 18 | wld | | | |
| 84370 | 4 | Quercus alba 'Laura' x 1 * | 209 | 88 | esv | B | | BDB #33313, good autumn colour , 97:good healthy |
| 18083 | 4 | Quercus aliena x 1 | 193 | 18 | wld | | ? | |
| 19059 | 4 | Quercus aliena aff. x 1 | 275 | 19 | wld | | C | |
| 09129 | 4 | Quercus argyrotricha x 1 | 162 | 09 | wld | | C | |
| 10076 | 3 | Quercus argyrotricha x 1 | 172 | 10 | wld | | B | |
| 83121 | 4 | Quercus bicolor x 1 * | 216 | 86 | hil | A | T | BDB #7734, very healthy plant, much better than neig |
| 13121 | 4 | Quercus x bimundorum 'Crimson Spire' x 1 | 281 | 13 | div | | | (alba x robur), TM name, ='Crimschmidt', prop #1158 |
| 93297 | 4 | Quercus x brittonii (ilicifolia x marilandica) x 1 * | 222 | 94 | wld | | | |
| 19011 | 4 | Quercus x bushii 'Seattle Trident' x 1 | 245 | 19 | pav | | | (marilandica x velutina), |
| 15098 | 4 | Quercus candicans x 1 | 171 | 15 | wld | | ? | |
| 05317 | 4 | Quercus cerris 'Athena' x 1 o | 188 | 09 | wld | | V | |
| 20007 | 4 | Quercus (chrysolepis x vacciniifolia) x 1 | 172 | 20 | div | | | #12095, from Sean Hogan, Cistus Nursery |
| 91093 | 4 | Quercus coccinea 'Splendens' x 1 ** | 176 | 94 | pav | | | */BDB #30712, 991101:late aut.colour good, should |
| 18148 | 4 | Quercus crassifolia 'Flamingo' x 1 | 165 | 18 | div | | | #13934, gift Brian Humphrey, ex Maurice Foster |
| 94299 | 4 | Quercus crispula x 1 | 153 | 96 | wld | | | |
| 84649 | 4 | Quercus crispula (hybrid) x 1 ** | 216 | 86 | dbl | A | H | */90:super aut.col, is downy !! Possibly hybrid with Q |
| 01248 | 4 | Quercus dentata subsp. yunnanensis x 1 | 164 | 03 | wld | A | V | |
| 16039 | 4 | Quercus ellipsoidalis x 1 | 223 | 16 | wld | | | |
| 91470 | 4 | Quercus fabri x 1 | 289 | 93 | waa | | C | */BDB#33179, 96:like Q.aliena but more healthy, 030 |
| 18041 | 4 | Quercus falcata (hybrid?) x 1 | 183 | 18 | wld | | ? | |
| 84829 | 4 | Quercus frainetto x 1 * | 215 | 84 | vpl | A | | 97/4/23:lvs completely black from spring frost, 1408: |
| 12198 | 4 | Quercus gambelii x 1 | 185 | 12 | wld | | | |
| | 6 | Quercus glandulifera =>Q. serrata x 0 | | | | | | |
| 00602 | 4 | Quercus glauca x 1 | 174 | 02 | div | B | V | */Zundert :Tuincentrum Hulsdonk, Hulsdonk straat, p |
| 00603 | 4 | Quercus glauca x 1 | 171 | 02 | div | C | V | Zundert :Tuincentrum Hulsdonk, Hulsdonk straat, 06 |
| 04131 | 4 | Quercus glauca x 1 | 162 | 04 | pav | B | V | */060605: This seems to be Q. myrsinifolia, check no |
| 08239 | 4 | Quercus hartwissiana x 1 | 181 | 10 | wld | | | |
| 13194 | 4 | Quercus hintoniorum x 1 | 183 | 13 | wld | | B | |
| 87101 | 4 | Quercus x hispanica (cerris x suber) x 1 | 209 | 88 | hil | | | 011128:late to change, but no autumn colour (late yell |
| 04036 | 4 | Quercus x hispanica 'Fulhamensis' x 1 | 202 | 04 | vpl | B | V | */0803: not Quercus x kewensis as per invoice, see m |
| 91079 | 4 | Quercus x hispanica 'Fulhamensis' x 1 * | 279 | 00 | pav | B | | */Evergreen, 93:misery, _01:recovered, neat plant, ba |
| 04118 | 4 | Quercus x hispanica 'Lucombeana' x 1 | 262 | 04 | pav | | | 10: double head, must be pruned |
| 92627 | 4 | Quercus x hispanica 'Wageningen' x 1 | 289 | 92 | waa | | | BDB#32397, 97:B,lv. Brown although hanging onto |
| 18147 | 4 | Quercus hypoleucoides x 1 | 161 | 18 | wld | | | |
| 19012 | 4 | Quercus hypoleucoides x 1 | 245 | 19 | pav | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 93044 | 4 | Quercus ilicifolia x 1 * | 222 | 94 | wld | | | |
| 93041 | 4 | Quercus imbricaria x 1 * | 223 | 94 | wld | | | |
| 19013 | 4 | Quercus laurifolia x 1 | 246 | 19 | pav | | | |
| 15224 | 1 | Quercus laurina x 1 | 165 | 15 | wld | | ? | |
| 91113 | 4 | Quercus x libanerris (libani x cerris) x 1 | 209 | 91 | pds | | | sd.#1723 ex-Trompenburg, "Should be true from Sd." |
| 91114 | 4 | Quercus x libanerris (libani x cerris) x 1 | 289 | 95 | pds | | | BDB#35325, sd.#1723 ex-Trompenburg, "Should be t |
| 15228 | 4 | Quercus lobata x 1 | 182 | 15 | wld | | | |
| 15234 | 4 | Quercus lobata x 1 | 261 | 15 | wld | | | |
| 19055 | 4 | Quercus longinux x 1 | 172 | 19 | wld | | ? | |
| | 6 | Quercus lusitanica =>Q. faginea x 0 | | | | | | |
| 14018 | 4 | Quercus macrocarpa x 1 | 244 | 14 | wld | | ? | |
| | 6 | Quercus malacotricha => Quercus dentata subsp. yunnane | | | | | | |
| 16005 | 4 | Quercus 'Margaret Fenton' x 1 | 162 | 16 | ver | | ? | #14228, from plant at Maurice Foster (between privat |
| 91483 | 4 | Quercus marilandica x 1 | 276 | 95 | waa | | | |
| 93040 | 4 | Quercus marilandica x 1 | 222 | 94 | wld | | | |
| 14011 | 4 | Quercus mexicana x 1 | 162 | 14 | wld | | | |
| 14013 | 4 | Quercus mexicana x 1 | 186 | 14 | wld | | | |
| 16007 | 4 | Quercus (mexicana x acutifolia) x 1 | 165 | 16 | wld | | H | |
| 10202 | 3 | Quercus michauxii x 1 | 179 | 10 | wld | | | |
| 15230 | 4 | Quercus michauxii x 1 | 185 | 15 | wld | | | |
| 15229 | 4 | Quercus mongolica x 1 | 182 | 15 | wld | | | |
| 16036 | 4 | Quercus mongolica x 1 | 185 | 16 | wld | | | |
| 14144 | 4 | Quercus mongolica aff. x 1 | 283 | 14 | wld | | ? | |
| | 6 | Quercus mongolica var. grosseserrata => Quercus crispul | | | | | | |
| 13196 | 4 | Quercus montana x 1 | 268 | 13 | wld | | | |
| 17263 | 4 | Quercus muehlenbergii x 1 | 185 | 17 | wld | | | |
| 16165 | 4 | Quercus multinervis x 1 | 163 | 16 | wld | | ? | |
| 00261 | 4 | Quercus myrsinifolia x 1 | 189 | 00 | pds | A | | sd #4666 from MAG.SOC.sdex1994#?, 09: survived t |
| 00262 | 4 | Quercus myrsinifolia x 1 | 148 | 00 | pds | A | | sd #4666 from MAG.SOC.sdex1994#?, 09: survived t |
| 02132 | 4 | Quercus myrsinifolia x 1 | 171 | 02 | div | A | | */sd #4666 from MAG.SOC.sdex1994#? 05: severely |
| 19016 | 4 | Quercus myrsinifolia x 1 | 289 | 20 | pav | | | |
| 89251 | 4 | Quercus myrsinifolia x 1 * | 164 | 92 | spi | C | V | */BDB #24953, 91:B+, at -10°C, 92/2 good evergree |
| 10066 | 4 | Quercus nigra x 1 | 188 | 10 | wld | | | |
| | 6 | Quercus nuttallii=>Q. texana x 0 | | | | | | |
| 09118 | 4 | Quercus oglethorpensis x 1 * | 188 | 09 | wld | | V | |
| AA1914 | | Quercus palustris x 3 | 262 | 50 | spo | | | probably spontaneous in old Douglas avenue, set free |
| AA2834 | | Quercus palustris x 48 | 270 | 33 | div | | | The oaks of Wernerbos were planted in 1933 when th |
| AA3424 | | Quercus palustris x 1 | 267 | 50 | spo | | | probably spontaneous in old Douglas avenue, set free |
| 14360 | 4 | Quercus parvula var. shrevei x 1 | 167 | 14 | wld | | | |
| 04075 | 4 | Quercus petraea x 1 | 264 | 04 | pav | | | 11: is this pure species?, 170601: processionary cater |
| 83122 | 4 | Quercus petraea 'Columna' x 1 | 263 | 87 | hil | A | | 1808: less mildew than last year |
| 10165 | 4 | Quercus petraea subsp. pinnatiloba x 1 | 176 | 10 | wld | | | |
| 88156 | 4 | Quercus phellos x 1 * | 133 | 88 | esv | | | BDB #33895, good plant |
| 91103 | 4 | Quercus phellos x 1 | 136 | 90 | ter | | | BDB #24561, 97/4:frosted, nearly dead,_00:still not f |
| 11051 | 4 | Quercus phillyreoides x 1 | 183 | 11 | div | | | prop #10681, BW 041231-01, Eike Jablonski, garden |
| 11052 | 4 | Quercus phillyreoides x 1 | 172 | 11 | div | | | prop #10681, BW 041231-01, Eike Jablonski, garden |
| 84383 | 4 | Quercus phillyreoides x 1 | 163 | 92 | esv | D | V | 85:D, 87:D/O 87:B, 92 moved to 169 u/pines, 97:goo |
| 04134 | 4 | Quercus 'Pondaim' (pontica x dentata) x 1 | 247 | 04 | pav | | | |
| 91490 | 4 | Quercus 'Pondaim' (pontica x dentata) x 1 ** | 237 | 94 | waa | | | |
| 02518 | 4 | Quercus pontica x 1 | 215 | 14 | div | | | 02: gift Maurice Foster (Westonbirt), 09: very slow gr |
| 04170 | 3 | Quercus pontica x 1 | 285 | 14 | pav | | | 1609: st.3, 1809: somewhat chlorotic |
| 91492 | 4 | Quercus pontica x 1 | 172 | 94 | waa | | | 01: healthy but loosing lower inside branches,, 1808: |
| 16010 | 4 | Quercus prinoides x 1 | 258 | 16 | sny | | | #12275, gift Charles Snyers, International Oak Societ |
| 09114 | 4 | Quercus pubescens x 1 | 181 | 09 | wld | | | |
| 15227 | 4 | Quercus pubescens x 1 | 181 | 15 | wld | | | |
| 19081 | 4 | Quercus pyrenaica x 1 | 187 | 19 | wld | | | |
| AA1874 | | Quercus robur x 1 | 244 | ?? | div | | | BDB #16476, probably planted after 1933, with the Q |
| AA2754 | | Quercus robur x 1 | 118 | ?? | div | | | BDB #16478, thickest one in that location, 0606: ste |
| AA3444 | | Quercus robur x 1 | 195 | ?? | div | | | 160410: accessed because it is so early in leaf this yea |
| 91494 | 4 | Quercus robur 'Atropurpurea' x 3 * | 283 | 93 | waa | | | 1505: a matter of taste, but I believe this group deserv |
| 91497 | 4 | Quercus robur 'Concordia' x 1 * | 254 | 95 | waa | | | */96:is OK , 970920 covered with mildew, rather ugl |
| 04061 | 4 | Quercus robur 'Fastigiata Koster' x 1 | 244 | 04 | vpl | | V | 0408: several holes in main stem, bigger than those of |
| 10164 | 3 | Quercus robur subsp. pedunculiflora x 1 | 181 | 10 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 00218 | 4 | Quercus rubra Aurea Group x 1 * | 289 | 00 | spo | | | BDB#35324, sdlg of 69008, spontaneous, 0111:great |
| 11049 | 3 | Quercus rugosa x 1 | 172 | 11 | wld | | | |
| 10063 | 4 | Quercus rysophylla x 1 | 167 | 10 | wld | | V | |
| 07141 | 4 | Quercus salicina x 1 | 172 | 08 | wld | A | V | |
| 11349 | 2 | Quercus salicina (hybrid?) x 1 | 171 | 14 | wld | | ? | |
| 17526 | 4 | Quercus semecarpifolia x 1 | 162 | 19 | div | | | no info |
| 97036 | 3 | Quercus serrata x 1 * | 220 | 97 | wld | | C | |
| 97037 | 4 | Quercus serrata 'Herkenrode' x 1 * | 196 | 97 | wld | | C | |
| 04497 | 4 | Quercus shumardii x 1 | 245 | 10 | wld | | V | |
| 04498 | 4 | Quercus shumardii x 1 | 181 | 08 | wld | | V | |
| 10221 | 4 | Quercus stellata x 1 | 181 | 13 | pav | | | 1207: 1/3 left, no good, unfortunate, 1712: good marc |
| 04172 | 3 | Quercus stellata 'Artois' x 1 * | 243 | 06 | pav | | V | */0610: removed a lot of stock, beware, 081010: grow |
| 20052 | 4 | Quercus stellata 'Artois' x 1 | 134 | 20 | pav | | | |
| 07041 | 3 | Quercus x streimii 'Kortrijk' x 1 | 194 | 10 | pav | | | (petraea x pubescens), 1706: st.2 after April spring fro |
| 19350 | 4 | Quercus suber x 1 | 247 | 19 | wld | | ? | |
| 09040 | 4 | Quercus texana 'New Madrid' x 1 * | 247 | 10 | pav | | C | BDB #34252, gift Dirk Benoit, 100427: head dead, fr |
| 11050 | 3 | Quercus x undulata (gambelii x grisea) x 1 | 171 | 11 | wld | | | |
| 93014 | 4 | Quercus variabilis x 1 | 212 | 96 | pds | | T | Sd.CLP #89/107, 97/9: ID ver. by A.Coombs, 99:pl -c |
| 19053 | 4 | Quercus virginiana x 1 | 132 | 19 | wld | | | |
| 19054 | 4 | Quercus virginiana x 1 | 162 | 19 | wld | | | |
| 19058 | 4 | Quercus virginiana x 1 | 274 | 19 | wld | | | |
| 19061 | 4 | Quercus virginiana x 1 | 299 | 19 | wld | | | |
| 07042 | 4 | Quercus vulcanica 'Kasnak' x 1 | 185 | 10 | pav | | | 1705: from 4 to status 3, 2003: recovered |
| 19087 | 4 | Quercus 'Waesland Select' (ilex x ?) x 51 | 288 | 19 | dbr | | | no label, planted as hedge to hide houses (replacemen |
| 91474 | 4 | Quercus 'Waesland Select' (ilex x ?) x 1 * | 279 | 93 | waa | | | */96/1:evergreen more than others ,97:again A, where |
| 11098 | 4 | Quercus x warei (bicolor x robur) x 1 | 263 | 11 | pds | | | */BDB trip Illinois, sd. #8084, Petersburg, photos, pla |
| 14278 | 3 | Rehderodendron macrocarpum x 1 | 163 | 14 | pds | | ? V | sd. #9690, IDS 2007-M104, from Alison Mallett, Dev |
| 18049 | 4 | Rhamnus alaternus 'Argenteovariegata' x 1 | 299 | 18 | div | | | gift #13937 Brian Humphrey, |
| 13193 | 4 | Rhamnus cathartica x 1 | 181 | 13 | pds | | | cutting #9025, BDB trip Elzas and Vogezen, Nancy, J |
| | 6 | Rhamnus frangula => Frangula alnus x 0 | | | | | | |
| 09053 | 4 | Rhamnus utilis x 1 | 176 | 09 | wld | | | |
| 09578 | 4 | Rhododendron adenosum x 1 | 167 | 13 | ggd | B | | (pink), |
| 09579 | 4 | Rhododendron adenosum x 1 | 167 | 13 | ggd | B | | (pink), |
| 09009 | 3 | Rhododendron 'Aladdin' (auriculatum x griersonianum) x | 168 | 13 | pds | B | | layer #9163 of HKRD #80095 |
| 14096 | 4 | Rhododendron 'Aladdin' (auriculatum x griersonianum) x | 187 | 14 | pds | | | big layer of #80095 in 37, 1806: now a bushy shrub af |
| 88291 | 4 | Rhododendron 'Albatross Townhill White' (sdlg) x 1 * | 131 | 91 | pds | C C | | */sd.#408, the only sdlg from that lot ! 97/4/30 flower |
| 09553 | 3 | Rhododendron albrechtii x 3 | 114 | 13 | ggd | | | 1507: status 3, 1806: 1 plant status 4 |
| 15094 | 4 | Rhododendron albrechtii x 1 | 114 | 15 | wld | | | |
| 07002 | 4 | Rhododendron 'Alison Johnstone' (yunnanense x Concate | 161 | 14 | pds | D T | | layer of #78004? 12: recovering perfect |
| 09487 | 4 | Rhododendron alutaceum var. russotinctum Triplonaeviu | 191 | 13 | ggd | A | | |
| 08231 | 3 | Rhododendron amagianum x 4 | 234 | 12 | dcl | | | gift A. & C. De Clercq garden party 080531, sdlgs fro |
| 10247 | 3 | Rhododendron amagianum x 1 | 283 | 10 | div | C | | #9653, found in beek, no info on source, a gift from? |
| 11329 | 3 | Rhododendron amagianum x 1 | 161 | 11 | dbl | A | | gift Daniel de Belder as wadanum, 1508: top leaves c |
| 96132 | 2 | Rhododendron amagianum x 1 | 242 | 18 | pds | | | */Cttg#4534 f/86176/DBL:dead, poss. Amagianum W |
| 10209 | 3 | Rhododendron ambiguum x 1 | 120 | 10 | pds | A | | prop #11065, found in pON, 1104: this is Rh. ambig |
| 18213 | 4 | Rhododendron ambiguum x 1 | 171 | 18 | pds | V | | cttg. #12509 of HKRD #88065 |
| 19075 | 4 | Rhododendron ambiguum x 1 | 161 | 19 | pds | | | cttg. #12509 of HKRD #88065 |
| 08466 | 4 | Rhododendron ambiguum 'Golden Summit' x 1 * | 161 | 11 | ggd | A | | |
| 94287 | 4 | Rhododendron 'Amor' (griersonianum x thayerianum) x 2 | 164 | 17 | pds | B | | */cttg.#3319 fr.82099, 95/8:dry , 97:A has established |
| 14033 | 4 | Rhododendron amundsenianum x 1 | 156 | 19 | ggd | | | 2001: back to status 4 |
| 14034 | 2 | Rhododendron amundsenianum x 1 | 156 | 19 | ggd | | | 2001: from 3 to status 2 |
| 14035 | 2 | Rhododendron amundsenianum x 1 | 156 | 19 | ggd | | | 2001: from 3 to status 2 |
| 07246 | 4 | Rhododendron annae x 1 | 166 | 11 | esv | A | | via Theo Leijdens, 1101: leggy after snow |
| 09848 | 3 | Rhododendron annae x 1 | 176 | 09 | pds | V | | layers #9168 of HKRD #78136, |
| 17424 | 4 | Rhododendron annae subsp. laxiflorum x 3 | 162 | 17 | wld | | | |
| 09292 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Annapu | 154 | 13 | ggd | A | | 1703: status 3 |
| 09293 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Annapu | 154 | 13 | ggd | A | | 1703: status 3 |
| 09294 | 3 | Rhododendron anthopogon subsp. hypenanthum 'Annapu | 154 | 13 | ggd | A | | 1703: status 3 |
| 17397 | 4 | Rhododendron anthosphaerum x 2 | 162 | 17 | wld | | | |
| 07247 | 4 | Rhododendron arborescens x 1 | 119 | 16 | wld | C | | |
| 07248 | 4 | Rhododendron arborescens x 1 | 114 | 11 | wld | A | | |
| 20164 | 4 | Rhododendron arborescens x 1 | 274 | 20 | div | | | gift Bruno Van Puyenbroeck, big move from his gard |
| 20001 | 4 | Rhododendron arboreum subsp. albotomentosum x 1 | 195 | 20 | div | | | gift Alexandre Anagnostides |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|-----|---|--|
| 09311 | 4 | Rhododendron arboreum subsp. cinnamomeum x 1 | 194 | 13 | ggd | C | | |
| 14221 | 4 | Rhododendron arboreum subsp. cinnamomeum x 1 | 194 | 14 | wld | ? | | |
| 15100 | 4 | Rhododendron arboreum subsp. cinnamomeum x 1 | 188 | 15 | wld | ? | | |
| 17214 | 4 | Rhododendron arboreum subsp. cinnamomeum x 1 | 146 | 17 | wld | ? | | |
| 17222 | 4 | Rhododendron arboreum subsp. cinnamomeum x 1 | 192 | 17 | wld | ? | | |
| 17418 | 2 | Rhododendron arboreum subsp. delavayi x 1 | 162 | 17 | wld | | | |
| 09320 | 4 | Rhododendron argipeplum x 1 | 163 | 13 | ggd | | | |
| 08059 | 4 | Rhododendron 'Argosy' (discolor x auriculatum) x 1 | 163 | 08 | pds | B | | layer #9094 of HKRD #78006 |
| 12027 | 4 | Rhododendron argyrophyllum x 1 | 192 | 12 | wld | B | | |
| 15108 | 2 | Rhododendron argyrophyllum x 1 | 188 | 16 | pds | | | layer of HKRD #89373, 1703: st.2, half of plant is de |
| 89373 | 2 | Rhododendron argyrophyllum x 1 * | 192 | 14 | ggd | A | | */(Nankingense), 97:A+ one single flower, 060429:s |
| 11001 | 4 | Rhododendron argyrophyllum subsp. nankingense 'Chine | 192 | 19 | ggd | | | |
| 11002 | 4 | Rhododendron argyrophyllum subsp. nankingense 'Chine | 189 | 20 | ggd | | | |
| 96136 | 4 | Rhododendron ('Arthur Bedford' sdlg) x 1 | 281 | 96 | spo | A ? | | sd.spontan.(u/Rh.A.Bedford 82307), 160524: impress |
| 14077 | 3 | Rhododendron 'Arthur Grumiaux' (oreotrepes x 'Youthfu | 161 | 14 | pds | | | cttg. #10655 of HKRD #88057, 1703: status 3 |
| 81193 | 4 | Rhododendron 'Ascot Brilliant' (thomsonii x 'Blandyanum | 162 | 91 | hil | B | | (85B-) 87:B+; 0703: layering plant, cleaned, 090416: |
| 08491 | 3 | Rhododendron asterochnoum x 1 | 169 | 11 | ggd | B V | | 1209: status 3, a bit dry here under the beech trees but |
| 17398 | 4 | Rhododendron asterochnoum x 3 | 162 | 17 | wld | | | |
| 07249 | 4 | Rhododendron atlanticum x 3 | 126 | 11 | div | A | | via Theo Leijdens, sd. ARS #98-18, from RSF, HP, 1 |
| 86112 | 4 | Rhododendron atlanticum x 1 * | 126 | 07 | ggd | A T | | 87:A+, 91:A+, 100929: to status 3, heavily pruned |
| 86003 | 4 | Rhododendron 'August Lamken' ('Dr.V.H.Rutgers' x willi | 133 | 93 | dcl | A | | |
| 07251 | 4 | Rhododendron augustinii x 1 | 161 | 14 | wld | B | | |
| 09267 | 1 | Rhododendron augustinii subsp. chasmanthum x 1 | 155 | 13 | ggd | B V | | 1401: status 2 1703: status 3, 1905: st.1 |
| 09261 | 4 | Rhododendron augustinii 'Electra' x 1 | 161 | 13 | ggd | B | | 1303: B confirmed |
| 09262 | 4 | Rhododendron augustinii 'Electra' x 1 | 161 | 13 | ggd | B | | 1303: B confirmed |
| 09263 | 4 | Rhododendron augustinii 'Electra' x 1 | 161 | 13 | ggd | B | | 1303: B confirmed |
| 09264 | 4 | Rhododendron augustinii 'Trewithen' x 1 | 161 | 13 | ggd | B | | "Pale Trewithen" on label |
| 09265 | 4 | Rhododendron augustinii 'Trewithen' x 1 | 161 | 13 | ggd | B | | "Pale Trewithen" on label |
| 09266 | 4 | Rhododendron augustinii 'Trewithen' x 1 | 161 | 13 | ggd | B | | "Pale Trewithen" on label |
| 92118 | 3 | Rhododendron auriculatum (hybrid) x 6 | 118 | 92 | pds | A H | | */Sd from HKRD 76009, Great lot, 97/7/1: -A flowe |
| 93300 | 4 | Rhododendron auriculatum (hybrid) x 1 | 163 | 08 | pds | B H | | formerly #93212, see there for more info, 1806: proba |
| 12037 | 4 | Rhododendron austrinum x 1 | 126 | 12 | wld | A | | |
| 12308 | 4 | Rhododendron austrinum x 1 | 126 | 12 | wld | | | |
| 13048 | 4 | Rhododendron austrinum x 2 | 126 | 13 | wld | | | |
| 15161 | 4 | Rhododendron austrinum x 1 | 126 | 15 | wld | | | |
| 11029 | 4 | Rhododendron Avocet Group (discolor x fortunei) x 1 | 168 | 14 | pds | | | layer of #82033 in T, |
| 00215 | 3 | Rhododendron 'Azor' (griersonianum x fortunei subsp. dis | 186 | 00 | pds | B | | Layer of 76045, 2020: status 3, very miserable under t |
| 10137 | 4 | Rhododendron 'Azor' (griersonianum x fortunei subsp. dis | 168 | 10 | pds | B | | prop #11048, 08: found in pON, probably Azor, prob |
| 91587 | 4 | Rhododendron 'Bajazzo' ('Daisy' x 'Oldenburg') x 1 | 283 | 97 | waa | B | | 100520: wonderful flowering |
| 09348 | 3 | Rhododendron balangense x 1 | 162 | 09 | ggd | B | | JN, 1703: status 3 |
| 09325 | 4 | Rhododendron barbatum f. imberbe x 1 | 163 | 13 | ggd | C | | (HP), 1306: is f. imberbe (no bristles on petiole) |
| 91576 | 4 | Rhododendron 'Barmstedt' ('Sammetglut' x yakushimanu | 284 | 97 | waa | A | | 12: no flowers this year, good compact yak hybrid (Pd |
| 09398 | 4 | Rhododendron beanianum aff. x 1 | 162 | 13 | ggd | | | 1504: possibly hybrid with other Neriiflora member s |
| 09399 | 4 | Rhododendron beanianum aff. x 1 | 162 | 09 | ggd | | | 1504: possibly hybrid with other Neriiflora member s |
| 10377 | 4 | Rhododendron beanianum aff. x 1 | 162 | 13 | ggd | | | 1504: possibly hybrid with other Neriiflora member s |
| 95263 | 4 | Rhododendron 'Bengal' ('Essex Scarlet' x forrestii repens) | 134 | 95 | pds | A | | */cttg. #3340 from HKRD 80004,98:dry for many yea |
| 09494 | 4 | Rhododendron bhutanense x 1 | 162 | 09 | ggd | | | (deep pink), |
| 09495 | 3 | Rhododendron bhutanense x 1 | 191 | 15 | ggd | | | (deep pink), 1705: from 4 to status 3 (frost) |
| 85416 | 4 | Rhododendron 'Biskra' (cinnabarinum Roylei Gr x ambig | 120 | 12 | pds | B | | |
| 01020 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast') x 4 | 146 | 01 | pds | A ? | | cttg Hkrd # 5375 from 77125, 1808: 5/7 left, 1906: 4/ |
| 02083 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast') x 2 | 152 | 02 | pds | A ? | | cttg #5375 from Hkrd #77124, 14: 1 of 3 big move to |
| 02579 | 4 | Rhododendron 'Blue Diamond' (augustinii x 'Intrifast') x 1 | 155 | 14 | pds | A ? | | cttg #5375 from Hkrd #77124, 14: big move from 152 |
| 86367 | 4 | Rhododendron 'Blue Tit' (impeditum x augustinii) x 4 * | 131 | 05 | esv | A | | 87:A+, 04: dominated by Enkianthus, 0604:4/5 left, 0 |
| 17399 | 4 | Rhododendron brachyanthum subsp. hypolepidotum x 2 | 162 | 17 | wld | | | |
| 00418 | 4 | Rhododendron brachycarpum subsp. fauriei x 2 | 172 | 11 | div | A V | | from open pollinated seed ex Kalmthout, raised by G. |
| 88303 | 4 | Rhododendron brachycarpum subsp. fauriei x 1 * | 189 | 05 | wld | A V | | |
| 94322 | 4 | Rhododendron brachycarpum subsp. fauriei x 4 * | 135 | 98 | wld | A | | |
| 94338 | 4 | Rhododendron brachycarpum subsp. fauriei x 3 | 172 | 12 | wld | A | | |
| 86064 | 4 | Rhododendron brachycarpum Tigerstedtii Group x 1 * | 146 | 97 | ggd | A | | */99 :good looking plant, healthy foliage (no flowers |
| 17400 | 4 | Rhododendron bracteatum x 3 | 162 | 17 | wld | | | |
| 17016 | 4 | Rhododendron 'Brambling' ('Razorbill' x racemosum) x 3 | 161 | 20 | ggd | | | Glendoick Bird -series, low and deepest pink |
| 91588 | 4 | Rhododendron 'Brickdust' (williamsianum x Dido Gr.) x 1 | 285 | 97 | waa | B | | 1302: remains status 3, dead wood, 1609: back to st.4 |
| 01027 | 3 | Rhododendron 'Brigitte' (insigne x 'Mrs. J.G.Millais') x 1 | 148 | 10 | pds | A | | */cttg Hkrd #4968 from 86136, 070521: central and pl |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|---|
| 09498 | 4 | Rhododendron bureavii x 1 | 191 | 13 | ggd | | C | |
| 09499 | 4 | Rhododendron bureavii x 1 | 191 | 13 | ggd | | | |
| 09501 | 4 | Rhododendron bureavii 'Ardrishaig' x 1 | 191 | 13 | ggd | | | |
| 09502 | 4 | Rhododendron bureavii 'Ardrishaig' x 1 | 191 | 13 | ggd | | | |
| 17184 | 4 | Rhododendron calendulaceum x 3 | 126 | 17 | wld | | | |
| 19225 | 4 | Rhododendron calendulaceum x 1 | 284 | 19 | wld | | | |
| 19226 | 4 | Rhododendron calendulaceum x 1 | 284 | 19 | wld | | | |
| 09327 | 4 | Rhododendron callimorphum x 1 | 162 | 13 | ggd | | | |
| 14312 | 2 | Rhododendron callimorphum x 1 | 162 | 14 | pds | | | cttg #12530 of HKRD #89376 |
| 16128 | 4 | Rhododendron callimorphum x 3 | 162 | 16 | pds | | | cttg #12530 of HKRD #89376, 1908: both plants are t |
| 09105 | 4 | Rhododendron calophytum x 1 | 162 | 09 | pds | B | | layer #8021 of #76011, 0712: buds and flower buds v |
| 97047 | 4 | Rhododendron calophytum x 3 | 152 | 97 | pds | C | | */sd#1275 fr.Wakehurst pl., see photo 870420-11, go |
| 08434 | 2 | Rhododendron calostrotum subsp. riparium Calciphylum | 154 | 16 | ggd | | C | |
| 08435 | 2 | Rhododendron calostrotum subsp. riparium Calciphylum | 154 | 16 | ggd | | C | |
| 08436 | 2 | Rhododendron calostrotum subsp. riparium Calciphylum | 154 | 16 | ggd | | C | |
| 12222 | 2 | Rhododendron campanulatum subsp. aeruginosum x 1 | 236 | 12 | pds | | | layer #9101 of HKRD #77345, 1412: status 2, 1/4th o |
| 09331 | 4 | Rhododendron campylocarpum x 1 | 162 | 13 | ggd | B | | |
| 12311 | 4 | Rhododendron campylocarpum x 1 | 162 | 12 | pds | B | | Cttg. #4532 of HKRD #85343 (RSF 75156), 1404: su |
| 09332 | 3 | Rhododendron campylocarpum subsp. caloxanthum x 1 | 162 | 15 | ggd | B | | "APA 57 N" on invoice |
| 09334 | 4 | Rhododendron campylocarpum subsp. caloxanthum x 1 | 162 | 09 | ggd | B | | "APA 57 N" on invoice, 1502: stay, |
| 07257 | 3 | Rhododendron canadense x 1 | 175 | 11 | div | A | | via Theo Leijdens, 1109: pl-b status 1, heavily pruned |
| 14212 | 4 | Rhododendron canescens x 1 | 124 | 14 | wld | | | |
| 15096 | 4 | Rhododendron canescens x 2 | 124 | 15 | wld | | | |
| 18214 | 3 | Rhododendron catawbiense x 1 | 154 | 18 | wld | | | |
| 19076 | 4 | Rhododendron catawbiense x 1 | 171 | 19 | wld | | | |
| 82309 | 4 | Rhododendron catawbiense 'Album' x 1 | 188 | 06 | sgw | A | | 05: most of the high branches are rootstock, 0506: re |
| 09295 | 4 | Rhododendron cephalanthum Crebreflorum Group x 1 | 162 | 09 | ggd | A | | |
| 09296 | 3 | Rhododendron cephalanthum Crebreflorum Group x 1 | 162 | 09 | ggd | A | | 1907: status 3 |
| 09297 | 4 | Rhododendron cephalanthum Crebreflorum Group x 1 | 162 | 09 | ggd | | | |
| 09505 | 4 | Rhododendron cerasinum 'Coals of Fire' x 1 | 162 | 13 | ggd | | | |
| 09506 | 4 | Rhododendron cerasinum 'Coals of Fire' x 1 | 162 | 13 | ggd | | | |
| 09252 | 4 | Rhododendron changii x 1 | 163 | 13 | ggd | | | 1811: no fruits |
| 09253 | 4 | Rhododendron changii x 1 | 163 | 15 | ggd | | | 1811: no fruits |
| 09254 | 4 | Rhododendron changii x 1 | 163 | 15 | ggd | B | | 1811: no fruits |
| 09249 | 4 | Rhododendron charitopes subsp. charitopes x 1 | 162 | 09 | ggd | | V | 13: can remain here, better spot than 165, 1502: stay, |
| 09251 | 4 | Rhododendron charitopes subsp. charitopes x 1 | 162 | 09 | ggd | | | 13: can remain here, better spot than 165, 1502: stay, |
| 83730 | 4 | Rhododendron 'Chlorops' (wardii x vernicosum?) x 1 | 167 | 86 | reu | C | | */85:C 86:A, 0811: heavily damaged when pine tree f |
| 97129 | 4 | Rhododendron ciliatum x 1 | 163 | 97 | tre | C | V | 990411:flwrg very late for a ciliatum, small, surviving |
| 17256 | 4 | Rhododendron cinnabarinum Blandfordiiiflorum Group x | 171 | 17 | pds | | | cttg #12523 of HKRD #08039 |
| 12030 | 4 | Rhododendron cinnabarinum 'Mount Everest' x 1 | 161 | 12 | pds | B | | cttg. #9713 of HKRD #85419 |
| 17250 | 4 | Rhododendron cinnabarinum 'Mount Everest' x 1 | 120 | 17 | pds | | ? | cttg. #12501 of HKRD #76014 |
| 17257 | 4 | Rhododendron cinnabarinum 'Mount Everest' x 2 | 171 | 17 | pds | | ? | cttg. #12501 of HKRD #76014 |
| 09245 | 4 | Rhododendron cinnabarinum Roylei Group x 1 | 161 | 13 | ggd | B | | |
| 09850 | 3 | Rhododendron cinnabarinum Roylei Group x 1 | 171 | 13 | ggd | B | | 1806: flwrg but very unhappy (drought of previous ye |
| 17251 | 4 | Rhododendron cinnabarinum Roylei Group x 1 | 120 | 17 | pds | | | cttg #12183 of HKRD #98053 |
| 09246 | 3 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 155 | 13 | ggd | A | | 1401: status from 2 to 3 |
| 09845 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 155 | 13 | ggd | | | |
| 11423 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 161 | 11 | wld | A | | |
| 11424 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 2 | 161 | 11 | wld | A | | |
| 11425 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 6 | 161 | 11 | wld | B | V | |
| 11426 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 4 | 161 | 11 | wld | A | | |
| 11427 | 3 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 161 | 11 | wld | A | | |
| 17265 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 292 | 17 | wld | | ? | |
| 20092 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 1 | 174 | 20 | wld | | | |
| 95246 | 4 | Rhododendron cinnabarinum subsp. xanthocodon x 6 | 168 | 95 | wld | A | | |
| 03037 | 3 | Rhododendron cinnabarinum subsp. xanthocodon Purpur | 148 | 03 | pds | C | | */Cttg #5954 from Hof ter Saksen 904-83-5481 (ex R |
| 12032 | 4 | Rhododendron cinnabarinum subsp. xanthocodon Purpur | 161 | 12 | pds | B | | cttg. #8204 of HKRD #03039, |
| 09403 | 3 | Rhododendron citriniflorum var. horaeum x 1 | 162 | 09 | ggd | C | | ggd: "needs good drainage. Always creates a stir", 14 |
| 09405 | 4 | Rhododendron citriniflorum var. horaeum x 1 | 162 | 09 | ggd | C | | ggd: "needs good drainage. Always creates a stir", 17 |
| 10381 | 2 | Rhododendron clementinae x 1 | 191 | 14 | ggd | | | 1810: st.2 after drought and heat, pruned away the dea |
| 10382 | 4 | Rhododendron clementinae subsp. aureodorsale x 1 | 191 | 15 | ggd | | | |
| 10383 | 4 | Rhododendron clementinae subsp. aureodorsale x 1 | 191 | 17 | ggd | | | |
| 07260 | 4 | Rhododendron coeloneuron x 1 | 191 | 11 | wld | B | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|---|
| 07261 | 4 | Rhododendron coeloneuron x 1 | 191 | 11 | wld | B | | |
| 07262 | 4 | Rhododendron coeloneuron x 1 | 191 | 11 | wld | | | |
| 10335 | 4 | Rhododendron coeloneuron x 1 | 194 | 13 | ggd | | | 180408: flwrg profusely, 2003: starts flowering fuchsi |
| 09091 | 4 | Rhododendron concinnum x 1 | 161 | 12 | wld | | | |
| 09093 | 4 | Rhododendron concinnum x 1 | 161 | 12 | wld | A | | |
| 12310 | 4 | Rhododendron concinnum x 1 | 161 | 16 | pds | V | | Cttg #4586, TESSE-2030 = Promenade Delsaut, à Es |
| 95245 | 3 | Rhododendron concinnum x 1 | 161 | 12 | wld | B | V | |
| 08468 | 4 | Rhododendron concinnum Pseudoyanthinum Group x 1 | 161 | 11 | ggd | B | | 150430: excellent flowering, this group of 3 plants! |
| 08469 | 4 | Rhododendron concinnum Pseudoyanthinum Group x 1 | 161 | 11 | ggd | B | | |
| 14302 | 4 | Rhododendron 'Coral Velvet' (yakushmanum x) x 5 | 172 | 14 | pds | | | layers of #91578, 1806: 5/6 left |
| 91578 | 4 | Rhododendron 'Coral Velvet' (yakushmanum x) x 1 | 172 | 14 | waa | B | | 060415: flwrg, rather ugly orange fleshy colour, 0604; |
| 17401 | 4 | Rhododendron coriaceum x 2 | 162 | 17 | wld | | | |
| 77133 | 4 | Rhododendron 'Corona' (H x H) x 1 o | 162 | 86 | hil | B | T | 86:moved, 89:has recovered in loc 165, 99:not very h |
| 13055 | 4 | Rhododendron coryanum 'Chelsea Chimes' x 1 | 163 | 13 | div | | | prop #9950, Theo Leijdens, COX |
| 15222 | 4 | Rhododendron coryanum 'Chelsea Chimes' x 1 | 163 | 15 | div | | | prop #9950, Theo Leijdens, COX |
| 01025 | 4 | Rhododendron 'Cream Crest' (chryseum x 'Cilpinense') x | 168 | 09 | pds | C | | *cttg Hkrd #, 030401: nice group of plants flowering |
| 83572 | 3 | Rhododendron 'Cream Crest' (chryseum x 'Cilpinense') x | 155 | 16 | esv | C | | 85:C, lovely good pl., 99:again very good, reliable, ha |
| 09379 | 4 | Rhododendron crinigerum x 1 | 167 | 13 | ggd | | | |
| 09380 | 4 | Rhododendron crinigerum x 1 | 167 | 13 | ggd | | | |
| 10416 | 4 | Rhododendron cumberlandense 'Hillier's Red' x 1 | 114 | 13 | ggd | | | |
| 10417 | 4 | Rhododendron cumberlandense 'Hillier's Red' x 1 | 114 | 13 | ggd | | | |
| 10418 | 4 | Rhododendron cumberlandense 'Hillier's Red' x 1 | 114 | 13 | ggd | | | |
| 07271 | 4 | Rhododendron 'Curlew' (ludlowii x fletcherianum) x 1 | 161 | 11 | div | | ? | via Theo Leijdens, NLD, 1305: not R. keiskei 'Yaku F |
| 13353 | 3 | Rhododendron cv. x 1 | 292 | 13 | div | | ? | prop #12594, gift J.-L. Dantec, to be indentified, one |
| 91579 | 4 | Rhododendron 'Daniela' (H x yakushmanum 'Koichiro W | 154 | 08 | waa | A | | |
| 08427 | 4 | Rhododendron dauricum 'Hokkaido' x 3 * | 164 | 11 | ggd | A | | 150330: floriferous white, 200228: flowers |
| 19215 | 4 | Rhododendron dauricum 'Jelena' x 1 | 162 | 19 | pds | | | border 162/163, cttg #13164 of HKRD #88063 (AND |
| 19216 | 4 | Rhododendron dauricum 'Jelena' x 1 | 163 | 19 | pds | | | cttg #13164 of HKRD #88063 (AND NOT OF semib |
| 10308 | 4 | Rhododendron dauricum 'Midwinter' x 1 | 164 | 14 | ggd | | | |
| 10309 | 4 | Rhododendron dauricum 'Midwinter' x 1 | 164 | 14 | ggd | | | |
| 10310 | 4 | Rhododendron dauricum 'Midwinter' x 1 | 164 | 14 | ggd | | | 190118: starts flowering |
| 12036 | 4 | Rhododendron dauricum 'Midwinter' x 2 | 164 | 12 | pds | B | | cttg. #10632 of HKRD #03036, 1512: back to st.4 (fr |
| 17021 | 4 | Rhododendron dauricum 'Nano' x 3 | 163 | 20 | ggd | | | "compact dwarf form" |
| 08492 | 4 | Rhododendron davidii x 1 | 167 | 16 | ggd | A | | (HP), 0908: main stem dead, hardiness?, 1703: from 3 |
| 03042 | 3 | Rhododendron davidsonianum x 1 | 161 | 12 | pds | C | V | FCC, Cttg. #5887 from Hkrd #94040 |
| 09852 | 4 | Rhododendron davidsonianum (FCC) x 1 * | 161 | 13 | ggd | D | V | was #09270, 190410: extraordinarily floriferous, dese |
| 15442 | 4 | Rhododendron davidsonianum aff. x 1 | 162 | 15 | wld | | | |
| 15443 | 4 | Rhododendron davidsonianum aff. x 1 | 162 | 15 | wld | | | |
| 08497 | 4 | Rhododendron decorum (pale pink) x 1 | 168 | 11 | ggd | | | 0810: wonderful lvs and stem |
| 08498 | 4 | Rhododendron decorum (white) x 1 | 168 | 11 | ggd | | | |
| 13059 | 4 | Rhododendron decorum x 3 | 166 | 13 | wld | | | |
| 08501 | 4 | Rhododendron decorum subsp. cordatum x 1 | 168 | 13 | ggd | A | | 13: moved within location |
| 11122 | 4 | Rhododendron decorum subsp. cordatum x 1 | 168 | 11 | wld | | | |
| 11118 | 4 | Rhododendron degronianum subsp. degronianum x 1 | 172 | 11 | pds | A | V | layer #9155 of HKRD #81210 |
| 84768 | 4 | Rhododendron degronianum subsp. degronianum x 1 * | 172 | 12 | eve | A | V | 97:severely hit by spring frosts, 02: back to status 3; 0 |
| 07264 | 4 | Rhododendron degronianum subsp. heptamerum var. hon | 172 | 15 | wld | | | |
| 94279 | 3 | Rhododendron degronianum subsp. heptamerum var. kyo | 172 | 14 | wld | A | V | |
| 95243 | 3 | Rhododendron degronianum subsp. heptamerum var. kyo | 188 | 06 | wld | B | | |
| 08551 | 4 | Rhododendron degronianum subsp. heptamerum var. micr | 172 | 15 | ggd | A | | BV Sel, 1501: good low plant |
| 95244 | 4 | Rhododendron degronianum subsp. heptamerum var. micr | 136 | 12 | pds | A | | */Sd. #1247 from ARS 1987/296-JRS, origin unknow |
| 95433 | 4 | Rhododendron degronianum subsp. heptamerum var. micr | 172 | 12 | pds | A | V | was #95244-F, see there for more info |
| 19221 | 4 | Rhododendron denudatum x 1 | 194 | 19 | wld | | | |
| 09440 | 4 | Rhododendron dichroanthum subsp. apodectum x 1 | 162 | 09 | ggd | | | 1502: stay, |
| 09441 | 4 | Rhododendron dichroanthum subsp. apodectum x 1 | 162 | 09 | ggd | B | V | 1502: stay, |
| 11045 | 4 | Rhododendron dichroanthum (hybrid) x 1 | 168 | 11 | pds | A | H | layer #9812 of HKRD #95272 |
| 95272 | 4 | Rhododendron dichroanthum (hybrid) x 1 | 163 | 10 | div | A | H | gift J. De Strycker, Kasterlee sdlg, 97: flwrg,calyx sm |
| 99092 | 4 | Rhododendron dilatatum x 1 | 126 | 00 | wld | C | | |
| 85462 | 3 | Rhododendron ((discol.x smirno.) x (yak.x Gold Mohur)) | 131 | 87 | pds | A | K | 7 sdlg originally, = Dismal Gold Gr., ARS SdXch-82/ |
| 13303 | 4 | Rhododendron 'Dörte Reich' (minus x cinnabarinum subs | 161 | 15 | ggd | | | |
| 09554 | 4 | Rhododendron eastmanii x 1 | 126 | 13 | ggd | A | | |
| 09555 | 4 | Rhododendron eastmanii x 1 | 126 | 13 | ggd | A | | |
| 09556 | 4 | Rhododendron eastmanii x 1 | 126 | 13 | ggd | A | | |
| 09512 | 4 | Rhododendron eclecticum x 1 | 162 | 15 | ggd | | | (yellow), 1202: lvs brownish, hardiness? 1703: back t |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|--|
| 09513 | 3 | Rhododendron eclecticum x 1 | 162 | 09 | ggd | | V | (yellow), 1202: lvs brownish, hardness? 190321: is st |
| 17423 | 3 | Rhododendron edgeworthii x 2 | 162 | 17 | wld | | | |
| 11131 | 4 | Rhododendron 'Elsie Straver' (campylocarpum x) x 1 | 162 | 11 | pds | A | | layer #9159 of HKRD #86348 |
| 07075 | 4 | Rhododendron Ernestine Group (yunnanense x cinnabarin | 171 | 20 | pds | | | Cttg #7391 from Hkrd # 83197 |
| 83197 | 4 | Rhododendron Ernestine Group (yunnanense x cinnabarin | 161 | 12 | hil | ? | | */87:D, 91:A, 91/4:C+, 92:4,98:flwrg *,99:flwrg but s |
| 09537 | 4 | Rhododendron 'Etta Burrows' (Fusilier Gr x strigillosum) | 281 | 13 | ggd | A | | |
| 17412 | 4 | Rhododendron exasperatum x 1 | 162 | 17 | wld | | | |
| 16129 | 4 | Rhododendron 'Fairy Light' ('Lady Mar' x griersonianum) | 163 | 16 | pds | | | layer #13675 of HKRD #81251 |
| 10304 | 4 | Rhododendron fastigiatum x 1 | 155 | 13 | ggd | | | |
| 10305 | 4 | Rhododendron fastigiatum x 1 | 155 | 13 | ggd | | | |
| 99224 | 3 | Rhododendron fastigiatum x 4 | 131 | 10 | pds | A | | Cttg 4513 fr 89334 ggd, 07: 1 status 1, 0806: 1 dead, |
| 14039 | 4 | Rhododendron fastigiatum 'Indigo Steel' x 1 | 156 | 19 | ggd | | | |
| 14040 | 4 | Rhododendron fastigiatum 'Indigo Steel' x 1 | 156 | 19 | ggd | | | |
| 14041 | 4 | Rhododendron fastigiatum 'Indigo Steel' x 1 | 156 | 19 | ggd | | | |
| 11126 | 4 | Rhododendron 'Fastuosum Flore Pleno' x 1 | 171 | 11 | pds | A | | layers #9158 of HKRD #74144 |
| 11127 | 4 | Rhododendron 'Fastuosum Flore Pleno' x 1 | 171 | 11 | pds | A | | layers #9158 of HKRD #74144 |
| 11153 | 4 | Rhododendron 'Fastuosum Flore Pleno' x 1 | 172 | 11 | pds | A | | big layers of #74144, 1811: Stephanitis on the older l |
| 20012 | 4 | Rhododendron flaviflorum x 1 | 191 | 20 | wld | | ? | |
| 17402 | 4 | Rhododendron floccigerum x 5 | 162 | 17 | wld | | | |
| 15101 | 4 | Rhododendron formosanum x 1 | 192 | 15 | pds | | V | layer of HKRD #83400, 1705: from 2 up to status 3, |
| 19220 | 4 | Rhododendron formosanum x 1 | 194 | 19 | pds | | V | layer of HKRD #83400 |
| 10392 | 4 | Rhododendron forrestii subsp. papillatum x 1 | 162 | 20 | ggd | | | "glauc.", |
| 09446 | 4 | Rhododendron forrestii Repens Group x 1 | 162 | 09 | ggd | | | is this the cv 'Seinghku'? |
| 09451 | 4 | Rhododendron forrestii Tumescens Group 'Keillour' x 1 | 162 | 09 | ggd | | | |
| 08504 | 4 | Rhododendron fortunei x 1 | 168 | 11 | ggd | C | | (HP) |
| 09175 | 4 | Rhododendron fortunei x 1 | 166 | 09 | pds | B | ? | layer #9811 of HKRD #83370, 16: indeed not discolo |
| 13057 | 4 | Rhododendron fortunei x 1 | 166 | 13 | pds | | V | layer #9811 of HKRD #83370 |
| 16139 | 4 | Rhododendron fortunei x 1 | 295 | 16 | div | | | next to bonsai tent, gift Colasse, in vitro prop by Jéro |
| 00310 | 4 | Rhododendron fortunei subsp. discolor Houlstonii Group | 131 | 00 | pds | B | | Cttg 5321 from Hkrd 78163, 100508: great flowering, |
| 03019 | 4 | Rhododendron fortunei subsp. discolor Houlstonii Group | 189 | 03 | pds | A | | cttg #5321 from Hkrd #78163 |
| 08001 | 4 | Rhododendron fortunei subsp. discolor Houlstonii Group | 166 | 14 | pds | B | | three layers of #78163 in T, 09:02/3 found, 14: 1/2 m |
| 17312 | 4 | Rhododendron fortunei subsp. discolor 'John R. Elcock' x | 169 | 17 | div | | | gift #14131 Marc Reuling, Houlstonii Gr., |
| 17313 | 1 | Rhododendron fortunei 'Lu-Shan' x 1 | 169 | 17 | div | | | gift #14132 Marc Reuling, 1807: st.1, very dry in this |
| 09301 | 4 | Rhododendron 'Frosthexe' (anthopogon x lapponicum) x | 155 | 13 | ggd | A | | |
| 09303 | 4 | Rhododendron 'Frosthexe' (anthopogon x lapponicum) x | 155 | 13 | ggd | A | | |
| 86071 | 4 | Rhododendron fulgens x 1 * | 163 | 95 | ggd | A | V | 93:glaucous lvs., 0109:from status 4 to 3, no obvious |
| 17426 | 4 | Rhododendron galactinum x 2 | 162 | 17 | wld | | | |
| 00295 | 4 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) x 1 | 282 | 00 | pds | C | | Cttg 4979 from Hkrd 78038, _01:bark split here, in f |
| 00296 | 4 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) x 2 | 281 | 13 | pds | | | Cttg 4979 from Hkrd 78038, 1210: two plants, two G |
| 01026 | 3 | Rhododendron 'Geisha' ('Pineapple' x dichroanthum) x 2 | 281 | 01 | pds | B | | cttg Hkrd #4979 from, 04: 4/5 left, 1311: 3/5 left, 150 |
| 99163 | 4 | Rhododendron 'Gladys' (campylocarpum x fortunei) x 1 | 272 | 00 | pds | A | | Cttg 4952 from Hkr 77145, 0608: many of upper lvs |
| 99164 | 4 | Rhododendron 'Gladys Rose' (campylocarpum x fortunei) | 272 | 00 | pds | A | | Cttg 4933 from Hkr 77146, 0608: upper lvs scorched |
| 10356 | 4 | Rhododendron glanduliferum x 1 | 166 | 19 | ggd | C | V | 1812: big move within location (was there since 2014 |
| 10357 | 4 | Rhododendron glanduliferum x 1 | 167 | 17 | ggd | | | 17: to st.4 from 1 |
| 17022 | 4 | Rhododendron glischrum x 1 | 167 | 20 | ggd | | ? | |
| 10217 | 3 | Rhododendron 'Goosander' (ludlowii x lutescens) x 3 | 161 | 14 | pds | B | | cttg #6547 of Hkrd #85334, 1003: status B |
| 19222 | 4 | Rhododendron 'Grenadier' ('Moser's Maroon' x elliottii) x | 242 | 19 | pds | | | layer of HKRD #81197 |
| 20122 | 4 | Rhododendron 'Grenadier' ('Moser's Maroon' x elliottii) x | 173 | 20 | pds | | | layer of HKRD #81197, |
| 15023 | 4 | Rhododendron griersonianum x 1 | 162 | 17 | ggd | | ? | V no fruits |
| 15024 | 4 | Rhododendron griersonianum x 1 | 162 | 17 | ggd | | ? | 1811: fruit remnants |
| 15025 | 3 | Rhododendron griersonianum x 1 | 163 | 19 | ggd | | ? | 1811: no fruits, declining, status 3, 1812: moved to 16 |
| 17227 | 3 | Rhododendron griffithianum x 1 | 295 | 17 | div | | ? | Gift Minier, 1706: st.2 after bad spring frost of last A |
| 01032 | 3 | Rhododendron 'Gristede' (russatum x) x 7 ** | 122 | 01 | pds | B | | cttg Hkrd #3329 FROM 85268; russatum hybrid, not |
| 95110 | 4 | Rhododendron 'Gristede' (russatum x) x 3 ** | 122 | 95 | pds | B | | cttg ex HKRD ,russatum hybrid, not Intrifast x august |
| 17023 | 4 | Rhododendron 'Guillemot' x 3 | 156 | 20 | ggd | | | Glendoick Bird -series, "semi-dwarf and compact, pur |
| 20006 | 4 | Rhododendron habrotrichum x 1 | 167 | 20 | div | | ? | #12786, gift Marc Reuling, arboreum.be, |
| 09453 | 4 | Rhododendron haematodes x 1 | 162 | 13 | ggd | | V | |
| 08455 | 2 | Rhododendron hanceanum 'Canton Consul' x 1 | 165 | 15 | ggd | B | | A.M., 1508: very damaged by heat or drought |
| 08456 | 3 | Rhododendron hanceanum 'Canton Consul' x 1 | 165 | 15 | ggd | B | | A.M., 1508: very damaged by heat or drought, 1703: f |
| 08457 | 2 | Rhododendron hanceanum 'Canton Consul' x 1 | 165 | 15 | ggd | B | | A.M., 1508: very damaged by heat or drought |
| 03253 | 4 | Rhododendron 'Harkwood Premiere' (yakushmanum x 'B | 273 | 08 | div | A | | gift John Gallagher |
| 02129 | 4 | Rhododendron 'Harvest Moon' ('Mrs L. Smith' x campylo | 273 | 06 | pds | B | | layer from Hkrd #77153 |
| 10415 | 4 | Rhododendron heatheriae aff. x 1 | 167 | 20 | ggd | | ? | prob. var. of arizelum |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|---|
| 15133 | 2 | Rhododendron heliolepis var. fumidum x 1 | 154 | 15 | wld | | ? | |
| 17403 | 4 | Rhododendron heliolepis var. heliolepis x 3 | 162 | 17 | wld | | | |
| 09540 | 4 | Rhododendron (hemsleyanum x auriculatum) x 1 | 167 | 15 | ggd | | | |
| 11295 | 3 | Rhododendron 'High Summer' ('Mrs J.G. Millais' x Inamo | 273 | 18 | div | | | gift David Millais |
| 14042 | 4 | Rhododendron hippophaeoides 'Haba Shan' x 1 | 156 | 19 | ggd | | | |
| 01021 | 4 | Rhododendron hippophaeoides (hybrid) x 10 | 137 | 01 | pds | A | H | cttg Hkrd #5330 from 83608, 09: 13/14, 15: 11/14, 17 |
| 87343 | 4 | Rhododendron hippophaeoides (hybrid) x 2 | 155 | 16 | pds | B | H | */Cttg.#0646,ctg.78013,ex R. glomeratum, 98:1/3 dea |
| 03062 | 4 | Rhododendron hippophaeoides 'Inshriach' x 1 | 132 | 06 | pds | | | Cttg #5602 from Hkrd #74022/D |
| 09074 | 4 | Rhododendron hippophaeoides 'Inshriach' x 6 * | 130 | 09 | pds | A | | layers #9819 of HKRD #85589, 1611: 6/7 remaining, |
| 09355 | 4 | Rhododendron hodgsonii x 1 | 167 | 13 | ggd | A | V | |
| 09514 | 3 | Rhododendron hookeri x 1 | 167 | 09 | ggd | C | | (pink), 1502: remains status 2, 1703: status 3 |
| 09515 | 4 | Rhododendron hookeri x 1 | 162 | 15 | ggd | C | | (pink), 1703: from 3 back to status 4 |
| 09581 | 4 | Rhododendron hookeri x 1 | 163 | 11 | ggd | C | V | (red), |
| 12034 | 4 | Rhododendron hookeri x 1 | 163 | 12 | wld | B | V | |
| 19347 | 4 | Rhododendron hookeri x 1 | 163 | 19 | wld | | | |
| 17417 | 4 | Rhododendron horlickianum x 3 | 162 | 17 | wld | | | |
| 17422 | 4 | Rhododendron horlickianum x 5 | 162 | 17 | ggd | | | gift Rhododendron-Park Bremen, 2012/342, Glendoic |
| 95247 | 4 | Rhododendron ('Hotei' x lacteum) x 1 | 168 | 95 | pds | B | K | */Sd.ARS 1986/1035, good variab.pl , 97:A,B+ but D |
| 17405 | 4 | Rhododendron hunnewellianum x 5 | 162 | 17 | wld | | | |
| 17024 | 4 | Rhododendron hunnewellianum var. rockii x 1 | 192 | 20 | ggd | | ? | |
| 17406 | 4 | Rhododendron hylaeum x 5 | 162 | 17 | wld | | | |
| 07270 | 4 | Rhododendron hyperythrum x 1 | 172 | 11 | div | B | V | via Theo Leijdens, sd. ARS #04-415, possibly wild cll |
| 80107 | 4 | Rhododendron hyperythrum x 1 * | 286 | 97 | hil | A | | 97/6:very dry after being moved during dry spring, hy |
| 08552 | 4 | Rhododendron hyperythrum 'Omo' x 1 | 172 | 15 | ggd | B | | AM |
| 17277 | 4 | Rhododendron impeditum x 1 | 156 | 17 | pds | | | cttg. #9799 of HKRD #86171 |
| 08479 | 2 | Rhododendron insigne x 1 | 192 | 16 | ggd | A | | 1703: st.1, 2003: status 2 |
| 14043 | 4 | Rhododendron Intrifast Group (intricatum x fastigiatum) | 156 | 19 | ggd | | | |
| 14044 | 4 | Rhododendron Intrifast Group (intricatum x fastigiatum) | 156 | 19 | ggd | | | |
| 14045 | 4 | Rhododendron Intrifast Group (intricatum x fastigiatum) | 156 | 19 | ggd | | | |
| 09384 | 4 | Rhododendron irroratum 'Polka Dot' x 1 | 166 | 15 | ggd | C | | 1208: C to D, 1703: from 2 to status 4 |
| 16137 | 3 | Rhododendron 'Iviza Philomene' ('Fabia' x 'Bustar') x 3 | 283 | 16 | pds | | | layers #13674 of HKRD #81235, 1709: from 4 to stat |
| 04263 | 4 | Rhododendron 'Jack Skelton' ('Dr. Stocker' x 'M. L. Smith | 179 | 04 | pds | B | | Cttg Hkrd 6055 from 79014 |
| 09125 | 3 | Rhododendron 'Jack Skelton' ('Dr. Stocker' x 'M. L. Smith | 271 | 09 | pds | B | | cttg. #7569 of HKRD #79014, 0909: status 3, dry |
| 14100 | 4 | Rhododendron 'Jacksonii' (caucasicum x 'Nobleanum') x 6 | 171 | 14 | pds | | | 5 layers around mother plant #85337 |
| 85337 | 4 | Rhododendron 'Jacksonii' (caucasicum x 'Nobleanum') x 1 | 171 | 14 | ggd | B | T | 87:A+ , 97:A+, 14: big move from 172, with 5 layers |
| 13307 | 4 | Rhododendron 'Joachim Reich' x 1 | 155 | 17 | ggd | | | |
| 08422 | 1 | Rhododendron 'Josefa Blue' (russatum x edgeworthii) x 1 | 155 | 15 | ggd | A | | 1701: st.1, pruned hard, 19: not a trace of edgeworthii |
| 91582 | 4 | Rhododendron 'Kalinka' ['Morgenrot' x ('Mars' x yak. 'Koi | 285 | 97 | waa | A | | |
| 13309 | 4 | Rhododendron kesangiae x 1 | 167 | 17 | ggd | | V | (MH Pink) |
| 07272 | 4 | Rhododendron keysii x 2 | 161 | 11 | wld | B | | |
| 07273 | 4 | Rhododendron keysii x 3 | 161 | 11 | wld | B | | |
| 15137 | 4 | Rhododendron keysii x 1 | 161 | 15 | wld | | | |
| 02159 | 4 | Rhododendron kiusianum 'Komu Kulshan' x 3 | 285 | 02 | pds | A | | */cttg. #5272 from plant in Poly Hill Arboretum, 04: |
| 17416 | 4 | Rhododendron kyawii x 3 | 162 | 17 | wld | | ? | |
| 13310 | 4 | Rhododendron lacteum x 1 | 193 | 17 | ggd | | ? | V (JN) |
| 13312 | 2 | Rhododendron lacteum x 1 | 194 | 17 | ggd | | ? | (JN), 1811: st.1 after heat/drought, 2003: status 2 |
| 19214 | 4 | Rhododendron 'Lady Primrose' (campylocarpum x) x 1 | 162 | 19 | pds | | | layer of HKRD #77161 |
| 85274 | 4 | Rhododendron 'Laetevirens' (minus Carolinianum Gr x fe | 275 | 97 | ggd | B | | syn 'Wilsonii Gr'; 0403: very good dense evergreen sh |
| 91583 | 4 | Rhododendron 'Lamentosa' ('Humboldt' x yakushmanum | 286 | 97 | waa | A | | 030319: somewhat chlorotic, 1205: now healthy, hold |
| 12029 | 4 | Rhododendron lapponicum aff. x 2 | 155 | 12 | pds | B | C | cttg. #10656 of HKRD #83202, 1504: can be hybrids |
| 19344 | 4 | Rhododendron lapponicum aff. x 1 | 155 | 19 | pds | | C | cttg. #10656 of HKRD #83202, 1504: can be hybrids |
| 19074 | 4 | Rhododendron lapponicum 'Hillier's Form' x 1 | 155 | 19 | pds | | | cttg. #13135 of HKRD #93240 |
| 15225 | 4 | Rhododendron 'Late Love' ('Chinyeyi' x nakaharae) x 1 | 172 | 15 | pds | | | layer #7853 of HKRD #89254 |
| 09221 | 1 | Rhododendron laudandum var. temoense x 1 | 154 | 13 | ggd | A | ? | 1504: this is original Kingdon-Ward introduction, but |
| 97111 | 4 | Rhododendron 'Lavender Girl' (fortunei x 'L. Grey Egerto | 271 | 97 | pds | A | | cttg.#4497 fr.76066, 0305: spectacular flowering, 130 |
| 98074 | 4 | Rhododendron 'Lavender Girl' (fortunei x 'L. Grey Egerto | 271 | 98 | pds | A | | Cttg 4797 from Hkrd #76066, 0305: spectacular flow |
| 20004 | 4 | Rhododendron ledebourii x 1 | 164 | 20 | wld | | | |
| 10314 | 4 | Rhododendron lepidostylum x 1 | 165 | 15 | ggd | | | |
| 10315 | 2 | Rhododendron lepidostylum x 1 | 165 | 15 | ggd | | | 1508: one plant very damaged by heat or drought, 160 |
| 10316 | 4 | Rhododendron lepidostylum x 1 | 165 | 15 | ggd | | | 1703: from 3 to status 4 |
| 12224 | 4 | Rhododendron lepidostylum x 1 | 165 | 12 | pds | C | V | cttg. #9050 of HKRD #87245 |
| 13056 | 4 | Rhododendron lepidostylum x 3 | 165 | 13 | pds | | | cttg. #9050 of HKRD #87245, 1508: much better than |
| 91590 | 4 | Rhododendron 'Lissabon' ('Nova Zembla' x williamsianu | 189 | 02 | waa | B | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 13319 | 4 | Rhododendron 'Loch Faskally' x 1 | 299 | 15 | ggd | | | (2000/14B PW x SAPPH) |
| 13321 | 4 | Rhododendron 'Loch Faskally' x 1 | 299 | 15 | ggd | | | (2000/14B PW x SAPPH) |
| 07275 | 4 | Rhododendron x lochmium (trichanthum x davidsonianu | 161 | 11 | ggd | B | | via Theo Leijdens |
| 06022 | 4 | Rhododendron Lodaureic Group (Loderi Gr. x auriculatum | 166 | 06 | pds | A | | layer of #77169, |
| 82058 | 4 | Rhododendron 'Lodaureic Iceberg' (Loderi Gr. x auriculatu | 163 | 86 | reu | C | | 85:C- , 88:OK after move to 165, 97:A+, 060605:red |
| 09541 | 2 | Rhododendron 'Loderi King George' (fortunei x griffithia | 168 | 13 | ggd | B | | 1902: st.2, cut again some dead branches, |
| 09543 | 4 | Rhododendron 'Loderi King George' (fortunei x griffithia | 168 | 13 | ggd | B | | |
| 08060 | 4 | Rhododendron 'Loder's White' (arboreum album x griffith | 168 | 08 | pds | B | | layer #9095 of HKRD #79016 |
| 10337 | 4 | Rhododendron longipes x 1 | 194 | 13 | ggd | | V | |
| 10338 | 4 | Rhododendron longipes x 1 | 192 | 17 | ggd | | | 1307: back to status 4 |
| 15422 | 4 | Rhododendron 'Lucy Lou' (leucaspis x (ciliatum x laucasp | 163 | 17 | ggd | | ? | 200305: flowering white |
| 14481 | 4 | Rhododendron lukiangense x 1 | 166 | 17 | div | | ? | V gift NDV, Magnolia study day, 140424 (maak extra la |
| 17407 | 3 | Rhododendron lukiangense x 2 | 162 | 17 | wld | | | |
| 91203 | 4 | Rhododendron ('Luscombei' sdlg) x 4 | 133 | 91 | pds | B | ? | OP.sd. fr.HKR#78058,98=-e:bark split, 03: pl-f dead, |
| 15014 | 4 | Rhododendron lutescens x 1 | 161 | 15 | wld | | | V |
| 09271 | 4 | Rhododendron lutescens 'Bagshot Sands' x 1 | 161 | 13 | ggd | C | | AGM, 1401: back to status 4 (from 3) |
| 19346 | 4 | Rhododendron lutescens 'Bagshot Sands' x 1 | 161 | 19 | pds | | | AGM, cttg. #13174 of HKRD #09273, |
| 08530 | 4 | Rhododendron maculiferum x 1 | 166 | 11 | ggd | | V | 1205: too bristly for maculiferum but former Glendoic |
| 08532 | 4 | Rhododendron maculiferum x 1 | 166 | 11 | ggd | | | 1205: too bristly for maculiferum but former Glendoic |
| 13058 | 4 | Rhododendron maculiferum x 1 | 166 | 13 | wld | | | |
| 10362 | 4 | Rhododendron maculiferum subsp. anwheiense x 1 | 166 | 15 | ggd | | V | AM form, |
| 08125 | 4 | Rhododendron 'Madame Masson' (catawbiense x ponticu | 175 | 08 | pds | A | | layer #9157 of HKRD #83205, beware for ponticum s |
| 11124 | 4 | Rhododendron 'Madame Masson' (catawbiense x ponticu | 171 | 11 | pds | A | | layer #9157 of HKRD #83205, |
| 11125 | 4 | Rhododendron 'Madame Masson' (catawbiense x ponticu | 171 | 11 | pds | A | | layer #9157 of HKRD #83205, |
| 83205 | 4 | Rhododendron 'Madame Masson' (catawbiense x ponticu | 188 | 06 | hil | A | | 90:pushed over by storm |
| 17425 | 4 | Rhododendron maddenii x 1 | 173 | 20 | wld | | | |
| 17413 | 4 | Rhododendron maddenii subsp. crassum x 1 | 162 | 17 | wld | | | |
| 20195 | 4 | Rhododendron ('Madona' x fortunei) x 1 | 168 | 20 | dcl | | | graft #12570 of HKRD #91192, |
| 13323 | 2 | Rhododendron magniflorum x 1 | 167 | 15 | ggd | | | (NNO 959), 1811: no fruits, half of plant dead: st. 2, 1 |
| 16198 | 4 | Rhododendron makinoi x 1 | 172 | 16 | div | | V | Serge Wauthier |
| 05119 | 4 | Rhododendron makinoi 'Fuju-kaku-no-matsu' x 1 ** | 172 | 13 | dcl | | | gift Antoon De Clercq |
| 13326 | 4 | Rhododendron maoerense x 1 | 168 | 15 | ggd | | | (CGG 14082), 1809: all three accessions have done w |
| 16201 | 4 | Rhododendron 'Marquis de Chacelas' x 2 | 173 | 16 | pds | | | mother plant (#92685) was cut to make path, two laye |
| 95419 | 4 | Rhododendron martinianum x 1 | 163 | 07 | pds | C | V | cttg.#2407:ex HKRD 86074, 0611: see sub 95097 for |
| 88122 | 4 | Rhododendron martinianum (hybrid) x 1 | 149 | 02 | esv | A | H | flwrs are too large for type !! 030422: profusely flowe |
| 01108 | 4 | Rhododendron 'Matador' (griersonianum x strigillosum) x | 274 | 01 | pds | B | | Cttg Hkrd 5316 from 81110, 1504: not Rhododendro |
| 15322 | 4 | Rhododendron 'Matador' (griersonianum x strigillosum) x | 168 | 16 | pds | | | remaining layers #13834 of Rhododendron 'Matador' |
| 18078 | 4 | Rhododendron 'Matador' (griersonianum x strigillosum) x | 174 | 18 | pds | | | Cttg #4924 from HKRD #78062, |
| 18212 | 4 | Rhododendron maximum x 1 | 171 | 18 | wld | | | |
| 15099 | 4 | Rhododendron (maximum compactum x maximum Late | 171 | 15 | pds | | K | layers of HKRD #83796, 180613: good late flowering |
| 11046 | 2 | Rhododendron 'May Day' (haematodes x griersonianum) | 174 | 11 | pds | B | | layers #9813 of HKRD #94247, 1809: st.2 after droug |
| 94247 | 4 | Rhododendron 'May Day' (haematodes x griersonianum) | 168 | 94 | pds | B | | cttg fr.#."1837 fr.HKR.80116, 07: apparently only 3-4 |
| 78064 | 4 | Rhododendron meddianum (hybrid) x 1 | 163 | 86 | hil | C | H | */(85:C), 97/2:/flwrs white with few purple flecks, lv |
| 09242 | 4 | Rhododendron 'Merganser' (campylogynum x luteiflorum | 163 | 13 | ggd | | B | |
| | 6 | Rhododendron metternichii => Rhododendron degrobian | | | | | | |
| 17408 | 4 | Rhododendron mianningense x 1 | 162 | 17 | wld | | | |
| 90895 | 4 | Rhododendron micranthum x 1 | 156 | 12 | div | A | | gift? |
| 10369 | 4 | Rhododendron microgynum x 1 | 162 | 13 | ggd | | | |
| 10370 | 4 | Rhododendron microgynum x 1 | 162 | 13 | ggd | | | |
| 10371 | 4 | Rhododendron microgynum x 1 | 162 | 13 | ggd | | V | |
| 14135 | 4 | Rhododendron 'Midsummer' (maximum x) x 1 | 171 | 14 | pds | | | layers of #91598 in 464, 1412: perfectly healthy and d |
| 14313 | 4 | Rhododendron 'Midsummer' (maximum x) x 2 | 171 | 14 | pds | | | layers #12528 of HKRD #91598, 1412: status 3, chlor |
| 15039 | 3 | Rhododendron 'Midsummer Mermaid' x 3 | 124 | 17 | ggd | | | "A natural hybrid , larger pinker flowers than typical |
| 14358 | 4 | Rhododendron minus x 1 | 161 | 14 | div | | V | #11588, gift Maurice Foster, |
| 17004 | 4 | Rhododendron minus x 3 | 161 | 17 | wld | | | |
| 17007 | 4 | Rhododendron minus x 1 | 281 | 17 | wld | | | |
| 02256 | 4 | Rhododendron minus var. chapmanii x 1 | 273 | 02 | pds | B | V | cttg 4745 from Hkrd #76013, 0605: pruned back seve |
| 13054 | 4 | Rhododendron minus var. chapmanii x 1 | 161 | 13 | div | | | prop #9968, Theo Leijdens, RHS, 00.069, OP, Willis |
| 09557 | 4 | Rhododendron molle x 1 | 117 | 13 | ggd | | | subsp. molle, possibly C&H 7181, |
| 09558 | 4 | Rhododendron molle x 1 | 117 | 13 | ggd | | | subsp. molle, possibly C&H 7181, |
| 09559 | 4 | Rhododendron molle x 1 | 117 | 13 | ggd | | | subsp. molle, possibly C&H 7181, 100527: good oran |
| 12025 | 4 | Rhododendron molle x 1 | 126 | 12 | wld | | A | |
| 19354 | 4 | Rhododendron molle x 1 | 287 | 19 | wld | | | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|---|
| 15043 | 3 | Rhododendron molle subsp. japonicum x 3 | 175 | 15 | wld | | V | |
| 17210 | 4 | Rhododendron molle subsp. japonicum x 3 | 117 | 17 | wld | | | |
| 20015 | 4 | Rhododendron molle subsp. japonicum x 2 | 287 | 20 | wld | | | |
| 20025 | 4 | Rhododendron molle subsp. japonicum x 2 | 117 | 20 | wld | | | |
| 86008 | 4 | Rhododendron 'Monsieur Marcel Ménard' x 1 * | 133 | 91 | dcl | A | | parentage unknown, ='Marcel Ménard', 030520: deep |
| 08533 | 4 | Rhododendron morii x 1 | 166 | 15 | ggd | B | | |
| 08534 | 4 | Rhododendron morii x 1 | 167 | 13 | ggd | B | V | |
| 84729 | 4 | Rhododendron 'Morning Cloud' (yakushmanum x 'Spring | 242 | 96 | spi | A | | 90:Bk.Splt, 0305: spectacular flowering_060722:very |
| 00368 | 4 | Rhododendron 'Mount Everest' (campanulatum x griffithi | 188 | 03 | pds | B | | layer from 78069, 0701: flowering, but flowers damag |
| 78068 | 4 | Rhododendron 'Mount Everest' (campanulatum x griffithi | 151 | 98 | hil | B | | 98:moved to make room for better view,had grown to |
| 78069 | 4 | Rhododendron 'Mount Everest' (campanulatum x griffithi | 151 | 98 | hil | B | | 05: one of them given to friend of Philippe |
| 05117 | 4 | Rhododendron 'Mountain Marriage' (maximum x yakushi | 189 | 09 | dcl | A | | gift Antoon De Clercq |
| 14046 | 4 | Rhododendron moupinense 'Fulmar' x 1 | 163 | 20 | ggd | ? | | 19: moved from p45 to pON |
| 14047 | 4 | Rhododendron moupinense 'Fulmar' x 1 | 163 | 20 | ggd | ? | | 19: moved from p45 to pON |
| 14048 | 4 | Rhododendron moupinense 'Fulmar' x 1 | 163 | 20 | ggd | ? | | 19: moved from p45 to pON |
| 98069 | 4 | Rhododendron 'Mrs Charles E. Pearson' (Coombe Royal | 271 | 98 | pds | A | | Cttg 4770 from Hkrd #76072 |
| 08127 | 4 | Rhododendron 'Mrs T.H. Lowinsky' x 1 | 176 | 08 | pds | A | | layer #9164 of HKRD #82328, 0903: status 1, pruned |
| 09160 | 4 | Rhododendron 'Mrs T.H. Lowinsky' x 1 | 281 | 09 | pds | A | | layer #9810 of HKRD #82328 |
| 10226 | 4 | Rhododendron 'Mrs T.H. Lowinsky' x 1 | 273 | 10 | pds | A | | layer #9810 of HKRD #82328, 1509: removed almost |
| 11132 | 4 | Rhododendron 'Mrs T.H. Lowinsky' x 1 | 154 | 11 | pds | A | | layer #9164 of HKRD #82328, |
| 02153 | 4 | Rhododendron mucronulatum x 1 | 164 | 18 | pds | A | | */cttg #5311 from Hkrd #76061/6, 09:0, 1203: found |
| 02154 | 3 | Rhododendron mucronulatum (Hillier's good form) x 1 | 272 | 02 | pds | C | | cttg #5311 from Hkrd #76061/6, 0911:and good autu |
| 83825 | 4 | Rhododendron mucronulatum (VML) x 1 | 164 | 06 | vml | A | | good early flwrg,(not "poukhn.") previously 8361D, |
| 96116 | 4 | Rhododendron mucronulatum (pink sdls) x 1 * | 164 | 03 | pds | C | V | */sd#4064 from Chollipo A.92/92 , 98:8/12 survive, _ |
| 96332 | 4 | Rhododendron mucronulatum (pink sdls) x 1 | 164 | 16 | pds | C | | sd#4064 from Chollipo A.92/92, 1511: were 96116-b |
| 03022 | 4 | Rhododendron mucronulatum var. ciliatum x 1 | 174 | 19 | wld | A | | |
| 93024 | 4 | Rhododendron mucronulatum var. ciliatum x 1 * | 168 | 18 | wld | C | V | |
| 99282 | 4 | Rhododendron mucronulatum var. ciliatum x 1 | 188 | 19 | wld | A | | |
| 99283 | 4 | Rhododendron mucronulatum var. ciliatum x 1 | 189 | 19 | wld | A | | |
| 15035 | 4 | Rhododendron mucronulatum 'Cornell Pink' x 3 | 164 | 17 | ggd | | | 150309: a good, soft pink selection, |
| 10311 | 4 | Rhododendron mucronulatum var. taquetii x 1 | 164 | 13 | ggd | | | syn. var. chejuense, 140309: last of Rhodorastra to flo |
| 10313 | 4 | Rhododendron mucronulatum var. taquetii x 1 | 164 | 13 | ggd | | | syn. var. chejuense, 140309: last of Rhodorastra to flo |
| 87045 | 2 | Rhododendron nakaharae (rose form) x 1 | 173 | 20 | pds | A | | my cttg.,? from 81064/p6 REU, 1310: verify quantity, |
| 17028 | 4 | Rhododendron 'Nancy Evans' ('Hotei' x 'Lem's Cameo') x | 285 | 20 | ggd | | | "needs sharp drainage" |
| 08057 | 4 | Rhododendron 'Naomi Early Dawn' ('Aurora' x fortunei) x | 166 | 08 | pds | B | | layer #9092 of HKRD #80121, 1208: B- in april after |
| 09081 | 4 | Rhododendron 'Naomi Exbury' ('Aurora' x fortunei) x 1 | 167 | 09 | pds | B | | layer #9167 of HKRD #77185 |
| 13084 | 2 | Rhododendron 'Naomi Exbury' ('Aurora' x fortunei) x 1 | 168 | 13 | pds | | | layer #9167 of HKRD #77185, 2001: st.2, major bran |
| 77187 | 4 | Rhododendron 'Naomi Nereid' ('Aurora' x fortunei) x 2 * | 166 | 08 | hil | B | ? | 060509:quite similar to Nautilus 77186, check, 08: thr |
| 05324 | 4 | Rhododendron 'Naomi Stella Maris' ('Aurora' x fortunei) | 168 | 12 | pds | B | | layer of 80124, |
| 09461 | 3 | Rhododendron neriiflorum subsp. phaedropum x 1 | 162 | 15 | ggd | D | V | 1502: has a good layer with many flower buds, 1709: |
| 20090 | 4 | Rhododendron neriiflorum subsp. phaedropum x 1 | 173 | 20 | div | ? | | #11216, gift Theo Leydens, Dutch Rhododendron Soc |
| 09560 | 4 | Rhododendron nipponicum x 1 | 162 | 09 | ggd | A | | |
| 09562 | 4 | Rhododendron nipponicum x 1 | 162 | 09 | ggd | A | | |
| 14049 | 4 | Rhododendron nitidulum var. omeiense x 1 | 156 | 19 | ggd | | | |
| 14050 | 4 | Rhododendron nivale subsp. boreale Ramosissimum Grou | 155 | 19 | ggd | | | |
| 14051 | 4 | Rhododendron nivale subsp. boreale Ramosissimum Grou | 155 | 19 | ggd | | | |
| 14052 | 3 | Rhododendron nivale subsp. boreale Ramosissimum Grou | 155 | 19 | ggd | | | 200218: dry leaves, chlorotic |
| 08254 | 4 | Rhododendron niveum x 1 | 167 | 12 | wld | B | V | |
| 09314 | 2 | Rhododendron niveum x 1 | 195 | 15 | ggd | D | | 1902: st.1 after dry and hot summer, 2003: status 2 |
| 09318 | 2 | Rhododendron niveum x 1 | 194 | 15 | ggd | C | | 1705: from 4 to status 3 (frost), 2003: suffered from s |
| 15010 | 4 | Rhododendron 'Nizette' (oreotrephes x 'Youthful Sin') x 1 | 120 | 15 | pds | | | Cttg #8483 of HKRD #88058 |
| 15011 | 3 | Rhododendron 'Nizette' (oreotrephes x 'Youthful Sin') x 1 | 161 | 15 | pds | | | Cttg #8483 of HKRD #88058, 1703: status 3 |
| 20031 | 4 | Rhododendron 'Nizette' (oreotrephes x 'Youthful Sin') x 1 | 161 | 20 | pds | | | cttg #13181 of HKRD #88058, |
| 20091 | 4 | Rhododendron noriakianum x 1 | 173 | 20 | div | ? | | gift #11215 from Theo Leydens, Dutch Rhododendro |
| 09563 | 3 | Rhododendron occidentale x 1 | 126 | 13 | ggd | A | | |
| 09564 | 3 | Rhododendron occidentale x 1 | 126 | 13 | ggd | A | | |
| 13049 | 3 | Rhododendron occidentale x 2 | 126 | 13 | wld | | | |
| 13285 | 3 | Rhododendron occidentale x 1 | 126 | 14 | wld | | | |
| 94031 | 4 | Rhododendron 'Odoratum' (ponticum x periclymenoides) | 173 | 94 | pds | A | ? | cttg #3322, ex HKR 86506, 97:B, not happy there, err |
| 17419 | 4 | Rhododendron oldhamii x 3 | 162 | 17 | wld | | | |
| 84751 | 3 | Rhododendron 'Olga' ('Mrs Lindsay Smith x Dido Gr) x 1 | 195 | 03 | reu | A | | |
| 08509 | 3 | Rhododendron orbiculare x 1 | 167 | 19 | ggd | C | V | (large lvd) |
| 77085 | 4 | Rhododendron orbiculare (hybrid) x 1 * | 276 | 97 | hil | C | H | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|---|
| 95420 | 3 | Rhododendron 'Oreocinn' (oreotrephes x cinnabarinum) | 120 | 95 | pds | B | V | 0704: found in group of Oreoroyle #95124, must be p |
| 17048 | 3 | Rhododendron oreodoxa x 3 | 167 | 17 | wld | | V | |
| 08510 | 4 | Rhododendron oreodoxa var. fargesii x 1 | 167 | 11 | ggd | B | V | |
| 77051 | 4 | Rhododendron oreodoxa var. fargesii x 1 | 189 | 00 | hil | A | V | */00:moved to 227 a more shady plot than its original |
| 82249 | 4 | Rhododendron oreodoxa (hybrid) x 1 | 282 | 97 | hil | C | H | (85C), 86:A, not 'Carex White' later than oreodoxa's, |
| 95124 | 4 | Rhododendron Oreoroyle Group (oreotrephes x cinnabari) | 120 | 95 | pds | A | | */cttg. Ex HKRD, 0401: 2 plants with some dead woo |
| 01023 | 4 | Rhododendron oreotrephes x 3 | 161 | 12 | pds | B | V | cttg Hkrd #5337 from 81109, 04: 3/13 moved to 228 s |
| 01410 | 3 | Rhododendron oreotrephes x 1 | 161 | 18 | pds | | | cttg Hkrd #5337 from 81109, 04: 3 from group sub #0 |
| 01477 | 4 | Rhododendron oreotrephes x 1 | 162 | 18 | pds | | | cttg Hkrd #5337 from 81109, was HKRD #01410, |
| 01478 | 4 | Rhododendron oreotrephes x 1 | 162 | 18 | pds | | | next to Frangula alnus, cttg Hkrd #5337 from 81109, |
| 12035 | 4 | Rhododendron oreotrephes x 1 | 161 | 12 | pds | A | | cttg. #9714 of HKRD #77190 |
| 15012 | 3 | Rhododendron oreotrephes aff. x 2 | 161 | 15 | wld | | ? | |
| 18140 | 3 | Rhododendron oreotrephes aff. x 1 | 120 | 18 | wld | | ? | |
| 17030 | 4 | Rhododendron oreotrephes 'Blue-calyptus' x 1 | 161 | 20 | ggd | | | |
| 17221 | 3 | Rhododendron oreotrephes 'Davidian's Favorite' x 1 | 171 | 17 | pds | | | Cttg #10214 Rhododendronpark Bremen, 1705: to sta |
| 09275 | 4 | Rhododendron oreotrephes 'Pentland' x 1 | 161 | 15 | ggd | | | AM (dark), 1703: back to status 4 |
| 09276 | 4 | Rhododendron oreotrephes 'Pentland' x 1 | 161 | 13 | ggd | | | AM (dark), |
| 01033 | 4 | Rhododendron Oxlip Group (williamsianum x wardii Liti) | 118 | 01 | pds | A | | cttg Hkrd #4541 from 77255; 0308: suffering from dr |
| 02080 | 4 | Rhododendron Oxlip Group (williamsianum x wardii Liti) | 152 | 02 | pds | B | | cttg two from #4201 and one from #4541 from Hkrd # |
| 17415 | 3 | Rhododendron pachypodium x 1 | 162 | 17 | wld | | | |
| 08542 | 4 | Rhododendron pachysanthum x 1 * | 114 | 11 | ggd | A | | (HP), (ex RV 72001) |
| 08544 | 4 | Rhododendron pachysanthum x 1 * | 167 | 08 | ggd | A | V | (HP), (ex RV 72001) |
| 08547 | 4 | Rhododendron pachysanthum x 1 * | 167 | 18 | ggd | A | | |
| 09385 | 4 | Rhododendron pachytrichum x 1 | 166 | 13 | ggd | | V | |
| 09463 | 3 | Rhododendron parmulum x 1 | 162 | 09 | ggd | | | collected by Peter and Ken Cox in SE Tibet 1996, 17 |
| 05098 | 2 | Rhododendron parmulum 'Ocelot' x 1 | 163 | 13 | pds | A | | cttg. 4752 from #89357, 150330: interesting flowers |
| 16199 | 4 | Rhododendron 'Patty Bee' (keiskei 'Yaku Fairy' x fletcheri) | 161 | 16 | div | | | Serge Wauthier, 1703: 1 with status 2, 1801: 4/5 left, |
| 07280 | 4 | Rhododendron pentaphyllum x 1 | 164 | 11 | div | A | | via Theo Leijdens, sd. RHS #96.142, OP from Clark |
| 09566 | 4 | Rhododendron periclymenoides x 3 | 126 | 13 | ggd | A | | 1508: not all st.4 |
| 17266 | 2 | Rhododendron periclymenoides x 1 | 292 | 17 | wld | | | |
| 97045 | 4 | Rhododendron periclymenoides x 1 | 126 | 10 | wld | A | | |
| 98059 | 4 | Rhododendron periclymenoides x 6 | 126 | 98 | pds | A | T | */sd 4007 from ARS SdEx 1992#39, _00:Dr. K. Kron |
| 14053 | 4 | Rhododendron 'Peter Chappell' (glaucophyllum x campyl) | 156 | 19 | ggd | | | dark; N end |
| 14054 | 4 | Rhododendron 'Peter Chappell' (glaucophyllum x campyl) | 156 | 19 | ggd | | | dark |
| 14055 | 4 | Rhododendron 'Peter Chappell' (glaucophyllum x campyl) | 155 | 19 | ggd | | | dark |
| 13327 | 2 | Rhododendron phaeochrysum x 1 | 191 | 20 | ggd | | | (JN), 2003: burned leaves by summer heat, status 2 |
| 13328 | 4 | Rhododendron phaeochrysum x 1 | 191 | 20 | ggd | | | (JN) |
| 13329 | 2 | Rhododendron phaeochrysum x 1 | 191 | 20 | ggd | | | (JN), 2003: status 2 |
| 17264 | 4 | Rhododendron phaeochrysum x 1 | 188 | 17 | wld | | | |
| 08470 | 3 | Rhododendron pingianum x 1 | 192 | 19 | ggd | A | V | closely related to R. argyrophyllum, sometimes consid |
| 14056 | 2 | Rhododendron platypodium x 1 | 168 | 20 | ggd | | ? | graft, 1807: st.3, suffering from drought |
| 14036 | 4 | Rhododendron 'Plover' (dendrocharis x edgeworthii) x 1 | 163 | 19 | ggd | | | close to bench, not R. dendrocharis as per invoice say |
| 14038 | 4 | Rhododendron 'Plover' (dendrocharis x edgeworthii) x 1 | 163 | 19 | ggd | | | not R. dendrocharis as per invoice says Ken Cox |
| 09549 | 4 | Rhododendron 'Polar Bear' (diaprepes x auriculatum) x 1 | 163 | 11 | ggd | B | | |
| 86135 | 4 | Rhododendron 'Polaris' ('Omega' x yakushmanum) x 1 | 188 | 06 | div | | ? | ex stand allemand Florales Gant.1985, Hachmann se |
| 08410 | 3 | Rhododendron polycladum Scintillans Group (F.C.C.) x 1 | 156 | 15 | ggd | A | | 1703: status 3 |
| 17258 | 4 | Rhododendron polylepis x 3 | 171 | 17 | wld | | V | |
| 15068 | 3 | Rhododendron polylepis aff. x 1 | 161 | 15 | wld | | ? | |
| 15134 | 4 | Rhododendron polylepis aff. x 2 | 154 | 15 | wld | | ? | |
| 10348 | 3 | Rhododendron praestans x 1 | 167 | 15 | ggd | B | V | 1006: B |
| 10349 | 4 | Rhododendron praestans x 1 | 167 | 17 | ggd | B | | 1006: B |
| 17220 | 4 | Rhododendron praevernium x 1 | 166 | 17 | div | | V | gift #11641 from Marc of arboreum.be, RSF reference |
| 10331 | 1 | Rhododendron primuliflorum 'Doker La' x 1 | 154 | 13 | ggd | | | AM, |
| 94238 | 3 | Rhododendron 'Princess Anne' (hanceanum x keiskei) x 3 | 165 | 12 | pds | | | #949,cttg.HKR81256, 04: 3 left, 09: 2 left, 1006: 1 lef |
| 94326 | 4 | Rhododendron 'Princesse Esmeralda' x 1 | 161 | 14 | pds | | | Cttg. ex HKRD 97: 2/3 survive after bad winter, 00 th |
| 09567 | 4 | Rhododendron prinophyllum x 2 | 126 | 13 | ggd | A | | 1805: 2/3 left |
| 99094 | 4 | Rhododendron prinophyllum x 3 | 126 | 00 | wld | A | T | |
| 10389 | 4 | Rhododendron proteoides x 1 | 193 | 20 | ggd | | | Ascreavie form, |
| 09568 | 3 | Rhododendron prunifolium x 3 | 124 | 13 | ggd | A | | |
| 95094 | 3 | Rhododendron prunifolium (hybrid) x 3 | 126 | 04 | pds | A | H | cttg 3320 ex HKRD 86417; 030710: very late floweri |
| 17414 | 4 | Rhododendron pseudociliipes x 1 | 162 | 17 | wld | | | |
| 20089 | 4 | Rhododendron 'Ptarmigan' (leucaspis x orthocladum micr | 172 | 20 | pds | | | cttg #11026 of HKRD #81096, 1912: not very succes |
| 81096 | 3 | Rhododendron 'Ptarmigan' (leucaspis x orthocladum micr | 155 | 15 | wgp | B | | */85:B, charming if no late frosts, 97:damaged by fros |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|---|
| 09365 | 4 | Rhododendron pudorosum x 1 | 167 | 13 | ggd | B | V | 1303: B |
| 01202 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum Gr x fa | 131 | 06 | esv | A | | |
| 08005 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum Gr x fa | 131 | 08 | pds | A | | cttg. #6597, |
| 15097 | 4 | Rhododendron 'Purple Gem' (minus Carolinianum Gr x fa | 155 | 15 | pds | | | cttg. #11042 of HKRD #01202 |
| 13331 | 4 | Rhododendron qiaojiaense x 1 | 193 | 15 | ggd | V | | (NNO 903), 1705: from 3 to status 4, 190506: floweri |
| 13332 | 4 | Rhododendron qiaojiaense x 1 | 167 | 15 | ggd | | | (NNO 903) |
| 18211 | 4 | Rhododendron qiaojiaense x 1 | 166 | 18 | wld | | | |
| 13351 | 4 | Rhododendron 'Queen Bee' (tsariense x yakushmanum) x | 164 | 17 | div | | | gift Serge Wauthier |
| 17311 | 4 | Rhododendron racemosum x 1 | 165 | 17 | wld | V | | |
| 08423 | 4 | Rhododendron 'Ramapo' (fastigiatum x minus) x 1 | 155 | 16 | ggd | A | | |
| 14223 | 4 | Rhododendron 'Razorbill' (spinuliferum x) x 3 | 161 | 14 | esv | | | |
| 01029 | 4 | Rhododendron 'Red Carpet' ('America' x forrestii Repens | 136 | 01 | pds | A | | cttg Hkrd #4555 from 80005, 04: 3 plants moved with |
| 02120 | 4 | Rhododendron reticulatum (hybrid) x 1 | 276 | 02 | pds | C | H | cttg #1337 from Hkrd #? 030418: starts to flower, ver |
| 09360 | 4 | Rhododendron rex x 1 | 167 | 13 | ggd | A | | 13: not kesangiae as per invoice |
| 09370 | 4 | Rhododendron rex x 1 | 167 | 13 | ggd | A | | |
| 12026 | 4 | Rhododendron rex x 1 | 167 | 12 | wld | A | | |
| 12028 | 4 | Rhododendron rex x 1 | 167 | 12 | wld | A | | |
| 14209 | 4 | Rhododendron rex x 1 | 155 | 14 | wld | | | |
| 14210 | 4 | Rhododendron rex x 1 | 155 | 14 | wld | | | |
| 14211 | 4 | Rhododendron rex x 1 | 155 | 14 | wld | | | |
| 83749 | 4 | Rhododendron rex x 1 | 167 | 83 | reu | C | V | 85C+ , 97:A, 1703: from 3 to status 4 |
| 09372 | 4 | Rhododendron rex subsp. fictolacteum x 1 | 167 | 13 | ggd | | | |
| 09373 | 4 | Rhododendron rex subsp. fictolacteum x 1 | 167 | 13 | ggd | V | | 1806: very narrow leaves, orange indumentum on sho |
| 09277 | 4 | Rhododendron rigidum x 1 | 161 | 13 | ggd | B | | |
| 09278 | 4 | Rhododendron rigidum x 1 | 161 | 13 | ggd | B | V | |
| 09279 | 4 | Rhododendron rigidum x 1 | 161 | 13 | ggd | B | | |
| 17409 | 4 | Rhododendron ririei x 6 | 162 | 17 | wld | | | |
| 02121 | 4 | Rhododendron 'Romany Chal' ('Moser's Maroon' x facetu | 188 | 05 | pds | B | | layer from Hkrd #78098, 06: missing, 1705: back to st |
| 05118 | 4 | Rhododendron roxieanum var. cucullatum aff. x 1 * | 193 | 13 | dcl | A | C | graft by Antoon De Clercq of our #86099, see there fo |
| 08558 | 4 | Rhododendron roxieanum var. oreonastes x 1 | 193 | 16 | ggd | A | | |
| 08559 | 4 | Rhododendron roxieanum var. oreonastes x 1 | 193 | 16 | ggd | A | | |
| 81230 | 4 | Rhododendron roxieanum var. oreonastes x 1 * | 193 | 14 | spi | A | ? | 89: var. roxieanum says Jan De Langhe, verify, 90:dry |
| 81209 | 4 | Rhododendron 'Roza Stephenson' ('Loderi' x wardii) x 1 | 172 | 86 | spi | C | | 85:C, 88:2, 93:super, 96:sup, moved to 165 in 86, 070 |
| 09280 | 3 | Rhododendron rubiginosum x 1 | 161 | 13 | ggd | | | 1703: status 3 |
| 14310 | 4 | Rhododendron rubiginosum x 1 | 161 | 14 | wld | | | |
| 14311 | 4 | Rhododendron rubiginosum x 1 | 161 | 14 | wld | | | |
| 13025 | 3 | Rhododendron rubiginosum aff. x 1 | 161 | 13 | wld | | ? | |
| 15017 | 3 | Rhododendron rubiginosum aff. x 3 | 171 | 15 | wld | | ? | |
| 15018 | 2 | Rhododendron rubiginosum aff. x 3 | 171 | 15 | wld | | ? | |
| 15019 | 4 | Rhododendron rubiginosum aff. x 3 | 172 | 15 | wld | | ? | |
| 15020 | 4 | Rhododendron rubiginosum aff. x 3 | 171 | 20 | wld | | ? | |
| 15021 | 4 | Rhododendron rubiginosum aff. x 3 | 172 | 15 | wld | | ? | |
| 19223 | 4 | Rhododendron rubiginosum aff. x 3 | 243 | 19 | wld | | ? | |
| 08411 | 3 | Rhododendron rupicola x 1 | 155 | 18 | ggd | | | |
| 14057 | 4 | Rhododendron rupicola var. chryseum x 1 | 155 | 19 | ggd | | ? | |
| 14058 | 4 | Rhododendron rupicola var. chryseum x 1 | 155 | 19 | ggd | | ? | |
| 14059 | 4 | Rhododendron rupicola var. chryseum x 1 | 155 | 19 | ggd | | ? | |
| 14060 | 4 | Rhododendron russatum x 1 | 155 | 19 | ggd | | | S, behind Quercus |
| 14061 | 4 | Rhododendron russatum x 1 | 155 | 19 | ggd | | | |
| 14062 | 4 | Rhododendron russatum x 1 | 155 | 19 | ggd | | | |
| 17032 | 4 | Rhododendron russatum 'Blue Black' x 2 | 155 | 20 | ggd | | | 1907: 2/3 left, 200316: very dark flowers |
| 08413 | 4 | Rhododendron russatum 'Collingwood Ingram' x 1 | 155 | 16 | ggd | | | |
| 14355 | 4 | Rhododendron Russautinii Group (russatum x augustinii) | 155 | 14 | pds | | | cttg. #11060 of HKRD #78104 |
| 19208 | 4 | Rhododendron Russautinii Group (russatum x augustinii) | 131 | 19 | pds | | | cttg #13763 of HKRD #78104, 1906: one plant dug u |
| 19213 | 4 | Rhododendron Russautinii Group (russatum x augustinii) | 155 | 19 | pds | | | cttg #13763 of HKRD #78104 |
| 19227 | 4 | Rhododendron Russautinii Group (russatum x augustinii) | 299 | 19 | pds | | | cttg #13763 of HKRD #78104 |
| 08424 | 4 | Rhododendron 'Sacko' (russatum x 'Moerheim') x 1 | 155 | 16 | ggd | A | | |
| 00293 | 4 | Rhododendron 'Saint Breward' (impeditum x augustinii) x | 145 | 00 | pds | B | | Cttg 5335 from Hkrd 78132, 1809: 4/5 left, 1906: 3/5 |
| 01022 | 3 | Rhododendron 'Saint Breward' (impeditum x augustinii) x | 133 | 01 | pds | | | cttg Hkrd #5335 from 78132, 0105: status 3 from tran |
| 04266 | 4 | Rhododendron 'Saint Breward' (impeditum x augustinii) x | 156 | 15 | pds | | | Cttg 5335 from Hkrd 78132, 1107: to status 3, must b |
| 07286 | 4 | Rhododendron sanctum x 1 | 161 | 11 | wld | A | | |
| 07311 | 4 | Rhododendron sanctum var. lasiogynum x 1 | 161 | 11 | div | A | | via Theo Leijdens, sd. ARS #04-416, possibly wild co |
| 09472 | 4 | Rhododendron sanguineum var. haemaleum x 1 | 162 | 13 | ggd | C | V | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|-----|---|---|
| 09473 | 4 | Rhododendron sanguineum var. haemaleum x 1 | 162 | 13 | ggd | C | | |
| 09474 | 4 | Rhododendron sanguineum var. haemaleum x 1 | 162 | 13 | ggd | C | | |
| 09225 | 4 | Rhododendron sargentianum 'Whitebait' x 1 | 154 | 14 | ggd | A | | |
| 09226 | 4 | Rhododendron sargentianum 'Whitebait' x 1 | 154 | 14 | ggd | A | | |
| 07288 | 4 | Rhododendron scabrifolium x 1 | 161 | 14 | div | A | | via Theo Leijdens, 080303: not typical : corolla lobes |
| 13053 | 4 | Rhododendron scabrifolium x 1 | 161 | 13 | div | V | | prop #9937, Theo Leijdens, NRV, |
| 00425 | 3 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forrestii | 154 | 12 | esv | A | | 08: moved towards fence and 6 plants now (1 layer), 0 |
| 01203 | 2 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forrestii | 130 | 04 | esv | A | | 1508: all pl. very damaged by heat, 1910: 1/5 left? Or |
| 05272 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forrestii | 272 | 12 | bul | A | | 1203: one plant added (other was there since 2008), |
| 05367 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forrestii | 272 | 08 | bul | A | | added to 80007 specimen in 272 to make group of 3 |
| 80007 | 4 | Rhododendron 'Scarlet Wonder' ('Essex Scarlet' x forrestii | 272 | 97 | dho | B | | 020823: I agree with **! 0403: had to cut a lot of dea |
| 13352 | 4 | Rhododendron schlippenbachii x 3 | 149 | 17 | div | | | gift Serge Wauthier, 1307: not all status 4, 6/7, 1406: |
| 14063 | 4 | Rhododendron schlippenbachii x 2 | 112 | 20 | ggd | | | 1511: 1 plant of 3 to Les Mourges, 19: moved from p |
| 14604 | 4 | Rhododendron schlippenbachii x 1 | 112 | 20 | ggd | | | was one plant in group of 3 (#14064) |
| 13333 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii x c | 162 | 17 | ggd | | | |
| 13334 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii x c | 162 | 17 | ggd | | | 18: deserves at least one star (PdS) |
| 13335 | 4 | Rhododendron 'Scotian Bells' (mucronulatum taquetii x c | 162 | 17 | ggd | | | |
| 15142 | 4 | Rhododendron searsiae x 1 | 171 | 15 | wld | V | | |
| 17188 | 4 | Rhododendron searsiae x 1 | 161 | 17 | pds | | | cttg #10221, Rhododendronpark Bremen, 190506: flo |
| 17410 | 4 | Rhododendron selense subsp. dasycladum x 2 | 162 | 17 | wld | | | |
| 16034 | 4 | Rhododendron selense subsp. jucundum x 1 | 167 | 16 | pds | ? V | | cttg #9031, BDB trip 2006 to Elzas and Vogezen, Jar |
| 19217 | 4 | Rhododendron semibarbatum x 1 | 163 | 19 | pds | | | cttg #13187 of HKRD #90126 |
| 19218 | 4 | Rhododendron semibarbatum x 1 | 164 | 19 | pds | V | | cttg #13187 of HKRD #90126 |
| 20123 | 4 | Rhododendron semibarbatum x 1 | 173 | 20 | pds | | | cttg #13760 of HKRD #90126 |
| 20124 | 4 | Rhododendron semibarbatum x 1 | 174 | 20 | pds | | | cttg #13760 of HKRD #90126 |
| 20125 | 4 | Rhododendron semibarbatum x 1 | 164 | 20 | pds | | | cttg #13760 of HKRD #90126 |
| 12031 | 4 | Rhododendron 'Seta' (moupinense x spinuliferum) x 2 | 161 | 12 | pds | | | cttg. #9737 of HKRD #00264, 150311: starts to flowe |
| 19079 | 4 | Rhododendron 'Seta' (moupinense x spinuliferum) x 2 | 174 | 19 | pds | | | cttg. #13744 of HKRD #12031, 1911: 1 dead, 2/3 left |
| 77204 | 4 | Rhododendron 'Seven Stars' ('Loderi Sir Joseph Hooker' x | 271 | 96 | hil | A | | 150430: * confirmed |
| 14078 | 4 | Rhododendron 'Shamrock' (keiskei x hanceanum) x 3 | 161 | 14 | pds | | | cttg. #9716 of HKRD #83583, 1703: flowering |
| 15237 | 4 | Rhododendron 'Shamrock' (keiskei x hanceanum) x 4 | 297 | 15 | pds | | | cttg. #9716 of HKRD #83583, 1511: one plant added |
| 09525 | 4 | Rhododendron sherriffii x 1 | 162 | 13 | ggd | B V | | |
| 96085 | 4 | Rhododendron 'Shrimp Girl' (yakushmanum x 'Fabia Tan | 151 | 98 | pds | A | | 96:layer of 83760, on moving |
| 08430 | 3 | Rhododendron sichotense x 1 | 164 | 11 | ggd | A | | 130114: starts to flower, 1411: status 2, 151209: rema |
| 15016 | 4 | Rhododendron sichotense x 3 | 164 | 15 | pds | | | cttg #8473 of HKRD #08430 |
| 11012 | 4 | Rhododendron sikangense x 1 | 163 | 19 | ggd | V | | at bench |
| 09388 | 2 | Rhododendron sikangense var. exquisitum x 1 | 162 | 13 | ggd | B | | 1502: to status 2 |
| 10397 | 3 | Rhododendron sikkimense x 1 | 163 | 13 | ggd | C V | | natural hybrid of arboreum x thomsonii? 1703: from 1 |
| 20194 | 3 | Rhododendron 'Silkcap' (leucaspis x Cilpinense Group) x | 168 | 20 | pds | | | cttgs or layers #14407 of HKRD #01106, beware for |
| 13336 | 4 | Rhododendron sinofalconeri x 1 | 167 | 15 | ggd | V | | (HP) |
| 94250 | 3 | Rhododendron ('Sir Charles Lemon' x rex) x 2 | 163 | 94 | pds | B K | | *#1262, sd.ARS, 96:-A, good pl., 97:B for pl.-b, but |
| 95440 | 3 | Rhododendron smirnowii x 1 | 171 | 15 | pds | A | | was #95099 (group of 3 in 85, one big move to 171), |
| 16200 | 4 | Rhododendron 'Snipe' (pemakoense x davidsonianum) x 5 | 154 | 16 | div | ? | | Serge Wauthier |
| 11173 | 4 | Rhododendron 'Snow Queen' ('Halopeanum' x 'Loderi') x | 166 | 19 | pds | B | | layer #11081 of HKRD #79023, 1812: big move (was |
| 19383 | 4 | Rhododendron 'Snow Queen' ('Halopeanum' x 'Loderi') x | 169 | 20 | pds | | | layer of HKRD #11173, |
| 99153 | 2 | Rhododendron 'Soleil d'Or' x 1 | 282 | 00 | pds | B | | Cttg Hkrd 4554 from 82074, 1412: full of Stephanitis, |
| 84894 | 4 | Rhododendron 'Sonata' ('Purple Splendour' x dichroanthu | 131 | 91 | pds | A | | ct.of 82075, 98:miserable in this heavy soil without h |
| 17411 | 4 | Rhododendron souliei x 2 | 162 | 17 | wld | | | |
| 13107 | 4 | Rhododendron sp. x 1 | 168 | 13 | wld | ? | | |
| 15165 | 4 | Rhododendron sp. x 3 | 161 | 15 | wld | ? | | |
| 16061 | 4 | Rhododendron sp. x 1 | 154 | 16 | div | ? | | #9938, Theo Leijdens as R. calostrotum riparium (Ro |
| 17212 | 4 | Rhododendron sp. x 1 | 118 | 17 | wld | ? | | |
| 17308 | 4 | Rhododendron sp. x 1 | 162 | 17 | wld | ? | | |
| 17421 | 3 | Rhododendron sp. x 2 | 162 | 17 | wld | | | |
| 15022 | 4 | Rhododendron spinuliferum x 1 | 173 | 15 | wld | ? V | | |
| 16062 | 4 | Rhododendron spinuliferum x 1 | 161 | 16 | wld | ? | | |
| 20032 | 4 | Rhododendron 'Spinulosum' (spinuliferum x racemosum) | 161 | 20 | pds | | | cttg #13746 of HKRD #74112, |
| 20037 | 4 | Rhododendron 'Spinulosum' (spinuliferum x racemosum) | 174 | 20 | pds | | | cttg #13746 of HKRD #74112, |
| 74112 | 4 | Rhododendron 'Spinulosum' (spinuliferum x racemosum) | 161 | 14 | hil | D | | (85:D-) (86:C-) (87:A) , 97/3 : nearly dead from a wh |
| 86011 | 3 | Rhododendron 'Stockholm' ('Catalgla' x williamsianum) x | 133 | 91 | dcl | A | | 0703: removed a lot of stock, 1810: status 3 |
| 09393 | 3 | Rhododendron strigillosum x 1 | 162 | 09 | ggd | C | | 1005: young growth sl. frozen |
| 09394 | 4 | Rhododendron strigillosum (Tower Court Form) x 1 | 162 | 09 | ggd | C | | 09: new shoots frozen, 1406: back to status 4, 1502: s |
| 09396 | 4 | Rhododendron strigillosum (Tower Court Form) x 1 | 166 | 15 | ggd | C | | 09: new shoots frozen, 1005: better than two others, 1 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|---|
| 03016 | 3 | Rhododendron succothii x 1 | 148 | 03 | pds | B | | */cttg #4775 from Hkrd #85308, 030901: many lvs bu |
| 00369 | 4 | Rhododendron 'Susan' (campanulatum x fortunei) x 1 | 152 | 05 | pds | A | | layer from 77209 |
| 77209 | 2 | Rhododendron 'Susan' (campanulatum x fortunei) x 3 * | 152 | 98 | hil | A | | 98:moved from R, to allow for view, was growing too |
| 98540 | 4 | Rhododendron 'Susan' (campanulatum x fortunei) x 1 * | 152 | 98 | pds | A | | 98:moved from R, to allow for view, was growing too |
| 08002 | 4 | Rhododendron sutchuenense x 3 | 166 | 12 | pds | A | V | #10692: layers of #77105 in T, see there for more info |
| 08514 | 4 | Rhododendron sutchuenense x 1 | 181 | 15 | ggd | A | | |
| 16033 | 4 | Rhododendron 'Talavera' (moupinense x sulfureum) x 1 | 163 | 16 | pds | ? | | cttg #8202 of HKRD #05123 |
| 09503 | 4 | Rhododendron taliense x 1 | 191 | 13 | ggd | A | | |
| 09504 | 4 | Rhododendron taliense x 1 | 191 | 13 | ggd | A | V | |
| 13061 | 4 | Rhododendron taliense x 1 | 191 | 13 | wld | | V | |
| 13062 | 4 | Rhododendron taliense x 1 | 191 | 13 | wld | | V | |
| 13347 | 4 | Rhododendron 'Tanager' (brachyanthum x viridescens) x | 161 | 17 | ggd | | | |
| 02155 | 4 | Rhododendron tashiroi x 2 | 271 | 02 | pds | | V | cttg. #4958 from Hkrd #84652, 0601: 1 plant to status |
| 15013 | 4 | Rhododendron tatsienense x 5 | 161 | 15 | wld | | | |
| 17005 | 4 | Rhododendron tatsienense x 2 | 161 | 17 | wld | | | |
| 01041 | 4 | Rhododendron 'Taurus' (J. M. Montague' x strigillosum) | 281 | 01 | pds | A | | cttg Hkrd # 5610, 030401: will be spectacular! 05041 |
| 09475 | 4 | Rhododendron temenium var. dealbatum x 1 | 162 | 09 | ggd | | V | 1703: from 3 back to status 4 |
| 10340 | 4 | Rhododendron thayerianum x 1 | 194 | 13 | ggd | | V | 1806: nice white, short campanulate flowers, lots of gl |
| 83328 | 4 | Rhododendron thayerianum x 1 | 193 | 20 | rsf | B | T | 85:B,87:B+,RGB EDIMB,66/617, 94:unhappy, _00:h |
| 09531 | 4 | Rhododendron thomsonii x 1 * | 163 | 13 | ggd | B | V | |
| 09532 | 4 | Rhododendron thomsonii x 1 * | 162 | 13 | ggd | B | | |
| 15138 | 4 | Rhododendron thomsonii x 1 | 162 | 15 | wld | | | |
| 17217 | 2 | Rhododendron thomsonii x 1 | 162 | 17 | wld | | | |
| 11130 | 4 | Rhododendron 'Tibet' ('Bismark' x williamsianum) x 1 | 162 | 11 | pds | A | | layer #9160 of HKRD #86365 |
| 83213 | 4 | Rhododendron 'Titnes Park' (barbatum x calophytum) x | 167 | 86 | hil | D | | 85:C-, 88:OK, 040320: flowering, 070311:flowering, |
| 07292 | 4 | Rhododendron tosaense x 1 | 161 | 11 | esv | A | | via Theo Leijdens, 130528: attractive flowering |
| 03078 | 2 | Rhododendron traillianum x 1 | 179 | 03 | wld | B | | |
| 03307 | 2 | Rhododendron traillianum x 1 * | 191 | 12 | wld | A | V | |
| 92680 | 4 | Rhododendron traillianum var. dictyotum x 1 * | 189 | 00 | goo | B | | graft 84040, gift from Goossens, 01:flwrg beautifully, |
| 19082 | 4 | Rhododendron traillianum var. dictyotum aff. x 1 | 191 | 19 | wld | | C | |
| 20011 | 4 | Rhododendron traillianum var. dictyotum aff. x 1 | 191 | 20 | wld | | | |
| 15015 | 4 | Rhododendron trichanthum x 1 | 161 | 15 | pds | | | Cttg #8495 of HKRD #94042 |
| 15218 | 3 | Rhododendron trichanthum x 1 | 161 | 15 | pds | | V | cttg. #8196 of HKRD #94042, 1703: status 3 |
| 20057 | 4 | Rhododendron trichanthum x 1 | 162 | 20 | pds | | | Cttg #8495 of HKRD #94042 |
| 09307 | 3 | Rhododendron trichostomum x 1 | 154 | 15 | ggd | A | | pink form, 1703: status 3 |
| 09308 | 4 | Rhododendron trichostomum x 1 | 154 | 15 | ggd | A | | pink form, |
| 09309 | 4 | Rhododendron trichostomum x 1 | 154 | 15 | ggd | A | | pink form, |
| 09281 | 3 | Rhododendron triflorum x 1 | 161 | 13 | ggd | | V | Tibetan form, 1703: status 3 |
| 13024 | 4 | Rhododendron triflorum var. bauhiniiflorum x 1 | 161 | 13 | wld | ? | V | |
| 17187 | 4 | Rhododendron triflorum var. bauhiniiflorum x 1 | 161 | 17 | wld | ? | | |
| 08419 | 4 | Rhododendron tsaii aff. x 1 | 156 | 16 | ggd | | C | |
| 08526 | 4 | Rhododendron tsariense x 1 * | 174 | 18 | ggd | | V | (Ascreavie) |
| 10269 | 4 | Rhododendron tsariense x 1 | 163 | 13 | dcl | | | gift, graft of our #86422 |
| 00561 | 4 | Rhododendron uvariifolium x 1 | 173 | 04 | bul | A | V | |
| 83223 | 4 | Rhododendron uvariifolium x 1 | 167 | 88 | hil | C | | 85:C, 88:ok, 97:A, 060515:well developed healthy p |
| 89339 | 4 | Rhododendron uvariifolium 'Yangtze Bend' x 1 | 167 | 95 | ggd | C | V | 91:C, 95:recovrd after moving, 97:A no flwr, 080412: |
| 14431 | 4 | Rhododendron Vanessa Group (griersonianum x 'Soulbut' | 163 | 14 | pds | | | layer #12544 of HKRD #78121 |
| 14448 | 4 | Rhododendron Vanessa Group (griersonianum x 'Soulbut' | 299 | 14 | pds | | | layer #12544 of HKRD #78121 |
| 83156 | 4 | Rhododendron 'Vanessa Pastel' (griersonianum x 'Soulbut' | 163 | 86 | hil | | C | (85:C), 97:A+ superb there in the shade, flowering pr |
| 00346 | 4 | Rhododendron vaseyi x 2 | 114 | 09 | wld | A | T | |
| 14204 | 4 | Rhododendron vaseyi x 2 | 114 | 14 | wld | | | |
| 14214 | 3 | Rhododendron vaseyi x 3 | 135 | 14 | wld | | | |
| 13103 | 4 | Rhododendron vaseyi aff. x 1 | 113 | 13 | div | | ? | not albrechtii BCJMMT-122, an error occurred, see m |
| 09569 | 4 | Rhododendron vaseyi 'White Find' x 3 * | 114 | 13 | ggd | | | |
| 08517 | 4 | Rhododendron vernicosum x 1 | 167 | 11 | ggd | A | V | (CW), |
| 20005 | 4 | Rhododendron 'Veryan Bay' (pseudochrysanthum x willia | 167 | 20 | pds | | | Cttg #10218 from Bremen Rhododendron Park, |
| 17033 | 4 | Rhododendron 'Viking Silver' (yakushmanum x pachysan | 172 | 20 | ggd | | | |
| 07296 | 4 | Rhododendron wadanum f. album x 1 * | 161 | 11 | div | A | | via Theo Leijdens, sd. ARS #98-378, RSF, 1305: whit |
| 08595 | 3 | Rhododendron wallichii x 1 | 174 | 16 | ggd | | | 1610: drying up although in perfect position, |
| 20014 | 4 | Rhododendron wallichii x 1 | 273 | 20 | wld | | | |
| 08487 | 4 | Rhododendron wardii x 1 * | 162 | 18 | ggd | B | | (L&S HP), 1806: flowers completely malformed (leaf |
| 09345 | 2 | Rhododendron wardii x 1 | 162 | 13 | ggd | | V | (L&S HP), 1902: st.2 after heat and drought of last s |
| 09846 | 3 | Rhododendron wardii x 1 | 162 | 13 | ggd | B | | (L&S HP), 1511: remains st.3 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 09847 | 4 | Rhododendron wardii x 1 | 162 | 13 | ggd | B | | (L&S HP) |
| 16032 | 4 | Rhododendron wardii aff. x 1 | 162 | 16 | wld | | ? | |
| 09552 | 4 | Rhododendron (wardii x macabeanum) x 1 * | 162 | 11 | ggd | B | K | Glendoick selection |
| 92682 | 4 | Rhododendron wasonii x 1 * | 191 | 12 | goo | B | | Graft from 78126, by Mr.Goossens |
| 09570 | 4 | Rhododendron 'Watergirl' (viscosum x) x 3 | 124 | 15 | ggd | A | | "Probably a natural hybrid with pinker flowers than is |
| 92686 | 4 | Rhododendron 'Whitney's Late Orange' x 1 | 174 | 95 | goo | B | | Gift from Mr.Goossens |
| 08567 | 3 | Rhododendron wightii x 1 | 167 | 16 | ggd | B | V | 170520: new growth totally destroyed by April frost, |
| 10078 | 2 | Rhododendron williamsianum x 1 | 162 | 14 | pds | B | | layers #10686 of HKRD #77093, 1805: 1/2 left |
| 15111 | 4 | Rhododendron williamsianum x 1 | 162 | 15 | pds | | | layer #10686 of HKRD #77093 |
| 17190 | 3 | Rhododendron williamsianum x 1 | 162 | 17 | pds | | | layer #10686 of HKRD #77093, 1612: leggy, needs p |
| 08569 | 3 | Rhododendron wiltonii x 1 ** | 191 | 18 | ggd | | | 1407: wonderful plant! 1712: st.2, too crowded in 468 |
| 77109 | 4 | Rhododendron wiltonii x 1 * | 283 | 97 | hil | A | V | 0206: nice and healthy winter foliage plant, 110416: v |
| 95270 | 4 | Rhododendron 'Winsome' (Humming Bird Gr x griersonia | 168 | 95 | pds | | | gift J. De Strycker, Kasterlee , 97:B vry dry there |
| 97023 | 4 | Rhododendron 'Wonderland' ('Alice' x auriculatum) x 1 | 144 | 00 | dcl | | | gift fr.Antoon De Clercq, his propagat.fr.A.Kehr plant |
| 15040 | 3 | Rhododendron wongii x 1 | 161 | 17 | ggd | | | 1703: status 3 |
| 15041 | 4 | Rhododendron wongii x 1 | 161 | 17 | ggd | | | |
| 15042 | 4 | Rhododendron wongii x 1 | 161 | 17 | ggd | | | |
| 74045 | 4 | Rhododendron yakushmanum x 1 ** | 151 | 05 | hil | A | | 05: moved back from Artois offices, Vaartstr. Leuven, |
| 99031 | 4 | Rhododendron yakushmanum (white) x 1 | 172 | 14 | div | | V | gift from Guido Campo, should have pure white flowe |
| 09310 | 4 | Rhododendron yakushmanum 'Koichiro Wada' x 1 * | 172 | 13 | ggd | A | | FCC, |
| 00562 | 4 | Rhododendron (yakushmanum x proteoides) x 1 * | 151 | 09 | bul | | K | 1304: not sure about * (KC) |
| 94039 | 4 | Rhododendron yedoense x 1 | 172 | 14 | wld | | | |
| 10419 | 4 | Rhododendron yuefengense x 1 | 168 | 14 | ggd | B | | H.P., 1703: from 3 to status 4 |
| 10421 | 2 | Rhododendron yuefengense x 1 | 168 | 16 | ggd | B | | H.P.,110525: flwrg, low shrub, rounded leaves, elong |
| 13493 | 4 | Rhododendron yungningense x 1 | 155 | 16 | div | | | prop #9933, via Theo Leijdens, F16282 |
| 13494 | 4 | Rhododendron yungningense x 1 | 155 | 16 | div | | | prop #9933, via Theo Leijdens, F16282 |
| 02254 | 4 | Rhododendron yunnanense x 1 | 161 | 14 | pds | B | | Cttg. #4839 fr. HEMEL 20126? 12: leggy plant |
| 09282 | 4 | Rhododendron yunnanense x 1 | 161 | 13 | ggd | A | V | white form, 1301: not found in 161, is in 167 |
| 20034 | 3 | Rhododendron zaleucum x 1 | 161 | 20 | wld | | ? | |
| 14139 | 3 | Rhodotypos scandens x 1 | 236 | 14 | div | | | #12865, gift Peter Hoffmann, BDB trip to Denmark 2 |
| 20094 | 4 | Rhus verniciflua x 1 | 184 | 20 | div | | | gift #15176 from Gerbert Klein Wassink, unresolved |
| 07078 | 4 | Ribes komarovii x 3 | 281 | 08 | wld | | | |
| 17288 | 4 | Ribes komarovii x 1 | 276 | 17 | wld | | | |
| 15355 | 4 | Ribes nigrum 'Titania' x 1 | 292 | 15 | div | | | bought in Sint-Joris-Weert |
| 11364 | 4 | Ribes rubrum 'Jonkheer van Tets' x 1 | 292 | 11 | div | | | Floralux, |
| 12442 | 4 | Ribes rubrum 'Werdavia' x 1 | 292 | 12 | div | | | Floralux, |
| 15438 | 4 | Ribes speciosum x 1 | 292 | 15 | div | ? | | bought at Floralux I believe, |
| 12523 | 4 | Rosa 'Bobby James' x 1 * | 290 | 12 | cas | | | 150617: excellent flowering |
| 11241 | 4 | Rosa 'Climbing Schneewittchen' x 1 | 291 | 11 | rob | | | |
| 10149 | 4 | Rosa 'Guirlande d'Amour' x 1 * | 292 | 10 | div | | | 175-200cm, white, Floralux, 180530: spectacular this |
| 11279 | 4 | Rosa 'Guirlande d'Amour' x 1 | 291 | 11 | div | | | 175-200cm, white, Floralux |
| 19382 | 4 | Rosa 'Indian Silk' x 1 | 292 | 19 | len | | | pot, gift Sabine, Champagne-coloured flowers similar |
| 12522 | 4 | Rosa 'John Davis' x 1 | 290 | 12 | cas | | | |
| 11167 | 4 | Rosa moyesii x 1 | 294 | 11 | div | | | prop #10728, gift Maurice Foster via PdS, Second ge |
| 11168 | 4 | Rosa moyesii x 1 | 294 | 11 | div | | | prop #10728, gift Maurice Foster via PdS, Second ge |
| 19519 | 4 | Rosa nitida x 3 | 292 | 19 | cas | | | 1910: great autumn colour (at least in pot) |
| 14104 | 4 | Rosa roxburghii f. normalis x 1 | 232 | 14 | div | | | prop #11199, CC, found in greenhouse, no info, 2001 |
| 20099 | 4 | Rosa setipoda x 2 | 293 | 20 | pds | | | sd. #11640, Howick, 1991-380, SICH 29, |
| 20100 | 4 | Rosa setipoda x 1 | 293 | 20 | pds | | | sd. #11640, Howick, 1991-380, SICH 29, |
| 12321 | 4 | Rosa xanthina f. hugonis x 2 | 294 | 12 | len | ? | | 1305: one plant suffering, |
| 14476 | 4 | Rosmarinus officinalis Prostratus Group x 1 | 291 | 15 | div | | | (syn. of Salvia rosmarinus Prostratus Group), Duchy |
| 11219 | 4 | Rubus henryi x 1 | 294 | 11 | div | | V | gift Françoise Salomon as var. bambusarum but lvs ar |
| 15232 | 4 | Rubus idaeus 'Golden Everest' x 1 | 292 | 15 | div | | | Floralux |
| 11365 | 4 | Rubus idaeus 'Heritage' x 1 | 292 | 11 | div | ? | | Floralux, two names on label (also 'Zeva Herbsternte') |
| 10099 | 4 | Rubus idaeus 'Malling Promise' x 1 | 292 | 10 | div | | | Floralux |
| 12441 | 3 | Rubus idaeus 'Malling Promise' x 1 | 292 | 12 | div | | | Floralux |
| 15121 | 4 | Ruscus aculeatus x 2 | 299 | 16 | rug | | | gift Marc Libert, 2 seedlings of 'Sparkler' collected at |
| | 6 | Salix x chrysocoma =>S. x sepulcralis v.chryso. x 0 | | | | | | |
| 08277 | 4 | Salix purpurea 'Nana' x 4 | 222 | 08 | vpl | | | 1409: 6/7 left, 1903: 5/7 |
| 08278 | 4 | Salix purpurea 'Nana' x 7 | 222 | 08 | vpl | | | 13: 9/10 17: 7/9 left |
| | 6 | Salix sachalinensis =>S. udensis x 0 | | | | | | |
| 11294 | 4 | Sambucus nigra f. porphyrophylla 'Eva' x 1 | 232 | 11 | div | | | (syn. 'Black Lace'), gift Françoise Salomon, 150603: g |
| 16268 | 4 | Sarcococca hookeriana var. humilis x 90 | 299 | 16 | pds | | | three groups, div of 91780 in bed 2 |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|--|
| 95363 | 4 | Sassafras albidum x 1 | 216 | 03 | waa | | | */BDB#34707,!! Invasive and no colour, cut ! 03: mo |
| 20162 | 4 | Schizophragma corylifolium x 1 | 294 | 20 | div | | | gift #16938 from Olaf Schachtschneider |
| 12510 | 2 | Schizophragma hydrangeoides x 1 | 236 | 12 | div | | V | |
| 08161 | 4 | Schizophragma hydrangeoides 'Iwa Garami' x 1 | 292 | 10 | bul | | | |
| 00265 | 4 | Sciadopitys verticillata x 1 | 148 | 00 | pds | | C | */sd #4277 from Sheffield park tree, 0408: seems very |
| 04251 | 3 | Sciadopitys verticillata x 1 | 183 | 04 | pds | | | sd #4277 from Sheffield park tree, 1705: from 2 to sta |
| 04499 | 3 | Sciadopitys verticillata x 1 | 185 | 05 | pds | | | sd #4277 from Sheffield park tree, 1705: from 2 to sta |
| 04500 | 2 | Sciadopitys verticillata x 1 | 172 | 16 | pds | | | sd #4277 from Sheffield park tree, 1310: always miser |
| 18116 | 4 | Sciadopitys verticillata 'Cynthia Waxman' x 1 | 297 | 18 | div | | | gift #12780 Dennis from Bethlehem Nursery, USA as |
| 18117 | 3 | Sciadopitys verticillata 'Ossorio Gold' x 1 | 297 | 18 | div | | | gift #12782 Dennis from Bethlehem Nursery, USA as |
| 18119 | 4 | Sciadopitys verticillata 'Wintergreen' x 1 | 297 | 18 | div | | | gift #12779 Dennis from Bethlehem Nursery, USA as |
| 18120 | 4 | Sciadopitys verticillata 'Yellow Dream' x 1 | 297 | 19 | div | | | gift #12781 Dennis from Bethlehem Nursery, USA as |
| 06008 | 4 | Sequoia sempervirens x 1 | 188 | 09 | spo | | | spo sdlg in A |
| 06009 | 4 | Sequoia sempervirens x 1 | 188 | 09 | spo | | | spo sdlg in A, 1007: stem damaged by bamboo, 14: ba |
| 89158 | 4 | Sequoia sempervirens x 1 | 118 | 89 | pds | | T | One of 50 sdlg, raised from 71009, 00: unfortunately |
| 89160 | 4 | Sequoia sempervirens x 1 | 188 | 89 | pds | | T | One of 50 sdlg, raised from 71009 |
| 95291 | 4 | Sequoia sempervirens x 1 | 154 | 95 | pds | | | |
| 98370 | 4 | Sequoiadendron giganteum x 1 | 237 | 00 | esv | | | 1007: fungus? Botryosphaeria (MS)? 1403: is in good |
| 11430 | 4 | x Sinocalycanthus 'Venus' x 1 | 136 | 14 | esv | | | gift from Cor Van Gelderen, |
| 04452 | 4 | Sinocalycanthus chinensis x 1 | 136 | 06 | bul | | | |
| 11420 | 4 | Sinofranchetia chinensis x 1 | 236 | 14 | rug | | | gift Marc Libert, HBUG #2010-0201, via Arboretum |
| 20155 | 4 | Sinofranchetia chinensis x 1 | 236 | 20 | wld | | | |
| 13198 | 4 | Sinojackia rehderiana x 1 | 281 | 13 | pds | | | cutting #9036, BDB trip Elzas and Vogezen, Jardin b |
| 14427 | 4 | Sinojackia rehderiana x 1 | 131 | 14 | pds | | | fruit #9037, BDB trip Elzas and Vogezen, Jardin bota |
| 95166 | 4 | Sinojackia xylocarpa x 1 | 131 | 06 | div | | C | J.A.Smith propagated, purchased at Magnolia Soc. au |
| 14275 | 4 | Sinowilsonia henryi x 1 | 114 | 14 | div | | | prop #12630, gift A. Leitner, seedling raised by Anne, |
| 20058 | 4 | Sinowilsonia henryi x 1 | 173 | 20 | wld | | | |
| 15261 | 4 | Skimmia japonica cv. x 2 | 172 | 15 | pds | | ? | prop #9078 as subsp. pumila (Wisley cutting by Chris |
| 95279 | 3 | Sorbaria sorbifolia var. stellipila x 4 | 289 | 95 | wld | | C | |
| 10252 | 1 | x Sorbaronia Mitschurinii Group (Aronia melanocarpa x | 113 | 15 | dev | | | gift Damien Devos, "Hof ter Saksen 144-01" on label, |
| 00673 | 4 | Sorbus aucuparia x 1 | 167 | 00 | spo | | | |
| 00688 | 4 | Sorbus aucuparia x 1 | 162 | 00 | spo | | | 1508: nice upright tree |
| 03306 | 4 | Sorbus aucuparia x 1 | 161 | 03 | spo | | | |
| 98325 | 4 | Sorbus aucuparia var. edulis 'Rossica Major' x 1 | 289 | 99 | esv | | | 0602: good fastigiate habit |
| 98399 | 4 | Sorbus aucuparia 'Sheerwater Seedling' x 1 | 272 | 00 | pav | | | 0107: damaged on 1/3 of perimeter at base, 060802: ea |
| 16063 | 4 | Sorbus bissetii x 1 | 243 | 16 | wld | | V | |
| 02274 | 4 | Sorbus caloneura x 1 | 119 | 02 | ddh | | | sdlg 5543b from group of 25 sdlg by Dominique Duh |
| 98086 | 4 | Sorbus caloneura x 1 * | 119 | 98 | ddh | | | */Sdlgs 5543b from ddh, 990720: all three plants with |
| 18192 | 4 | Sorbus commixta 'Dodong' x 1 | 243 | 18 | ver | | | #15068 |
| 14533 | 4 | Sorbus commixta 'Olympic Flame' x 1 | 237 | 17 | bul | | | |
| 08010 | 4 | Sorbus decora x 1 | 271 | 08 | wld | | | |
| 20127 | 4 | Sorbus domestica x 1 | 203 | 20 | dbr | | | |
| 20184 | 4 | Sorbus ellipsoidalis x 1 | 114 | 20 | div | | | gift #15037, Ness BG, plant from seeds from Ness pla |
| 20203 | 4 | Sorbus ellipsoidalis x 1 | 284 | 20 | div | | | gift #15037, Ness BG, plant from seeds from Ness pla |
| 04102 | 4 | Sorbus folgneri x 1 | 264 | 04 | pav | | V | 0407: lost its head in storm, |
| 20066 | 4 | Sorbus folgneri 'Emiel' x 1 | 263 | 20 | pav | | | |
| 04079 | 3 | Sorbus folgneri 'Lemon Drop' x 1 | 264 | 04 | pav | | V | 0407: many dead branches, not doing well, 060514: f |
| 16040 | 4 | Sorbus forrestii x 1 | 243 | 16 | sny | | V | #12288, gift Charles Snyers, sd from Botanic Garden |
| 94152 | 4 | Sorbus forrestii x 1 | 114 | 94 | mal | | V | |
| | 6 | Sorbus sp. ghose => S. 'Ghose' x 0 | | | | | | |
| 20128 | 4 | Sorbus glomerulata x 1 | 244 | 20 | div | | | gift #14392 from Rob Van Bauwel |
| 19296 | 4 | Sorbus gonggashanica x 2 | 274 | 19 | sny | | | gift #12289, Charles Snyers, from Maurice Foster, W |
| 13078 | 3 | Sorbus gracilis x 1 | 124 | 13 | wld | | | |
| 13086 | 2 | Sorbus gracilis x 1 | 232 | 13 | wld | | V | |
| 13087 | 4 | Sorbus gracilis x 1 | 241 | 13 | wld | | V | |
| 96163 | 2 | Sorbus hemsleyi x 1 * | 264 | 98 | div | | A | Purchased at Magnolia auction, 1996 , 97:A and vigor |
| | 6 | Sorbus hupehensis var. glabrescens => Sorbus glabriuscul | | | | | | |
| 08141 | 3 | Sorbus hybrida x 1 | 243 | 10 | wld | | | |
| 16042 | 4 | Sorbus hybrida x 1 | 264 | 16 | sny | | | #12290, gift Charles Snyers, Karl-Marx Allee, Berlin, |
| 10243 | 4 | Sorbus japonica x 1 * | 264 | 10 | wld | | | |
| 06234 | 3 | Sorbus keissleri x 1 | 242 | 08 | div | | | gift Anne Leitner, from sd. from tree in Kew, 1302: m |
| 15079 | 4 | Sorbus keissleri x 1 | 272 | 15 | wld | | | |
| 19040 | 4 | Sorbus kiukiangensis aff. x 1 | 273 | 19 | wld | | ? | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|--|-----|----|-----|---|---|---|
| | | 6 Sorbus lanata => S. vestita x 0 | | | | | | |
| 98333 | 3 | Sorbus lancifolia x 1 | 289 | 00 | esv | | | |
| 15235 | 4 | Sorbus latifolia x 1 | 264 | 15 | sny | | | gift #12291, Charles Snyers, Botanic Garden Berlin-D |
| 15265 | 4 | Sorbus 'Leonard Messel' x 1 | 273 | 17 | bul | | | gift Bulk |
| 11043 | 4 | Sorbus matsumurana x 1 ** | 234 | 11 | ver | | V | graft #9892, from plant in Arboretum Maurice Foster |
| 12210 | 4 | Sorbus megalocarpa x 1 | 119 | 12 | wld | ? | | |
| 15301 | 4 | Sorbus megalocarpa x 1 | 289 | 15 | wld | ? | | |
| 20068 | 4 | Sorbus megalocarpa x 1 | 273 | 20 | wld | | | |
| 10083 | 4 | Sorbus megalocarpa aff. x 1 * | 243 | 10 | wld | ? | | |
| 18074 | 4 | Sorbus megalocarpa aff. x 1 | 119 | 18 | wld | ? | | |
| 12218 | 4 | Sorbus meliosmifolia x 1 | 232 | 12 | wld | | | |
| 12263 | 4 | Sorbus meliosmifolia x 1 | 113 | 12 | wld | | | |
| 13218 | 4 | Sorbus meliosmifolia x 1 | 283 | 14 | wld | | | |
| 98334 | 4 | Sorbus minima x 1 | 272 | 00 | esv | | V | 0506: petiole too long, needs verification, close to S. i |
| | | 6 Sorbus mitchellii =>S. 'John Mitchell' x 0 | | | | | | |
| 98335 | 4 | Sorbus mougeotii x 1 | 289 | 99 | esv | | V | 0602: big wounds in main stem, caterpillar?, (distinct |
| 07105 | 4 | Sorbus needhamii x 1 | 288 | 07 | wld | | V | |
| 14446 | 4 | Sorbus pallescens x 1 | 264 | 14 | wld | | | |
| 15200 | 4 | Sorbus pallescens x 1 | 264 | 15 | wld | | | |
| 16253 | 4 | Sorbus pallescens 'Emei Shan' x 1 | 186 | 19 | div | | | gift Hergest Croft (IDS Maple study day), L765, a Ro |
| 02340 | 4 | Sorbus pseudohupehensis x 1 * | 242 | 03 | waa | | V | 02: oligodonta syn of S. hupehensis hort. acc. to Jan |
| 19041 | 4 | Sorbus pseudovilmorinii x 1 | 281 | 19 | wld | | | |
| 14303 | 4 | Sorbus reducta x 7 | 155 | 14 | pds | | | layers of HKRD #83696 1703: 7 plants in stead of 6 |
| 19039 | 4 | Sorbus rehderiana aff. x 1 | 271 | 19 | wld | ? | | |
| 15297 | 4 | Sorbus rutilans x 1 | 273 | 15 | wld | | | |
| 00453 | 3 | Sorbus sargentiana x 1 | 241 | 02 | esv | | V | 020301: cut back to single stem, conspicuous large, re |
| 14442 | 4 | Sorbus sargentiana aff. x 1 | 241 | 14 | wld | ? | | |
| 16112 | 4 | Sorbus sargentiana aff. x 1 | 248 | 16 | wld | ? | | |
| 09035 | 4 | Sorbus scalaris x 1 | 271 | 10 | pav | | | |
| 09036 | 4 | Sorbus scalaris x 1 | 271 | 10 | pav | | | |
| 09037 | 4 | Sorbus scalaris x 1 | 271 | 10 | pav | | | |
| 16113 | 4 | Sorbus scalaris x 1 | 277 | 16 | wld | | | |
| 15298 | 4 | Sorbus sp. x 1 | 273 | 15 | wld | ? | | |
| 14190 | 4 | Sorbus thibetica x 1 * | 264 | 16 | wld | | | |
| 14217 | 4 | Sorbus thibetica x 1 | 161 | 14 | wld | ? | | |
| 14443 | 4 | Sorbus tianschanica x 1 | 241 | 14 | wld | | | |
| 19111 | 4 | Sorbus torminalis x 1 | 210 | 20 | div | | | #15312, plant from Felix Blank (from planzmich.de) |
| 20069 | 4 | Sorbus torminalis x 1 | 273 | 20 | pav | | | |
| 20121 | 4 | Sorbus vestita x 1 | 178 | 20 | wld | ? | | |
| 20126 | 4 | Sorbus vestita x 1 | 261 | 20 | wld | ? | | |
| 17174 | 4 | Sorbus wardii x 1 | 287 | 20 | div | | | Cherry Tree Arboretum |
| 19017 | 4 | Sorbus wardii x 1 | 264 | 19 | pav | | | |
| 17178 | 4 | Sorbus wilsoniana x 1 | 284 | 20 | div | | | Cherry Tree Arboretum |
| 17461 | 4 | Sorbus wilsoniana aff. x 1 | 299 | 17 | div | ? | | gift #15555 Olaf Schachtschneider (more info in mail |
| 11273 | 4 | Spiraea 'Arguta' (multiflora x thunbergii) x 5 | 233 | 11 | rob | | | |
| 08283 | 4 | Spiraea betulifolia var. aemiliana x 3 | 222 | 08 | vpl | | | 1409: 3/5 left |
| | | 6 Spiraea x bumalda => S. japonica x 0 | | | | | | |
| 83139 | 3 | Spiraea x cinerea 'Grefsheim' x 1 | 275 | 97 | hil | A | | (cana x hypericifolia), 97:one plant has stayed in loc |
| 11111 | 4 | Spiraea japonica x 3 | 237 | 11 | wld | | V | |
| 11280 | 4 | Spiraea japonica 'Albiflora' x 10 | 236 | 11 | rob | | | |
| 12540 | 4 | Spiraea japonica 'Albiflora' x 4 | 236 | 13 | rob | | | to add to group in 236, 1305: 4/5 |
| 11274 | 4 | Spiraea japonica 'Golden Princess' x 7 | 236 | 11 | rob | | | |
| 11277 | 4 | Spiraea japonica 'Goldflame' x 9 | 232 | 12 | rob | | | 2001: 9/10 left |
| 11271 | 4 | Spiraea nipponica 'Snowmound' x 2 | 237 | 11 | rob | | | |
| 11272 | 4 | Spiraea nipponica 'Snowmound' x 3 | 237 | 11 | rob | | | |
| 83282 | 4 | Spiraea trichocarpa x 1 | 289 | 97 | hil | A | | 92:very invasive!!! __02: in corner of fence, outside o |
| 08294 | 4 | Spiraea trilobata x 8 | 222 | 08 | vpl | | | 3 high against grass and 6 low against water, 0809: do |
| 12157 | 4 | Stachyurus chinensis 'Celina' x 1 | 236 | 12 | boc | | V | 1903: pistil as long as green yellow petals or slightly e |
| 19091 | 4 | Stachyurus himalaicus x 1 | 281 | 19 | pds | | | sd #14773 of HKRD #03067 |
| 12374 | 4 | Stachyurus praecox x 1 | 235 | 12 | wld | | | |
| 87323 | 4 | Staphylea colchica x 1 | 134 | 95 | pds | | | 94:suckers separated from 87270, 02: removed sucker |
| 13197 | 4 | Staphylea trifolia x 1 | 281 | 17 | wld | | | |
| 08292 | 4 | Stephanandra incisa x 1 | 222 | 08 | vpl | | | 1409: not found, 1705: 1/6 found |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 08300 | 4 | Stephanandra incisa x 4 | 222 | 08 | vpl | | | under 'Sheffield Park' |
| 08302 | 4 | Stephanandra incisa x 3 | 222 | 08 | vpl | | | under Tetradium, 1409: 3/5 left |
| 08304 | 3 | Stephanandra incisa x 2 | 222 | 08 | vpl | | | in Origanum, 1209: status 3, frost damage, check qua |
| 79141 | 4 | Stephanandra incisa x 2 | 281 | 18 | wir | A | | were part or group #79097 in Z |
| 08284 | 4 | Stephanandra incisa 'Crispa' x 5 | 222 | 08 | vpl | | | |
| 08295 | 4 | Stephanandra tanakae x 3 | 222 | 08 | vpl | | | |
| 08303 | 4 | Stephanandra tanakae x 3 | 222 | 08 | vpl | V | | in Origanum, 1004: 4/5 left, 1705: 3/5 |
| 08584 | 4 | Stephanandra tanakae x 3 | 222 | 08 | vpl | | | near Sedum |
| 14511 | 4 | Stephanandra tanakae x 2 | 298 | 15 | rob | | | 1910: 2/3 left |
| 04299 | 4 | Stewartia x henryae (monadelpha x pseudocamellia) x 1 | 135 | 04 | spo | H | | Stewartia hybrid 7848, spo, found at the HKRD groun |
| 09857 | 4 | Stewartia x henryae (monadelpha x pseudocamellia) x 1 | 123 | 14 | spo | H | | was 09131-A, see there for more info, is x henryae I t |
| 98051 | 4 | Stewartia x henryae (monadelpha x pseudocamellia) x 1 | 123 | 98 | spo | V | | */spontaneous sdlg found under 79031/Q but next to |
| 16161 | 4 | Stewartia x henryae 'Skyrocket' x 1 | 126 | 16 | dcl | | | #12871, graft and gift from Antoon De Clercq, |
| 17252 | 4 | Stewartia x henryae 'Skyrocket' x 1 | 127 | 17 | dcl | | | #11634, graft and gift from Antoon De Clercq, |
| | 6 | Stewartia koreana =>S. pseudocamellia x 0 | | | | | | |
| 14343 | 4 | Stewartia malacodendron x 1 | 123 | 14 | wld | | | |
| 14344 | 4 | Stewartia malacodendron x 3 | 133 | 14 | wld | | | |
| 14345 | 4 | Stewartia malacodendron x 1 | 135 | 14 | wld | | | |
| 14356 | 4 | Stewartia malacodendron x 1 | 156 | 14 | wld | | | |
| 14362 | 4 | Stewartia malacodendron x 3 | 171 | 14 | wld | | | |
| 14363 | 4 | Stewartia malacodendron x 1 | 172 | 14 | wld | | | |
| 14369 | 4 | Stewartia malacodendron x 1 | 234 | 14 | wld | | | |
| 15066 | 4 | Stewartia malacodendron x 1 | 155 | 15 | wld | | | |
| 15072 | 4 | Stewartia malacodendron x 1 | 172 | 15 | wld | | | |
| 15299 | 4 | Stewartia malacodendron x 1 | 281 | 15 | wld | | | |
| 17267 | 2 | Stewartia malacodendron x 1 | 292 | 17 | wld | | | |
| 20202 | 4 | Stewartia malacodendron x 1 | 271 | 20 | wld | | | |
| 13030 | 4 | Stewartia monadelpha x 1 * | 172 | 13 | wld | | | |
| 20183 | 4 | Stewartia monadelpha x 1 | 113 | 20 | pds | | | gift #13737 from Ozzie Johnson, sd from his dwarf pl |
| 20196 | 3 | Stewartia monadelpha x 1 | 168 | 20 | pds | | | gift #13737 from Ozzie Johnson, sd from his dwarf pl |
| 93178 | 4 | Stewartia monadelpha x 1 | 172 | 93 | pds | V | | Cttg#3108 fr #87119,not serrata, 98:is slightly weepin |
| 94269 | 4 | Stewartia monadelpha (lobed lvs) x 1 | 123 | 94 | pds | | | */sd#2212, Sd.Morris A.58-186-b from pl. at Morris |
| 95118 | 4 | Stewartia monadelpha x 1 * | 122 | 95 | pds | | | */sd.3215 ex HKRD 79031 95/8:dry ! 96:-B dead,981 |
| 99206 | 4 | Stewartia monadelpha AA-441 x 1 * | 122 | 00 | pds | | | Cttg 5288 from Arnold Arboretum plant AA-441-77, _ |
| 14491 | 4 | Stewartia monadelpha 'Black Dog' x 1 | 135 | 17 | dcl | | | gift Antoon De Clercq, 181026: good deep wine aut. |
| 18141 | 4 | Stewartia monadelpha 'Black Dog' x 1 | 122 | 18 | div | | | #13926, gift Brian Humphrey, |
| 14346 | 4 | Stewartia ovata x 1 | 135 | 14 | wld | | | |
| 14357 | 4 | Stewartia ovata x 1 | 156 | 14 | wld | | | |
| 14364 | 4 | Stewartia ovata x 1 | 172 | 14 | wld | | | |
| 15069 | 4 | Stewartia ovata x 1 | 161 | 15 | wld | | | |
| 15073 | 4 | Stewartia ovata x 1 | 172 | 15 | wld | | | |
| 15300 | 4 | Stewartia ovata x 1 | 281 | 15 | wld | | | |
| 18038 | 4 | Stewartia ovata x 1 | 172 | 18 | wld | | | |
| 18039 | 4 | Stewartia ovata x 1 | 172 | 18 | wld | | | |
| 18040 | 4 | Stewartia ovata x 1 | 164 | 18 | wld | | | |
| 19219 | 2 | Stewartia ovata x 1 | 188 | 19 | wld | | | |
| 20224 | 4 | Stewartia ovata x 1 | 120 | 20 | wld | | | |
| 13156 | 4 | Stewartia pseudocamellia x 1 | 124 | 13 | wld | | | |
| 15065 | 4 | Stewartia pseudocamellia x 1 | 123 | 15 | div | | | gift #12603 Antoon De Clercq, graft of our #03265, 1 |
| 17275 | 4 | Stewartia pseudocamellia (variegated) x 1 | 133 | 17 | spo | | | spo variegated sdlg #12556 under S pseudocamellia 8 |
| 18108 | 4 | Stewartia pseudocamellia x 1 | 155 | 18 | pds | | | sd #8292, Nikko BG, good tree see photo PdS 2008.1 |
| 89430 | 4 | Stewartia pseudocamellia x 1 | 112 | 91 | esv | | | |
| 89432 | 4 | Stewartia pseudocamellia x 1 | 114 | 93 | esv | | | 99/3/18:base of stem has peeled** in one go,on lower |
| 92689 | 4 | Stewartia pseudocamellia (bullate) x 1 | 123 | 92 | pds | | | */ BDB #31719, cttg.#2408,frm 89261,not ovata, 991 |
| 93177 | 4 | Stewartia pseudocamellia (lanceolate leaves) x 1 | 172 | 93 | pds | V | | */89: mother plant identified as S. pseudocamellia var |
| 94223 | 4 | Stewartia pseudocamellia (bullate) x 2 | 136 | 95 | pds | T | | cttg #3128, fr.#89261/SPI 96:1/3:dead,-01:one plant p |
| 95117 | 4 | Stewartia pseudocamellia (red petiole) x 3 | 134 | 95 | pds | T | | */sd.3205 ex Schuhmacher, 95:4/6 pl.left:one dry,one |
| 95239 | 4 | Stewartia pseudocamellia (AA) x 1 | 135 | 95 | pds | | | */BDB 30733,Sd. 1670 from Arnold A., from the St. |
| 96108 | 3 | Stewartia pseudocamellia x 1 | 133 | 96 | wld | | | |
| 98058 | 4 | Stewartia pseudocamellia x 1 | 172 | 14 | wld | V | | |
| 96105 | 3 | Stewartia pseudocamellia 'Ballet' x 1 * | 122 | 96 | pds | | | */Cttg #4465 fr.Polly HILL, sent by her, fr. Barnard's |
| 13011 | 4 | Stewartia pseudocamellia 'Blue Dress' x 1 | 172 | 14 | div | | | gift Klaas Verboom, sdlg selected by him for blueish |
| 93174 | 3 | Stewartia pseudocamellia 'Harold Hillier' x 1 | 172 | 93 | pds | V | | Cttg#2029 fr #84551/Q, typical rounded bullate leave |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|---|
| 99197 | 3 | Stewartia pseudocamellia 'Milk and Honey' x 1 | 131 | 00 | pds | | | Cttg 5336 from 96107, 060818:has recovered after ne |
| 10119 | 3 | Stewartia pseudocamellia 'Pascua' x 1 | 172 | 12 | dcl | | | gift Antoon De Clercq, high graft!, 1706: st.3 chloroti |
| 11208 | 4 | Stewartia (pseudocamellia sdlg) x 1 | 117 | 13 | spo | | ? | great autumn colour when in pON, 1111:confirmed o |
| 01353 | 4 | Stewartia rostrata x 1 ** | 126 | 02 | bul | | V | sdlgs from Waasland plant, 011103:good aut. colour, |
| 03044 | 3 | Stewartia rostrata (glossy leaves) x 1 | 174 | 03 | pds | | | cttg. #6069 from cttg 5291, Arnold Arboretum, 0909: |
| 18104 | 4 | Stewartia rostrata x 1 | 138 | 18 | pds | | | sd #10124 from Lushan Botanic Garden, as S. sinensi |
| 18114 | 4 | Stewartia rostrata x 1 | 187 | 18 | pds | | | sd #10124 from Lushan Botanic Garden, as S. sinensi |
| 96102 | 4 | Stewartia rostrata (Bjuv shy bloomer) x 1 | 131 | 96 | pds | | | */Cttg #4556 fr.87263 , 97/9: some lobed lvs, many |
| 99199 | 4 | Stewartia rostrata (glossy leaves) x 1 | 172 | 00 | pds | | V | Cttg .5291from Arnold Arboretum (Busey Hil plant), |
| 99200 | 4 | Stewartia rostrata (glossy leaves) x 1 * | 135 | 00 | pds | | V | */Cttg .5291from Arnold Arboretum (Busey Hil plant) |
| 99202 | 4 | Stewartia rostrata (AA-769) x 1 | 123 | 00 | pds | | V | */Cttg 5275 rom Arnold Arboretum 769-36, from Lus |
| 99204 | 4 | Stewartia rostrata (AA-769) x 1 | 172 | 00 | pds | | V | Cttg 5282 from Arnold.Arb., from Lushan 1936 plant, |
| 99210 | 4 | Stewartia rostrata (Hemelrijk 16206) x 1 | 131 | 00 | pds | | | Cttg 5485 from Hemelrijk, 00:has those variable and |
| 99211 | 4 | Stewartia rostrata (Hemelrijk 16206) x 1 | 172 | 00 | pds | | ? | Cttg 5485 from Hemelrijk, 1107: is this true rostrata?, |
| 19033 | 4 | Stewartia rostrata 'Gold Spring' x 1 | 134 | 19 | bot | | | Raf Lenaerts #14515, |
| 05236 | 4 | Stewartia rostrata 'Hulsdonk Pink' x 1 | 135 | 07 | div | | | Hulsdonk via Marc Libert, 1810: from 3 back to statu |
| 14509 | 4 | Stewartia rostrata 'Ogisu' x 1 | 172 | 18 | div | | V | pépinière du Vent Val, 1508: sold as pseudocamellia ' |
| 99208 | 4 | Stewartia (rostrata x sinensis) AA-761 x 1 | 172 | 00 | pds | | H | Cttg 5243 from Arnold Arboretum with ref 761-69-A, |
| 99209 | 4 | Stewartia (rostrata x sinensis) AA-761 x 1 | 123 | 00 | pds | | H | Cttg 5243 from Arnold Arboretum with ref 761-69-A, |
| 16058 | 3 | Stewartia serrata x 1 | 126 | 16 | pds | | | sdlg #14402 of HKRD #92286, 1810: status 3 due to |
| 16104 | 4 | Stewartia serrata x 1 | 127 | 16 | pds | | | sdlg #12059 of HKRD #92286, |
| 17185 | 4 | Stewartia serrata x 1 | 127 | 17 | pds | | | sdlg #12059 of HKRD #92286, |
| 18109 | 4 | Stewartia serrata x 1 | 155 | 18 | pds | | | sd #8390 from Closerie du Rond Chêne, from 4 big se |
| 18113 | 4 | Stewartia serrata x 1 | 168 | 18 | pds | | | sd #8390 from Closerie du Rond Chêne, from 4 big se |
| 92285 | 4 | Stewartia serrata x 1 | 172 | 94 | spi | | V | */97:healthy pl., the best serrata,big red buds with flat |
| 18105 | 4 | Stewartia serrata 'Isola Bella' x 1 | 142 | 18 | div | | | #8462, golden variegated selection, cuttings by propa |
| 13489 | 4 | Stewartia serrata 'Pendula' x 1 | 136 | 19 | div | | | gift Botanica |
| 13155 | 4 | Stewartia sinensis x 1 | 124 | 15 | pds | | | sdlg #12106, Arnold Arboretum sdlg of 114-99-D, N |
| 14009 | 4 | Stewartia sinensis x 1 | 122 | 14 | pds | | | sdlg #12106, Arnold Arboretum sdlg of 114-99-D, N |
| 18265 | 2 | Stewartia sinensis (Trewithen clone) x 1 | 236 | 18 | div | | | gift Westonbirt, 1909: st.2, completely leafless after d |
| 19338 | 3 | Stewartia sinensis (Borde Hill clone) x 1 | 123 | 19 | div | | | gift #13924, Brian Humphrey, 1905: damaged by sprig |
| 19340 | 4 | Stewartia sinensis (Trewithen clone) x 1 | 135 | 19 | div | | | gift #13925, Brian Humphrey, |
| 00568 | 4 | Stewartia sinensis var. acutisepala x 1 | 123 | 02 | bul | | V | */01:must have been moved to pON or is dead!! 02: b |
| 02410 | 2 | Stewartia sinensis var. acutisepala x 1 | 135 | 04 | bul | | V | */gift from Mark Bulk, sdlg from Heritage plant, 02: t |
| 94268 | 4 | Stewartia sinensis 'Panache' x 1 | 123 | 03 | pds | | | sd.#2215, Sd.Arnold 531-34-B from pl.on Busey Hill, |
| 19291 | 3 | Stewartia sp. x 1 | 174 | 19 | wld | | ? | ? |
| 98030 | 4 | Styphnolobium japonicum 'Pendulum' x 1 | 222 | 98 | vpl | | | 98:flowering on its first summer ! 0403: tops of branc |
| 98031 | 4 | Styphnolobium japonicum 'Pendulum' x 1 | 202 | 98 | vpl | | | */02: a lot of dead wood, esp. at the end of branches, |
| 02533 | 4 | Styphnolobium japonicum 'Regent' x 1 | 266 | 03 | div | | | BDB #25930, 02: source Arbor NV, 0309: removed j |
| 12368 | 4 | Styrax americanus x 1 | 121 | 12 | wld | | | |
| 12370 | 4 | Styrax americanus x 1 | 131 | 12 | wld | | | |
| 17520 | 3 | Styrax americanus (Kankakee Form) x 1 | 131 | 19 | bot | | | Raf Lenaerts, Kankakee Form, 1912: status 3 |
| 14544 | 1 | Styrax chinensis x 1 | 131 | 16 | div | | ? | bought by Christophe at Hulsdonk, 1810: from status |
| 16059 | 4 | Styrax dasyanthus aff. x 1 | 131 | 16 | wld | | ? | |
| 14508 | 4 | Styrax 'Evening Light' x 1 | 137 | 18 | div | | | pépinière du Vent Val |
| 17306 | 4 | Styrax grandiflorus x 1 | 131 | 17 | ver | | | gift #14230 as S. hookeri var. yunnanensis, |
| 20148 | 4 | Styrax hemsleyanus x 1 | 131 | 20 | pds | | | sdlg #14935 of HKRD #84709, |
| 20230 | 4 | Styrax hemsleyanus x 1 | 275 | 20 | pds | | | sdlg #14934 of HKRD #84709, |
| 04274 | 4 | Styrax japonicus x 1 | 131 | 04 | pds | | | sdlg from 80160, 1509: nice brownish foliage in late s |
| 20027 | 4 | Styrax japonicus x 1 | 131 | 20 | wld | | | |
| 20029 | 4 | Styrax japonicus x 1 | 131 | 20 | wld | | | |
| 89168 | 4 | Styrax japonicus x 1 | 131 | 91 | pds | | | sdlg #0349, from 80160, 1509: is becoming very wide |
| 92644 | 4 | Styrax japonicus x 1 | 254 | 95 | waa | | | 96/8:covered with scale insects, will it survive if we d |
| 92294 | 2 | Styrax japonicus Benibana Group x 1 | 130 | 08 | spi | | | 1511: recovering well after big move of 2008, but mai |
| 19032 | 4 | Styrax japonicus 'Emerald Meadow' x 1 | 131 | 19 | bot | | | Raf Lenaerts #14522, |
| 11163 | 4 | Styrax japonicus ('Emerald Meadow' sdlg) x 1 | 131 | 11 | dcl | | | gift #10706 Antoon De Clercq |
| 20028 | 4 | Styrax japonicus var. fargesii x 1 | 131 | 20 | div | | | gift #15553 from Chris Lane & Chris Sanders, ex Vil |
| 17529 | 4 | Styrax japonicus 'June Snow' x 1 | 120 | 19 | ver | | | gift Garden Party 2017, (PBR), 1807: fruiting |
| 17528 | 4 | Styrax japonicus 'Pink Bells' x 1 | 120 | 19 | ver | | | gift Garden Party 2017 (origin NPC Styracaceae van |
| 10065 | 3 | Styrax obassia x 1 | 185 | 10 | pds | | | sd. #8508 from HKRD #95210, 1006: pruned for stab |
| 11039 | 4 | Styrax obassia x 1 | 232 | 11 | wld | | V | |
| 95210 | 4 | Styrax obassia x 1 | 112 | 95 | pds | | | sd from Chollipo Arb. 1989/251 |
| 00277 | 4 | Styrax 'Wespelaar' (japonicus x hemsleyanus) x 1 ** | 131 | 00 | pds | | | */one of several hundred sdlgs at DDH (D. Duhaut's) |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 14428 | 4 | <i>Styrax wilsonii</i> x 1 | 131 | 14 | klm | | | #12083, gift Kalmthout |
| 14076 | 1 | <i>Styrax wilsonii</i> aff. x 1 | 131 | 14 | wld | | ? | |
| 20051 | 4 | <i>Styrax wuyuanensis</i> x 1 | 131 | 20 | div | | | #16681, gift IDS visit, IDS Weekend Southern Belgiu |
| 94251 | 4 | x <i>Sycoparrotia semidecidua</i> (<i>Sycopsis</i> x <i>Parrotia</i>) x 1 | 173 | 94 | pds | B | V | sd #3208, ex-Tenbosch, 97: this one perfectly hardy b |
| 13034 | 4 | x <i>Sycoparrotia semidecidua</i> 'Purple Haze' x 1 | 234 | 13 | div | | | gift #11615 of Arborealis (Micha Wieland), grafted |
| 14370 | 4 | x <i>Sycoparrotia semidecidua</i> 'Purple Haze' x 1 | 237 | 14 | div | | | #11603, Hulsdonk |
| 14365 | 4 | <i>Symphoricarpos microphyllus</i> x 5 | 172 | 14 | wld | | | |
| 12018 | 4 | <i>Symplocos paniculata</i> x 1 | 276 | 12 | wld | | | |
| 99157 | 4 | <i>Symplocos paniculata</i> x 1 * | 286 | 02 | wld | | | |
| 15201 | 4 | <i>Syringa komarowii</i> x 1 | 283 | 15 | wld | | | |
| 10270 | 4 | <i>Syringa pubescens</i> subsp. <i>microphylla</i> 'Superba' x 1 | 292 | 10 | dev | | | gift Damien Devos, beware for stock |
| 04275 | 4 | <i>Syringa pubescens</i> subsp. <i>patula</i> x 1 | 284 | 04 | wld | | | |
| 89051 | 3 | <i>Syringa reflexa</i> x 1 | 289 | 95 | ddh | C | | */90:these 3 better than previous from DDH, 0409: pl |
| 07046 | 4 | <i>Syringa reticulata</i> subsp. <i>amurensis</i> x 1 | 284 | 07 | wld | C | | |
| 92728 | 4 | <i>Syringa reticulata</i> subsp. <i>pekinensis</i> x 1 | 284 | 93 | ddh | | | 97/9: cut pl -b, 1/3 left, not very good plants here ! 98 |
| | 6 | <i>Syringa velutina</i> => <i>Syringa pubescens</i> subsp. <i>patula</i> x 0 | | | | | | |
| 08167 | 3 | <i>Taxodium distichum</i> x 6 * | 175 | 10 | bul | | | 12: one plant added from pON under same nr, 151209 |
| 08168 | 3 | <i>Taxodium distichum</i> x 3 | 175 | 10 | bul | | | same lot as 08167 but bigger size (175-200) for centre |
| 05321 | 3 | <i>Taxodium distichum</i> 'Cascade Falls' x 1 | 182 | 07 | dev | | | 050521 gift, 1705: from 4 to status 3: frost |
| 09132 | 4 | <i>Taxus baccata</i> 'Repandens' x 1 | 120 | 09 | pds | | | Cttg #5953 Hof ter Saksen |
| 92498 | 4 | <i>Tetradium daniellii</i> x 1 | 279 | 93 | waa | | | (<i>Euodia henryi</i>), 97:damaged by roe deer; 020904: ma |
| 91729 | 2 | <i>Tetradium ruticarpum</i> x 1 | 222 | 95 | waa | | | 005-87 (from Chollipo sd as <i>Euodia rutaecarpum</i>) 98 |
| 13088 | 4 | <i>Tetradium</i> sp. x 1 | 149 | 13 | div | | ? | prop #8349, received from Maurice Foster as Tetradi |
| 14480 | 3 | <i>Tetrapanax papyrifer</i> 'Rex' x 1 | 236 | 14 | div | | ? | Hessenhof, 1706: from 4 to status 1, 1802: mother pla |
| | 6 | <i>Thuja orientalis</i> => <i>Platyclusus orientalis</i> x 0 | | | | | | |
| 83014 | 4 | <i>Thuja plicata</i> 'Excelsa' x 3 | 130 | 88 | vpl | A | | BDB #30728, planted as windscreen on corner of arb |
| 18012 | 4 | <i>Thuja standishii</i> x 1 | 178 | 18 | wld | | | |
| 96152 | 4 | <i>Thuja standishii</i> x 1 | 153 | 96 | wld | | V | |
| 01252 | 4 | <i>Thujopsis dolabrata</i> x 1 | 186 | 05 | pds | A | | Layer from 85506 |
| 01253 | 4 | <i>Thujopsis dolabrata</i> x 1 | 139 | 05 | pds | A | | Layer from 85506 |
| 16056 | 4 | <i>Thujopsis dolabrata</i> x 1 | 117 | 16 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d |
| 18023 | 4 | <i>Thujopsis dolabrata</i> x 1 | 268 | 18 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d |
| 18024 | 4 | <i>Thujopsis dolabrata</i> x 1 | 268 | 18 | pds | | | cttg. #9027, BDB trip Elzas and Vosges, Arboretum d |
| 14178 | 4 | <i>Thujopsis dolabrata</i> var. <i>hondae</i> x 1 | 299 | 14 | wld | | | |
| 85383 | 3 | <i>Tilia amurensis</i> x 1 | 215 | 85 | wld | C | V | |
| 88107 | 4 | <i>Tilia amurensis</i> x 1 * | 211 | 88 | esv | C | V | */BDB # 32381, 95:frost damage, possibly from earlie |
| 04224 | 4 | <i>Tilia amurensis</i> subsp. <i>taquetii</i> x 1 | 178 | 07 | pav | | | rcvd as <i>T. koreana</i> , 1410: bad wound near base, ugly |
| | 6 | <i>Tilia begoniifolia</i> => <i>Tilia dasystyla</i> subsp. <i>caucasica</i> x 0 | | | | | | |
| 04222 | 2 | <i>Tilia chinensis</i> x 1 | 275 | 06 | pav | | | 0909: status 2, dry |
| 17053 | 4 | <i>Tilia chinensis</i> x 1 | 215 | 17 | wld | | | |
| 08053 | 4 | <i>Tilia chingiana</i> (sdlg) x 1 | 182 | 08 | pds | | ? | sdlg #6162 from Hkrd 83183,before cutting down; ID |
| 91515 | 4 | <i>Tilia cordata</i> 'Winter Orange' x 1 | 273 | 91 | waa | | | */97/09/03: already very defoliated see photo, never h |
| 91645 | 4 | <i>Tilia cordata</i> 'Winter Orange' x 1 | 285 | 93 | waa | | | 97/7: lvs yellowish,spotted,not happy, 011007:good ye |
| 13114 | 4 | <i>Tilia endochrysea</i> x 1 | 219 | 13 | div | | | #11192, gift Brian Humphrey, 140502: new growth is |
| 19351 | 4 | <i>Tilia endochrysea</i> x 1 | 271 | 19 | div | | | gift #13928, Brian Humphrey, other introduction by P |
| AA2784 | | <i>Tilia x europaea</i> x 1 | 289 | ?? | div | A | V | 04: accessed single Lime tree in 289, 2 others outside |
| AA3494 | | <i>Tilia x europaea</i> x 1 | 237 | ?? | div | A | V | at border park Wespelaar |
| AA3504 | | <i>Tilia x europaea</i> x 1 | 237 | ?? | div | A | V | at border park Wespelaar |
| AA3514 | | <i>Tilia x europaea</i> x 1 | 237 | ?? | div | A | V | at border park Wespelaar |
| | 6 | <i>Tilia x flaccida</i> => <i>T. x carluhensis</i> x 0 | | | | | | |
| 08024 | 4 | <i>Tilia</i> 'Harold Hillier' (<i>japonica</i> 'Ernest Wilson' x <i>mongolic</i> | 219 | 10 | pav | B | | 1004: little frost damage, 1901: lots of fruits, nice win |
| 04180 | 4 | <i>Tilia henryana</i> 'Arnold Select' x 1 * | 211 | 05 | pav | | | graft on cordata from motherplant with leader in Arno |
| 87104 | 4 | <i>Tilia henryana</i> var. <i>subglabra</i> x 1 | 215 | 87 | hil | C | | 87:D, 91/4:B-, 92/1:OK,shade ? 94:warm summer b |
| | 6 | <i>Tilia insularis</i> => <i>Tilia japonica</i> 'Ernest Wilson' x 0 | | | | | | |
| 14366 | 3 | <i>Tilia japonica</i> x 1 | 214 | 14 | wld | | | |
| 91519 | 4 | <i>Tilia japonica</i> x 1 ** | 220 | 93 | waa | T | | */94/4:red bracts on opening buds! 97:has major wou |
| 89121 | 4 | <i>Tilia japonica</i> 'Ernest Wilson' x 1 ** | 211 | 92 | waa | | | (syn. <i>T. insularis</i> , see Plantsman 2008(3):195), 96/7/2 |
| 89098 | 4 | <i>Tilia kiusiana</i> x 1 * | 220 | 89 | waa | | | */97/4:very sensitive to late frosts ! 991027:good aut. |
| 89123 | 4 | <i>Tilia kiusiana</i> x 1 * | 211 | 92 | waa | | | 97/4:very sensitive to late frosts ! 990731:beatifully p |
| | 6 | <i>Tilia koreana</i> => <i>Tilia amurensis</i> subsp. <i>taquetii</i> x 0 | | | | | | |
| 04226 | 4 | <i>Tilia mandshurica</i> x 1 | 215 | 06 | pav | | | 141122: still mostly green, 171120: again still green, |
| 94323 | 4 | <i>Tilia maximowicziana</i> x 1 | 214 | 95 | wld | | V | |
| 15414 | 4 | <i>Tilia mexicana</i> x 1 | 185 | 19 | bot | | | Botanic Treasures (Raf Lenaerts) (from Nick Macer, |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|-------|---|---|-----|----|-----|---|---|--|
| 98405 | 4 | <i>Tilia miqueliana</i> x 1 | 215 | 00 | pav | | V | 0508: requires further determination, hairs on upper si |
| 86318 | 4 | <i>Tilia mongolica</i> x 1 | 156 | 87 | esv | ? | T | BDB #33372 |
| 04183 | 4 | <i>Tilia monticola</i> x 1 | 183 | 07 | pav | | | |
| | 6 | <i>Tilia neglecta</i> => <i>Tilia heterophylla</i> x 0 | | | | | | |
| 84597 | 3 | <i>Tilia oliveri</i> x 1 * | 215 | 86 | hil | | A | 971023: lvs upturned after early frost ! Both pl., 99090 |
| 98412 | 4 | <i>Tilia (oliveri x mongolica)</i> x 1 | 215 | 00 | pav | | K | 0104: frosted, 0507: looks correct! |
| 19057 | 4 | <i>Tilia paucicostata</i> x 1 | 248 | 19 | wld | | | |
| 91524 | 4 | <i>Tilia paucicostata</i> x 1 | 219 | 94 | waa | | T | this plant is close to <i>T. amurensis</i> , 190404: leafing, 19 |
| 18187 | 4 | <i>Tilia sp.</i> x 1 | 185 | 18 | wld | | ? | |
| | 6 | <i>Tilia taquetii</i> => <i>Tilia amurensis</i> subsp. <i>taquetii</i> x 0 | | | | | | |
| | 6 | <i>Tilia tomentosa</i> 'Petiolaris' => <i>T. 'Petiolaris'</i> x 0 | | | | | | |
| 09097 | 4 | <i>Torreya californica</i> x 1 | 168 | 09 | wld | | B | |
| 11175 | 4 | <i>Torreya californica</i> x 1 | 208 | 11 | wld | | | |
| 13123 | 4 | <i>Torreya californica</i> x 1 | 289 | 13 | pds | | | ('Spreadeagle' sdlg), sd. #10735 of HKRD #83185 |
| 03297 | 4 | <i>Torreya grandis</i> x 1 | 176 | 08 | wld | | B | |
| 92388 | 3 | <i>Torreya grandis</i> x 1 | 208 | 01 | waa | | | */0301: looks better, but still some yellow lvs; 0305: 1 |
| 19337 | 4 | <i>Torreya nucifera</i> x 1 | 118 | 19 | pds | | | sd. #8295, Nikko BG |
| 93112 | 3 | <i>Torreya nucifera</i> x 1 | 208 | 01 | waa | | V | */98: improving this year, still small not vigorous; 030 |
| 16110 | 3 | <i>Torreya taxifolia</i> x 1 | 208 | 16 | pds | | | prop #11136, see memo, 1705: from 4 to status 3 (yell |
| 17051 | 4 | <i>Torreya taxifolia</i> x 1 | 179 | 17 | pds | | | sd. #11647, gift Jack Johnston, from a conservation pl |
| 19094 | 4 | <i>Torreya taxifolia</i> x 1 | 299 | 19 | pds | | | sd. #11647, gift Jack Johnston, from a conservation pl |
| 99216 | 4 | <i>Tripterygium wilfordii</i> x 2 | 289 | 06 | wld | | | |
| 20232 | 4 | <i>Trochodendron aralioides</i> x 1 | 299 | 20 | wld | | | |
| 93173 | 4 | <i>Trochodendron aralioides</i> x 1 | 143 | 93 | pds | | | */Sd. from my 71007, _0110: pl -c has lost its leader, fr |
| 93299 | 4 | <i>Trochodendron aralioides</i> x 1 | 118 | 07 | pds | | | was #93173-b, 0611: big move from 143, 08: although |
| 01047 | 4 | <i>Tsuga canadensis</i> x 1 | 151 | 09 | wld | | | |
| 08051 | 4 | <i>Tsuga canadensis</i> x 1 | 181 | 08 | wld | | | |
| 12255 | 4 | <i>Tsuga chinensis</i> x 1 | 146 | 12 | wld | | | |
| 12256 | 4 | <i>Tsuga chinensis</i> x 1 | 175 | 12 | wld | | | |
| 13076 | 4 | <i>Tsuga forrestii</i> x 1 | 117 | 13 | wld | | | |
| 17280 | 4 | <i>Tsuga forrestii</i> x 1 | 178 | 17 | wld | | | |
| 07006 | 4 | <i>Tsuga mertensiana</i> x 1 * | 146 | 07 | pds | | | prop #3210, sd ex old cone "ARTER"(Tervuren), 140 |
| 12265 | 4 | <i>Tsuga sieboldii</i> x 1 | 146 | 12 | wld | | | |
| 12269 | 4 | <i>Tsuga sieboldii</i> x 1 | 178 | 12 | wld | | | |
| 16108 | 4 | <i>Tsuga sieboldii</i> x 1 | 153 | 16 | wld | | | |
| | 6 | <i>Ulmus carpinifolia</i> => <i>Ulmus minor</i> x | | | | | | |
| 16208 | 4 | <i>Ulmus chenmoui</i> x 1 | 177 | 19 | div | | | prop #13226, gift M. Foster, from Brendan Rosse's ga |
| 95436 | 4 | <i>Ulmus glabra</i> x 2 | 161 | 95 | spo | | V | |
| 91528 | 4 | <i>Ulmus lamellosa</i> x 1 * | 271 | 93 | waa | | V | BDB #32394, 161021: excellent autumn colour, deser |
| 06165 | 3 | <i>Viburnum acerifolium</i> x 1 | 112 | 09 | bul | | ? | 1005: status 2, dry, 1207: needs verification, possibly |
| 20056 | 4 | <i>Viburnum acerifolium</i> x 1 | 149 | 20 | wld | | | |
| 14246 | 4 | <i>Viburnum betulifolium</i> x 1 | 116 | 14 | wld | | | |
| 14283 | 4 | <i>Viburnum betulifolium</i> x 1 | 299 | 14 | wld | | | |
| 99106 | 4 | <i>Viburnum x bodnantense</i> 'Charles Lamont' x 1 | 149 | 00 | bul | | | 04: flower is too small, this is Dawn says Philippe, bu |
| 99104 | 4 | <i>Viburnum x bodnantense</i> 'Dawn' x 1 | 149 | 00 | bul | | T | |
| 98341 | 4 | <i>Viburnum x bodnantense</i> 'Deben' x 1 | 149 | 00 | esv | | | |
| 99105 | 4 | <i>Viburnum x bodnantense</i> 'Deben' x 1 | 149 | 00 | bul | | | 020214: seems more pink than #98038, verify |
| 98342 | 4 | <i>Viburnum buddleifolium</i> x 1 * | 114 | 00 | esv | | | 0107018: good fruits red becoming black, 0808: attrac |
| 08227 | 4 | <i>Viburnum x burkwoodii</i> 'Anne Russell' x 1 | 113 | 10 | dev | | | gift Damien Devos garden party 080531 |
| 98035 | 4 | <i>Viburnum x carlcephalum</i> (<i>carlesii</i> x <i>macrocephalum</i>) x 1 | 112 | 19 | vpl | | | 030501: excellent spring flowering plant very scented, |
| 98033 | 4 | <i>Viburnum carlesii</i> 'Aurora' x 1 | 116 | 98 | vpl | | | 020313: first corymb is open |
| 95120 | 2 | <i>Viburnum cassinoides</i> x 1 | 168 | 95 | pds | | | sd. 3250 ex Morris Arb. 9906: this one not affected by |
| 95122 | 4 | <i>Viburnum cassinoides</i> x 1 ** | 117 | 95 | pds | | A | sd. 3250 ex Morris Arb. , 97:A+, 98: outstanding and |
| 12512 | 4 | <i>Viburnum cinnamomifolium</i> x 1 | 294 | 12 | div | | ? | gift #12116 from Martine Lemmonier, 1704: seems q |
| 06166 | 4 | <i>Viburnum corylifolium</i> x 1 | 113 | 09 | bul | | | 1507: back to status 4 |
| 12238 | 1 | <i>Viburnum corymbiflorum</i> x 1 | 117 | 12 | wld | | | |
| 12365 | 4 | <i>Viburnum corymbiflorum</i> x 1 | 112 | 12 | wld | | | |
| 20085 | 4 | <i>Viburnum cylindricum</i> x 1 | 112 | 20 | wld | | ? | |
| 15426 | 4 | <i>Viburnum davidii</i> x 1 | 299 | 19 | dev | | | bought at Courson by Daphne |
| 20246 | 4 | <i>Viburnum davidii</i> x 1 | 287 | 20 | div | | | Herlinde's garden, |
| 10134 | 4 | <i>Viburnum dilatatum</i> x 1 | 113 | 10 | wld | | | |
| 12226 | 4 | <i>Viburnum dilatatum</i> x 1 | 236 | 12 | wld | | | |
| 14306 | 3 | <i>Viburnum erocum</i> aff. x 1 | 116 | 14 | wld | | ? | |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|---|------------|----------|------------|----------|----------|--|
| 16156 | 4 | Viburnum erosum aff. x 1 | 116 | 16 | wld | | ? | |
| 14224 | 4 | Viburnum farreri 'Candidissimum' x 3 | 149 | 14 | pds | | | layer of 83702, 1706: 4/5 left |
| 98347 | 4 | Viburnum farreri 'Farrer's Pink' x 1 | 149 | 00 | esv | | | 1307: pruned hard |
| 16107 | 4 | Viburnum farreri 'Roseum' x 1 | 149 | 16 | pds | | | cttg. #7779 from HKRD #86327, |
| 11181 | 4 | Viburnum formosanum x 1 | 116 | 11 | wld | A | V | |
| 16157 | 4 | Viburnum formosanum x 1 | 117 | 16 | wld | | | |
| 00439 | 4 | Viburnum furcatum x 1 * | 127 | 17 | div | | V | */Gift from Anne Leitner, 01:happy, came back perfec |
| 02386 | 3 | Viburnum grandiflorum x 1 | 149 | 03 | dev | C | | scion, 0709: not very attractive now, some dead wood |
| 11064 | 3 | Viburnum x hillieri 'Winton' x 3 | 236 | 11 | dev | | | */11: moved from DC37, 1104: suffering after move, |
| 98349 | 2 | Viburnum x hillieri 'Winton' x 1 | 149 | 00 | esv | C | | 1307: C, status 2, pruned away all dead wood |
| 99243 | 4 | Viburnum x hillieri 'Winton' x 1 | 114 | 01 | wis | | | Winton might be straight erubescens from another ele |
| 16217 | 4 | Viburnum ichangense x 1 | 113 | 19 | div | | | Franck Sadrin; 190425: flowering minutely |
| 18216 | 4 | Viburnum japonicum x 1 | 236 | 18 | pds | ? | | cttg #13771 Arboretum Het Leen #4199 |
| 18222 | 4 | Viburnum japonicum x 1 | 299 | 18 | pds | ? | | cttg #13771 Arboretum Het Leen #4199 |
| 17433 | 4 | Viburnum kansuense x 1 | 120 | 17 | wld | | | |
| 19080 | 4 | Viburnum kansuense x 1 | 173 | 19 | wld | | | |
| 01048 | 4 | Viburnum lantanoides x 1 | 114 | 01 | wld | | | |
| 03102 | 4 | Viburnum lantanoides x 1 | 115 | 03 | wld | | | |
| 09173 | 4 | Viburnum lentago x 1 | 116 | 09 | div | | V | */gift #9817 Anne Leitner as prunifolium, "provienn |
| 00282 | 4 | Viburnum melanocarpum x 1 | 117 | 00 | wld | | V | |
| 17303 | 3 | Viburnum mullaha aff. x 1 | 112 | 17 | wld | ? | ? | |
| 20185 | 4 | Viburnum odoratissimum var. awabuki x 1 | 116 | 20 | pds | | | cttg #15512 KAPEL, LocNum 556, Loc 48 |
| 20204 | 4 | Viburnum odoratissimum var. awabuki x 1 | 297 | 20 | pds | | | cttg #15512 KAPEL, LocNum 556, Loc 48 |
| 14075 | 4 | Viburnum orientale x 1 | 113 | 14 | wld | | V | |
| 14081 | 4 | Viburnum orientale x 1 | 232 | 14 | wld | | | |
| 14202 | 4 | Viburnum orientale x 1 | 112 | 14 | wld | | | |
| 14228 | 4 | Viburnum orientale x 1 | 298 | 14 | wld | | | |
| 14284 | 4 | Viburnum orientale x 3 | 299 | 14 | wld | | V | |
| 18073 | 4 | Viburnum orientale x 1 | 112 | 18 | wld | | | |
| 20086 | 4 | Viburnum orientale x 1 | 112 | 20 | wld | | | |
| 06154 | 4 | Viburnum phlebotrichum x 1 | 113 | 09 | bul | | | |
| 18139 | 3 | Viburnum plicatum 'Rosace' x 1 | 117 | 18 | ver | | | gift #12873, 1806: status 3 |
| 92658 | 4 | Viburnum plicatum 'Rotundifolium' x 2 | 116 | 92 | waa | T | | 94:1/3 pl is status 1 and 99:dead, 2/3 survive, 0802: fr |
| 04458 | 3 | Viburnum plicatum 'Thunberg's Original' x 1 | 117 | 06 | bul | | | 1806: from 2 to status 3 |
| 02160 | 4 | Viburnum plicatum f. tomentosum x 2 | 176 | 02 | div | | | gift Michel Boutsen, layers, 1109: 1/3 status 3, 1506: |
| 92654 | 4 | Viburnum plicatum f. tomentosum x 3 * | 116 | 92 | waa | | | 070424: wonderfully in flower, 0802: not pruned exce |
| 10074 | 4 | Viburnum plicatum f. tomentosum 'Cascade' x 1 | 116 | 10 | pds | | | found in pON, layer of #86334 I suppose |
| 14103 | 4 | Viburnum plicatum f. tomentosum 'Cascade' x 1 | 214 | 14 | pds | | | no info, must be layer of HKRD plant, |
| 92661 | 4 | Viburnum plicatum f. tomentosum 'Nanum Semperflorens | 113 | 96 | waa | T | | 95:1/3 surviving, 1702: not very nanum, 1707: Nanu |
| | 6 | Viburnum plicatum 'Watanabe' =>V. plic. f. toment. 'Nan | | | | | | |
| 86338 | 4 | Viburnum 'Pragense' (rhytidophyllum x utile) x 1 | 114 | 13 | esv | A | V | *_97:A+, good plant for many years against western |
| 20133 | 4 | Viburnum propinquum aff. x 1 | 299 | 20 | wld | | ? | |
| 11182 | 3 | Viburnum recognitum x 1 | 116 | 11 | wld | | | |
| 15255 | 4 | Viburnum recognitum x 1 | 113 | 15 | wld | | | |
| 98358 | 4 | Viburnum x rhytidophylloides 'Alleghany' x 1 | 114 | 00 | esv | | V | |
| 98359 | 4 | Viburnum x rhytidophylloides 'Dart's Duke' x 1 | 114 | 00 | esv | T | | TM name = 'Interduke', 0102:starting to flower, |
| 08124 | 4 | Viburnum sargentii 'Onondaga' x 1 | 113 | 08 | pds | | | layer #9156 of HKRD #89264, 1507: back to status 4 |
| 11114 | 4 | Viburnum sargentii 'Onondaga' x 1 | 298 | 11 | pds | | | layer #9156 of HKRD #89264, 1507: lvs eaten again, |
| 98360 | 4 | Viburnum sargentii 'Susquehanna' x 1 | 113 | 00 | esv | V | | *030330: very early in leaf, as a typical chinese contin |
| 11036 | 4 | Viburnum setigerum x 1 * | 112 | 11 | hil | | | sdlg. #8876, Hillier#2004,0169, garden origin, 1703: |
| 98361 | 3 | Viburnum setigerum x 1 * | 112 | 00 | esv | | | 061125:always covered with fruits, 1806: declining, st |
| 13102 | 4 | Viburnum veitchii x 1 | 113 | 13 | wld | | | |
| 11288 | 4 | Vitex agnus-castus 'Alba' x 2 | 294 | 11 | div | | | |
| 11289 | 4 | Vitex agnus-castus 'Alba' x 2 | 294 | 11 | div | | | 1807: doing very well in this hot and dry summer |
| 11319 | 4 | Vitis 'Roland' x 1 | 290 | 11 | boc | | | |
| 19349 | 4 | Vitis rotundifolia x 1 | 236 | 19 | wld | | | |
| 93038 | 4 | Weigela florida x 1 | 299 | 17 | wld | | V | |
| 19321 | 4 | Weigela hortensis x 1 | 298 | 19 | wld | | V | |
| 12217 | 3 | Weigela japonica x 1 | 299 | 12 | wld | | V | |
| 19089 | 4 | Weigela 'Lavalléi' x 3 | 271 | 19 | pds | | | cttgs #15004 from Franklin Picard (Segrèz) as Weigel |
| 08588 | 4 | Wisteria brachybotrys 'Howick' (YK581) x 1 | 291 | 11 | rug | | | gift Marc Libert (ML062), graft Carlos Verhelst, ex C |
| 08363 | 4 | Wisteria brachybotrys 'Okayama' x 1 | 294 | 11 | rug | | | gift Marc Libert (ML055), graft Carlos Verhelst, ex F |
| 08364 | 4 | Wisteria brachybotrys 'Okayama' x 1 | 294 | 11 | rug | V | | gift Marc Libert (ML055), graft Carlos Verhelst, ex F |

Arboretum Wespelaar Catalogue of living woody plants, sorted by Name

| Num | S | Name x Quantity, Evaluation | Loc | D | Src | H | V | DATA (truncated) |
|------------|----------|--|------------|----------|------------|----------|----------|--|
| 08371 | 4 | Wisteria brachybotrys 'Showa Beni' x 1 | 291 | 11 | rug | | | gift Marc Libert (ML080), graft Carlos Verhelst, ex V |
| 08372 | 4 | Wisteria brachybotrys 'Showa Beni' x 1 | 291 | 11 | rug | | | gift Marc Libert (ML080), graft Carlos Verhelst, ex V |
| 08355 | 4 | Wisteria cv. x 1 | 291 | 11 | rug | | ? | gift Marc Libert (ML050), graft Carlos Verhelst, ex |
| 08381 | 4 | Wisteria floribunda 'Alba' x 1 | 291 | 11 | rug | | | gift Marc Libert (sn) as Wisteria floribunda 'Shiro No |
| 08382 | 4 | Wisteria floribunda 'Alba' x 1 | 291 | 11 | rug | | | gift Marc Libert (sn) as Wisteria floribunda 'Shiro No |
| 08356 | 4 | Wisteria floribunda 'Beni Fuji' x 1 | 294 | 11 | rug | | | gift Marc Libert (ML061), graft Carlos Verhelst, ex |
| 08357 | 4 | Wisteria floribunda 'Beni Fuji' x 1 | 294 | 11 | rug | | | gift Marc Libert (ML061), graft Carlos Verhelst, ex |
| 08367 | 4 | Wisteria floribunda 'Kimono' x 1 | 291 | 11 | rug | | | (syn. W. floribunda 'White with Blue Eye'), gift Marc |
| 08368 | 4 | Wisteria floribunda 'Kimono' x 1 | 291 | 11 | rug | | | (syn. W. floribunda 'White with Blue Eye'), gift Marc |
| 08377 | 4 | Wisteria floribunda 'Lawrence' x 1 * | 290 | 11 | rug | | V | gift Marc Libert (sn), graft Carlos Verhelst, 150511: v |
| | 6 | Wisteria floribunda 'Longissima Alba' => Wisteria floribu | | | | | | |
| | 6 | Wisteria floribunda 'Macrobotrys' => Wisteria floribunda ' | | | | | | |
| 08369 | 4 | Wisteria floribunda f. multijuga x 1 | 290 | 11 | rug | | | (syn. 'Macrobotrys'), gift Marc Libert (ML028) as 'Six |
| 08370 | 4 | Wisteria floribunda f. multijuga x 1 | 291 | 11 | rug | | | (syn. 'Macrobotrys'), gift Marc Libert (ML028) as 'Six |
| | 6 | Wisteria floribunda 'Peaches and Cream' => W floribunda | | | | | | |
| 08379 | 4 | Wisteria floribunda 'Rosea' x 1 | 294 | 11 | rug | | V | = 'Hon-beni', gift Marc Libert (sn), graft Carlos Verhe |
| 08380 | 4 | Wisteria floribunda 'Rosea' x 1 | 294 | 11 | rug | | | = 'Hon-beni', gift Marc Libert (sn), graft Carlos Verhe |
| | 6 | Wisteria floribunda 'Shiro Noda' => Wisteria floribunda ' | | | | | | |
| 08365 | 4 | Wisteria floribunda 'Violacea Plena' x 1 | 291 | 11 | rug | | | = 'Yae Kokuryu', gift Marc Libert (ML001), graft Carl |
| 16244 | 4 | Wisteria floribunda 'White Delite' x 1 | 290 | 17 | rug | | | gift Marc Libert, |
| | 6 | Wisteria floribunda 'White with Blue Eye' => W floribund | | | | | | |
| 16248 | 4 | Wisteria x formosa 'Caroline' x 1 | 291 | 17 | rug | | | gift Marc Libert, the correct one |
| 18250 | 4 | Wisteria x formosa 'Enchantment' x 1 | 290 | 18 | rug | | | gift Marc Libert |
| 08375 | 4 | Wisteria frutescens 'Longwood Purple' x 1 * | 294 | 11 | rug | | | gift Marc Libert (ML068), graft Carlos Verhelst, ex C |
| 08376 | 4 | Wisteria frutescens 'Longwood Purple' x 1 * | 294 | 11 | rug | | | gift Marc Libert (ML068), graft Carlos Verhelst, ex C |
| 16243 | 4 | Wisteria macrostachya x 1 | 294 | 17 | rug | | | gift Marc Libert, ML248, seedling of 'Peter's Pink' |
| 12537 | 4 | Wisteria macrostachya 'Aunt Dee' x 1 | 294 | 12 | rug | | | gift Marc Libert, RUG, 1605: prob. better regarded as |
| 12536 | 4 | Wisteria macrostachya 'Blue Moon' x 1 | 294 | 12 | rug | | | gift Marc Libert, RUG, 1605: prob. better regarded as |
| 16242 | 4 | Wisteria macrostachya 'Peter's Pink' x 1 | 294 | 17 | rug | | | gift Marc Libert, ML247 |
| 08385 | 4 | Wisteria sinensis 'Amethyst' x 1 | 291 | 11 | rug | | V | gift Marc Libert (sn), graft Carlos Verhelst, 180825: e |
| 17527 | 4 | Wisteria sinensis 'Peter Valder' x 1 | 290 | 19 | rug | | | gift Garden Party 2017 from Marc Libert |
| 18249 | 4 | Wisteria sinensis 'Peter Valder' x 1 | 236 | 19 | rug | | | gift Marc Libert for Koen |
| 16245 | 4 | Wisteria sinensis 'Texas Purple' x 1 | 291 | 17 | rug | | | gift Marc Libert, |
| 08374 | 4 | Wisteria x valderi 'Burford' x 1 | 291 | 11 | rug | | | gift Marc Libert (ML085), graft Carlos Verhelst |
| 08384 | 4 | Wisteria x valderi 'Eranthema' x 1 | 294 | 11 | rug | | V | (brachyb. x florib.), gift Marc Libert (ML 060), graft |
| 08362 | 3 | Wisteria x valderi 'Lavender Lace' x 1 | 290 | 11 | rug | | | gift Marc Libert (ML053), graft Carlos Verhelst, ex C |
| 08360 | 4 | Wisteria x valderi 'Murasaki-kapitan' x 1 | 291 | 11 | rug | | V | (brachyb. x florib.), gift Marc Libert (ML077), graft C |
| 10275 | 4 | Wisteria x valderi 'Murasaki-kapitan' x 1 * | 292 | 10 | ver | | | */(brachyb. x florib.), ML158, rcvd as 'Ikojama Fuji', |
| 13558 | 4 | Xanthoceras sorbifolium x 1 | 293 | 16 | dev | | V | via Grégory le Grelle, was #13491, 190425: flowering |
| 10550 | 4 | Xanthocyparis nootkatensis x 1 | 268 | 11 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest |
| 10551 | 4 | Xanthocyparis nootkatensis x 1 | 289 | 11 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest |
| 12341 | 4 | Xanthocyparis nootkatensis x 1 | 289 | 12 | div | | | prop #8086, BDB trip Illinois, cuttings Starhill Forest |
| 15320 | 2 | Xanthorhiza simplicissima x 2 | 156 | 15 | wld | | | |
| 95072 | 4 | Zanthoxylum schinifolium x 1 | 174 | 96 | wld | | | |
| 20129 | 4 | Zanthoxylum simulans x 1 | 274 | 20 | div | | | gift #16788 Herman Buttiens |
| 04292 | 4 | Zelkova carpinifolia x 1 | 133 | 04 | ddh | | | sdlg #5545b from ddh, 06: binding cord grown in trun |
| 91784 | 4 | Zelkova carpinifolia x 1 | 175 | 94 | pav | | | was 91090-c, see there for more info |
| 05137 | 4 | Zelkova serrata x 1 | 176 | 07 | rug | | | BDB #30751, gift Marc Libert (via Jacky Pousse), 05 |
| 76107 | 4 | Zelkova serrata x 1 * | 262 | 84 | pds | A | | */sd frm good KLMTM tree , 97:92cm a/1m, 9911:lat |
| 93030 | 4 | Zelkova serrata x 1 * | 274 | 93 | wld | | | |
| 06155 | 4 | Zelkova serrata 'Iruma Sango' x 1 | 291 | 12 | bul | | | |
| 08025 | 4 | Zelkova x verschaffeltii (carpinifolia x serrata) x 1 | 243 | 10 | pav | | | 18: lots of seeds on this plant (PROP #16771), 2002: |
| 06150 | 3 | Zenobia pulverulenta 'Blue Sky' x 2 | 175 | 12 | bul | | | 1007: 1/3 to status 3, 1104: status 2, is this frost?, 120 |